
**Electronic fee collection — Evaluation
of on-board and roadside equipment
for conformity to ISO 12813 —**

**Part 1:
Test suite structure and test purposes**

*Perception du télépéage — Évaluation des équipements embarqués et
en bord de route quant à la conformité avec l'ISO 12813 —
Partie 1: Structure de suite d'essais et buts des essais*

ISO 13143-1:2016

<https://standards.iteh.ai/catalog/standards/sist/01d62f5d-6872-4889-9aef-83e5ed75b0c8/iso-13143-1-2016>



iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 13143-1:2016

<https://standards.iteh.ai/catalog/standards/sist/01d62f5d-6872-4889-9aef-83e5ed75b0c8/iso-13143-1-2016>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Abbreviated terms	3
5 Test suite structure (TSS)	4
5.1 Structure	4
5.2 Reference to conformance test specifications	4
5.3 Test purposes (TP)	5
5.3.1 TP definition conventions	5
5.3.2 TP naming conventions	5
5.4 Conformance test report	6
Annex A (normative) Test purposes for on-board units	7
Annex B (normative) Test purposes for roadside equipment	36
Annex C (normative) PCTR proforma for on-board units	45
Annex D (normative) PCTR proforma for roadside equipment	52
Bibliography	57

iTech STANDARD PREVIEW
(standards.iteh.ai)

[ISO 13143-1:2016](https://standards.iteh.ai/catalog/standards/sist/01d62f5d-6872-4889-9aef-83e5ed75b0c8/iso-13143-1-2016)

<https://standards.iteh.ai/catalog/standards/sist/01d62f5d-6872-4889-9aef-83e5ed75b0c8/iso-13143-1-2016>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

The committee responsible for this document is ISO/TC 204, *Intelligent transport systems*.

This first edition of ISO 13143-1 cancels and replaces the first edition of ISO/TS 13143-1:2011, which has been technically revised and incorporates the following main modifications compared to ISO/TS 13143-1:2011:

- conversion from a Technical Specification to an International Standard;
- amendment of terms, in order to reflect harmonization of terms across electronic fee collection (EFC) standards;
- amendments to reflect changes to the underlying requirements standards, in particular ISO 12813 and ISO 14906;
- editorial and formal corrections.

A list of all parts in the ISO 13143 series can be found on the ISO website.

Introduction

ISO 17575 is part of a set of standards that supports interoperability of autonomous EFC-systems. It defines the EFC context data, their charge reports and their use of communication infrastructure.

The set of standards also supports short-range communication links in the context of autonomous electronic fee collection (EFC) on-board equipment (OBE) to enable spot checks for the enforcement process. The application interface is defined in ISO 12813:2015.

Within the set of EFC standards, this document defines the process and tests for conformity evaluation of OBE and roadside equipment (RSE) that comply with the requirements in ISO 12813:2015.

This document is intended to

- assess OBU and RSE capabilities,
- assess OBU and RSE behaviour,
- serve as a guide for OBU and RSE conformance evaluation and type approval,
- achieve comparability between the results of the corresponding tests applied in different places at different times, and
- facilitate communication between parties.

This document is based on

- ISO 12813:2015,
- the set of dedicated short-range communication (DSRC) standards defining the communication stack, and
- ISO/IEC 9646.

ITeH STANDARD PREVIEW

(standards.iteh.ai)

ISO 13143-1:2016

<https://standards.iteh.ai/catalog/standards/sist/01d62f5d-6872-4889-9aef-83e5ed75b0c8/iso-13143-1-2016>

This document is based on using the tree and tabular combined notation (TTCN) that is a standardized language suitable for specification of test cases and steps for assessment of protocol and application behaviour. The TTCN language is also supported by modern automated tools that accelerate software design, implementation and testing.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 13143-1:2016

<https://standards.iteh.ai/catalog/standards/sist/01d62f5d-6872-4889-9aef-83e5ed75b0c8/iso-13143-1-2016>

Electronic fee collection — Evaluation of on-board and roadside equipment for conformity to ISO 12813 —

Part 1: Test suite structure and test purposes

1 Scope

This document specifies the test suite structure (TSS) and test purposes (TP) to evaluate the conformity of on-board units (OBU) and roadside equipment (RSE) to ISO 12813:2015.

It provides a basis for conformance tests for dedicated short-range communication (DSRC) equipment (on-board units and roadside units) to enable interoperability between different equipment supplied by different manufacturers.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 12813:2015, *Electronic fee collection — Compliance check communication for autonomous systems*

ISO 14906:1/Amd 1:2015, *Electronic fee collection — Application interface definition for dedicated short-range communication / Amendment 1*

ISO/TS 14907-2:2016, *Electronic fee collection — Test procedures for user and fixed equipment — Part 2: Conformance test for the on-board unit application interface*

EN 15509:2014, *Electronic fee collection — Interoperability application profile for DSRC*

EN 15876-1:2016, *Electronic fee collection — Evaluation of on-board and roadside equipment for conformity to EN 15509 — Part 1: Test suite structure and test purposes*

ETSI/TS 102 486-2-2 V1.2.1 (2008-10), *Intelligent Transport Systems (ITS); Road Transport and Traffic Telematics (RTTT); Test specifications for Dedicated Short Range Communication (DSRC) transmission equipment; Part 2: DSRC application layer; Sub-Part 2: Test Suite Structure and Test Purposes (TSS&TP)*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

ISO 13143-1:2016(E)

3.1 access credentials

trusted attestation or secure module that establishes the claimed identity of an object or application

Note 1 to entry: Access credentials carry information needed to fulfil access conditions in order to perform the operation on the addressed element in the OBE. Access credentials can carry passwords, as well as cryptography-based information such as authenticators.

[SOURCE: EN 15509:2014, 3.1]

3.2 attribute

addressable package of data consisting of a single data element or structured sequences of data elements

[SOURCE: ISO 17575-1:2016, 3.2]

3.3 authentication

security mechanism allowing verification of the provided identity

[SOURCE: EN 301 175]

3.4 authenticator

data, possibly encrypted, that is used for authentication

[SOURCE: EN 15509:2014, 3.3]

3.5 cryptography

principles, means and methods for the transformation of data in order to hide its information content, prevent its undetected modification or prevent its unauthorised use

[SOURCE: EN 15509:2014, 3.6]

3.6 data group

class of closely related attributes

[SOURCE: ISO 17575-1:2016, 3.10]

3.7 Element

<DSRC> directory containing application information in the form of attributes

[SOURCE: ISO 14906:2011, 3.11 modified]

3.8 implementation conformance statement

statement of capabilities and options that have been implemented defining to what extent the implementation is compliant with a given specification

[SOURCE: ISO/TS 14907-2:2016, 3.16]

3.9 implementation extra information for testing

statement containing all of the information related to the implementation under test (IUT) and its corresponding system under test (SUT) which will enable the testing laboratory to run an appropriate test suite against that IUT

[SOURCE: ISO/TS 19015:2000, 3.20]

3.10
on-board equipment
OBE

all required equipment on-board a vehicle for performing required EFC functions and communication services

3.11
on-board unit
OBU

single electronic unit on-board a vehicle for performing specific EFC functions and for communication with external systems

3.12
roadside equipment
RSE

equipment located along the road, either fixed or mobile

[SOURCE: ISO/TS 19299:2015, 3.34]

3.13
tester

combination of equipment, humans and processes able to perform specified conformance tests

[SOURCE: EN 15876-1:2016, 3.12]

3.15
transaction

whole of the exchange of information between two physically separated communication facilities

[SOURCE: ISO 17575-1:2016, 3.21]

iTeh STANDARD PREVIEW

(standards.iteh.ai)

[ISO 13143-1:2016](https://standards.iteh.ai/catalog/standards/sist/01d62f5d-6872-4889-9aef-83e5ed75b0c8/iso-13143-1-2016)

<https://standards.iteh.ai/catalog/standards/sist/01d62f5d-6872-4889-9aef-83e5ed75b0c8/iso-13143-1-2016>

4 Abbreviated terms

AC_CR	Access Credentials
ADU	Application Data Unit
APDU	Application Protocol Data Unit (ISO 14906)
AP	Application Process
ASN.1	Abstract Syntax Notation One (ISO/IEC 8824-1)
ATS	Abstract Test Suite
BI	Behaviour Invalid (i.e. Invalid Behaviour tests)
B-Kernel	Broadcast Kernel
BST	Beacon Service Table (ISO 14906)
BV	Behaviour Valid (i.e. Valid Behaviour tests)
cf	Confirm
DLC	Data link Control
DSRC	Dedicated Short-Range Communication (ISO 14906)
DUT	Device Under Test (ISO/TS 14907-2)

ISO 13143-1:2016(E)

EID	Element Identifier
EFC	Electronic Fee Collection (ISO 17573)
ICS	Implementation Conformance Statement
LLC	Logical Link Control (EN 12795)
MAC	Medium Access Control (EN 12795)
PCTR	Protocol Conformance Test Report
PDU	Protocol Data Unit
PIXIT	Protocol Implementation eXtra Information for Testing
TSS	Test Suite Structure
VST	Vehicle Service Table (ISO 14906)

5 Test suite structure (TSS)

5.1 Structure

Table 1 shows the Test suite structure (TSS) including its subgroups that are inherited from other specifications.

Table 1 — Test suite structure

Group	Type of DUT	Behaviour
Physical layer	On-board unit	Valid behaviour
		Invalid behaviour
	Roadside equipment	Valid behaviour
		Invalid behaviour
DLC MAC sublayer	On-board unit	Valid behaviour
		Invalid behaviour
	Roadside equipment	Valid behaviour
		Invalid behaviour
DLC LLC sublayer	On-board unit	Valid behaviour
		Invalid behaviour
	Roadside equipment	Valid behaviour
		Invalid behaviour
Application layer	On-board unit	Valid behaviour
		Invalid behaviour
	Roadside equipment	Valid behaviour
		Invalid behaviour

Physical layer tests are to be performed in a radio wave laboratory. They will not form part of the ATS.

5.2 Reference to conformance test specifications

Conformance to a profile standard implies conformance to the related base standards; hence, a number of test cases for the CCC application are exactly the same as the conformance test cases for the related base standards. Other test cases are derived from the base standards conformance test

cases, by applying some restrictions or choices in, for example, the parameters values, according to what is stated in the profile standard. Finally, specific conformance test cases for the CCC application are identified for statements contained in the CCC application, which have no equivalence in the base standards. These latter cases cover for example the application layer data test purposes. This document takes into account already defined test purposes for conformance to the base standards by referencing them, so that:

- a) For test purposes that are identical to those defined in the base standards conformance test cases (see e.g. ETSI/TS 102 486-2-2 or EN 15876-1), a direct reference is reported. For reader's convenience, the title or a verbal description of the referenced test purpose is given, together with the reference.
- b) For test purposes that are **derived** from those defined in the base standards conformance test cases, a direct reference is reported, plus an indication on how the referred test purpose has to be modified for the profile conformance testing.
- c) For test purposes that are **specific to the standard profile**, a complete description is given.

An indication on whether a test purpose is **identical**, **derived**, or **specific** is given in each test purpose.

5.3 Test purposes (TP)

5.3.1 TP definition conventions

The TPs are defined following the rules shown in [Table 2](#). All test purposes are defined in [Annex A](#) and [Annex B](#).

ITeH STANDARD PREVIEW
(standards.iteh.ai)

Table 2 — TP Definition Rules

<p style="text-align: center;">TP ID according to the TP naming conventions</p>	ISO 13143-1:2016
	Title
	Reference
	TP origin
	Initial condition
	Stimulus and expected behaviour
TP ID	The TP ID is a unique identifier. It shall be specified according to the TP naming conventions defined in the sub-clause below.
Title	Short description of test purpose objective.
Reference	The reference should contain the references of the subject to be validated by the actual TP (specification reference, clause, paragraph), or the reference to the standard document defining the TP.
TP origin	Indicates if the TP is identical to a TP defined in another test standard, derived from a TP defined in another test standard, or specific for this standard profile.
Initial condition	The condition defines in which initial state the DUT has to be to apply the actual TP.
Stimulus and expected behaviour	Definition of the events the tester performs, and the events that are expected from the DUT to conform to the base specification.

5.3.2 TP naming conventions

Each TP is given a unique identification. This unique identification is built up to contain the following string of information:

TP/ <group>/<dut>/<x>-<nn>

- TP : to indicate that it is a test purpose;
- <group> : which group among those defined in [Table 1](#) does the TP apply to;
- <dut> : type of DUT (i.e. OBU or RSE);
- <x> : type of testing (i.e. Valid behaviour tests, BV, or Invalid behaviour tests, BI);
- <nn> : sequential TP number (01 to 99).

The naming conventions are as described in [Table 3](#).

Table 3 — TP naming convention

Identifier: TP/ <group> / <dut>
/ <x> - <nn>

<group>

<i>applicable for OBU/RSE</i>	PHY	Physical layer
<i>applicable for OBU/RSE</i>	MAC/LLC	MAC/LLC sublayer
<i>applicable for OBU/RSE</i>	AP-BAS	Application layer – I Kernel support
<i>applicable for OBU</i>	AP-FUN	Application layer – T Kernel support
<i>applicable for OBU</i>	AP-DAT	Application layer – Data attributes support
<i>applicable for OBU</i>	AP-SEC	Application layer – Security Level 1 support
<i>applicable for RSE</i>	AP-GET	Application layer - GET-rq PDU test purposes,
<i>applicable for RSE</i>	AP-STA	Application layer - GET-STAMPED-rq PDU test purposes
<i>applicable for RSE</i>	AP-MMI	Application layer - SET-MMI-rq PDU test purposes
<i>applicable for RSE</i>	AP-ECH	Application layer - ECHO-rq PDU test purposes
<i>applicable for RSE</i>	AP-REL	Application layer - EVENT-REPORT-rq PDU test purposes
<dut> = type of DUT	OBU	On-board unit
	RSE	Roadside equipment
x = Type of testing	BV	Valid behaviour tests
	BI	Invalid behaviour tests
<nn> = sequential number (01-99)		Test purpose number

5.4 Conformance test report

The manufacturer of the OBU and RSE, respectively, is responsible for providing a conformance test report.

The manufacturer of the OBU shall complete the protocol conformance test report (PCTR) for on-board units as defined in [Annex C](#).

The manufacturer of the RSE shall complete the PCTR for roadside equipment as defined in [Annex D](#).

Annex A (normative)

Test purposes for on-board units

A.1 General

This annex contains the test purposes (TP) for the conformity evaluation of OBUs to ISO 12813.

A.1.1 Symbols in TP descriptions

For the application layer test purposes, a special notation and symbol convention is used, as defined in what follows.

Symbols are used in the description of the TPs, with meanings according to [Table A.1](#).

Table A.1 — Description of TP Symbols

SYMBOL	DESCRIPTION
XXX.rq ⇒	The Tester sends the XXX.rq PDU to the DUT
⇐ YYY.rs	The DUT sends the YYY.rs PDU to the Tester
A ≡ B	Test purpose A “is congruent to” test purpose B. The notation Test purpose A ≡ Test purpose B means that the Test purpose A is the same as Test purpose B. If differences in parameters or parameter values have to be applied, these differences are indicated in the text immediately below.
A → B	Object A “is transformed” into Object B. So a notation like “Table X → Table Y” means that, for the scope of the Test purpose, any reference of Table X should be changed into references to Table Y.
=	Means “assignment”. That is, a notation like “accessCredentials = a value” means that the field accessCredentials is given a value.
∅	Means “empty” or “not set”. So, a notation like “accessCredentials = ∅ → accessCredentials = calculated value”, for a given Test purpose, means “change all occurrences in which the field accessCredentials has not been assigned to calculation of the value accessCredentials to a given value.”

A.2 Physical layer

Per ISO 12813:2015, 5.5.2, all test purposes TP/PHY/OBU/Bx/yy defined in EN 15876-1 are applicable for the conformity evaluation of OBUs to CEN-DSRC based CCC as claimed in ISO/TS 12813:2015, Table B.8, Item 1.

A.3 MAC and LLC

Per ISO 12813:2015, 5.5.2, all test purposes TP/MAC/OBU/Bx/yy and TP/LLC/OBU/Bx/yy defined in EN 15876-1 are applicable for the conformity evaluation of OBUs to CEN-DSRC based CCC as claimed in ISO 12813:2015, Table B.8, Item 1.

A.4 Application Layer

A.4.1 Structure of BST and VST

A.4.1.1 BST

The BST general structure, as is transmitted to the OBU, is described in [Table A.2](#).

Table A.2 — BST general structure

		Length	Allowed Values	
T-APDUs		4 bit	'1000' indicating initialisation-request (BST)	
Option indicator		1 bit (nonmandApplications opt.)	0/1	
rsu	manufacturerid	16 bits	See ISO 14816	
	individualid	27 bits	as specified by manufacturer	
Time		32 bits	UNIX real time	
profile		1 bit (Profile ext.)	0 (= no extension)	
		7 bits	See Profile in EN 12834:2003, Annex A and EN 13372, 6.3.2	
MandAp- plications		1 bit (mandApplications ext.)	0 (= no extension)	
		7 bits (number of applications)	M	
CCC Applica- tion	aid	1 bit (eid opt.)	0 (= eid not present)	
		1 bit (parameter opt.)	0 (= parameter not present)	
		1 bit (aid ext.)	0 (= no extension)	
	Application 2 (not CCC)	aid	5 bits	20 (= CCC application)
			1 bit (eid opt.)	0/1
		1 bit (parameter opt.)	0/1	
		eid	1 bit (aid ext.)	0 (= no extension)
			5 bits	20 (= CCC application)
		parameter	1 bit (eid ext.)	0 (= no extension)
	7 bits		any	
	
	Application M (not CCC)	aid	1 bit (eid opt.)	0/1
1 bit (parameter opt.)			0/1	
eid		1 bit (aid ext.)	0 (= no extension)	
		5 bits	20 (= CCC application)	
parameter		1 bit (eid ext.)	0 (= no extension)	
		7 bits	any	
non- mandAp- plications		1 bit (mandApplications ext.)	0 (= no extension)	
		7 bits (number of applications)	N	
	Application 1 (not EFC)	See "Application 2 (not EFC)" of mandApplications		
		
	Application N (not EFC)	See "Application 2 (not EFC)" of mandApplications		
profileList		1 bit (profileList ext.)	0 (= no extension)	
		7 bits (number of profiles)	K	
	Profile 1	1 bit (Profile ext.)	0 (= no extension)	

Table A.2 (continued)

		Length	Allowed Values
		7 bits	See Profile in EN 12834:2003, Annex A and EN 13372, 6.3.2

	Profile K	1 bit (Profile ext.)	0 (= no extension)
		7 bits	See Profile in EN 12834:2003, Annex A and EN 13372, 6.3.2

A.4.1.2 VST

The VST general structure, as is transmitted by the OBU, is described in Table A.3.

Table A.3 — VST general structure (security level 1)

				Length	Allowed value					
fill				4 bits	any					
profile				1 bit (Profile ext.)	0 (= no extension)					
				7 bits	See Profile in EN 12834:2003, Annex A					
				1 bit (applications ext.)	0 (= no extension)					
				7 bits (number of applic.)	M					
				aid	1 bit (eid opt.)	1 (= eid present)				
					1 bit (parameter opt.)	1 (= parameter present)				
				eid	1 bit (aid ext.)	0 (= no extension)				
					5 bits	20 (= CCC application)				
					1 bit (eid ext.)	0 (= no extension)				
					7 bits	any (≠ other eid used in this VST)				
					parameter	1 bit (Container ext.)	0 (= no extension)			
						7 bits (Container CHOICE)	2 (= OCTET STRING)			
				1 bit (octet string ext.)		0 (= no extension)				
				7 bits (octet string length)		16				
				applications	CCC Application	parameter	CCC-ContextMark	contract Provider	10 bits (CountryCode) 14 bits (IssuerIdentifier)	See ISO 3166-1 See ISO 14816
								typeOf Contract	16 bits	any
context Version	1 bit (contextVersion ext.)	0 (= no extension)								
	7 bits	any								
AC_CR-Reference	AC_Master KeyRef	1 bit (Container ext.)	0 (= no extension)							
		7 bits (Container CHOICE)	2 (= OCTET STRING)							
	AC_CR-Diversifier	1 bit (octet string ext.)	0 (= no extension)							
		7 bits (octet string length)	2							
RndOBE	1 bit (Container ext.)	0 (= no extension)								
	7 bits (Container CHOICE)	2 (= OCTET STRING)								
	1 bit (octet string ext.)	0 (= no extension)								
	7 bits (octet string length)	4								
RndOBE							32 bits	any		