

SLOVENSKI STANDARD SIST EN 14404-4:2024

01-oktober-2024

Nadomešča:

SIST EN 14404:2005+A1:2010

Osebna varovalna oprema - Ščitniki za kolena za delo v klečečem položaju - 4. del: Zahteve za kombinacijo interoperabilnih kolenskih podlog in oblačil (tip 2)

Personal protective equipment - Knee protectors for work in the kneeling position - Part 4: Requirements for the combination of interoperable knee pads and garments (type 2)

Persönliche Schutzausrüstung - Knieschutz für Arbeiten in kniender Haltung - Teil 4: Anforderungen für die Kombination von interoperablen Kniepolstern und Kleidungsstücken (Typ 2)

Équipements de protection individuelle - Protecteurs de genoux pour le travail à genoux - Partie 4 : Exigences relatives à la combinaison de plaques de genouillères interopérables et de vêtements (type 2)

Ta slovenski standard je istoveten z: EN 14404-4:2024

ICS:

13.340.50 Varovanje nog in stopal Leg and foot protection

SIST EN 14404-4:2024 en,fr,de

iTeh Standards (https://standards.iteh.ai) Document Preview

SIST EN 14404-4:2024

https://standards.iteh.ai/catalog/standards/sist/fae4bad6-0331-4002-adff-8c0303668fb4/sist-en-14404-4-2024

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 14404-4

May 2024

ICS 13.340.50

Supersedes EN 14404:2004+A1:2010

English Version

Personal protective equipment - Knee protectors for work in the kneeling position - Part 4: Requirements for the combination of interoperable knee pads and garments (type 2)

Équipements de protection individuelle - Protecteurs de genoux pour le travail à genoux - Partie 4 : Exigences relatives à la combinaison de plaques de genouillères interopérables et de vêtements (type 2) Persönliche Schutzausrüstung - Knieschutz für Arbeiten in kniender Haltung - Teil 4: Anforderungen für die Kombination von interoperablen Kniepolstern und Bekleidung (Typ 2)

This European Standard was approved by CEN on 20 June 2022.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Cont	ntents Page			
Europ	ean foreword	3		
Introduction		4		
1	Scope	6		
2	Normative references	6		
3	Terms and definitions	6		
4	Performance levels of knee protectors	7		
5 5.1 5.2	Requirements Interoperable knee pad Garments	8		
6 6.1 6.2	MarkingGeneralSpecific	14		
7 7.1 7.2	Information to be supplied by the manufacturer Interoperable knee pad	16		
Annex	A (informative) Rationale	18		
Annex	B (informative) Information on the problems of using knee protectors for work in the kneeling position	21		
Annex	C (informative) Information for Type 2 knee protector for arrangement of the knee protection pocket	22		
Annex	D (informative) Assessment of the combination of interoperable knee pad and garment with interoperable pockets	23		
	ZA (informative) Relationship between this European Standard and the essential requirements of Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment aimed to be covered			
Biblio	graphy	27		

European foreword

This document (EN 14404-4:2024) has been prepared by Technical Committee CEN/TC 162 "Protective clothing including hand and arm protection and life jackets", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2024 and conflicting national standards shall be withdrawn at the latest by November 2024.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document, together with EN 14404-1 to EN 14404-3 and EN 14404-5 to EN 14404-6, will supersede EN 14404:2004+A1:2010.

This document has been prepared under a standardization request addressed to CEN by the European Commission. The Standing Committee of the EFTA States subsequently approves these requests for its Member States.

For the relationship with EU Legislation, see informative Annex ZA, which is an integral part of this document.

EN 14404 "Personal protective equipment — Knee protectors for work in the kneeling position" is split into 6 parts:

- Part 1: Test methods; TDS://Standards.iteh.ai)
- Part 2: Requirements for wearable knee protectors (type 1);
- Part 3: Requirements for the individual combination of knee pads and garments (type 2);
- Part 4: Requirements for the combination of interoperable knee pads and garments (type 2); 442024
 - Part 5: Requirements for knee mats (type 3);
 - Part 6: Requirements for kneeling systems (type 4).

With the splitting of the standard, the following changes were made:

- definition of the protection zone;
- new combination of interoperable knee pads with interoperable garments (EN 14404-4);
- a bend test for interoperable knee pad was introduced;
- normative references were updated, further normative references are included;
- the cleaning of garments was taken into account;
- an uneven test surface and test was introduced;
- no more "UNISIZE" size; adjustment of size designation;
- additional markings were added.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

iTeh Standards (https://standards.iteh.ai) Document Preview

SIST EN 14404-4:2024

https://standards.iteh.ai/catalog/standards/sist/fae4bad6-0331-4002-adff-8c0303668fb4/sist-en-14404-4-2024

Introduction

Kneeling is a frequently occurring working position, but one which is problematic from an occupational health viewpoint. Without knee protectors, workers can suffer immediate injuries from hard surfaces and small stones and similar objects lying on the surfaces. However, no knee protector can ensure that workers will not suffer medical complications if they are required to kneel for long periods.

It is important that knee protectors do not compromise venous drainage in the leg while kneeling or standing up. Therefore, it is important that it is easy for workers to change position and to stand up to reestablish a normal blood circulation at frequent intervals while wearing knee protectors.

Work in a kneeling position involves the risk of chronic diseases such as prepatellar bursitis and cartilage injuries caused by continuous pressure on the knees. Knee protection is therefore recommended for all work in the kneeling position. The protection should distribute forces evenly and prevent small hard objects on the ground causing injuries. Many workers have pre-existing damage to their knees, particularly to their cartilages from sports injuries and from previous work. These injuries will be made worse by further kneeling. Wearing knee protectors cannot correct existing damage but should slow down further damaging effects.

Work in a kneeling position can expose the skin of the shins, knees and thighs to toxic and corrosive materials normally kept off the body while walking and standing by waterproof or water-resistant footwear. Knee protectors and trousers for use with such wet materials and particularly wet cement, should take this into account and provide adequate protection.

For working in a kneeling position, four types of knee protectors exist:

- wearable knee protectors (type 1),
- knee pads in combination with garments (type 2),
- knee mats (type 3), and
- kneeling systems (type 4).

Interoperable knee pads as removable protectors can be sold on their own. In these cases, the attention should be given to the Guidelines of the PPE Regulation application (April 2018): "In case removable protectors are placed on the market, they are required to be certified as PPE on their own, as these must fulfil all the applicable requirements of the PPE Regulation (EU declaration of conformity, CE Marking, etc.)". This document has been drafted to cover this situation as well.

1 Scope

This document specifies requirements for interoperable knee pads to use in garments and for garments to use with interoperable knee pads and defines performance levels for use when working in a kneeling position in order to reduce injuries to the knees caused by continuous pressure and penetration. Requirements for the marking of the interoperable knee pad and the information to be supplied by the manufacturer are given. Where protection against additional hazards is claimed, performance requirements from other standards are applicable.

This document does not apply to knee protectors that are medical devices or are intended for sports and motorcycles.

In this document requirements are given for a combination of a garment with a fixed sized knee pad pocket and fixed sized knee pad (interoperable pad).

A specific combination of an individual pad and accordingly designed garment is described in EN 14404-3 and is excluded from this part.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 14404-1:2024, Personal protective equipment - Knee protectors for work in the kneeling position - Part 1: Test methods

EN ISO 13688:2013, Protective clothing - General requirements (ISO 13688:2013)

EN ISO 8559-2:2020, Size designation of clothes - Part 2: Primary and secondary dimension indicators (ISO 8559-2:2017)

3 Terms and definitions

For the purpose of this document, the following terms and definitions apply.

ror the purpose of this document, the following terms and demintions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp/
- IEC Electropedia: available at https://www.electropedia.org/

3.1

knee protector (type 2)

combination of a garment with knee pockets or other means of attachment and pads forming the knee protection

3.2

interoperable knee protector to use in garments (type 2)

combination of a garment with a fixed sized knee pad pocket and fixed sized knee pad (interoperable pad)

3.3

individual combination of knee pads and garments (type 2)

specific combination of an individual pad and an accordingly designed garment

Note 1 to entry: Specifications are contained in EN 14404-3:2024.

3.4

interoperable knee pad

fixed sized piece of foam plastic or other materials able to be exchanged with another piece of the same characteristics when positioned in the same interoperable (knee) pocket

3.5

restraint, interoperable knee pad

part of the knee protector which keeps the interoperable knee pad in the required position to protect the knee

Note 1 to entry: The interoperable knee pads are inserted in a fixed sized knee pocket on the garment.

3.6

zone of protection

area of the interoperable knee pad that is intended to provide the user with protection of patellar and infrapatellar areas against continuous pressure and penetration

3.7

interoperable pocket

fixed sized knee pocket in which an interoperable knee pad can be inserted

3.8

garment with interoperable pockets

garment with interoperable pockets intended for placement of interoperable knee pads

Note 1 to entry: According to EN ISO 13688, this refers to protective clothing where garments, including body protectors, includes or replaces personal garments and is intended as protection against one or more hazards. Trousers with knee pockets (here for interoperable knee pad) are thus regarded as PPE.

4 Performance levels of knee protectors

The performance level of knee protectors is only specified by the penetration resistance and the force distribution.

4 performance levels are specified. The tests for the performance levels are described in 4.4 and 4.5 of EN 14404-1:2024.

- Level 0: knee protectors providing no protection against penetration and with a force distribution less than 30 N when tested on flat even surface.
- Level 1: knee protectors providing protection against penetration at a force of at least 100 N and with a force distribution less than 30 N when tested on flat even surface.
- Level 1U: knee protectors providing protection against penetration at a force of at least 100 N and a force distribution less than 30 N when tested on uneven surface.
- Level 2: knee protectors providing protection against penetration at a force of at least 250 N and with a force distribution less than 30 N when tested on uneven surface.

5 Requirements

5.1 Interoperable knee pad

5.1.1 Summary of the requirements for interoperable knee pad

The summary of the requirements and the tests applicable are given in Table 1.

Table 1 — Summary of requirements for the interoperable knee pads and the tests applicable

Clause	Cubicat	Level				Clauses describing the tests		
number	Subject		1	1U	2	applicable		
5.1.2	General requirements	X	X	X	X	EN 14404-1:2024, 4.1 and 4.2		
5.1.2	Innocuousness	X	X	X	X	EN 14404-1:2024, 4.3.1 EN ISO 13688:2013, 4.2		
5.1.3	Products for testing	X	X	X	X	5.1.3		
5.1.4.1	Orientation of the interoperable knee pad Vertical alignment	X	X	X	X	5.1.4.1		
5.1.4.2	Orientation of the interoperable knee pad Knee, right/left	X St	x an	x	x	5.1.4.2		
5.1.5.1	Dimensions of the interoperable knee pad	ne	X nt	l ^X o	s ^x i	5.1.5.1 EN 14404-1:2024, 4.3.2, 4.3.3 and 4.3.4		
5.1.5.2	Penetration resistance (Performance levels 1, 1U and 2) SIS	n.a.	X	X 4-4:2	X	EN 14404-1:2024, 4.4		
5.1.5.3.1	Force distribution on an even surface	ae X ba	d(X 03	n.a.	n.a.	EN 14404-1:2024, 4.5.2.1		
5.1.5.3.2	Force distribution on an uneven surface	n.a.	n.a.	X	X	EN 14404-1:2024, 4.5.2.2		
5.1.5.4	Peak transmitted force	X	X	X	X	EN 14404-1:2024, 4.6.2		
5.1.5.5	Bend test	X	X	X	X	EN 14404-1:2024, 4.9		
5.1.6	Comfort during use on an even surface	X	X	n.a.	n.a.	EN 14404-1:2024, 4.10.3		
5.1.6	Comfort during use on an uneven surface	n.a.	n.a.	X	X	EN 14404-1:2024, 4.10.3		
6.1	General Marking	X	X	X	X	6.1		
6.2.1	Specific Marking	X	X	X	X	6.2.1		
7.1	Manufacturer information	X	X	X	X	7.1		
n.a.: non-applicable								

8