

SLOVENSKI STANDARD oSIST prEN 14404-2:2019

01-maj-2019

Osebna varovalna oprema - Ščitniki za kolena za delo v klečečem položaju - 2. del: Zahteve za ščitnike kolen, ki se nosijo (tip 1)

Personal protective equipment - Knee protectors for work in the kneeling position – Part 2: Requirements for wearable knee protectors (type 1)

Persönliche Schutzausrüstung - Knieschutz für Arbeiten in kniender Haltung - Teil 2: Anforderungen an tragbare Knieschützer (Typ1)) PREVIEW

Équipements de protection individuelle - Protection des genoux pour le travail à genoux - Partie 2 : Exigences relatives aux protections de genoux portables (type 1)

https://standards.iteh.ai/catalog/standards/sist/34c234e0-8597-4f6e-9a70-

Ta slovenski standard je istoveten z: prEN 14404-2-2019

ICS:

13.340.50 Varovanje nog in stopal Leg and foot protection

oSIST prEN 14404-2:2019 en,fr,de

oSIST prEN 14404-2:2019

iTeh STANDARD PREVIEW (standards.iteh.ai)

oSIST prEN 14404-2:2019 https://standards.iteh.ai/catalog/standards/sist/34c234e0-8597-4f6e-9a70-fabb26d35f99/osist-pren-14404-2-2019

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

DRAFT prEN 14404-2

March 2019

ICS 13.340.50

Will supersede EN 14404:2004+A1:2010

English Version

Personal protective equipment - Knee protectors for work in the kneeling position - Part 2: Requirements for wearable knee protectors (type 1)

Équipements de protection individuelle - Protection des genoux pour le travail à genoux - Partie 2 : Exigences relatives aux protections de genoux portables (type 1)

Persönliche Schutzausrüstung - Knieschutz für Arbeiten in kniender Haltung - Teil 2: Anforderungen an tragbare Knieschützer (Typ 1)

This draft European Standard is submitted to CEN members for enquiry. It has been drawn up by the Technical Committee CEN/TC 162.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning: This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

COIII	ents	Page
Europ	ean foreword	3
Introd	luction	4
1	Scope	5
2	Normative references	
3	Terms and definitions	5
4	Performance levels	5
5 5.1	RequirementsGeneral	6
5.2 5.3	General requirements for knee protectors Products for testing	7
5.4 5.4.1 5.4.2	Orientation of the knee protector Vertical alignment Knee right, left	7
5.5 5.5.1 5.5.2	Specific requirements for knee protectors	8
5.5.3 5.5.4	Force distribution (standards.iteh.ai) Peak transmitted force	9 9
5.5.5 5.6 5.7	Restraint Optional requirement - Water resistance Ergonomic requirements	10 10
5.7.1 5.7.2	Ergonomic requirements	
6 6.1 6.2	MarkingGeneralSpecific	10
7	Information to be supplied by the manufacturer	12
Annex	A (informative) Information on the problems of using knee protectors for work in the kneeling position	13
A.1	Introduction	13
A.2	Advice to users	13
Annex	x ZA (informative) Relationship between this European Standard and the essential requirements of Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment aimed to be covered	14
Rihlia	oranhy	15

European foreword

This document (prEN 14404-2:2019) has been prepared by Technical Committee CEN/TC 162 "Protective clothing including hand arm protection and life jackets", the secretariat of which is held by DIN.

This document is currently submitted to the CEN Enquiry.

This document will supersede EN 14404:2004+A1:2010.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

This document "Personal protective equipment - Knee protectors for work in the kneeling position" is split into 6 parts:

- Part 1: Test methods
- Part 2: Requirements for wearable knee protectors (type 1)
- Part 3: Requirements for the combination of knee pads and garments (type 2)
- Part 4: Requirements for the combination of interoperable knee pads and garments (type 2)
- Part 5: Requirements for knee mats (type 3)
- Part 6: Requirements for kneeling systems (type 4) 4c234e0-8597-4f6e-9a70-fabb26d35f99/osist-pren-14404-2-2019

Introduction

Kneeling is a frequently occurring working position, but one which is problematic from an occupational health viewpoint. Without knee protectors, workers may suffer immediate injuries from hard surfaces and small stones and similar objects lying on the surfaces. However no knee protector can ensure that workers will not suffer medical complications if they are required to kneel for long periods.

It is important that knee protectors do not compromise venous drainage in the leg while kneeling or standing up. Therefore it is important that it is easy for workers to change position and to stand up to re-establish a normal blood circulation at frequent intervals while wearing knee protectors.

Work in a kneeling position involves the risk of chronic diseases such as prepatellar bursitis and cartilage injuries caused by continuous pressure on the knees. Knee protection is therefore recommended for all work in the kneeling position. The protection should distribute forces evenly and prevent small hard objects on the ground causing injuries. Many workers have pre-existing damage to their knees, particularly to their cartilages from sports injuries and from previous work. These injuries will be made worse by further kneeling. Wearing knee protectors cannot correct existing damage, but should slow down further damaging effects.

Work in a kneeling position may expose the skin of the shins, knees and thighs to toxic and corrosive materials normally kept off the body while walking and standing by waterproof or water-resistant footwear. Knee protectors and trousers for use with such wet materials and particularly wet cement, should take this into account and provide adequate protection, as does footwear.

For working in kneeling position exist 4 types of knee protectors:

- wearable knee protectors (type 1), (standards.iteh.ai)
- knee pads in combination with garments (type 2) 14404-2:2019

https://standards.iteh.ai/catalog/standards/sist/34c234e0-8597-4f6e-9a70-

- knee mats (type 3) and
- fabb26d35f99/osist-pren-14404-2-2019
- kneeling systems (type 4)

This document describes test methods, specifies requirements for knee protectors and defines performance levels. Requirements for the marking of knee protectors and the information to be supplied by the manufacturer are given. Where protection against additional hazards is claimed, performance requirements from other applicable standards may also be applied.

This document does not apply to knee protectors that are medical devices or are intended for sports and motorcycles.

1 Scope

This document specifies the requirements for wearable knee protectors (type 1) for use by work in kneeling position.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

prEN 14404-1:2019, Knee protectors for work in the kneeling position – Test methods

EN ISO 13688, Protective clothing - General requirements (ISO 13688:2013)

ISO 7000, Graphical symbols for use on equipment — Registered symbols

3 Terms and definitions

For the purpose of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

3.1 (standards.iteh.ai)

wearable knee protector (type 1)

personal protective equipment which protects the knee independent from other garments and worn on the leg

https://standards.iteh.ai/catalog/standards/sist/34c234e0-8597-4f6e-9a70fabb26d35f99/osist-pren-14404-2-2019

3.2

restraint

part of the knee protector which keeps it in the position that is required to protect the knee

3.3

zone of protection

surface of the knee protector that is intended to provide the user with protection of patellar and infrapatellar areas

4 Performance levels

Four performance levels are defined. The tests for the performance levels are described in 4 of prEN 14404-1:2019:

- level 0: knee protectors suitable for use on flat floor surfaces and providing no protection against penetration.
- level 1: knee protectors suitable for use on flat floor surfaces and providing protection against penetration at a force of at least 100 N
- level 1U: knee protectors suitable for use on even or uneven surfaces providing protection against penetration at a force of at least 100 N.

 level 2: knee protectors suitable for use on flat or non-flat floor surfaces in severe conditions and providing protection against penetration at a force of at least 250 N.

5 Requirements

5.1 General

Summary of the requirements given in Clauses 5.2 to 7 for wearable knee protectors (type 1) and the tests applicable

Table 1 — Summary of requirements for wearable knee protectors (type 1) and the tests applicable

Clause	C. I.	Level				Clauses describing the		
number	Subject		1	1U	2	tests applicable		
5.1	General requirements	X	X	X	X	Part 1: 5.4.1		
5.1	Innocuousness	X	X	X	X	Part 1: 5.4.2 EN ISO 13688		
5.2	Products for testing	X	X	X	X	Comparison with Clause 5, 5.2		
5.3.1	Orientation of the knee protector Vertical alignment	RXD	P	RXH	X	Comparison with Clause 5, 5.3.1		
5.3.2	Orientation of the knee protector aro Knee, right/left	S.I X	t e h X	X X	() _X	Comparison with Clause 5, 5.3.2		
5.4.1.1	Size designation osisi pren i	4404- ds/sis	2:201 t/3 <mark>4</mark> c2	9 23 X e0	-8 X 97	_{'-4f6e-9a7} P_art 1: 5.4.3		
5.4.1.2	Dimensions fabb26d35f99/osist-p	rex-1	44 X)4	2 χ^2 0	19 _X	Part 1: 5.4.3		
5.4.2	Penetration resistance (Performance levels 1, 1U and 2)	n.a. a	X	X	X	Part 1: 5.5		
5.4.3.1	Force distribution on an even surface	X	X	n.a.	n.a.	Part 1: 5.6.2.1		
5.4.3.2	Force distribution on an uneven surface	n.a.	n.a.	X	X	Part 1: 5.6.2.2		
5.4.4	Peak transmitted force	X	X	X	X	Part 1: 5.7		
5.4.5.1	General requirements for restraint	X	X	X	X	Part 1: 5.12 Part 1: 5.8.1		
5.4.5.2	Restraint by straps or equivalent system	X	X	X	X	Part 1: 5.8.1		
5.5.	Optional requirement for water resistance	X	X	X	X	Part 1: 5.9.1		
5.6.1	Restraint and comfort during use on an even surface	X	X	n.a.	n.a.	Part 1: 5.11.2.1		
5.6.2	Restraint and comfort during use on an uneven surface	n.a.	n.a.	X	X	Part 1: 5.11.3.1		
6	Marking	X	X	X	X	Comparison with Clause 6		
7	Manufacturer information	X	X	X	X	Comparison with Clause 7		
a n.a.: non-applicable								

5.2 General requirements for knee protectors

Knee protectors shall meet the general requirements.

Knee protectors shall be safe to use and fit for their intended application defined by the manufacturer.

They shall be designed and manufactured to provide protection when used according to the information supplied by the manufacturer, without endangering the user.

There shall not be hard or sharp edges, seams, buckles or other items on the inner surfaces (especially within the zone of protection) of the products that could harm the user during normal use. Visual and tactile examination shall be made according to prEN 14404-1:2019, Clause 4.4.1.

Knee protectors shall meet the innocuousness requirements of EN ISO 13688. Construction materials and incorporated substances shall not harm those being in or coming into contact with them.

5.3 Products for testing

The manufacturer shall submit complete and ready-to-use 8 pairs of knee protectors for testing, at least one pair shall be supplied of each size that is placed on the market. The manufacturer shall provide the documents and data required for the testing.

5.4 Orientation of the knee protector

5.4.1 Vertical alignment

The marking below (Figure 1) shall be used on the side facing the knee and pointing upwards.



Figure 1 — Pictogram ISO 7000 - 1861 Indication for vertical alignment

5.4.2 Knee right, left

When a differentiation is necessary to indicate the side of the body (left/ right) the additional marking (Figure 2 and Figure 3) shall be used respectively for the left knee and for the right knee.




Figure 2 — Pictogram ISO 7000 – 1861 +1140 + 0251Marking of left knee side at which the knee protector is to be worn




Figure 3 — Pictogram ISO 7000 – 1861 +1140 + 0251Marking of right knee side at which the knee protector is to be worn

5.5 Specific requirements for knee protectors

5.5.1 Size and dimension

5.5.1.1 Size designation

The size system used by the manufacturer shall be based on the knee girth (knee girth range for which the knee protector has been designed, expressed in cm) and explained.

5.5.1.2 Dimension of protection zone

The zone of protection is defined as the foreseen area in contact with the user knee.

The zone of protection shall be identified by the manufacturer (information supplied by the manufacturer).

The area of the zone of protection shall be equal to or exceed the minimum dimensions specified in Table 2, when determined as described in 4.4.2 of prEN 14404-1:2019."

The usual form of the possible zones of protection is shown in Figure 48597-466e-9a70-

Table 2 — Dimensions of the zones of protection of knee protectors

Knee protector type	Minimum values for zones of protection protector	Maximum values for the radius of curvature of corners of zones of protection		
	Length, l_1	Width, l_2	Proximal, r_1	Distal, r_2
Type 1	160	100	70	25