

ETSI TS 138 523-1 V17.2.0 (2023-07)



**LTE;
5G;
5GS;**
User Equipment (UE) conformance specification;
Part 1: Protocol
(3GPP TS 38.523-1 version 17.2.0 Release 17)



Reference

RTS/TSGR-0538523-1vh20

Keywords

5G,LTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:

<https://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://standards-portal.etsi.org/People/CommitteeSupportStaff.aspx> 46ab-a394-

If you find a security vulnerability in the present document, please report it through our

Coordinated Vulnerability Disclosure Program:

<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2023.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by the ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <https://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document **"shall"**, **"shall not"**, **"should"**, **"should not"**, **"may"**, **"need not"**, **"will"**, **"will not"**, **"can"** and **"cannot"** are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and **"must not"** are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	28
1 Scope	30
2 References	30
3 Definitions, symbols and abbreviations	32
3.1 Definitions.....	32
3.2 Symbols.....	32
3.3 Abbreviations	32
4 Overview	32
4.1 Test methodology	32
4.1.1 Testing of optional functions and procedures	32
4.1.2 Test interfaces and facilities.....	33
4.2 Implicit testing.....	33
4.3 Repetition of tests	33
4.4 Handling of differences between conformance requirements in different releases of core specifications.....	33
5 Reference conditions, generic and test procedures, test parameters.....	34
5.1 Reference conditions	34
5.2 Generic and test procedures.....	34
5.3 Test parameters	34
5.3.1 PLMNs.....	34
5.3.2 Cells	34
5.3.3 USIM	35
5.3.4 Messages and Information Elements (IEs)	35
6 Idle mode and RRC Inactive state operations	35
6.1 NR idle mode operations.....	35
6.1.1 NG-RAN Only PLMN Selection.....	35
6.1.1.1 PLMN selection of RPLMN, HPLMN/EHPLMN, UPLMN and OPLMN / Automatic mode	35
6.1.1.2 PLMN selection of "Other PLMN/access technology combinations" / Automatic mode	42
6.1.1.3 Cell reselection of ePLMN in manual mode	47
6.1.1.4 PLMN selection in shared network environment / Automatic mode	50
6.1.1.4a PLMN selection in shared network environment / Automatic mode / Cells broadcasting multiple PLMN IDs with unique TAC's, RAN areas, and cell identities	56
6.1.1.5 PLMN selection of RPLMN, HPLMN/EHPLMN, UPLMN and OPLMN / Automatic mode / User reselection.....	58
6.1.1.6 PLMN selection / Periodic reselection / MinimumPeriodicSearchTimer	62
6.1.1.7 PLMN selection of RPLMN or (E)HPLMN; Automatic mode	65
6.1.1.8 PLMN selection of RPLMN or (E)HPLMN; Manual mode	68
6.1.2 NG-RAN Only Cell Selection	72
6.1.2.1 Cell selection / Qrxlevmin & Cell reselection (Intra NR).....	72
6.1.2.2 Cell selection / Qqualmin / Intra NR / Serving cell becomes non-suitable (Srxlev > 0, Squal < 0)	81
6.1.2.3 Cell selection / Intra NR / Serving cell becomes non-suitable (S<0, MIB Indicated barred).....	89
6.1.2.4 Cell reselection for interband operation	94
6.1.2.5 Cell reselection for interband operation using Pcompensation / Between FDD and TDD	98
6.1.2.6 Void.....	102
6.1.2.7 Cell reselection / Equivalent PLMN	102
6.1.2.8 Cell reselection / Equivalent PLMN / Single Frequency operation	106
6.1.2.9 Cell reselection using Qhyst, Qoffset and Treselection	109
6.1.2.10 Void.....	115

6.1.2.11	Area Specific SIBs using systemInformationAreaID.....	115
6.1.2.12	Cell reselection using cell status and cell reservations / cellReservedForOtherUse	121
6.1.2.13	Cell reselection using cell status and cell reservations / Access Identity 0, 1, 2 and 12 to 14 – cellReservedForOperatorUse	124
6.1.2.14	Cell reselection using cell status and cell reservations / Access Identity 11 or 15 - cellReservedForOperatorUse	127
6.1.2.15	Cell reselection in shared network environment	130
6.1.2.15a	Cell reselection in shared network environment / Cells broadcasting multiple PLMN IDs with unique TAC's, RAN areas, and cell identities	133
6.1.2.16	Inter-frequency cell reselection (equal priority).....	135
6.1.2.17	Cell reselection / Cell-specific reselection parameters provided by the network in a neighbouring cell list.....	137
6.1.2.18	Cell reselection, Sintrasearch, Snonintrasearch.....	139
6.1.2.19	Speed-dependent cell reselection	145
6.1.2.20	Inter-frequency cell reselection according to cell reselection priority provided by SIBs.....	150
6.1.2.21	Cell reselection, SIntraSearchQ and SnonIntraSearchQ	155
6.1.2.22	Inter-frequency cell reselection based on common priority information with parameters ThreshX, HighQ, ThreshX, LowQ and ThreshServing, LowQ	164
6.1.2.23	Cell reselection / MFBI.....	171
6.1.2.24	Slice-based cell reselection / Reselection priorities provided by SIB16	179
6.1.2.25	184	
6.1.2.26	Cell Selection / RedCap	184
6.1.2.27	Cell reselection / inter-frequency / RedCap	188
6.2	Multi-mode environment.....	191
6.2.1	Inter-RAT PLMN selection	191
6.2.1.1	Inter-RAT PLMN Selection / Selection of correct RAT for OPLMN / Automatic mode.....	191
6.2.1.2	Inter-RAT PLMN Selection / Selection of correct RAT for UPLMN / Automatic mode.....	194
6.2.1.3	Inter-RAT PLMN Selection / Selection of correct PLMN and RAT in shared network environment / Automatic mode.....	196
6.2.1.4	Inter-RAT PLMN Selection / Selection of correct RAT from the OPLMN list / Manual mode	200
6.2.1.5	Inter-RAT Background HPLMN Search / Search for correct RAT for HPLMN / Automatic Mode	203
6.2.2	Inter-RAT Cell Selection	207
6.2.2.1	Inter-RAT cell selection / From NR RRC_IDLE to EUTRA_Idle / Serving cell becomes non- suitable	207
6.2.2.2	Inter-RAT cell selection / From E-UTRA_Idle to NR RRC_IDLE / Serving cell becomes non- suitable	214
6.2.3	Inter-RAT Cell Reselection	221
6.2.3.1	Inter-RAT cell reselection / From E-UTRA_IDLE to NR RRC_IDLE (lower priority & higher priority, Srxlev based).....	221
6.2.3.2	Inter-RAT cell reselection / From E-UTRA_IDLE to NR RRC_IDLE (lower priority & higher priority, Squal based)	229
6.2.3.3	Inter-RAT cell reselection / From NR RRC_IDLE to E-UTRA_IDLE (lower priority & higher priority, Srxlev based).....	237
6.2.3.4	Inter-RAT cell reselection / From NR RRC_IDLE to E-UTRA_IDLE (lower priority & higher priority, Squal based)	243
6.2.3.5	Inter-RAT cell reselection / From NR RRC_IDLE to E-UTRA_IDLE according to RAT priority provided by dedicated signalling (RRCRelease).....	250
6.2.3.6	Inter-RAT cell reselection / From E-UTRA_IDLE to NR RRC_IDLE according to RAT priority provided by dedicated signalling (RRCConnRelease).....	257
6.2.3.7	Inter-RAT cell reselection / From NR RRC_IDLE to E-UTRA RRC_IDLE, Snonintrasearch.	263
6.2.3.8	Inter-RAT cell reselection / From E-UTRA RRC_IDLE to NR RRC_IDLE, Snonintrasearch	267
6.2.3.9	Void.....	273
6.2.3.10	Inter-RAT cell reselection / From E-UTRA_IDLE to NR RRC_IDLE / schedulingInfoList- v12j0	273
6.2.3.11	Inter-RAT cell reselection / From E-UTRA_IDLE to NR RRC_IDLE / schedulingInfoListExt- r12	281
6.3	5GS Steering of Roaming.....	289
6.3.1	Steering of Roaming	289
6.3.1.1	Steering of UE in roaming during registration/security check successful using List Type 1.....	289
6.3.1.2	Steering of UE in roaming during registration/security check successful but SOR Transparent container indicates ACK has been NOT been requested.....	295

6.3.1.3	Steering of UE in roaming during registration/security check unsuccessful/Automatic mode ..	301
6.3.1.4	Steering of UE in roaming during registration/security check unsuccessful/Manual mode	304
6.3.1.5	Steering of UE in roaming during registration/UE configured to receive Steering of Roaming information but does not receive Steering of Roaming from Network	308
6.3.1.6	Void.....	313
6.3.1.7	Steering of UE in roaming during registration/security check unsuccessful but emergency service pending to be activated.....	313
6.3.1.8	Steering of UE in roaming after registration/Automatic PLMN selection mode	318
6.3.1.9	Steering of UE in roaming after registration/Manual PLMN selection mode	322
6.3.1.10	Steering of UE in roaming during mobility update registration	325
6.3.2	Steering of Roaming with using SOR-CMCI	329
6.3.2.1	Steering of UE in roaming after registration / SOR-CMCI rule / DNN of the PDU session / DL NAS transport	329
6.3.2.2	Steering of UE in roaming after registration / SOR-CMCI rule / MMTEL voice call / DL NAS transport	339
6.3.2.3	Steering of UE in roaming after registration / SOR-CMCI rule / match all / DL NAS transport	350
6.3.2.4	Steering of UE in roaming after registration / SOR-CMCI rule / DNN of the PDU session / update Tso-cm Timer / DL NAS transport	360
6.3.2.5	Steering of UE in roaming after registration / SOR-CMCI rule / DNN of the PDU session / store SOR-CMCI in ME / DL NAS transport.....	371
6.3.2.6	Steering of UE in roaming after registration / SOR-CMCI rule / match all / Emergency call / DL NAS transport	383
6.4	UE Procedures in RRC_INACTIVE state.....	396
6.4.1	NG-RAN Only PLMN Selection in RRC_INACTIVE state	396
6.4.1.1	PLMN Selection/Higher priority/HPLMN in Automatic PLMN Selection Mode	396
6.4.1.2	Cell reselection of ePLMN in manual mode	404
6.4.2	Cell Selection/Qrxlevmin & Cell Reselection (Intra NR in RRC_INACTIVE state).....	411
6.4.2.1	Cell Selection/Qrxlevmin & Cell Reselection (Intra NR in RRC_INACTIVE state).....	411
6.4.2.2	Inter-frequency cell reselection according to cell reselection priority provided by SIBs in RRC_INACTIVE state.....	418
6.4.2.3	Slice-based cell reselection in RRC_INACTIVE state / Re-selection priorities provided by SIB16	424
6.4.3	Inter-RAT Cell Reselection	429
6.4.3.1	Inter-RAT cell reselection From NR RRC_INACTIVE to E-UTRA RRC_IDLE (lower priority & higher priority, Srxlev based).....	429
6.5	SNPN and CAG Selection.....	435
6.5.1	SNPN Only Selection	435
6.5.1.1	SNPN Selection in Manual Mode	435
6.5.1.2	SNPN Selection in Automatic Mode.....	438
6.5.1.3	SNPN / User Reselection in Automatic Mode	442
6.5.2	CAG (Closed Access Group).....	444
6.5.2.1	CAG Selection in Manual Mode.....	444
6.5.2.2	CAG Selection in Automatic Mode	449
6.5.2.3	CAG / Limited Service / No Suitable cell	455
6.5.2.4	CAG / cell reselection / Within allowed CAG / non-CAG cell to CAG cell	461
6.5.2.5	Void.....	466
6.5.2.6	CAG / cell reservation.....	466
6.6	NR unlicensed idle mode operations	474
6.6.1	NR unlicensed cell selection.....	474
6.6.1.1	Cell selection / next strongest cell / Intra frequency reselection not allowed.....	474
6.6.2	NR unlicensed cell reselection.....	477
6.6.2.1	Cell reselection / next best cell / Intra frequency	477
6.6.2.3	Cell reselection / next best cell / intra frequency / RRC Inactive.....	480
7	Layer 2.....	484
7.1	NR Layer 2	484
7.1.0	Common test case specific values for Layer 2.....	484
7.1.1	MAC	484
7.1.1.0	Default Pre-Test Conditions for all MAC test cases	484
7.1.1.1	Random Access Procedures	486

7.1.1.1.1	Correct selection of RACH parameters / Random access preamble and PRACH resource explicitly signalled to the UE by RRC / contention free random access procedure	486
7.1.1.1.1a	Correct selection of RACH parameters / Random access preamble and PRACH resource explicitly signalled to the UE by PDCCH Order / contention free random access procedure	494
7.1.1.1.2	Random access procedure / Successful / C-RNTI Based / Preamble selected by MAC itself	501
7.1.1.1.3	Random access procedure / Successful / SI request	515
7.1.1.1.4	Random access procedure / Successful / Beam Failure / Preamble selected by MAC itself / Non Contention Free RACH procedure	524
7.1.1.1.5	Random access procedure / Successful / Supplementary Uplink	539
7.1.1.1.6	Random access procedure / Successful/ Temporary C-RNTI Based / Preamble selected by MAC itself	544
7.1.1.1.7	Random access procedure / Successful/ Temporary C-RNTI Based / Preamble selected by MAC itself	557
7.1.1.1.8	Correct selection of RACH parameters / 2-step RACH/MSG4 and PRACH resource explicitly signalled to the UE by RRC / contention free random access procedure	564
7.1.1.1.9	Random access procedure / Successful / 2-step RACH/C-RNTI Based / Preamble selected by MAC itself	574
7.1.1.1.10	Random access procedure / 2-step RACH/not complete/ RA_TYPE to 4-stepRA	589
7.1.1.1.11	Random access procedure / Successful/ Slice specific RACH configuration.....	595
7.1.1.1.12	Random access procedure / Successful/ ra-PrioritizationForSlicing	598
7.1.1.1.13	Random access procedure / Successful / Slice specific RACH configuration / 2-step RACH.....	602
7.1.1.1.14	Random access procedure / Successful/ ra-PrioritizationForSlicingTwoStep / 2-step RACH.....	607
7.1.1.1.15	613	
7.1.1.1.16	Random access procedure / RedCap UE identification / Msg3-based / CCCH1	613
7.1.1.1.17	Random access procedure / RedCap UE identification	615
7.1.1.1.18	Random access procedure / Msg3 repetition indication / Random access resources selection	620
7.1.1.2	Downlink Data Transfer	622
7.1.1.2.1	Correct Handling of DL MAC PDU / Assignment / HARQ process	622
7.1.1.2.2	Correct Handling of DL HARQ process PDSCH Aggregation	632
7.1.1.2.3	Correct HARQ process handling / CCCH	638
7.1.1.2.4	Correct HARQ process handling / BCCH	641
7.1.1.2.5	Correct HARQ process handling / DL grant prioritization.....	644
7.1.1.3	Uplink Data Transfer	646
7.1.1.3.1	Correct Handling of UL MAC PDU / Assignment / HARQ process	646
7.1.1.3.2	Logical channel prioritization handling	656
7.1.1.3.2b	Logical channel prioritization handling with Mapping restrictions	659
7.1.1.3.3	Correct handling of MAC control information / Scheduling requests	667
7.1.1.3.4	Correct handling of MAC control information / Buffer status / UL data arrive in the UE Tx buffer / Regular BSR	671
7.1.1.3.5	Correct handling of MAC control information / Buffer Status / UL resources are allocated / Padding BSR	680
7.1.1.3.6	Correct handling of MAC control information / Buffer status / Periodic BSR timer expires	687
7.1.1.3.7	UE power headroom reporting / Periodic reporting / DL pathloss change reporting	693
7.1.1.3.8	UE power headroom reporting / SCell activation / DL pathloss change reporting.....	700
7.1.1.3.8.1	UE power headroom reporting / SCell activation / DL pathloss change reporting/ Intra-band Contiguous CA	700
7.1.1.3.8.2	UE power headroom reporting / SCell activation / DL pathloss change reporting / Inter-band CA	708
7.1.1.3.8.3	UE power headroom reporting / SCell activation / DL pathloss change reporting / Intra-band non-Contiguous CA	709
7.1.1.3.9	Correct Handling of UL HARQ process / PUSCH Repetition Type A / PUSCH Aggregation	709
7.1.1.3.10	Correct Handling of HARQ process / Multiple CORESETPoolIndex	716
7.1.1.3.11	Correct handling of UL grant prioritization.....	718
7.1.1.3.12	Correct Handling of UL HARQ process / PUSCH Repetition Type B	725
7.1.1.3.13	Logical channel prioritization handling with Mapping restrictions / physical layer priority	735

7.1.1.3.14	740
7.1.1.3.15	740
7.1.1.3.16	Correct Handling of UL grant / DRB configured with survival time 740
7.1.1.3.16.1	Correct Handling of UL grant / DRB configured with survival time / Split DRB 740
7.1.1.3.16.2	Correct Handling of UL grant / DRB configured with survival time / MCG or SCG DRB / Intra-band contiguous CA 741
7.1.1.3.16.3	Correct Handling of UL grant / DRB configured with survival time / MCG or SCG DRB / Intra-band non-contiguous CA 744
7.1.1.3.16.4	Correct Handling of UL grant / DRB configured with survival time / MCG or SCG DRB / Inter-band CA 745
7.1.1.4	Transport Size Selection 745
7.1.1.4.1	DL-SCH Transport Block Size Selection 745
7.1.1.4.1.0	Common parameters for DL-SCH Transport Block Size Selection 745
7.1.1.4.1.1	DL-SCH Transport Block Size selection / DCI format 1_0 746
7.1.1.4.1.2	Void 755
7.1.1.4.1.3	DL-SCH transport block size selection / DCI format 1_1 / RA type 0/RA Type 1 / 2 Codewords enabled 755
7.1.1.4.1.4	DL-SCH transport block size selection / DCI format 1_1 / RA type 0/RA Type 1 / 2 Codewords enabled / 256QAM 766
7.1.1.4.1.5	DL-SCH transport block size selection / DCI format 1_2 778
7.1.1.4.2	UL-SCH Transport Block Size Selection 789
7.1.1.4.2.0	Common parameters for UL-SCH Transport Block Size Selection 789
7.1.1.4.2.1	UL-SCH Transport Block Size selection / DCI format 0_0 / Transform precoding disabled 791
7.1.1.4.2.2	Void 803
7.1.1.4.2.3	UL-SCH transport block size selection / DCI format 0_1 / RA type 0/RA Type 1 / Transform precoding disabled 803
7.1.1.4.2.4	UL-SCH transport block size selection / DCI format 0_1 / RA type 0/RA Type 1 / 256QAM / Transform precoding disabled 820
7.1.1.4.2.5	UL-SCH Transport Block Size selection / DCI format 0_0 / Transform precoding and 64QAM 835
7.1.1.4.2.6	UL-SCH Transport Block Size selection / DCI format 0_2 847
7.1.1.5	Discontinuous reception 863
7.1.1.5.0	DRX Common Definitions 863
7.1.1.5.1	DRX operation / Short cycle not configured / Parameters configured by RRC 863
7.1.1.5.2	DRX operation / Short cycle not configured / Long DRX command MAC control element reception 868
7.1.1.5.3	DRX operation / Short cycle configured / Parameters configured by RRC 873
7.1.1.5.4	DRX operation / Short cycle configured / DRX command MAC control element reception 876
7.1.1.5.5	DRX operation / Short cycle configured / Long DRX command MAC control element reception 882
7.1.1.6	Semi-Persistent Scheduling 886
7.1.1.6.1	Correct handling of DL assignment / Semi-persistent case 886
7.1.1.6.2	Correct handling of UL grant / configured grant Type 1 893
7.1.1.6.3	Correct handling of UL grant / configured grant Type 2 903
7.1.1.6.4	Correct handling of DL assignment / Multi Semi-persistent configuration 912
7.1.1.6.5	Correct handling of UL grant / Multi configured uplink grants 919
7.1.1.7	Activation/Deactivation of SCells 929
7.1.1.7.1	Activation/Deactivation of SCells / Activation/Deactivation MAC control element reception / sCellDeactivationTimer 929
7.1.1.7.1.1	Activation/Deactivation of SCells / Activation/Deactivation MAC control element reception / sCellDeactivationTimer / Intra-band Contiguous CA 929
7.1.1.7.1.2	Activation/Deactivation of SCells / Activation/Deactivation MAC control element reception / sCellDeactivationTimer / Inter-Band CA 935
7.1.1.7.1.3	Activation/Deactivation of SCells / Activation/Deactivation MAC control element reception / sCellDeactivationTimer / Intra-band non-Contiguous CA 935
7.1.1.8	Bandwidth Part (BWP) operation 935
7.1.1.8.1	Bandwidth Part (BWP) operation UL/DL 935
7.1.1.8.2	958
7.1.1.8.3	Separate BWP / IDLE / RedCap 958
7.1.1.9	MAC Reconfiguration and Reset 964

7.1.1.9.1	MAC Reset	964
7.1.1.10	Other Procedures	969
7.1.1.10.1	DataInactivityTimer expiry	969
7.1.1.10.2	Recommended Bit Rate	971
7.1.1.11	NR Dual Connectivity	974
7.1.1.11.1	DC power headroom reporting / PSCell activation and DL pathloss change reporting	974
7.1.1.12	UE power saving	980
7.1.1.12.1	Void	980
7.1.1.12.2	Void	980
7.1.1.12.3	DRX adaptation / UE wakeup indication	980
7.1.1.12.4	DRX adaptation / SCell dormancy indication	990
7.1.1.12.4.1	DRX adaptation / SCell dormancy indication / Intra-band Contiguous CA	990
7.1.1.12.4.2	DRX adaptation / SCell dormancy indication / Intra-band non Contiguous CA	1000
7.1.1.12.4.3	DRX adaptation / SCell dormancy indication / Inter-band CA	1000
7.1.1.13	Small Data Transmission (SDT)	1000
7.1.1.13.1	RA Based SDT / 2-step RACH / Successful	1000
7.1.1.13.2	RA Based SDT / 4-step RACH / Successful	1005
7.1.1.13.3	RA Based SDT / 2-step RACH / not complete / RA_TYPE to 4-stepRA	1011
7.1.1.13.4	RA Based SDT / 4-step RA based SDT / Time Alignment Timer expiry	1015
7.1.1.13.5	RA Based SDT / CG Based SDT/ cg-SDT-TimeAlignmentTimer	1019
7.1.2	RLC	1028
7.1.2.1	Default Pre-Test Conditions for all RLC test cases	1028
7.1.2.1.1	Default Pre-Test Conditions for AM RLC test cases	1028
7.1.2.1.2	Default Pre-Test Conditions for UM RLC test cases	1029
7.1.2.2	RLC Unacknowledged mode	1029
7.1.2.2.1	UM RLC / Segmentation and reassembly / 6-bit SN / Segmentation Info (SI) field	1029
7.1.2.2.2	UM RLC / Segmentation and reassembly / 12-bit SN / Segmentation Info (SI) field	1034
7.1.2.2.3	UM RLC / 6-bit SN / Correct use of sequence numbering	1035
7.1.2.2.4	UM RLC / 12-bit SN / Correct use of sequence numbering	1039
7.1.2.2.5	UM RLC / Receive Window operation and t-Reassembly expiry	1042
7.1.2.2.6	UM RLC / RLC re-establishment procedure	1047
7.1.2.3	RLC Acknowledged Mode	1051
7.1.2.3.1	AM RLC / 12-bit SN / Segmentation and reassembly / Segmentation Info (SI) field	1051
7.1.2.3.2	AM RLC / 18-bit SN / Segmentation and reassembly / Segmentation Info (SI) field	1055
7.1.2.3.3	AM RLC / 12-bit SN / Correct use of sequence numbering	1056
7.1.2.3.4	AM RLC / 18-bit SN / Correct use of sequence numbering	1060
7.1.2.3.5	AM RLC / 12-bit SN / Control of transmit window / Control of receive window	1061
7.1.2.3.5a	AM RLC / 18-bit SN / Control of transmit window / Control of receive window	1065
7.1.2.3.6	AM RLC / Polling for status	1066
7.1.2.3.7	AM RLC / Receiver status triggers	1071
7.1.2.3.8	AM RLC / Reconfiguration of RLC parameters by upper layers	1076
7.1.2.3.9	AM RLC / Reassembling of AMD PDUs	1081
7.1.2.3.10	AM RLC / Re-transmission of RLC PDU with and without re-segmentation	1089
7.1.2.3.11	AM RLC / RLC re-establishment procedure	1096
7.1.3	PDCCP	1101
7.1.3.0	Default Pre-Test Conditions for all PDCCP test cases	1101
7.1.3.1	Maintenance of PDCCP sequence numbers for radio bearers	1103
7.1.3.1.1	Maintenance of PDCCP sequence numbers / User plane / 12 bit SN	1103
7.1.3.1.2	Maintenance of PDCCP sequence numbers / User plane / 18 bit SN	1107
7.1.3.2	PDCCP integrity protection	1108
7.1.3.2.1	Integrity protection / Correct functionality of integrity algorithm SNOW3G / SRB / DRB	1108
7.1.3.2.2	Integrity protection / Correct functionality of integrity algorithm AES / SRB / DRB	1115
7.1.3.2.3	Integrity protection / Correct functionality of integrity algorithm ZUC / SRB / DRB	1116
7.1.3.3	PDCCP Ciphering and deciphering	1117
7.1.3.3.1	Ciphering and deciphering / Correct functionality of encryption algorithm SNOW3G / SRB / DRB	1117
7.1.3.3.2	Ciphering and deciphering / Correct functionality of encryption algorithm AES / SRB / DRB	1121
7.1.3.3.3	Ciphering and deciphering / Correct functionality of encryption algorithm ZUC / SRB / DRB	1122
7.1.3.4	PDCCP Handover	1123

7.1.3.4.1	PDCP handover / Lossless handover / PDCP sequence number maintenance / PDCP status report to convey the information on missing or acknowledged PDCP SDUs at handover / In-order delivery and duplicate elimination in the downlink	1123
7.1.3.4.2	PDCP handover / Non-lossless handover / PDCP sequence number maintenance	1132
7.1.3.4.3	PDCP handover / DAPS handover / Status reporting / Intra-frequency	1135
7.1.3.4.4	PDCP handover / DAPS handover / Status reporting / Inter-frequency	1143
7.1.3.5	PDCP other	1144
7.1.3.5.1	PDCP Discard.....	1144
7.1.3.5.2	PDCP Uplink Routing / Split DRB	1146
7.1.3.5.3	PDCP Data Recovery	1150
7.1.3.5.4	PDCP reordering / Maximum re-ordering delay below t-Reordering / t-Reordering timer operations	1156
7.1.3.5.5	PDCP Duplication	1161
7.1.3.5.6	PDCP Duplication / 3 RLC entities.....	1166
7.1.3.5.6.1	PDCP Duplication / 3 RLC entities / Intra-band Contiguous CA	1166
7.1.3.5.6.2	PDCP Duplication / 3 RLC entities / Intra-band non-Contiguous CA.....	1174
7.1.3.5.7	Ethernet header compression and decompression / Correct functionality of ethernet header compression and decompression	1174
7.1.3.6	PDCP UDC	1177
7.1.3.6.1	PDCP UDC / No dictionary.....	1177
7.1.3.6.2	PDCP UDC / Pre-defined dictionary.....	1180
7.1.3.6.3	PDCP UDC / checksum error / Reset	1182
7.1.3.6.4	PDCP UDC/ Handover/ Intra-frequency	1183
7.1.3.6.5	PDCP UDC/ Handover/ Inter-frequency	1189
7.1.3.6.6	PDCP UDC/ RRC resume	1190
7.1.3.6.7	PDCP UDC/ RRC reestablishment.....	1198
7.1.4	SDAP	1204
7.1.4.1	SDAP Data Transfer and PDU Header Handling UL/DL.....	1204
7.1.4.2	SDAP Data Transfer handling without Header UL/DL	1213
8	RRC	1220
8.1	NR RRC	1220
8.1.1	RRC connection management procedures	1220
8.1.1.1	Paging	1220
8.1.1.1.1	RRC / Paging for connection / Multiple paging records.....	1220
8.1.1.1.2	RRC / Paging for connection / Shared network environment.....	1224
8.1.1.1a	Paging Early Indication and Subgrouping.....	1230
8.1.1.1a.1	Paging Early Indication with Subgrouping / RRC_IDLE / lastUsedCellOnly not configured / Subgroup ID selection	1230
8.1.1.1a.2	Paging Early Indication with Subgrouping / RRC_INACTIVE / lastUsedCellOnly configured.....	1234
8.1.1.1a.3	Paging Early Indication without Subgrouping / RRC_IDLE.....	1239
8.1.1.2	RRC connection establishment	1244
8.1.1.2.1	RRC connection establishment / Return to idle state after T300 expiry / connEstFailOffsetValidity / T300 expired.....	1244
8.1.1.2.2	Void	1249
8.1.1.2.3	RRC connection establishment / RRC Reject with wait time.....	1249
8.1.1.2.4	RRC connection establishment / Extended and spare fields in SI	1251
8.1.1.3	RRC release.....	1255
8.1.1.3.1	RRC connection release / Redirection to another NR frequency.....	1255
8.1.1.3.2	RRC connection release / Redirection from NR to E-UTRA	1258
8.1.1.3.3	RRC connection release / Success / With priority information / T320 expiry.....	1261
8.1.1.3.4	RRC connection release / Success / With priority information / T320 expiry / E-UTRA ..	1270
8.1.1.3.5	Void.....	1279
8.1.1.3.6	Void.....	1279
8.1.1.3.7	RRC connection release / Success / Deprioritisation / Frequency / T325 expiry	1279
8.1.1.3.7a	RRC connection release / Success / Deprioritisation / NR / T325 expiry	1281
8.1.1.3.7b	RRC connection release / Success / Deprioritisation / Deletion of Stored deprioritisation request	1283
8.1.1.4	RRC resume	1285
8.1.1.4.1	RRC resume / Suspend-Resume / RNA update / Success / Short message for SI update ..	1285
8.1.1.4.2	RRC resume / Suspend-Resume / RRC setup / T319 expiry.....	1295

8.1.1.4.3	Void.....	1300
8.1.1.4.4	RRC resume / Suspend-Resume / RRC reconfiguration / Active MCG SCell addition / Intra-band Contiguous CA	1300
8.1.1.4.5	RRC resume / Suspend-Resume / RRC reconfiguration / Active MCG SCell addition / Intra-band non-Contiguous CA	1302
8.1.1.4.6	RRC resume / Suspend-Resume / RRC reconfiguration / Active MCG SCell addition / Inter-band CA.....	1302
8.1.1.4.7	RRC resume / Suspend-Resume / RRC setup / Active SCG SCell addition / Intra-band Contiguous CA	1303
8.1.1.4.8	RRC resume / Suspend-Resume / RRC setup / Active SCG SCell addition / Intra-band non-Contiguous CA	1305
8.1.1.4.9	RRC resume / Suspend-Resume / RRC setup / Active SCG SCell addition / Inter-band CA	1305
8.1.2	RRC reconfiguration.....	1306
8.1.2.1	Radio bearer establishment / reconfiguration / release.....	1306
8.1.2.1.1	RRC reconfiguration / DRB / SRB / Establishment / Modification / Release / Success	1306
8.1.2.1.2	RRC reconfiguration / RRC bearer establishment / uplinkTxDirectCurrentList	1313
8.1.2.1.3	Void.....	1316
8.1.2.1.4	RRC reconfiguration / Dedicated RLF timer.....	1316
8.1.2.1.5	NR CA / RRC reconfiguration / SCell addition / modification / release / Success	1319
8.1.2.1.5.1	NR CA / RRC reconfiguration / SCell addition / modification / release / Success / Intra-band Contiguous CA.....	1319
8.1.2.1.5.2	NR CA / RRC reconfiguration / SCell addition / modification / release / Success / Inter-band CA	1322
8.1.2.1.5.3	NR CA / RRC reconfiguration / SCell addition / modification / release / Success / Intra-band non-contiguous CA	1323
8.1.2.1.5.4	NR CA / RRC reconfiguration / SCell addition / modification / release / Success / Active MCG SCell addition / Intra-band Contiguous CA	1323
8.1.2.1.5.5	NR CA / RRC reconfiguration / SCell addition / modification / release / Success / Active MCG SCell addition / Intra-band non-contiguous CA.....	1327
8.1.2.1.5.6	NR CA / RRC reconfiguration / SCell addition / modification / release / Success / Active MCG SCell addition / Inter-band CA	1328
8.1.2.1.6	RRC reconfiguration/ MUSIM / MUSIM- gap / Addition / Modification / Release	1328
8.1.3	Measurement configuration control and reporting.....	1334
8.1.3.1	Intra NR measurements.....	1334
8.1.3.1.1	Measurement configuration control and reporting / Intra NR measurements / Event A1 / Event A2.....	1334
8.1.3.1.2	Measurement configuration control and reporting / Event A3 / Measurement of Neighbour NR cell / Intra-frequency measurements	1344
8.1.3.1.3	Measurement configuration control and reporting / Event A3 / Measurement of Neighbour NR cell / Inter-frequency measurements	1351
8.1.3.1.4	Measurement configuration control and reporting / Event A3 / Measurement of Neighbour NR cell / Inter-band measurements	1353
8.1.3.1.5	Measurement configuration control and reporting / Event A4 / Measurement of Neighbour NR cell / Intra-frequency measurements	1355
8.1.3.1.6	Measurement configuration control and reporting / Event A4 / Measurement of Neighbour NR cell / Inter-frequency measurements	1364
8.1.3.1.7	Measurement configuration control and reporting / Event A4 / Measurement of Neighbour NR cell / Inter-band measurements	1366
8.1.3.1.8	Measurement configuration control and reporting / Event A5 / Measurement of Neighbour NR cell / Intra-frequency measurements	1368
8.1.3.1.9	Measurement configuration control and reporting / Event A5 / Measurement of Neighbour NR cell / Inter-frequency measurements	1377
8.1.3.1.10	Measurement configuration control and reporting / Event A5 / Measurement of Neighbour NR cell / Inter-band measurements	1379
8.1.3.1.11	Measurement configuration control and reporting / Intra NR measurements / Two simultaneous events A3 (intra and inter-frequency measurements) / RSRQ based measurements	1381
8.1.3.1.12	Measurement configuration control and reporting / Intra NR measurements / Two simultaneous events A5 (intra and inter-frequency measurements) / SINR based measurements	1389

8.1.3.1.13	Measurement configuration control and reporting / SS/PBCH block based / CSI-RS based intra-frequency measurements / Measurement of Neighbour NR cell.....	1398
8.1.3.1.14	Void.....	1415
8.1.3.1.14A	Measurement configuration control and reporting / SS/PBCH block based / CSI-RS based inter-frequency measurements / Measurement of Neighbour NR cell.....	1415
8.1.3.1.15	Void.....	1420
8.1.3.1.15A	Measurement configuration control and reporting / Intra NR measurements / Exclude-listing.....	1420
8.1.3.1.16	Measurement configuration control and reporting / Intra NR measurements / Allow-listing.....	1432
8.1.3.1.17	NR CA / Measurement configuration control and reporting / Intra NR measurements / Event A6.....	1441
8.1.3.1.17.1	NR CA / Measurement configuration control and reporting / Intra NR measurements / Event A6 / Intra-band Contiguous CA.....	1441
8.1.3.1.17.2	NR CA / Measurement configuration control and reporting / Intra NR measurements / Event A6 / Inter-band CA.....	1450
8.1.3.1.17.3	NR CA / Measurement configuration control and reporting / Intra NR measurements / Event A6 / Intra-band non Contiguous CA.....	1452
8.1.3.1.18	NR CA / Measurement configuration control and reporting / Intra NR measurements / Additional measurement reporting.....	1452
8.1.3.1.18.1	NR CA / Measurement configuration control and reporting / Intra NR measurements / Additional measurement reporting / Intra-band Contiguous CA.....	1452
8.1.3.1.18.2	NR CA / Measurement configuration control and reporting / Intra NR measurements / Additional measurement reporting / Inter-band CA.....	1463
8.1.3.1.18.3	NR CA / Measurement configuration control and reporting / Intra NR measurements / Additional measurement reporting / Intra-band non Contiguous CA.....	1464
8.1.3.1.19	Measurement configuration control and reporting / Inter-frequency measurements / SFTD.....	1465
8.1.3.1.20	Measurement configuration control and reporting / Measurement Gaps / gapFR1.....	1470
8.1.3.1.21	Measurement configuration control and reporting / Measurement Gaps / gapFR2.....	1477
8.1.3.1.22	Void.....	1484
8.1.3.1.23	Measurement configuration control and reporting / Intra NR measurements / Periodic reporting / Continuation of the measurements after RRC Resume.....	1484
8.1.3.2	Inter-RAT measurements.....	1491
8.1.3.2.1	Measurement configuration control and reporting / Inter-RAT measurements / Event B1 / Measurement of E-UTRA cells.....	1491
8.1.3.2.2	Measurement configuration control and reporting / Inter-RAT measurements / Event B2 / Measurement of E-UTRA cells.....	1500
8.1.3.2.3	Measurement configuration control and reporting / Inter-RAT measurements / Event B2 / Measurement of E-UTRA cells / RSRQ based measurements.....	1508
8.1.3.2.4	Measurement configuration control and reporting / Inter-RAT measurements / Event B2 / Measurement of E-UTRA cells / SINR based measurements.....	1517
8.1.3.2.5	Void.....	1525
8.1.3.2.6	Measurement configuration control and reporting / Inter-RAT measurements / Event B1 / NR to UTRA.....	1525
8.1.3.2.7	Measurement configuration control and reporting / Inter-RAT measurements / Event B2 / NR to UTRA.....	1531
8.1.3.2.8	Measurement configuration control and reporting / Inter-RAT measurements / Periodic reporting / NR to UTRA.....	1539
8.1.3.3	Measurement for self-optimized networks.....	1546
8.1.3.3.1	Measurement configuration control and reporting / CGI reporting of NR cell.....	1546
8.1.3.3.2	Measurement configuration control and reporting / CGI reporting of E-UTRA cell.....	1556
8.1.3.4	Void.....	1568
8.1.4	Handover.....	1568
8.1.4.1	Intra NR handover.....	1568
8.1.4.1.1	Void.....	1568
8.1.4.1.2	Intra NR handover / Success / Inter-frequency.....	1568
8.1.4.1.3	Void.....	1582
8.1.4.1.4	Void.....	1582
8.1.4.1.5	Intra NR handover / Failure / Re-establishment successful.....	1582
8.1.4.1.6	Intra NR handover / Failure / Re-establishment failure.....	1588
8.1.4.1.7	NR CA / Intra NR handover / Success / PCell Change and SCell addition / SCell release.....	1592

8.1.4.1.7.1	NR CA / Intra NR handover / Success / PCell Change and SCell addition / SCell release / Intra-band Contiguous CA	1592
8.1.4.1.7.2	NR CA / Intra NR handover / Success / PCell Change and SCell addition / SCell release / Inter-band CA	1597
8.1.4.1.7.3	NR CA / Intra NR handover / Success / PCell Change and SCell addition / SCell release / Intra-band non-contiguous CA	1598
8.1.4.1.8	NR CA / Intra NR handover / Success / PCell Change / SCell no Change	1598
8.1.4.1.8.1	NR CA / Intra NR handover / Success / PCell Change / SCell no Change / Intra-band Contiguous CA	1598
8.1.4.1.8.2	NR CA / Intra NR handover / Success / PCell Change / SCell no Change / Inter-band CA	1603
8.1.4.1.8.3	NR CA / Intra NR handover / Success / PCell Change / SCell no Change / Intra-band non-contiguous CA	1603
8.1.4.1.9	NR CA / Intra NR handover / Failure / Re-establishment successful	1604
8.1.4.1.9.1	NR CA / Intra NR handover / Failure / Re-establishment successful / Intra-band Contiguous CA	1604
8.1.4.1.9.2	NR CA / Intra NR handover / Failure / Re-establishment successful / Inter-band CA	1614
8.1.4.1.9.3	NR CA / Intra NR handover / Failure / Re-establishment successful / Intra-band non-contiguous CA	1615
8.1.4.1.10	eCall Only mode / Intra NR handover / Success / Inter-frequency	1615
8.1.4.2	Inter-RAT handover	1624
8.1.4.2.1	Inter-RAT handover from NR	1624
8.1.4.2.1.1	Inter-RAT handover / From NR to E-UTRA / Success	1624
8.1.4.2.1.2	Inter-RAT handover / From NR to EN-DC / Success	1629
8.1.4.2.2	Inter-RAT handover to NR	1636
8.1.4.2.2.1	Inter-RAT handover / From E-UTRA to NR / Success	1636
8.1.4.3	DAPS handover	1640
8.1.4.3.1	DAPS handover with key change / Success / Intra-frequency	1640
8.1.4.3.2	DAPS handover / HO Failure and source link available / HO Success and RLF in source / Intra-frequency	1650
8.1.4.3.3	1663	
8.1.4.3.4	DAPS handover with key change / Success / Inter-frequency	1663
8.1.4.3.5	DAPS handover / HO Failure and source link available / HO Success and RLF in source / Inter-frequency	1664
8.1.4.4	Conditional handover	1665
8.1.4.4.1	Conditional handover / Success / A3 / A5 / A3+A5	1665
8.1.4.4.2	Conditional handover / modify conditional handover configuration	1676
8.1.4.4.3	Conditional handover / Failure	1686
8.1.4.4.4	Conditional handover / legacy Handover / legacy Handover Failure	1696
8.1.5	RRC others	1706
8.1.5.1	UE capability transfer	1706
8.1.5.1.1	UE capability transfer / Success	1706
8.1.5.2	SI change / On-demand SIB	1742
8.1.5.2.1	Void	1742
8.1.5.2.2	SI change / Notification of BCCH modification / Short message for SI update in NR RRC_CONNECTED state	1742
8.1.5.3	PWS notification	1745
8.1.5.3.1	PWS notification / PWS reception in NR RRC_IDLE state	1745
8.1.5.3.2	PWS notification / PWS reception in NR RRC_INACTIVE state	1747
8.1.5.3.3	PWS notification / PWS reception in NR RRC_CONNECTED state	1748
8.1.5.3.4	PWS notification / PWS reception using dedicatedSystemInformationDelivery	1749
8.1.5.4	Counter check	1754
8.1.5.4.1	Counter check / Reception of CounterCheck message by the UE	1754
8.1.5.5	Redirection to NR	1759
8.1.5.5.1	Redirection to NR / From E-UTRA / Success	1759
8.1.5.6	Radio link failure	1763
8.1.5.6.1	Radio link failure / RRC connection re-establishment success	1763
8.1.5.6.2	Void	1770
8.1.5.6.3	Radio link failure / T311 expiry	1770
8.1.5.6.4	Void	1774
8.1.5.6.5	NR CA / No Radio Link Failure on SCell / RRC Connection Continues on PCell	1774

8.1.5.6.5.1	NR CA / No Radio Link Failure on SCell / RRC Connection Continues on PCell / Intra-band Contiguous CA.....	1774
8.1.5.6.5.2	NR CA / No Radio Link Failure on SCell / RRC Connection Continues on PCell / Inter-band CA	1777
8.1.5.6.5.3	NR CA / No Radio Link Failure on SCell / RRC Connection Continues on PCell / Intra-band non-Contiguous CA	1778
8.1.5.6.6	Radio link failure / Shared spectrum / LBT Failure	1778
8.1.5.7	Failure information.....	1782
8.1.5.7.1	Failure information / RLC failure / MCG.....	1782
8.1.5.7.1.1	Failure information / RLC failure / MCG / Intra-band Contiguous CA.....	1782
8.1.5.7.1.2	Failure information / RLC failure / MCG / Inter-band CA	1788
8.1.5.7.1.3	Failure information / RLC failure / MCG / Intra-band non Contiguous CA.....	1789
8.1.5.8	Processing delay.....	1789
8.1.5.8.1	Processing delay / RRC_Idle to RRC_Connected / RRC_Inactive to RRC_Connected / Success / Latency check	1789
8.1.5.8.2	Processing delay / RRC_Inactive to RRC_Connected / Success / Latency check / SCell addition.....	1799
8.1.5.8.2.1	Processing delay / RRC_Inactive to RRC_Connected / Success / Latency check / SCell addition / Intra-band Contiguous CA.....	1799
8.1.5.8.2.2	Processing delay / RRC_Inactive to RRC_Connected / Success / Latency check / SCell addition / Inter-band CA	1803
8.1.5.8.2.3	Processing delay / RRC_Inactive to RRC_Connected / Success / Latency check / SCell addition / Intra-band non-Contiguous CA.....	1804
8.1.5.9	Message Segment transfer.....	1804
8.1.5.9.1	RACS / UL Message Segment transfer / UECapabilityInformation	1804
8.1.5.9.2	RRC reconfiguration / DL segment transfer.....	1811
8.1.5.9.3	RRC resume / DL segment transfer.....	1816
8.1.5.10	UE Assistance Information	1819
8.1.5.10.1	UE Assistance Information/ Release Preference	1819
8.1.5.10.3	UE Assistance Information / MUSIM / Leaving RRC_CONNECTED / T346g expires ...	1823
8.1.5.10.4	UE Assistance Information / RRM measurement relaxation / RedCap.....	1826
8.1.5.11	Idle/Inactive measurements.....	1832
8.1.5.11.1	Idle/Inactive measurements / Idle mode / SIB11 configuration / Measurement of NR cells.....	1832
8.1.5.11.2	Void.....	1839
8.1.5.11.2	Idle/Inactive measurements / Idle mode / RRCRelease configuration / Measurement of NR cells.....	1839
8.1.5.11.3	Idle/Inactive measurements / Inactive mode / SIB11 configuration / Measurement of NR cells.....	1847
8.1.5.11.4	Idle/Inactive measurements / Inactive mode / RRCRelease configuration / Measurement of NR cells	1855
8.1.5.13	Small Data Transmission	1864
8.1.5.13.1	RRC SDT/CG based SDT/Success.....	1864
8.1.5.13.2	RRC SDT / CG based SDT ongoing / Data on non-SDT Radio Bearers	1872
8.1.5.13.2.1	Test Purpose (TP)	1872
8.1.5.13.2.2	Conformance requirements.....	1872
8.1.5.13.3	RRC SDT / CG based SDT / SDT-SRB2-Indication.....	1876
8.1.6	SON and MDT support for NR.....	1882
8.1.6.1	Intra NR MDT.....	1882
8.1.6.1.1	Immediate MDT	1882
8.1.6.1.1.1	Immediate MDT / Measurement reporting / Location information	1882
8.1.6.1.1.2	Immediate MDT / Measurement / Latency metrics for UL PDCP Packet Delay per DRB	1890
8.1.6.1.2	Logged MDT	1897
8.1.6.1.2.1	Logged MDT / RRC_IDLE / Logging and reporting / Intra-frequency measurement..	1897
8.1.6.1.2.2	Logged MDT / RRC_INACTIVE / Logging and reporting / Inter-frequency measurement	1905
8.1.6.1.2.3	Logged MDT / Intra-frequency measurement, logging and reporting	1913
8.1.6.1.2.4	Logged MDT/ RRC_IDLE / Logging and reporting / periodic measurement trigger...	1924
8.1.6.1.2.5	Logged MDT/ RRC_IDLE / Logging and reporting / event-based trigger.....	1932
8.1.6.1.2.6	Logged MDT/ RRC_IDLE / Logging and reporting / event-based trigger/ out-of-coverage.....	1940

8.1.6.1.2.7	Logged MDT / Logging and reporting / Indication of logged measurements at NR reestablishment	1948
8.1.6.1.2.8	Logged MDT / Logging and reporting / Reporting at RRC reconfiguration	1951
8.1.6.1.2.9	Logged MDT / Location information	1958
8.1.6.1.2.10	Logged MDT / Maintaining logged measurement configuration / UE mobility.....	1964
8.1.6.1.2.11	Logged MDT / UE state transitions	1970
8.1.6.1.2.12	Logged MDT / Release of logged MDT measurement configuration / Expire of duration timer	1975
8.1.6.1.2.13	Logged MDT / Release of logged MDT measurement configuration / Reception of new logged measurement configuration.....	1982
8.1.6.1.2.14	Logged MDT / RRC_IDLE / Logging and reporting / IDC mechanism	1988
8.1.6.1.2.15	Logged MDT / RRC_IDLE / early measurements.....	1991
8.1.6.1.3	Radio Link Failure report	1994
8.1.6.1.3.1	Radio Link Failure / Reporting of Intra-frequency measurements	1994
8.1.6.1.3.2	Radio Link Failure / Reporting of Inter-frequency measurements	2003
8.1.6.1.3.3	Radio Link Failure / Reporting at RRC connection establishment and reestablishment	2006
8.1.6.1.3.4	Radio Link Failure / Reporting at NR handover	2013
8.1.6.1.3.5	Radio Link Failure / Location information	2020
8.1.6.1.3.6	Radio Link Failure / Random access problem	2026
8.1.6.1.3.7	Radio Link Failure / Logging and reporting / Reporting at intra NR handover / PLMN list	2031
8.1.6.1.4	Connection Establishment Failure.....	2038
8.1.6.1.4.1	Connection Establishment Failure / Logging and reporting / T300 expiry.....	2038
8.1.6.1.4.2	Connection Establishment Failure / Logging and reporting / RRC Resume.....	2042
8.1.6.1.4.3	Connection Establishment Failure / Logging and reporting / Reporting at intra-NR handover	2046
8.1.6.1.4.4	Connection Establishment Failure / Logging and reporting / Reporting at RRC connection re-establishment	2051
8.1.6.1.4.5	Connection Establishment Failure / Logging and reporting / Location Information	2053
8.1.6.1.4.6	Connection Establishment Failure / Logging and reporting / Reporting of Intra-frequency measurements.....	2057
8.1.6.1.4.7	Connection Establishment Failure / Logging and reporting / Reporting of Inter-frequency measurements.....	2061
8.1.6.1.4.8	Connection Establishment Failure / Logging and reporting / RACH failure report	2065
8.1.6.1.4.9	Connection Establishment Failure / Logging and reporting / T300 expiry / Multiple CEF reports	2070
8.1.6.2	Inter-RAT MDT	2077
8.1.6.2.1	Inter-RAT MDT / Immediate MDT / Periodic reporting of E-UTRAN/ Location information	2077
8.1.6.2.2	Inter-RAT MDT / Logged MDT / E-UTRA Inter-RAT measurement, logging and reporting	2085
8.1.6.2.3	Inter-RAT MDT / Radio Link Failure / Reporting at E-UTRA Inter-RAT handover	2092
8.1.6.2.4	Inter-RAT MDT / Connection Establishment Failure / Logging and reporting / Reporting of E-UTRA measurement	2102
8.1.6.3	Inter-System MDT	2107
8.1.6.3.1	Inter-System MDT / Immediate MDT.....	2107
8.1.6.3.1.1	Inter-System MDT / Immediate MDT / Measurement reporting / Bluetooth measurement collection.....	2107
8.1.6.3.1.2	Inter-System MDT / Immediate MDT / Measurement reporting / WLAN measurement collection.....	2114
8.1.6.3.1.3	Inter-System MDT / Immediate MDT / Measurement reporting / Sensor measurement collection.....	2117
8.1.6.3.2	Inter-System MDT / Logged MDT.....	2120
8.1.6.3.2.1	Inter-System MDT / Logged MDT / Logging and reporting / Bluetooth measurement collection.....	2120
8.1.6.3.2.2	Inter-System MDT / Logged MDT / Logging and reporting / WLAN measurement collection.....	2125
8.1.6.3.2.3	Inter-System MDT / Logged MDT / Logging and reporting / Sensor measurement collection.....	2129
8.1.6.3.3	Inter-System MDT / Radio Link Failure	2132