

ETSI TS 136 508 V17.5.0 (2023-05)



**LTE;
Evolved Universal Terrestrial Radio Access (E-UTRA) and
Evolved Packet Core (EPC);
Common test environments for User Equipment (UE)
conformance testing
(3GPP TS 36.508 version 17.5.0 Release 17)**



ReferenceRTS/TSGR-0536508vh50

KeywordsLTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:

<https://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://standards.iteh.ai/> <https://portal.etsi.org/People/CommitteeSupportStaff.aspx> f-caf99324bae9/etsi-

If you find a security vulnerability in the present document, please report it through our

Coordinated Vulnerability Disclosure Program:

<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2023.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by the ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <https://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document **"shall"**, **"shall not"**, **"should"**, **"should not"**, **"may"**, **"need not"**, **"will"**, **"will not"**, **"can"** and **"cannot"** are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and **"must not"** are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	28
Introduction	28
1 Scope	29
2 References	29
3 Definitions, symbols and abbreviations	32
3.1 Definitions	32
3.2 Symbols.....	32
3.3 Abbreviations	32
4 Common test environment	33
4.1 Environmental conditions.....	33
4.1.1 Temperature.....	33
4.1.2 Voltage.....	33
4.2 Common requirements of test equipment.....	34
4.2.1 General functional requirements.....	34
4.2.2 Minimum functional requirements	35
4.2.2.1 Supported Cell Configuration	35
4.2.2.1.1 Supported Channels.....	35
4.2.2.2 Support of T _{cell} timing offset	36
4.2.2.3 Supported Sidelink Configuration.....	36
4.2.2.3.1 Supported Sidelink Channels.....	36
4.3 Reference test conditions.....	37
4.3.1 Test frequencies	37
4.3.1.1 FDD Mode Test frequencies	40
4.3.1.1.1 FDD reference test frequencies for operating band 1	40
4.3.1.1.1A FDD reference test frequencies for CA in operating band 1.....	40
4.3.1.1.2 FDD reference test frequencies for operating band 2	41
4.3.1.1.2A FDD reference test frequencies for CA in operating band 2.....	42
4.3.1.1.3 FDD reference test frequencies for operating band 3	43
4.3.1.1.3A FDD reference test frequencies for CA in operating band 3.....	43
4.3.1.1.4 FDD reference test frequencies for operating band 4	45
4.3.1.1.4A FDD reference test frequencies for CA in operating band 4.....	45
4.3.1.1.5 FDD reference test frequencies for operating band 5	46
4.3.1.1.5A FDD reference test frequencies for CA in operating band 5.....	46
4.3.1.1.6 FDD reference test frequencies for operating band 6	47
4.3.1.1.7 FDD reference test frequencies for operating band 7	47
4.3.1.1.7A FDD reference test frequencies for CA in operating band 7.....	47
4.3.1.1.8 FDD reference test frequencies for operating band 8	49
4.3.1.1.8A FDD reference test frequencies for CA in operating band 8.....	49
4.3.1.1.9 FDD reference test frequencies for operating band 9	49
4.3.1.1.10 FDD reference test frequencies for operating band 10	50
4.3.1.1.11 FDD reference test frequencies for operating band 11	50
4.3.1.1.12 FDD reference test frequencies for operating band 12	50
4.3.1.1.12A FDD reference test frequencies for CA in operating band 12.....	51
4.3.1.1.13 FDD reference test frequencies for operating band 13	51
4.3.1.1.14 FDD reference test frequencies for operating band 14	51
4.3.1.1.15 FDD reference test frequencies for operating band 15	52
4.3.1.1.16 FDD reference test frequencies for operating band 16	52
4.3.1.1.17 FDD reference test frequencies for operating band 17	52
4.3.1.1.18 FDD reference test frequencies for operating band 18	52
4.3.1.1.19 FDD reference test frequencies for operating band 19	52

4.3.1.1.20	FDD reference test frequencies for operating band 20	53
4.3.1.1.21	FDD reference test frequencies for operating band 21	53
4.3.1.1.22	FDD reference test frequencies for operating band 22	53
4.3.1.1.23	FDD reference test frequencies for operating band 23	53
4.3.1.1.23A	FDD reference test frequencies for CA in operating band 23.....	54
4.3.1.1.24	FDD reference test frequencies for operating band 24	54
4.3.1.1.25	FDD reference test frequencies for operating band 25	55
4.3.1.1.25A	FDD reference test frequencies for CA in operating band 25.....	55
4.3.1.1.26	FDD reference test frequencies for operating band 26	56
4.3.1.1.27	FDD reference test frequencies for operating band 27	56
4.3.1.1.27A	FDD reference test frequencies for CA in operating band 27.....	56
4.3.1.1.28	FDD reference test frequencies for operating band 28	57
4.3.1.1.29	FDD reference test frequencies for CA in operating band 29.....	58
4.3.1.1.31	FDD reference test frequencies for operating band 31	58
4.3.1.1.32	FDD reference test frequencies for CA in operating band 32.....	59
4.3.1.1.33 to		
4.3.1.1.64.....	Void	59
4.3.1.1.65	FDD reference test frequencies for operating band 65	59
4.3.1.1.66	FDD reference test frequencies for operating band 66	59
4.3.1.1.66A	FDD reference test frequencies for CA in operating band 66.....	61
4.3.1.1.67	FDD reference test frequencies for CA in operating band 67.....	73
4.3.1.1.68	FDD reference test frequencies for operating band 68	74
4.3.1.1.69	FDD reference test frequencies for operating band 69	74
4.3.1.1.70	FDD reference test frequencies for operating band 70	74
4.3.1.1.70A	FDD reference test frequencies for CA in operating band 70.....	74
4.3.1.1.71	FDD reference test frequencies for operating band 71	75
4.3.1.1.72	FDD reference test frequencies for operating band 72	75
4.3.1.1.73	FDD reference test frequencies for operating band 73	75
4.3.1.1.74	FDD reference test frequencies for operating band 74	76
4.3.1.1.75 to		
4.3.1.1.84.....	FFS	76
4.3.1.1.85	FDD reference test frequencies for operating band 85	76
4.3.1.1.86	FFS	76
4.3.1.1.87	FDD reference test frequencies for operating band 87	76
4.3.1.1.88	FDD reference test frequencies for operating band 88	77
4.3.1.2	TDD Mode Test frequencies	77
4.3.1.2.1	TDD reference test frequencies for Operating Band 33	77
4.3.1.2.2	TDD reference test frequencies for Operating Band 34	77
4.3.1.2.3	TDD reference test frequencies for Operating Band 35	77
4.3.1.2.4	TDD reference test frequencies for Operating Band 36	78
4.3.1.2.5	TDD reference test frequencies for Operating Band 37	78
4.3.1.2.6	TDD reference test frequencies for Operating Band 38	78
4.3.1.2.6A	TDD reference test frequencies for CA in operating band 38	79
4.3.1.2.7	TDD reference test frequencies for Operating Band 39	79
4.3.1.2.7A	TDD reference test frequencies for CA in Operating Band 39.....	79
4.3.1.2.8	TDD reference test frequencies for Operating Band 40	80
4.3.1.2.8A	TDD reference test frequencies for CA in operating band 40	80
4.3.1.2.9	TDD reference test frequencies for Operating Band 41	86
4.3.1.2.9A	TDD reference test frequencies for CA in operating band 41	86
4.3.1.2.10	TDD reference test frequencies for Operating Band 42	99
4.3.1.2.10A	TDD reference test frequencies for CA in operating band 42	99
4.3.1.2.11	TDD reference test frequencies for Operating Band 43	109
4.3.1.2.12	TDD reference test frequencies for Operating Band 44	109
4.3.1.2.13	TDD reference test frequencies for Operating Band 45	109
4.3.1.2.14	TDD reference test frequencies for Operating Band 46	109
4.3.1.2.14A	TDD reference test frequencies for CA in operating Band 46.....	110
4.3.1.2.15	TDD reference test frequencies for Operating Band 47	112
4.3.1.2.16	TDD reference test frequencies for Operating Band 48	112
4.3.1.2.16A	TDD reference test frequencies for CA in operating band 48	113
4.3.1.2.17	TDD reference test frequencies for Operating Band 53	114

4.3.1.3	HRPD Test frequencies.....	114
4.3.1.3.1	HRPD test frequencies for Band Class 0.....	114
4.3.1.3.2	HRPD test frequencies for Band Class 1.....	115
4.3.1.3.3	HRPD test frequencies for Band Class 3.....	115
4.3.1.3.4	HRPD test frequencies for Band Class 4.....	115
4.3.1.3.5	HRPD test frequencies for Band Class 6.....	115
4.3.1.3.6	HRPD test frequencies for Band Class 10.....	115
4.3.1.3.7	HRPD test frequencies for Band Class 15.....	115
4.3.1.4	1xRTT Test frequencies.....	116
4.3.1.4.1	1xRTT test frequencies for Band Class 0.....	116
4.3.1.4.2	1xRTT test frequencies for Band Class 1.....	116
4.3.1.4.3	1xRTT test frequencies for Band Class 3.....	116
4.3.1.4.4	1xRTT test frequencies for Band Class 4.....	116
4.3.1.4.5	1xRTT test frequencies for Band Class 6.....	116
4.3.1.4.6	1xRTT test frequencies for Band Class 10.....	117
4.3.1.4.7	1xRTT test frequencies for Band Class 15.....	117
4.3.1.5	MFBI Test frequencies.....	117
4.3.1.5.1	MFBI Test frequencies for operation band 2 overlapping with band 25.....	117
4.3.1.5.2	MFBI Test frequencies for operation band 3 overlapping with band 9.....	117
4.3.1.5.3	MFBI Test frequencies for operation band 4 overlapping with band 10.....	117
4.3.1.5.4	MFBI Test frequencies for operation band 5 overlapping with band 18.....	118
4.3.1.5.5	MFBI Test frequencies for operation band 5 overlapping with band 19.....	118
4.3.1.5.6	MFBI Test frequencies for operation band 5 overlapping with band 26.....	118
4.3.1.5.7	MFBI Test frequencies for operation band 9 overlapping with band 3.....	118
4.3.1.5.8	MFBI Test frequencies for operation band 10 overlapping with band 4.....	118
4.3.1.5.9	MFBI Test frequencies for operation band 12 overlapping with band 17.....	119
4.3.1.5.10	MFBI Test frequencies for operation band 17 overlapping with band 12.....	119
4.3.1.5.11	MFBI Test frequencies for operation band 18 overlapping with band 5.....	119
4.3.1.5.12	MFBI Test frequencies for operation band 18 overlapping with band 26.....	119
4.3.1.5.13	MFBI Test frequencies for operation band 18 overlapping with band 27.....	119
4.3.1.5.14	MFBI Test frequencies for operation band 19 overlapping with band 5.....	120
4.3.1.5.15	MFBI Test frequencies for operation band 19 overlapping with band 26.....	120
4.3.1.5.16	MFBI Test frequencies for operation band 25 overlapping with band 2.....	120
4.3.1.5.17	MFBI Test frequencies for operation band 26 overlapping with band 5.....	120
4.3.1.5.18	MFBI Test frequencies for operation band 26 overlapping with band 18.....	121
4.3.1.5.19	MFBI Test frequencies for operation band 26 overlapping with band 19.....	121
4.3.1.5.20	MFBI Test frequencies for operation band 26 overlapping with band 27.....	121
4.3.1.5.21	MFBI Test frequencies for operation band 27 overlapping with band 18.....	122
4.3.1.5.22	MFBI Test frequencies for operation band 27 overlapping with band 26.....	122
4.3.1.5.23	MFBI Test frequencies for operation band 33 overlapping with band 39.....	122
4.3.1.5.24	MFBI Test frequencies for operation band 38 overlapping with band 41.....	122
4.3.1.5.25	MFBI Test frequencies for operation band 39 overlapping with band 33.....	122
4.3.1.5.26	MFBI Test frequencies for operation band 41 overlapping with band 38.....	123
4.3.1.5.27	MFBI Test frequencies for operation band 66 overlapping with band 4.....	123
4.3.1.5.28	MFBI Test frequencies for operation band 66 overlapping with band 10.....	123
4.3.1.6	WLAN Test frequencies.....	124
4.3.1.6.1	WLAN Test frequencies for 2.4 GHz ISM Band.....	124
4.3.1.6.2	WLAN Test frequencies for 5 GHz ISM Band.....	124
4.3.1.7	Bluetooth Test frequencies.....	124
4.3.1.7.1	Bluetooth Test frequencies for 2.4 GHz ISM Band.....	124
4.3.2	Radio conditions.....	124
4.3.2.1	Normal propagation condition.....	124
4.3.3	Physical channel allocations.....	124
4.3.3.1	Antennas.....	124
4.3.3.2	Downlink physical channels and physical signals.....	125
4.3.3.3	Mapping of downlink physical channels and signals to physical resources.....	125
4.3.3.4	Uplink physical channels and physical signals.....	128
4.3.3.5	Mapping of uplink physical channels and signals to physical resources.....	128
4.3.4	Signal levels.....	128
4.3.4.1	Downlink signal levels.....	128
4.3.4.2	Uplink signal levels.....	129
4.3.5	Standard test signals.....	129

4.3.5.1	Downlink test signals	129
4.3.5.2	Uplink test signals	129
4.3.6	Physical layer parameters	129
4.3.6.1	Downlink physical layer parameters	129
4.3.6.1.1	Physical layer parameters for DCI format 0	129
4.3.6.1.1A	Physical layer parameters for DCI format 0C	130
4.3.6.1.1B	Physical layer parameters for DCI format 0A	130
4.3.6.1.1C	Physical layer parameters for DCI format 0B	131
4.3.6.1.2	Physical layer parameters for DCI format 1	131
4.3.6.1.3	Physical layer parameters for DCI format 1A	132
4.3.6.1.3A	Physical layer parameters for DCI format 1B	132
4.3.6.1.4	Physical layer parameters for DCI format 1C	133
4.3.6.1.5	Physical layer parameters for DCI format 2	133
4.3.6.1.6	Physical layer parameters for DCI format 2A	134
4.3.6.1.6A	Physical layer parameters for DCI format 3B	134
4.3.6.1.6B	Physical layer parameters for DCI format 4A	135
4.3.6.1.6C	Physical layer parameters for DCI format 4B	135
4.3.6.1.7	Physical layer parameters for DCI format 5	136
4.3.6.1.7A	Physical layer parameters for DCI format 5A	136
4.3.6.1.8	Physical layer parameters for DCI format 6-0A	136
4.3.6.1.9	Physical layer parameters for DCI format 6-0B	137
4.3.6.1.10	Physical layer parameters for DCI format 6-1A	138
4.3.6.1.11	Physical layer parameters for DCI format 6-1B	139
4.3.6.1.12	Physical layer parameters for DCI format 6-2	140
4.3.6.1.13	Physical layer parameters for DCI format 7-0A	140
4.3.6.1.14	Physical layer parameters for DCI format 7-0B	141
4.3.6.1.15	Physical layer parameters for DCI format 7-1A	141
4.3.6.1.16	Physical layer parameters for DCI format 7-1B	142
4.3.6.1.17	Physical layer parameters for DCI format 7-1C	143
4.3.6.1.18	Physical layer parameters for DCI format 7-1D	143
4.3.6.1.19	Physical layer parameters for DCI format 7-1E	144
4.3.6.1.20	Physical layer parameters for DCI format 7-1F	145
4.3.6.1.21	Physical layer parameters for DCI format 7-1G	145
4.4	Reference system configurations	146
4.4.1	Simulated network scenarios	146
4.4.1.1	Single cell network scenarios	146
4.4.1.2	E-UTRA single mode multi cell network scenarios	146
4.4.1.3	E-UTRA dual mode multi cell network scenarios	147
4.4.1.4	3GPP Inter-RAT network scenarios	147
4.4.1.5	3GPP2 Inter-RAT network scenarios	147
4.4.1.6	WLAN Inter-RAT network scenarios	147
4.4.1.7	Bluetooth Inter-RAT network scenarios	147
4.4.2	Simulated cells	147
4.4.3	Common parameters for simulated E-UTRA cells	151
4.4.3.1	Common configurations of system information blocks	151
4.4.3.1.1	Combinations of system information blocks	151
4.4.3.1.2	Scheduling of system information blocks	156
4.4.3.2	Common contents of system information messages	161
-	<i>MasterInformationBlock</i>	161
-	<i>SystemInformation</i>	162
-	<i>SystemInformation-BR-r13</i>	162
-	<i>SystemInformationBlockType1</i>	163
-	<i>SystemInformationBlockType1-BR-r13</i>	165
4.4.3.3	Common contents of system information blocks	169
-	<i>SystemInformationBlockType2</i>	169
-	<i>SystemInformationBlockType3</i>	171
-	<i>SystemInformationBlockType4</i>	172
-	<i>SystemInformationBlockType5</i>	172
-	<i>SystemInformationBlockType6</i>	174
-	<i>SystemInformationBlockType7</i>	175
-	<i>SystemInformationBlockType8</i>	176
-	<i>SystemInformationBlockType9</i>	179

-	<i>SystemInformationBlockType10</i>	179
-	<i>SystemInformationBlockType11</i>	180
-	<i>SystemInformationBlockType12</i>	181
-	<i>SystemInformationBlockType13</i>	182
-	<i>SystemInformationBlockType14</i>	183
-	<i>SystemInformationBlockType15</i>	183
-	<i>SystemInformationBlockType17</i>	184
-	<i>SystemInformationBlockType18</i>	185
-	<i>SystemInformationBlockType19</i>	190
-	<i>SystemInformationBlockType20</i>	194
-	<i>SystemInformationBlockType21</i>	194
-	<i>SystemInformationBlockType24</i>	195
-	<i>SystemInformationBlockType31</i>	196
-	<i>SystemInformationBlockType32</i>	197
4.4.3.4	Channel-bandwidth-dependent parameters in system information blocks	197
4.4.4	Common parameters for simulated UTRA cells	198
4.4.4.1	Common contents of system information blocks for UTRA cells	199
-	System Information Block type 19	199
4.4.4.2	UTRA SIB scheduling for inter EUTRA - UTRA test	201
4.4.4.3	UTRA SIB scheduling for inter EUTRA – UTRA - GERAN test	201
4.4.5	Common parameters for simulated GERAN cells	202
4.4.6	Common parameters for simulated CDMA2000 cells	204
4.4.7	Default parameters specific for simulated cells	204
4.4.7.1	Common contents of HRPD Overhead messages	204
4.4.7.2	Common contents of 1XRTT Overhead messages	208
4.4.7.2.1	Configuration sequence number	208
4.4.7.2.2	Over Head messages	208
4.4.8	Common parameters for simulated WLAN AP's	214
4.4.9	Common parameters for simulated Bluetooth beacon's	215
4.5	Generic procedures	215
4.5.1	UE test states	215
4.5.2	UE Registration (State 2)	220
4.5.2A	UE Registration, UE Test Mode Activated (State 2A)	226
4.5.2A.1	Initial conditions	226
4.5.2AA	UE Registration in cell supporting BL/CE UE (State 2-CE)	229
4.5.2AA.1	Initial conditions	229
4.5.2AA.2	Definition of system information messages	229
4.5.2AA.3	Procedure	230
4.5.2AA.4	Specific message contents	230
4.5.2AB	UE Registration, UE Test Mode Activated in cell supporting BL/CE UE (State 2A-CE)	230
4.5.2AB.1	Initial conditions	230
4.5.2AB.2	Definition of system information messages	230
4.5.2AB.3	Procedure	230
4.5.2AB.4	Specific message contents	231
4.5.2B	UE Registration, pre-registration on HRPD (State 2B)	231
4.5.2B.1	Initial conditions	231
4.5.2B.2	Definition of system information messages	231
4.5.2B.3	Procedure	232
4.5.2B.4	Specific message contents	235
4.5.2C	UE Registration, pre-registration on 1xRTT (State 2C)	236
4.5.2C.1	Initial conditions	236
4.5.2C.2	Definition of system information messages	236
4.5.2C.3	Procedure	237
4.5.2C.4	Specific message contents	238
4.5.2D	UE Registration, 2 PDN for RAN Assisted WLAN Interworking (State 2)	242
4.5.2D.1	Initial conditions	242
4.5.2D.2	Definition of system information messages	243
4.5.2D.3	Procedure	243
4.5.2D.4	Specific message contents	243
4.5.2E	MUSIM UE Registration	245
4.5.2E.1	Initial conditions	245
4.5.2E.2	Definition of system information messages	246

4.5.2E.3	Procedure	246
4.5.2E.4	Specific message contents	246
4.5.3	Generic Radio Bearer Establishment (State 3)	247
4.5.3.1	Initial conditions	247
4.5.3.2	Definition of system information messages	247
4.5.3.3	Procedure	247
4.5.3.4	Specific message contents	249
4.5.3A	Generic Radio Bearer Establishment, UE Test Mode Activated (State 3A)	249
4.5.3A.1	Initial conditions	249
4.5.3A.2	Definition of system information messages	249
4.5.3A.3	Procedure	249
4.5.3A.4	Specific message contents	249
4.5.3AA	Generic Radio Bearer Establishment (State 3-CE)	249
4.5.3AA.1	Initial conditions	249
4.5.3AA.2	Definition of system information messages	250
4.5.3AA.3	Procedure	250
4.5.3AA.4	Specific message contents	250
4.5.3AB	Generic Radio Bearer Establishment, UE Test Mode Activated (State 3A-CE)	250
4.5.3AB.1	Initial conditions	250
4.5.3AB.2	Definition of system information messages	250
4.5.3AB.3	Procedure	250
4.5.3AB.4	Specific message contents	250
4.5.3B	Generic Radio Bearer Establishment, pre-registered on HRPD (State 3B)	251
4.5.3B.1	Initial conditions	251
4.5.3B.2	Definition of system information messages	251
4.5.3B.3	Procedure	251
4.5.3B.4	Specific message contents	251
4.5.3C	Generic Radio Bearer Establishment, pre-registered on 1xRTT (State 3C)	251
4.5.3C.1	Initial conditions	251
4.5.3C.2	Definition of system information messages	251
4.5.3C.3	Procedure	251
4.5.3C.4	Specific message contents	251
4.5.3D	Generic Radio Bearer Establishment for RAN Assisted WLAN Interworking (State 3)	252
4.5.3D.1	Initial conditions	252
4.5.3D.2	Definition of system information messages	252
4.5.3D.3	Procedure	252
4.5.3D.4	Specific message contents	252
4.5.3E	Control plane CIoT connection request (State 3-CP)	252
4.5.3E.1	Initial conditions	252
4.5.3E.2	Definition of system information messages	253
4.5.3E.3	Procedure	253
4.5.3E.4	Specific message contents	253
4.5.3EA	Control plane CIoT connection request, UE Test Mode Activated (State 3A-CP)	253
4.5.3EA.1	Initial conditions	253
4.5.3EA.2	Definition of system information messages	254
4.5.3EA.3	Procedure	254
4.5.3EA.4	Specific message contents	254
4.5.3F	User plane CIoT connection request (State 3-UP)	254
4.5.3F.1	Initial conditions	254
4.5.3F.2	Definition of system information messages	254
4.5.3F.3	Procedure	254
4.5.3F.4	Specific message contents	254
4.5.3FA	User plane CIoT connection request, UE Test Mode Activated (State 3A-UP)	255
4.5.3FA.1	Initial conditions	255
4.5.3FA.2	Definition of system information messages	255
4.5.3FA.3	Procedure	255
4.5.3FA.4	Specific message contents	255
4.5.4	Loopback Activation (State 4)	255
4.5.4.1	Initial conditions	255
4.5.4.2	Definition of system information messages	255
4.5.4.3	Procedure	255
4.5.4.4	Specific message contents	256

4.5.4A	Loopback Activation in cell supporting BL/CE UE (State 4-CE)	256
4.5.4A.1	Initial conditions	256
4.5.4A.2	Definition of system information messages	256
4.5.4A.3	Procedure	256
4.5.4A.4	Specific message contents	256
4.5.4B	Loopback Activation user plane (State 4A-UP)	256
4.5.4B.1	Initial conditions	256
4.5.4B.2	Definition of system information messages	257
4.5.4B.3	Procedure	257
4.5.4B.4	Specific message contents	257
4.5.5	HRPD registration (State H2)	257
4.5.5.1	Initial conditions	257
4.5.5.2	Definition of system information messages	257
4.5.5.3	Procedure	257
4.5.5.4	Specific message contents	257
4.5.5A	HRPD registration, pre-registration on E-UTRAN (State H2A)	257
4.5.5A.1	Initial conditions	257
4.5.5A.2	Definition of system information messages	258
4.5.5A.3	Procedure	258
4.5.5A.4	Specific message contents	258
4.5.6	HRPD session establishment (State H3)	258
4.5.6.1	Initial conditions	258
4.5.6.2	Definition of system information messages	258
4.5.6.3	Procedure	258
4.5.6.4	Specific message contents	258
4.5.6A	HRPD session establishment, pre-registered on E-UTRAN (State H3A)	258
4.5.6A.1	Initial conditions	258
4.5.6A.2	Definition of system information messages	259
4.5.6A.3	Procedure	259
4.5.6A.4	Specific message contents	259
4.5.7	Out of Coverage (State 5)	259
4.5.7.1	Initial conditions	259
4.5.7.2	Definition of system information messages	259
4.5.7.3	Procedure	259
4.5.8	Out of Coverage, V2X setup (State 5-V2X)	259
4.5.8.1	Initial conditions	259
4.5.8.2	Definition of system information messages	259
4.5.8.3	Procedure	260
4.5.9	Out of Coverage, Test Loopback Activation, V2X setup (State 5A-V2X)	260
4.5.9.1	Initial conditions	260
4.5.9.2	Definition of system information messages	260
4.5.9.3	Procedure	260
4.5.9.4	Specific message contents	260
4.5A	Other generic procedures	261
4.5A.1	Procedure for IP address allocation in the U-plane	261
4.5A.2	Tracking area updating procedure	262
4.5A.3	Procedure for IMS signalling	262
4.5A.3.1	Specific message contents	263
4.5A.3A	Procedure for IMS Signalling over UTRA	263
4.5A.3A.1	Initial conditions	263
4.5A.3A.2	Procedure	263
4.5A.3A.3	Specific message contents	264
4.5A.3B	Procedure for preventing IMS Signalling over GERAN	266
4.5A.3B.1	Initial conditions	266
4.5A.3B.2	Procedure	266
4.5A.3B.3	Specific message contents	267
4.5A.4	Generic Test Procedure for IMS Emergency call establishment in EUTRA: Normal Service	268
4.5A.4.1	Initial conditions	268
4.5A.4.2	Definition of system information messages	268
4.5A.4.3	Procedure	268
4.5A.4.4	Specific message contents	269
4.5A.5	Generic Test Procedure for IMS Emergency call establishment in EUTRA: Limited Service	270

4.5A.5.1	Initial conditions	270
4.5A.5.2	Definition of system information messages	270
4.5A.5.3	Procedure	270
4.5A.5.4	Specific message contents.....	272
4.5A.6	Generic Test Procedure for IMS MO speech call establishment in E-UTRA.....	274
4.5A.6.1	Initial conditions	274
4.5A.6.2	Definition of system information messages	274
4.5A.6.3	Procedure	274
4.5A.6.4	Specific message contents.....	276
4.5A.7	Generic Test Procedure for IMS MT Speech call establishment in E-UTRA	276
4.5A.7.1	Initial conditions	276
4.5A.7.2	Definition of system information messages	276
4.5A.7.3	Procedure	276
4.5A.7.4	Specific message contents.....	277
4.5A.8	Generic Test Procedure for IMS MO video call establishment in E-UTRA.....	278
4.5A.8.1	Initial conditions	278
4.5A.8.2	Definition of system information messages	278
4.5A.8.3	Procedure	278
4.5A.8.4	Specific message contents.....	279
4.5A.9	Generic Test Procedure for IMS MT video call establishment in E-UTRA	279
4.5A.9.1	Initial conditions	279
4.5A.9.2	Definition of system information messages	279
4.5A.9.3	Procedure	279
4.5A.9.4	Specific message contents.....	280
4.5A.10	Generic Test Procedure for IMS MO speech and aSRVCC in E-UTRA.....	280
4.5A.10.1	Initial conditions	280
4.5A.10.2	Definition of system information messages	281
4.5A.10.3	Procedure	281
4.5A.10.4	Specific message contents.....	282
4.5A.11	Generic Test Procedure for IMS MO add video establishment in E-UTRA.....	282
4.5A.11.1	Initial conditions	282
4.5A.11.2	Definition of system information messages	282
4.5A.11.3	Procedure	282
4.5A.11.4	Specific message contents.....	283
4.5A.12	Generic Test Procedure for IMS MT add video establishment in E-UTRA	283
4.5A.12.1	Initial conditions	283
4.5A.12.2	Definition of system information messages	283
4.5A.12.3	Procedure	283
4.5A.12.4	Specific message contents.....	284
4.5A.14	Generic Test Procedure for IMS XCAP establishment in EUTRA	284
4.5A.14.1	Initial conditions	284
4.5A.14.2	Definition of system information messages	284
4.5A.14.3	Procedure	284
4.5A.14.4	Specific message contents.....	285
4.5A.15	Generic Test Procedure for EPS Bearer Deactivation	285
4.5A.15.1	Initial conditions	285
4.5A.15.2	Definition of system information messages	285
4.5A.15.3	Procedure	285
4.5A.15.4	Specific message contents.....	286
4.5A.15A	Generic Test Procedure for User or Network Initiated EPS Bearer Deactivation.....	286
4.5A.15A.1	Initial conditions	286
4.5A.15A.2	Definition of system information messages	286
4.5A.15A.3	Procedure	286
4.5A.15A.4	Specific message contents.....	287
4.5A.16	Generic Test Procedure to establish additional PDN connectivity	287
4.5A.16.1	Initial conditions	288
4.5A.16.2	Definition of system information messages	288
4.5A.16.3	Procedure	288
4.5A.16.4	Specific message contents.....	288
4.5A.17	Generic Test Procedure for user initiated release of additional PDN connectivity.....	289
4.5A.17.1	Initial conditions	289
4.5A.17.2	Definition of system information messages	289

4.5A.17.3	Procedure	289
4.5A.17.4	Specific message contents	290
4.5A.18	Generic Test Procedure for network initiated release of additional PDN connectivity	291
4.5A.18.1	Initial conditions	291
4.5A.18.2	Definition of system information messages	291
4.5A.18.3	Procedure	292
4.5A.18.4	Specific message contents	292
4.5A.19	Generic Test Procedure for IMS MO speech call establishment in E-UTRA / EVS	293
4.5A.19.1	Initial conditions	293
4.5A.19.2	Definition of system information messages	293
4.5A.19.3	Procedure	293
4.5A.19.4	Specific message contents	294
4.5A.20	Generic Test Procedure for IMS MT speech call establishment in E-UTRA / EVS	294
4.5A.20.1	Initial conditions	294
4.5A.20.2	Definition of system information messages	294
4.5A.20.3	Procedure	294
4.5A.20.4	Specific message contents	294
4.5A.21	Generic Test Procedure for IMS MO Customized Alerting Tones and speech establishment in E-UTRA	294
4.5A.21.1	Initial conditions	294
4.5A.21.2	Definition of system information messages	294
4.5A.21.3	Procedure	295
4.5A.21.4	Specific message contents	295
4.5A.22	Communication with the ProSe Function: Initial Access	295
4.5A.22.1	Initial conditions	295
4.5A.22.2	Definition of system information messages	295
4.5A.22.3	Procedure	295
4.5A.22.4	Specific message contents	297
4.5A.22A	Communication with the ProSe Function: Subsequent Access	297
4.5A.22A.1	Initial conditions	297
4.5A.22A.2	Definition of system information messages	297
4.5A.22A.3	Procedure	298
4.5A.22A.4	Specific message contents	298
4.5A.23	Generic Test Procedure for IMS registration in EPC / WLAN	298
4.5A.23.1	Initial conditions	298
4.5A.23.2	Definition of system information messages	299
4.5A.23.3	Procedure	299
4.5A.23.4	Specific message contents	299
4.5A.23A	Generic Test Procedure for IPsec Tunnel Disconnection in EPC / WLAN	299
4.5A.23A.1	Initial conditions	299
4.5A.23A.2	Definition of system information messages	299
4.5A.23A.3	Procedure	299
4.5A.23A.4	Specific message contents	299
4.5A.24	Generic Test Procedure for IMS emergency call establishment in EPC / WLAN	300
4.5A.24.1	Initial conditions	300
4.5A.24.2	Definition of system information messages	300
4.5A.24.3	Procedure	300
4.5A.24.4	Specific message contents	300
4.5A.25	Generic Test Procedure for XCAP establishment in EPC / WLAN	300
4.5A.25.1	Initial conditions	300
4.5A.25.2	Definition of system information messages	300
4.5A.25.3	Procedure	301
4.5A.25.4	Specific message contents	301
4.5A.26	Generic Test Procedure for eCall over IMS establishment in EUTRA: Normal Service	301
4.5A.26.1	Initial conditions	301
4.5A.26.2	Definition of system information messages	301
4.5A.26.3	Procedure	301
4.5A.26.4	Specific message contents	302
4.5A.27	Generic Test Procedure for eCall over IMS establishment in EUTRA: eCall Only Support	303
4.5A.27.1	Initial conditions	303
4.5A.27.2	Definition of system information messages	303
4.5A.27.3	Procedure	303

4.5A.27.4	Specific message contents	305
4.5A.28	Generic Test Procedure for Converged IP Communications establishment in EUTRA	305
4.5A.28.1	Initial conditions	305
4.5A.28.2	Definition of system information messages	306
4.5A.28.3	Procedure	306
4.5A.28.4	Specific message contents	306
4.5A.29	Generic Test Procedure for Converged IP Communications establishment in EPC / WLAN	307
4.5A.29.1	Initial conditions	307
4.5A.29.2	Definition of system information messages	307
4.5A.29.3	Procedure	307
4.5A.29.4	Specific message contents	307
4.5A.30	Generic Test Procedure for IMS Re-registration in E-UTRAN	307
4.5A.30.1	Initial conditions	308
4.5A.30.2	Definition of system information messages	308
4.5A.30.3	Procedure	308
4.5A.30.4	Specific message contents	308
4.6	Default RRC message and information elements contents	308
4.6.1	Contents of RRC messages	308
–	CounterCheck	308
–	CounterCheckResponse	309
–	CSFBParametersRequestCDMA2000	309
–	CSFBParametersResponseCDMA2000	309
–	DLInformationTransfer	310
–	HandoverFromEUTRAPreparationRequest	310
–	LoggedMeasurementConfiguration	310
–	MasterInformationBlock-SL	311
–	MasterInformationBlock-SL-V2X	312
–	MBMSCountingRequest	312
–	MBMSCountingResponse	313
–	MBMSInterestIndication	313
–	MBSFNAreaConfiguration	314
–	MeasurementReport	314
–	MobilityFromEUTRACommand	315
–	Paging	315
–	RRCCConnectionReconfiguration	315
–	RRCCConnectionReconfiguration (SideLink)	322
–	RRCCConnectionReconfiguration (V2X)	328
–	RRCCConnectionReconfigurationComplete	328
–	RRCCConnectionReestablishment	329
–	RRCCConnectionReestablishmentComplete	330
–	RRCCConnectionReestablishmentReject	330
–	RRCCConnectionReestablishmentRequest	330
–	RRCCConnectionReject	331
–	RRCCConnectionRelease	331
–	RRCCConnectionRequest	331
–	RRCCConnectionResume	332
–	RRCCConnectionResumeComplete	332
–	RRCCConnectionResumeRequest	333
–	RRCCConnectionSetup	333
–	RRCCConnectionSetupComplete	333
–	SCGFFailureInformationNR	334
–	SCPTMConfiguration	335
–	SCPTMConfiguration-BR	336
–	SecurityModeCommand	337
–	SecurityModeComplete	337
–	SecurityModeFailure	337
–	SidelinkUEInformation	338
–	SidelinkUEInformation (V2X)	338
–	UECapabilityEnquiry	339
–	ULDedicatedMessageSegment	340
–	UECapabilityInformation	340
–	UEInformationRequest	347

-	<i>UEInformationResponse</i>	347
-	<i>ULHandoverPreparationTransfer</i>	348
-	<i>ULInformationTransfer</i>	348
-	<i>UEAssistanceInformation</i>	349
-	<i>ULInformationTransferMRDC</i>	349
4.6.2	System information blocks	350
4.6.3	Radio resource control information elements	350
-	BCCH-Config-DEFAULT	350
-	CellSelectionInfoCE-r13-DEFAULT	350
-	CQI-ReportAperiodic-r10-DEFAULT	350
-	CQI-ReportConfig-DEFAULT	351
-	CQI-ReportConfig-r10-DEFAULT	351
-	CQI-ReportConfig-v1130-eIMTA	353
-	CQI-ReportConfig-v1250-DEFAULT	354
-	CQI-ReportConfigSCell-r10-DEFAULT	355
-	CQI-ReportPeriodic-r10-DEFAULT	355
-	CSI-RS-ConfigNZP-r11-DEFAULT	356
-	CSI-RS-ConfigZP-r11-DEFAULT	356
-	DMRS-Config-r11-DEFAULT	357
-	DRB-ToAddModList-RECONFIG	357
-	EPDCCH-Config-r11-DEFAULT	357
-	EPDCCH-Config-r11-eIMTA	359
-	FreqHoppingParameters-r13-DEFAULT	361
-	PCCH-Config-DEFAULT	361
-	PCCH-Config-v1310-DEFAULT	362
-	PHICH-Config-DEFAULT	362
-	PDSCH-ConfigCommon-DEFAULT	362
-	PDSCH-ConfigCommon-v1310-DEFAULT	363
-	PDSCH-ConfigDedicated-DEFAULT	363
-	PDSCH-ConfigDedicated-v1130-DEFAULT	363
-	PhysicalConfigDedicatedSCell-r10-DEFAULT	364
-	PhysicalConfigDedicatedSCell-r10-eIMTA	366
-	PRACH-Config-DEFAULT	367
-	PRACH-Config-v1310-DEFAULT	367
-	PRACH-ConfigSIB-DEFAULT	369
-	PRACH-ConfigSIB-v1310-DEFAULT	369
-	PRACH-ConfigSIB-v1530-DEFAULT	373
-	PUCCH-ConfigCommon-DEFAULT	375
-	PUCCH-ConfigCommon-v1310-DEFAULT	376
-	PUCCH-ConfigDedicated-DEFAULT	376
-	PUCCH-ConfigDedicated-v1020-DEFAULT	377
-	PUCCH-ConfigDedicated-v1130-DEFAULT	378
-	PUCCH-ConfigDedicated-v1250-DEFAULT	378
-	PUCCH-ConfigDedicated-r13-DEFAULT	378
-	PUSCH-ConfigCommon-DEFAULT	379
-	PUSCH-ConfigCommon-v1310DEFAULT	380
-	PUSCH-ConfigDedicated-r13DEFAULT	380
-	PUSCH-ConfigDedicated-v1130-DEFAULT	380
-	PUSCH-ConfigDedicated-v1250-DEFAULT	381
-	PUSCH-ConfigDedicated--DEFAULT	381
-	PUSCH-EnhancementsConfig-r14-DEFAULT	381
-	RACH-ConfigCommon-DEFAULT	382
-	Rach-ConfigDedicated-DEFAULT	384
-	RadioResourceConfigCommon-DEFAULT	384
-	RadioResourceConfigCommonSCell-r10-DEFAULT	386
-	RadioResourceConfigCommonSIB-DEFAULT	388
-	RadioResourceConfigDedicated-SRB1	389
-	RadioResourceConfigDedicated-SRB2-DRB(n,m)	390
-	RadioResourceConfigDedicated-DRB(n,m)	390
-	RadioResourceConfigDedicated-SRB4	391
-	RadioResourceConfigDedicated-HO-TO-EUTRA(n,m)	391
-	RadioResourceConfigDedicated-AM-DRB-ADD(bid)	392

-	RadioResourceConfigDedicated-UM-DRB-ADD(bid)	393
-	RadioResourceConfigDedicated- DRB-REL(bid)	393
-	RadioResourceConfigDedicated-HO	393
-	RadioResourceConfigDedicatedSCell-r10-DEFAULT	394
-	RadioResourceConfigDedicated-SCell_AddMod.....	394
-	RadioResourceConfigDedicated-V2X	394
-	RadioResourceConfigDedicated-EN-DC-Split.....	395
-	RadioResourceConfigDedicated-EN-DC_Split_DRB_Rel(bid).....	396
-	RadioResourceConfigDedicated-EN-DC-SRB2-DRB	396
-	RLC-Config-DRB-AM-RECONFIG	397
-	RLC-Config-DRB-UM-RECONFIG	397
-	RLC-Config-SRB-AM-RECONFIG.....	397
-	SCellToAddMod-r10-DEFAULT	398
-	SCellToRelease-r10-DEFAULT	398
-	SCG-Configuration-r12-DEFAULT	398
-	SCG-Configuration-r12-NE-DC	401
-	SchedulingRequest-Config-DEFAULT	403
-	SchedulingRequestConfigSCell-r13-DEFAULT	404
-	SL-CommResourcePoolV2X-r14-DEFAULT	404
-	SL-CommTxPoolSensingConfig-r14-DEFAULT	405
-	SL-InterFreqInfoV2X-r14-DEFAULT	405
-	SlotOrSubslotPDSCH-Config-r15-DEFAULT	406
-	SlotOrSubslotPUSCH-Config-r15-DEFAULT	406
-	SPDCCH-Config-r15-DEFAULT	407
-	SPUCCH-Config-r15-DEFAULT	408
-	SL-PSSCH-TxConfig-r14-DEFAULT.....	408
-	SL-TxPoolToAddMod-r14-DEFAULT	409
-	SL-TxPoolToReleaseListV2X-r14-DEFAULT	409
-	SL-V2X-ConfigDedicated-r14-DEFAULT	409
-	SL-V2X-InterFreqUE-Config-r14-DEFAULT	410
-	SL-V2X-PreconfigCommPool-r14-DEFAULT	411
-	SL-V2X-PreconfigFreqInfo-r14-DEFAULT	412
-	SoundingRS-UL-ConfigCommon-DEFAULT	413
-	SoundingRS-UL-ConfigDedicated-DEFAULT	414
-	SoundingRS-UL-ConfigDedicatedAperiodic-r10-DEFAULT	414
-	SRB-ToAddModList-RECONFIG.....	414
-	SRS-TPC-PDCCH-Config-r14-DEFAULT	415
-	TDD-Config-DEFAULT.....	415
-	TPC-PDCCH-Config-DEFAULT	415
-	TPC-PDCCH-ConfigSCell-r13-DEFAULT	416
-	UplinkPowerControlCommon-DEFAULT	416
-	UplinkPowerControlCommonSCell-r10-DEFAULT.....	417
-	UplinkPowerControlCommon-v1020-DEFAULT	417
-	UplinkPowerControlCommon-v1530-DEFAULT	417
-	UplinkPowerControlCommonSCell-v1310-DEFAULT	418
-	UplinkPowerControlDedicated-DEFAULT	418
-	UplinkPowerControlDedicated-v1020-DEFAULT	419
-	UplinkPowerControlDedicated-v1130-DEFAULT	419
-	UplinkPowerControlDedicated-v1250-DEFAULT	419
-	UplinkPowerControlDedicated-v1530-DEFAULT	420
-	UplinkPowerControlDedicatedSCell-r10-DEFAULT	420
-	UplinkPowerControlDedicatedSCell-v1310-DEFAULT.....	420
-	RadioResourceConfigDedicated-DRB-Mod.....	420
-	RadioResourceConfigDedicated-PCell-PATTERN.....	421
-	OtherConfig-r9.....	421
-	WLAN-OffloadConfig-r12	422
-	EIMTA-MainConfig-r12-DEFAULT	423
-	EIMTA-MainConfigServCell-r12-DEFAULT	423
-	LWIP-Configuration-GENERIC.....	424
-	LWA-Configuration-GENERIC	424
-	LWIP-Configuration-W2-GENERIC.....	425
-	LWA-Configuration-W2-GENERIC	426