



**SLOVENSKI STANDARD**  
**SIST EN IEC 63093-3:2021**

**01-junij-2021**

**Nadomešča:**  
**SIST EN 62323:2005**

---

**Feritna jedra - Smernice o merah in mejnih vrednostih površinskih nepravilnosti -  
3. del: Feritna jedra v obliki polovičnih lončkov za induktivna bližinska stikala**

Ferrite cores - Guidelines on dimensions and the limits of surface irregularities - Part 3:  
Half pot-cores made of ferrite for inductive proximity switches

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN IEC 63093-3:2021](https://standards.iteh.ai/catalog/standards/sist/49fb144-0072-4198-8fe7-461c50273d1a/sist-en-iec-63093-3-2021)

**Ta slovenski standard je istoveten z: EN IEC 63093-3:2020**

**ICS:**

29.100.10      Magnetne komponente      Magnetic components

**SIST EN IEC 63093-3:2021**      **en**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN IEC 63093-3:2021](#)

<https://standards.iteh.ai/catalog/standards/sist/4f9fb144-0072-4198-8fe7-dbf50279dfa/sist-en-iec-63093-3-2021>

EUROPEAN STANDARD

**EN IEC 63093-3**

NORME EUROPÉENNE

EUROPÄISCHE NORM

May 2020

ICS 29.100.10

Supersedes EN 62323:2005 and all of its amendments  
and corrigenda (if any)

English Version

**Ferrite cores - Guidelines on dimensions and the limits of  
surface irregularities - Part 3: Half pot-cores made of ferrite for  
inductive proximity switches  
(IEC 63093-3:2020)**

Noyaux ferrites - Lignes directrices relatives aux  
dimensions et limites des irrégularités de surface - Partie 3:  
Demi-circuits magnétiques en pots en ferrite pour des  
commutateurs inductifs de proximité  
(IEC 63093-3:2020)

Ferritkerne - Richtlinien zu Maßen und Grenzen von  
Oberflächenschädigungen - Teil 3: Ferritschalenkernhälften  
für induktive Näherungsschalter  
(IEC 63093-3:2020)

This European Standard was approved by CENELEC on 2020-05-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

**EN IEC 63093-3:2020 (E)****European foreword**

The text of document 51/1300/CDV, future edition 1 of IEC 63093-3, prepared by IEC/TC 51 "Magnetic components, ferrite and magnetic powder materials" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 63093-3:2020.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2021-02-01
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2023-05-01

This document supersedes EN 62323:2005 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

### Endorsement notice

[SIST EN IEC 63093-3:2021](https://standards.iteh.ai/catalog/standards/sist/49fb144-0072-4198-8fe7-dbf50279df6/sist-en-iec-63093-3-2021)

[https://standards.iteh.ai/catalog/standards/sist/49fb144-0072-4198-8fe7-](https://standards.iteh.ai/catalog/standards/sist/49fb144-0072-4198-8fe7-dbf50279df6/sist-en-iec-63093-3-2021)

[dbf50279df6/sist-en-iec-63093-3-2021](https://standards.iteh.ai/catalog/standards/sist/49fb144-0072-4198-8fe7-dbf50279df6/sist-en-iec-63093-3-2021)

The text of the International Standard IEC 63093-3:2020 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61332	NOTE	Harmonized as EN 61332
IEC 62044-1	NOTE	Harmonized as EN 62044-1
IEC 62044-2	NOTE	Harmonized as EN 62044-2
IEC 62044-3	NOTE	Harmonized as EN 62044-3
IEC 62317-1	NOTE	Harmonized as EN 62317-1
IEC 62317-2	NOTE	Harmonized as EN 62317-2

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu).

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60401-1	-	Terms and nomenclature for cores made of magnetically soft ferrites - Part 1: Terms used for physical irregularities and reference of dimensions	-	-
IEC 60424-1	2015	Ferrite cores - Guidelines on the limits of surface irregularities - Part 1: General specification	EN 60424-1	2016

[SIST EN IEC 63093-3:2021](https://standards.iteh.ai/catalog/standards/sist/49fb144-0072-4198-8fe7-dbf50279dfa/sist-en-iec-63093-3-2021)

<https://standards.iteh.ai/catalog/standards/sist/49fb144-0072-4198-8fe7-dbf50279dfa/sist-en-iec-63093-3-2021>

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN IEC 63093-3:2021](#)

<https://standards.iteh.ai/catalog/standards/sist/4f9fb144-0072-4198-8fe7-dbf50279dfa/sist-en-iec-63093-3-2021>



# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

**Ferrite cores – Guidelines on dimensions and the limits of surface irregularities –  
Part 3: Half pot-cores made of ferrite for inductive proximity switches**

**Noyaux ferrites – Lignes directrices relatives aux dimensions et limites  
des irrégularités de surface –  
Partie 3: Demi-circuits magnétiques en pots en ferrite pour des commutateurs  
inductifs de proximité**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 29.100.10

ISBN 978-2-8322-8009-6

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD .....	3
1 Scope .....	5
2 Normative references .....	5
3 Terms and definitions .....	5
4 Primary dimensions .....	5
4.1 General.....	5
4.2 Nomenclature of dimensions .....	6
4.3 Dimensions of PS-cores.....	7
4.4 Requirements .....	8
4.5 Marking.....	8
5 Limits of surface irregularities .....	8
5.1 General.....	8
5.2 Examples of surface irregularities .....	8
5.3 Chips and ragged edges .....	9
5.4 Cracks .....	11
5.5 Pull-out, crystallite and pore locations for PS-cores .....	12
5.6 Flash .....	12
Bibliography.....	14
Figure 1 – Fundamental types of PS-cores .....	6
Figure 2 – Nomenclature of dimensions .....	7
Figure 3 – Examples of surface irregularities .....	9
Figure 4 – Chips and ragged edge on the surfaces .....	9
Figure 5 – Cracks location – Top view .....	11
Figure 6 – Cracks location – Bottom view .....	11
Figure 7 – Pull-out, crystallite and pore locations .....	12
Figure 8 – Flash location.....	13
Figure 9 – Flash location in the wire hole .....	13
Table 1 – Dimensions of PS-cores .....	8
Table 2 – Area and length references of irregularities for visual inspection .....	10
Table 3 – Limits for cracks .....	12



## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**FERRITE CORES – GUIDELINES ON DIMENSIONS  
AND THE LIMITS OF SURFACE IRREGULARITIES –****Part 3: Half pot-cores made of ferrite  
for inductive proximity switches**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 63093-3 has been prepared by IEC technical committee 51: Magnetic components, ferrite and magnetic powder materials.

This first edition cancels and replaces the first edition of IEC 62323, published in 2005. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition of IEC 62323:

- a) addition of the limits surface irregularities.

The text of this International Standard is based on the following documents:

CDV	Report on voting
51/1300/CDV	51/1323/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 63093 series, published under the general title *Ferrite cores – Guidelines on dimensions and the limits of surface irregularities*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN IEC 63093-3:2021](https://standards.iteh.ai/catalog/standards/sist/49fb144-0072-4198-8fe7-dbf50279dfa/sist-en-iec-63093-3-2021)

<https://standards.iteh.ai/catalog/standards/sist/49fb144-0072-4198-8fe7-dbf50279dfa/sist-en-iec-63093-3-2021>

# FERRITE CORES – GUIDELINES ON DIMENSIONS AND THE LIMITS OF SURFACE IRREGULARITIES –

## Part 3: Half pot-cores made of ferrite for inductive proximity switches

### 1 Scope

This part of IEC 63093-3 specifies the dimensions that are of importance for mechanical interchangeability for a preferred range of half pot-cores made of ferrite, intended to be used in inductive proximity switches. Half pot-cores for inductive proximity switches are also called PS-cores.

The selection of core sizes and shapes for this document is based on the philosophy of including those sizes and shapes which are industrial standards, either by inclusion in a national standard, or by broad-based use in industry.

This part of IEC 63093 can also be considered as a sectional specification useful in the negotiations between ferrite core manufacturers and customers about surface irregularities. It provides guidelines on the allowable limits of surface irregularities applicable to PS-cores in accordance with the relevant generic specification.

### 2 Normative references

SIST EN IEC 63093-3:2021

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60401-1, *Terms and nomenclature for cores made of magnetically soft ferrites – Part 1: Terms used for physical irregularities*

IEC 60424-1:2015, *Ferrite cores – Guidelines on the limits of surface irregularities – Part 1: General specification*

### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60401-1 and IEC 60424-1 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

### 4 Primary dimensions

#### 4.1 General

PS-cores are primarily suited for use in inductive proximity switches. The design of PS-cores is guided by the following considerations: