



**SLOVENSKI STANDARD**  
**oSIST prEN IEC 62680-1-5:2019**  
**01-januar-2019**

---

**Vmesniki univerzalnega serijskega vodila za prenos podatkov in napajanje - 1-5.**  
**del: Skupne komponente - USB Avdio 3.0 Tip naprave**

Universal serial bus interfaces for data and power - Part 1-5: Common components -  
USB Audio 3.0 Device Class Definition

iTeh STANDARD PREVIEW  
(standards.iteh.ai)

[SIST EN IEC 62680-1-5:2020](https://standards.iteh.ai/catalog/standards/sist/dce4970f-7d1e-4fcd-9bbf-73d8d966fad0/sist-en-iec-62680-1-5-2020)

Ta slovenski standard je istoveten z: [prEN IEC 62680-1-5:2018](https://standards.iteh.ai/catalog/standards/sist/dce4970f-7d1e-4fcd-9bbf-73d8d966fad0/sist-en-iec-62680-1-5-2020)

---

**ICS:**

35.200	Vmesniška in povezovalna oprema	Interface and interconnection equipment
--------	---------------------------------	---

**oSIST prEN IEC 62680-1-5:2019**                      **en,fr,de**





# 100/3157/CDV

## COMMITTEE DRAFT FOR VOTE (CDV)

PROJECT NUMBER:  
**IEC 62680-1-5 ED1**

DATE OF CIRCULATION:  
**2018-11-23**

CLOSING DATE FOR VOTING:  
**2019-02-15**

SUPERSEDES DOCUMENTS:

IEC TA 18 : MULTIMEDIA HOME SYSTEMS AND APPLICATIONS FOR END-USER NETWORKS	
SECRETARIAT: Japan	SECRETARY: Mr Keisuke Koide
OF INTEREST TO THE FOLLOWING COMMITTEES:	PROPOSED HORIZONTAL STANDARD: <input type="checkbox"/> Other TC/SCs are requested to indicate their interest, if any, in this CDV to the secretary.
FUNCTIONS CONCERNED: <input type="checkbox"/> EMC <input type="checkbox"/> ENVIRONMENT <input type="checkbox"/> QUALITY ASSURANCE <input type="checkbox"/> SAFETY	
<input type="checkbox"/> SUBMITTED FOR CENELEC PARALLEL VOTING	<input checked="" type="checkbox"/> NOT SUBMITTED FOR CENELEC PARALLEL VOTING

This document is still under study and subject to change. It should not be used for reference purposes.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

TITLE:

**Universal serial bus interfaces for data and power - Part 1-5: Common components – USB Audio 3.0 Device Class Definition**

PROPOSED STABILITY DATE: 2022

NOTE FROM TC/SC OFFICERS:



INTERNATIONAL ELECTROTECHNICAL COMMISSION

UNIVERSAL SERIAL BUS INTERFACES FOR DATA AND POWER

Part 1-5: Common components – USB Audio 3.0 Device Class Definition

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62680-1-5 has been prepared by technical area 18: Multimedia home systems and applications for end-user networks, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

The text of this standard was prepared by the USB Implementers Forum (USB-IF). The structure and editorial rules used in this publication reflect the practice of the organization which submitted it.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
XX/XX/FDIS	XX/XX/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

The National Committees are requested to note that for this document the stability date is ....

THIS TEXT IS INCLUDED FOR THE INFORMATION OF THE NATIONAL COMMITTEES AND WILL BE DELETED AT THE PUBLICATION STAGE.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN IEC 62680-1-5:2020](https://standards.iteh.ai/catalog/standards/sist/dce4970f-7d1e-4fcd-9bbf-73d8d966fad0/sist-en-iec-62680-1-5-2020)

<https://standards.iteh.ai/catalog/standards/sist/dce4970f-7d1e-4fcd-9bbf-73d8d966fad0/sist-en-iec-62680-1-5-2020>

## INTRODUCTION

The IEC 62680 series is based on a series of specifications that were originally developed by the USB Implementers Forum (USB-IF). These specifications were submitted to the IEC under the auspices of a special agreement between the IEC and the USB-IF.

This standard is the USB-IF publication USB Device Class Definition for Audio Devices Release 3.0.

The USB Implementers Forum, Inc.(USB-IF) is a non-profit corporation founded by the group of companies that developed the Universal Serial Bus specification. The USB-IF was formed to provide a support organization and forum for the advancement and adoption of Universal Serial Bus technology. The Forum facilitates the development of high-quality compatible USB peripherals (devices), and promotes the benefits of USB and the quality of products that have passed compliance testing.

**ANY USB SPECIFICATIONS ARE PROVIDED TO YOU "AS IS," WITH NO WARRANTIES WHATSOEVER, INCLUDING ANY WARRANTY OF MERCHANTABILITY, NON-INFRINGEMENT, OR FITNESS FOR ANY PARTICULAR PURPOSE. THE USB IMPLEMENTERS FORUM AND THE AUTHORS OF ANY USB SPECIFICATIONS DISCLAIM ALL LIABILITY, INCLUDING LIABILITY FOR INFRINGEMENT OF ANY PROPRIETARY RIGHTS, RELATING TO USE OR IMPLEMENTATION OR INFORMATION IN THIS SPECIFICATION.**

**THE PROVISION OF ANY USB SPECIFICATIONS TO YOU DOES NOT PROVIDE YOU WITH ANY LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE, TO ANY INTELLECTUAL PROPERTY RIGHTS.**

Entering into USB Adopters Agreements may, however, allow a signing company to participate in a reciprocal, RAND-Z licensing arrangement for compliant products. For more information, please see:

<https://www.usb.org/documents> **SIST EN IEC 62680-1-5:2020**

<https://standards.ieh.ai/catalog/standards/sist/dce4970f-7d1e-4fed-9bbf-73d8d966fad0/sist->  
IEC DOES NOT TAKE ANY POSITION AS TO WHETHER IT IS ADVISABLE FOR YOU TO ENTER INTO ANY USB ADOPTERS AGREEMENTS OR TO PARTICIPATE IN THE USB IMPLEMENTERS FORUM.”

1

2 UNIVERSAL SERIAL BUS  
3 DEVICE CLASS DEFINITION  
4 FOR **STANDARD PREVIEW**  
5 AUDIO DEVICES **(standards.iteh.ai)**

SIST EN IEC 62680-1-5:2020

<https://standards.iteh.ai/catalog/standards/sist/dce4970f-7d1e-4fcd-9bbf-73d8d966fad0/sist-en-iec-62680-1-5-2020>

6

**Release 3.0**

7

**September 22, 2016**

8



9 **SCOPE OF THIS RELEASE**

10 This document is the Release 3.0 of this Device Class Definition.

11 **CONTRIBUTORS**

12	Joe Scanlon	Advanced Micro Devices
13	Rhoads Hollowell	Apple Inc.
14	Girault Jones	Apple Inc.
15	Matthew X. Mora	Apple Inc.
16	Tzung-Dar Tsai	C-Media Electronics, Inc.
17	Brad Lambert	Cirrus Logic, Inc.
18	Dan Bogard	Conexant Systems, Inc.
19	Pete Burgers	DisplayLink (UK), Ltd.
20	David Roh	Dolby Laboratories, Inc.
21	Leng Ooi	Google, Inc.
22	Pierre-Louis Bossart	Intel Corporation
23	David Hines	Intel Corporation
24	Abdul Rahman Ismail (Co-Chair)	Intel Corporation
25	Devon Worrell	Intel Corporation
26	Chandrashekhara Rao	Logitech, Inc.
27	Terry Moore	MCCI Corporation
28	Alex Lin	MediaTek, Inc.
29	Bala Sivakumar	Microsoft Corporation
30	Geert Knapen (Co-Chair & Editor)	NXP Semiconductors
31		PL Mobile Audio
32		411 E. Plumeria drive
33		San Jose, CA 95134, USA
34		E-mail: <a href="mailto:geert.knapen@nxp.com">geert.knapen@nxp.com</a>
35	James Goel	Qualcomm, Inc.
36	Andre Schevciw	Qualcomm, Inc.
37	Jin-Sheng Wang	Qualcomm, Inc.
38	Morten Christiansen	Synopsys

39 **REVISION HISTORY**

Revision	Date	Filename	Description
1.0	Mar. 18, 98	Audio10.pdf	Release 1.0
2.0	May. 31, 06	Audio20 final.pdf	Release 2.0
3.0	Sep. 22, 16	Audio30.pdf	Release 3.0

40

41

42

43

44

45

46 **Copyright © 1997-2016 USB Implementers Forum, Inc.**  
47 **All rights reserved.**

48

49 INTELLECTUAL PROPERTY DISCLAIMER

50 A LICENSE IS HEREBY GRANTED TO REPRODUCE THIS SPECIFICATION FOR INTERNAL USE ONLY. NO OTHER  
51 LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE, IS GRANTED OR INTENDED HEREBY.

52 USB-IF AND THE AUTHORS OF THIS SPECIFICATION EXPRESSLY DISCLAIM ALL LIABILITY FOR INFRINGEMENT OF  
53 INTELLECTUAL PROPERTY RIGHTS RELATING TO IMPLEMENTATION OF INFORMATION IN THIS SPECIFICATION.  
54 USB-IF AND THE AUTHORS OF THIS SPECIFICATION ALSO DO NOT WARRANT OR REPRESENT THAT SUCH  
55 IMPLEMENTATION(S) WILL NOT INFRINGE THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS.

56 THIS SPECIFICATION IS PROVIDED "AS IS" AND WITH NO WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR  
57 OTHERWISE. ALL WARRANTIES ARE EXPRESSLY DISCLAIMED. USB-IF, ITS MEMBERS AND THE AUTHORS OF THIS  
58 SPECIFICATION PROVIDE NO WARRANTY OF MERCHANTABILITY, NO WARRANTY OF NON-INFRINGEMENT, NO  
59 WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, AND NO WARRANTY ARISING OUT OF ANY PROPOSAL,  
60 SPECIFICATION, OR SAMPLE.

61 IN NO EVENT WILL USB-IF, MEMBERS OR THE AUTHORS BE LIABLE TO ANOTHER FOR THE COST OF PROCURING  
62 SUBSTITUTE GOODS OR SERVICES, LOST PROFITS, LOSS OF USE, LOSS OF DATA OR ANY INCIDENTAL,  
63 CONSEQUENTIAL, INDIRECT, OR SPECIAL DAMAGES, WHETHER UNDER CONTRACT, TORT, WARRANTY, OR  
64 OTHERWISE, ARISING IN ANY WAY OUT OF THE USE OF THIS SPECIFICATION, WHETHER OR NOT SUCH PARTY  
65 HAD ADVANCE NOTICE OF THE POSSIBILITY OF SUCH DAMAGES.

66 **NOTE: VARIOUS USB-IF MEMBERS PARTICIPATED IN THE DRAFTING OF THIS SPECIFICATION. CERTAIN OF**  
67 **THESE MEMBERS MAY HAVE DECLINED TO ENTER INTO A SPECIFIC AGREEMENT LICENSING INTELLECTUAL**  
68 **PROPERTY RIGHTS THAT MAY BE INFRINGED IN THE IMPLEMENTATION OF THIS SPECIFICATION. PERSONS**  
69 **IMPLEMENT THIS SPECIFICATION AT THEIR OWN RISK.**

70 Dolby™, AC-3™, Pro Logic™ and Dolby Surround™ are trademarks of Dolby Laboratories, Inc.

71 All other product names are trademarks, registered trademarks, or service marks of their respective owners.

72 ***Please send comments via electronic mail to [audio-chair@usb.org](mailto:audio-chair@usb.org)***

73

74	<b>TABLE OF CONTENTS</b>	
75	Scope of This Release.....	2
76	Contributors.....	2
77	Revision History .....	2
78	Table of Contents.....	4
79	List of Tables .....	8
80	List of Figures .....	10
81	1 Introduction .....	12
82	1.1 Scope.....	12
83	1.2 Purpose .....	12
84	1.3 Related Documents.....	12
85	1.4 Terms and Abbreviations .....	12
86	2 Management Overview.....	15
87	2.1 Overview of Key Differences between ADC v2.0 and v3.0.....	15
88	3 Functional Characteristics.....	17
89	3.1 Introduction .....	17
90	3.2 Basic Audio Device Definition .....	19
91	3.3 Backwards Compatibility.....	19
92	3.4 Audio Interface Association (AIA) and Interface Association Descriptor .....	19
93	3.4.1 Audio Function Class .....	20
94	3.4.2 Audio Function Subclass.....	20
95	3.4.3 Audio Function Protocol.....	20
96	3.5 Audio Interface Class.....	20
97	3.6 Audio Interface Subclass .....	20
98	3.7 Audio Interface Protocol .....	21
99	3.8 Audio Function Category.....	21
100	3.9 Clock Domains.....	22
101	3.10 Power Domains .....	22
102	3.11 Audio Synchronization Types .....	22
103	3.11.1 Asynchronous.....	22
104	3.11.2 Synchronous.....	22
105	3.11.3 Adaptive .....	22
106	3.11.4 Implications of the Different Synchronization Types .....	22
107	3.12 Inter Channel Synchronization .....	24
108	3.13 Audio Function Topology .....	24
109	3.13.1 Cluster .....	29
110	3.13.2 Input Terminal.....	29
111	3.13.3 Output Terminal.....	30
112	3.13.4 Mixer Unit .....	31
113	3.13.5 Selector Unit.....	31

114	3.13.6	Feature Unit .....	32
115	3.13.7	Sampling Rate Converter Unit.....	32
116	3.13.8	Effect Unit .....	33
117	3.13.9	Processing Unit.....	37
118	3.13.10	Extension Unit .....	39
119	3.13.11	Clock Entities .....	40
120	3.14	Operational Model.....	41
121	3.14.1	AudioControl Interface.....	42
122	3.14.2	AudioStreaming Interface .....	43
123	3.14.3	Clock Model.....	44
124	3.14.4	Power Domains Model.....	44
125	3.14.5	Additional Power Considerations and Requirements .....	46
126	3.14.6	Binding between Physical Buttons and Audio Controls .....	46
127	4	Descriptors .....	48
128	4.1	Standard Descriptors.....	48
129	4.2	Class-Specific Descriptors.....	48
130	4.2.1	Traditional Class-Specific Descriptors .....	49
131	4.2.2	High Capability Class-Specific Descriptors.....	49
132	4.3	Cluster Descriptor .....	50
133	4.3.1	Cluster Descriptor Header.....	51
134	4.3.2	Cluster Descriptor Block.....	51
135	4.3.3	Example Cluster descriptor.....	58
136	4.3.4	CEA-861.2 Channel Mapping.....	60
137	4.4	Physical versus Logical Cluster .....	60
138	4.4.1	Mapping between Physical and Logical Clusters.....	60
139	4.5	AudioControl Interface Descriptors .....	62
140	4.5.1	Standard AC Interface Descriptor.....	62
141	4.5.2	Class-Specific AC Interface Descriptor.....	63
142	4.6	AudioControl Endpoint Descriptors .....	91
143	4.6.1	AC Control Endpoint Descriptors .....	91
144	4.6.2	AC Interrupt Endpoint Descriptors.....	92
145	4.7	AudioStreaming Interface Descriptors.....	92
146	4.7.1	Standard AS Interface Descriptor.....	92
147	4.7.2	Class-Specific AS Interface Descriptor .....	93
148	4.7.3	Class-Specific AS Valid Frequency Range Descriptor.....	94
149	4.8	AudioStreaming Endpoint Descriptors.....	94
150	4.8.1	AS Isochronous Audio Data Endpoint Descriptors .....	94
151	4.8.2	AS Isochronous Feedback Endpoint Descriptor .....	96
152	4.9	Class-specific String descriptors.....	97
153	5	Requests.....	99
154	5.1	Standard Requests .....	99

155	5.2	Class-Specific Requests .....	99
156	5.2.1	AudioControl Requests .....	100
157	5.2.2	AudioStreaming Requests .....	123
158	5.2.3	Additional Requests .....	125
159	6	Interrupts .....	129
160	6.1	Interrupt Data Message .....	129
161	6.2	Interrupt Sources .....	130
162	Appendix A.	Audio Device Class Codes .....	131
163	A.1	Audio Function Class Code .....	131
164	A.2	Audio Function Subclass Codes .....	131
165	A.3	Audio Function Protocol Codes .....	131
166	A.4	Audio Interface Class Code .....	131
167	A.5	Audio Interface Subclass Codes .....	131
168	A.6	Audio Interface Protocol Codes .....	132
169	A.7	Audio Function Category Codes .....	132
170	A.8	Audio Class-Specific Descriptor Types .....	132
171	A.9	Cluster Descriptor Subtypes .....	133
172	A.10	Cluster Descriptor Segments .....	133
173	A.11	Channel Purpose Definitions .....	133
174	A.12	Channel Relationship Definitions .....	134
175	A.13	Ambisonic Component Ordering Convention Types .....	135
176	A.14	Ambisonic Normalization Types .....	136
177	A.15	Audio Class-Specific AC Interface Descriptor Subtypes .....	136
178	A.16	Audio Class-Specific AS Interface Descriptor Subtypes .....	137
179	A.17	Audio Class-Specific String descriptor Subtypes .....	137
180	A.18	Extended Terminal Segment Types .....	137
181	A.19	Effect Unit Effect Types .....	137
182	A.20	Processing Unit Process Types .....	138
183	A.21	Audio Class-Specific Endpoint Descriptor Subtypes .....	138
184	A.22	Audio Class-Specific Request Codes .....	138
185	A.23	Control Selector Codes .....	138
186	A.23.1	AudioControl Interface Control Selectors .....	138
187	A.23.2	Clock Source Control Selectors .....	138
188	A.23.3	Clock Selector Control Selectors .....	139
189	A.23.4	Clock Multiplier Control Selectors .....	139
190	A.23.5	Terminal Control Selectors .....	139
191	A.23.6	Mixer Control Selectors .....	139
192	A.23.7	Selector Control Selectors .....	139
193	A.23.8	Feature Unit Control Selectors .....	140
194	A.23.9	Effect Unit Control Selectors .....	140
195	A.23.10	Processing Unit Control Selectors .....	142

196	A.23.11	Extension Unit Control Selectors.....	142
197	A.23.12	AudioStreaming Interface Control Selectors.....	142
198	A.23.13	Endpoint Control Selectors .....	143
199	A.24	Connector Types .....	143
200			
201			

iTeh STANDARD PREVIEW  
(standards.iteh.ai)

SIST EN IEC 62680-1-5:2020

<https://standards.iteh.ai/catalog/standards/sist/dce4970f-7d1e-4fcd-9bbf-73d8d966fad0/sist-en-iec-62680-1-5-2020>

202	<b>LIST OF TABLES</b>	
203	Table 4-1: Traditional Class-Specific Descriptor Layout .....	49
204	Table 4-2: High Capability Class-Specific Descriptor Layout .....	50
205	Table 4-3: Cluster Descriptor Header .....	51
206	Table 4-4: Cluster Descriptor Segment .....	52
207	Table 4-5: End Segment .....	52
208	Table 4-6: Cluster Description Segment.....	53
209	Table 4-7: Vendor-defined Segment .....	53
210	Table 4-8: Channel Relationships .....	54
211	Table 4-9: Information Segment .....	57
212	Table 4-10: Ambisonic Segment.....	57
213	Table 4-11: Channel Description Segment.....	58
214	Table 4-12: Vendor-defined Segment .....	58
215	Table 4-13: Cluster Descriptor Example.....	58
216	Table 4-14: Standard AC Interface Descriptor .....	62
217	Table 4-15: Class-Specific AC Interface Header Descriptor.....	63
218	Table 4-16: Input Terminal Descriptor .....	65
219	Table 4-17: Output Terminal Descriptor .....	66
220	Table 4-18: Extended Terminal Descriptor Header.....	67
221	Table 4-19: Cluster Descriptor Segment .....	68
222	Table 4-20: End Segment .....	69
223	Table 4-21: Vendor-defined Segment .....	69
224	Table 4-22: Bandwidth Segment .....	70
225	Table 4-23: Magnitude Segment.....	70
226	Table 4-24: Magnitude/Phase Segment.....	70
227	Table 4-25: Position Segment .....	71
228	Table 4-26: Position Segment .....	71
229	Table 4-27: Vendor-defined Segment .....	72
230	Table 4-28: Connectors Descriptor .....	73
231	Table 4-29: Mixer Unit Descriptor.....	75
232	Table 4-30: Selector Unit Descriptor .....	76
233	Table 4-31: Feature Unit Descriptor .....	77
234	Table 4-32: Sampling Rate Converter Unit Descriptor .....	78
235	Table 4-33: Effect Unit Descriptor.....	79
236	Table 4-34: Parametric Equalizer Section Effect Unit Descriptor.....	80
237	Table 4-35: Reverberation Effect Unit Descriptor .....	81
238	Table 4-36: Modulation Delay Effect Unit Descriptor .....	81
239	Table 4-37: Dynamic Range Compressor Effect Unit Descriptor.....	82
240	Table 4-38: Common Part of the Processing Unit Descriptor .....	83
241	Table 4-39: Up/Down-mix Processing Unit Descriptor .....	84