INTERNATIONAL STANDARD

ISO 20574

First edition 2019-04

Road vehicles — Durability test method for starter motor for stop and start system

Véhicules routiers — Méthodes de test d'endurance pour les démarreur stop and start system

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 20574:2019



iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 20574:2019

https://standards.iteh.ai/catalog/standards/iso/841aa3f3-b61f-4b1c-89eb-a079a74fa2f9/iso-20574-2019



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

ii

Cor	Contents			
Foreword				
Intro	oduction	v		
1	Scope	1		
2	Normative references			
3	Terms, definitions, symbols and abbreviated terms			
4	Planning of durability test. 4.1 Determination of durability test types	4 4		
5	Test bench equipment and information			
	5.1 Test bench structure			
	5.2 Minimum requirements of test bench5.3 Test bench measuring capabilities and channel list			
	5.5 Test bench measuring capabilities and channel list			
6	Detailed test procedures			
U	6.1 Test procedure			
	6.1.1 General			
	6.1.2 Installation and setup stage for engine or engine simulator			
	6.1.3 Pre-check stage			
	6.1.4 Test execution stage	12		
	6.1.5 Post processing and reporting stage	13		
7	Supplemental test methods			
	7.1 Brush temperature calibration			
	7.2 Starter motor input V-I curve and verification			
	7.3 Brush length measurement7.4 Pinion to ring gear axial gap	16		
e#//et	1.4 I fillion to filing gean axial gap	574-2019 40		
	ex A (normative) Test bench structure (Type 1)			
Anne	ex B (normative) Test bench structure (Type 2)	19		
Anne	ex C (normative) Test bench structure (Type 3 and 4)	20		
Anne	ex D (informative) Summary of reporting items after the test	21		

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 22, *Road vehicles*, Subcommittee SC 32, *Electrical and electronic components and general system aspects*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Stop and start systems contribute to fuel saving by stopping the engine when its operation is not needed, and to start the engine automatically when its operation is needed. The more frequent starting of the engine requires higher durability of the starter motor. Since there is no standard to evaluate the durability of starter motors for stop and start systems, individual specifications are used by engine and/or vehicle manufacturers and starter motor manufacturers. Because the stop and start systems require much more frequent starter motor operations, the testing period is much longer compared to conventional starter motors.

In addition to engine and/or vehicle manufacturers and starter motor manufacturers, testing companies also began to conduct tests. In order to carry out the time-consuming test accurately and to use the test results effectively, the test procedure in this document includes how to summarize the test results.

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 20574:2019

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 20574:2019

Road vehicles — Durability test method for starter motor for stop and start system

1 Scope

This document defines requirements and recommendations for starter motor durability testing of 12 V start systems for internal combustion engines. This includes test methods, test procedures and capabilities of test benches.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 8856, Road vehicles — Electrical performance of starter motors — Test methods and general requirements

3 Terms, definitions, symbols and abbreviated terms

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/

http**3.1**standards.iteh.ai/catalog/standards/iso/841aa3f3-b61f-4b1c-89eb-a079a74fa2f9/iso-20574-2019

stop and start system

system to stop the engine when its operation is not needed, and to start the engine automatically when its operation is needed

3.2

manual start

event when the engine is started manually by the driver

3.3

automatic start

event when the engine is started by the stop and start system automatically

3.4

dummy starter motor

starter motor used for installation purpose only

3.5

calibration starter motor

starter motor used for calibration of test condition, which is equipped for measuring temperatures of its components

3.6

engine simulator

device which simulates engine behaviour during engine start

ISO 20574:2019(E)

3.7

battery simulator

electrical power supply equipment which simulates battery behaviour

3.8

engine mount

mechanical frame to support engine and gearbox

3.9

number of test start cycles

counted durability test start cycles

3.10

remaining brush length

length of brush after the test

3.11

usable brush length

length of brush that is available to be consumed

3.12

initial brush length

length of brush before starting the test

3.13

company which designs and produces vehicles

Standards

3.14

engine manufacturer

company which designs and produces internal combustion engines

3.15

starter motor manufacturer

company which designs and produces starter motors

3.16

cranking

condition in which the starter motor rotates the engine

3.17

overrunning

condition in which the engine rotates the starter motor pinion before starter motor OFF

3.18

electronic control unit for controlling internal combustion engine operation

3.19

starter solenoid

electromagnetic component of starter motor to move pinion and to switch electric motor

3.20

bi-control solenoid

starter solenoid which is able to control separately pinion movement and to switch electric motor

3.21

bench controller

device which is capable of controlling required test bench functions

3.22

nominal power

Pnom

power declared by the starter motor manufacturer corresponding to the maximum power output at the reference temperature when determined according to ISO 8856

battery internal and line resistance

R_{BL}

sum of power supply (battery or battery simulator) internal resistance and total resistance of external line (positive and negative sides and connections)

3.24

device under test

DUT

starter motor used for durability test

3.25

change of mind

CoM

start event before complete engine stall

3.26

starter motor voltage

voltage at battery terminal of starter motor

starter motor current

current drawn by starter motor Cument Preview

3.28

starter motor open circuit voltage

voltage at starter motor terminals without electrical load

3.29

virtual starter motor voltage

virtual starter motor voltage at I_{STR} = 0A derived from V-I curve

battery internal resistance

power supply (battery or battery simulator) resistance

3.31

line resistance

 R_{L}

total resistance of external line (positive and negative sides and connections)

3.32

front end accessory drive

FEAD

equipment driven by belt which is connected to engine

3.33

starter motor temperature at control point

T_{control}

temperature measured at defined control point location

EXAMPLE At starter motor yoke surface.

3.34

temperature of starter motor brush

Tbrush

temperature measured inside of starter motor brush

3.35

pinion to ring gear axial gap

dprg

axial distance from front surface of pinion to ring gear at rest condition

3.36

starter motor input curve

V-I curve

straight line calculated from starter motor voltage vs starter motor current diagram defining starter motor input conditions

4 Planning of durability test

4.1 Determination of durability test types

The durability test is performed with an engine simulator or an engine. The following test types can be selected. See <u>Table 1</u> for comparison of each test type.

- 1) Engine, using bench controller to control fuel/spark to specifically achieve pre-determined cranking time and overrunning time (see <u>Table 3</u>).
- 2) Engine, using its engine ECU to control the test parameters. 461c-89eb-a079a74fa2f9/iso-20574-2019
- 3) Engine simulator, using engine waveform data provided by engine and/or vehicle manufacturers as input to simulator (for cranking time, overrunning time, or torque) (see <u>Table 3</u>).
- 4) Engine simulator, using synthetic pattern or engine simulation model where starter motor manufacturer or engine and/or vehicle manufacturers define values for torque, cranking and overrunning behaviour (see <u>Table 3</u>).

Table 1 — Overview of test types

Test type	Starter load	Starter load characteristic	Reference
1	Engine	Engine using bench controller	Annex A
2		Engine using engine ECU	Annex B
3	Engine Simulator	Engine simulation using engine waveform data	Annex C
4		Engine simulation using synthetic pattern	Annex C

4.2 Determination of durability test conditions

The starter motor manufacturer and engine and/or vehicle manufacturers should define the test conditions according to the test planning matrix shown in <u>Table 2</u>.