

SLOVENSKI STANDARD

SIST EN IEC 61784-5-2:2019

01-april-2019

Nadomešča:
SIST EN 61784-5-2:2014

**Industrijska komunikacijska omrežja - Profili - 5-2. del: Inštalacija procesnih vodil -
Inštalacijski profili za CPF 2 (IEC 61784-5-2:2018)**

Industrial communication networks - Profiles - Part 5-2: Installation of fieldbuses -
Installation profiles for CPF 2 (IEC 61784-5-2:2018)

Industrielle Kommunikationsnetze - Profile - Teil 5-2: Feldbusinstallation -
Installationsprofile für die Kommunikationsprofilfamilie 2 (IEC 61784-5-2:2018)
[\(standards.iteh.at\)](http://standards.iteh.at)

Réseaux de communication industriels - Profils Partie 5-2 : Installation des bus de
terrain - Profils d'installation pour CPF 2 (IEC 61784-5-2:2018) 489a-bf29-
[b7c7413fb2e1/sist-en-iec-61784-5-2-2019](http://standards.iteh.at/b7c7413fb2e1/sist-en-iec-61784-5-2-2019)

Ta slovenski standard je istoveten z: EN IEC 61784-5-2:2018

ICS:

25.040.40	Merjenje in krmiljenje industrijskih postopkov	Industrial process measurement and control
35.100.40	Transportni sloj	Transport layer

SIST EN IEC 61784-5-2:2019 en,fr,de

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN IEC 61784-5-2:2019](#)

<https://standards.iteh.ai/catalog/standards/sist/c8728a9a-a9f9-489a-bf29-b7c7413fb2e1/sist-en-iec-61784-5-2-2019>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN IEC 61784-5-2

December 2018

ICS 25.040.40; 35.100.40

Supersedes EN 61784-5-2:2013

English Version

**Industrial communication networks - Profiles - Part 5-2:
 Installation of fieldbuses - Installation profiles for CPF 2
 (IEC 61784-5-2:2018)**

Réseaux de communication industriels - Profils - Partie 5-2 :
 Installation des bus de terrain - Profils d'installation pour
 CPF 2
 (IEC 61784-5-2:2018)

Industrielle Kommunikationsnetze - Profile - Teil 5-2:
 Feldbusinstallation - Installationsprofile für die
 Kommunikationsprofilfamilie 2
 (IEC 61784-5-2:2018)

This European Standard was approved by CENELEC on 2018-10-04. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

THIS STANDARD PREVIEW**(standards.itech.ai)**

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

[SIST EN IEC 61784-5-2:2019](#)

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
 Comité Européen de Normalisation Electrotechnique
 Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 61784-5-2:2018 (E)**European foreword**

The text of document 65C/924/FDIS, future edition 4 of IEC 61784-5-2, prepared by SC 65C "Industrial networks" of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61784-5-2:2018.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2019-07-04
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2021-10-04

This document supersedes EN 61784-5-2:2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

iTeh STANDARD PREVIEW (standards.iteh.ai)

Endorsement notice

[SIST EN IEC 61784-5-2:2019](#)

<https://standards.iteh.ai/catalog/standards/sist/c8728a9a-a9f9-489a-bf29-b7c7413fb2e1/sist-en-iec-61784-5-2-2019>

The text of the International Standard IEC 61784-5-2:2018 was approved by CENELEC as a European Standard without any modification.

Annex ZA
(normative)

**Normative references to international publications
with their corresponding European publications**

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61918	2018	Industrial communication networks - Installation of EN IEC 61918 communication networks in industrial premises	EN IEC 61918	2018

The normative references of EN IEC 61918:2018, Clause 2, apply.

NOTE For profile specific normative references, see Clauses A.2, B.2, and C.2.
[SIST EN IEC 61784-5-2:2019](https://standards.iteh.ai/catalog/standards/sist/c8728a9a-a9f9-489a-bf29-b7c7413fb2e1/sist-en-iec-61784-5-2-2019)
<https://standards.iteh.ai/catalog/standards/sist/c8728a9a-a9f9-489a-bf29-b7c7413fb2e1/sist-en-iec-61784-5-2-2019>

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN IEC 61784-5-2:2019](#)

<https://standards.iteh.ai/catalog/standards/sist/c8728a9a-a9f9-489a-bf29-b7c7413fb2e1/sist-en-iec-61784-5-2-2019>



INTERNATIONAL STANDARD



Industrial communication networks – Profiles –
Part 5-2: Installation of fieldbuses – Installation profiles for CPF 2
(standards.iteh.ai)

SIST EN IEC 61784-5-2:2019
<https://standards.iteh.ai/catalog/standards/sist/c8728a9a-a9f9-489a-bf29-b7c7413fb2e1/sist-en-iec-61784-5-2-2019>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 25.040.40; 35.100.40

ISBN 978-2-8322-5938-2

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	10
INTRODUCTION.....	12
1 Scope	13
2 Normative references	13
3 Terms, definitions and abbreviated terms	13
4 CPF 2: Overview of installation profiles	13
5 Installation profile conventions	14
6 Conformance to installation profiles	15
Annex A (normative) CP 2/1 (ControlNet™) specific installation profile	16
A.1 Installation profile scope.....	16
A.2 Normative references	16
A.3 Installation profile terms, definitions, and abbreviated terms	16
A.3.1 Terms and definitions.....	16
A.3.2 Abbreviated terms.....	16
A.3.3 Conventions for installation profiles	16
A.4 Installation planning	17
A.4.1 General.....	17
A.4.2 Planning requirements	18
A.4.3 Network capabilities	19
A.4.4 Selection and use of cabling components	25
A.4.5 Cabling planning documentation ^{IEC 61784-5-2:2019}	43
A.4.6 Verification of cabling planning specification ^{IEC 61784-5-2:2019}	43
A.5 Installation implementation.....	43
A.5.1 General requirements	43
A.5.2 Cable installation	43
A.5.3 Connector installation	45
A.5.4 Terminator installation	54
A.5.5 Device installation.....	54
A.5.6 Coding and labelling	56
A.5.7 Earthing and bonding of equipment and devices and shield cabling	57
A.5.8 As-implemented cabling documentation	58
A.6 Installation verification and installation acceptance test.....	58
A.6.1 General.....	58
A.6.2 Installation verification	58
A.6.3 Installation acceptance test.....	61
A.7 Installation administration	63
A.8 Installation maintenance and installation troubleshooting.....	63
A.8.1 General.....	63
A.8.2 Maintenance	63
A.8.3 Troubleshooting	63
A.8.4 Specific requirements for maintenance and troubleshooting	68
Annex B (normative) CP 2/2 (EtherNet/IP™) specific installation profile.....	69
B.1 Installation profile scope.....	69

B.2 Normative references	69
B.3 Installation profile terms, definitions, and abbreviated terms	69
B.3.1 Terms and definitions.....	69
B.3.2 Abbreviated terms.....	69
B.3.3 Conventions for installation profiles	70
B.4 Installation planning	70
B.4.1 General.....	70
B.4.2 Planning requirements	71
B.4.3 Network capabilities	71
B.4.4 Selection and use of cabling components	76
B.4.5 Cabling planning documentation	92
B.4.6 Verification of cabling planning specification	92
B.5 Installation implementation	92
B.5.1 General requirements	92
B.5.2 Cable installation	92
B.5.3 Connector installation	93
B.5.4 Terminator installation	94
B.5.5 Device installation.....	94
B.5.6 Coding and labelling	94
B.5.7 Earthing and bonding of equipment and devices and shield cabling	94
B.5.8 As-implemented cabling documentation	96
B.6 Installation verification and installation acceptance test.....	96
B.6.1 General.....	96
B.6.2 Installation verification	96
SIST EN IEC 61784-5-2:2019 https://standards.iec.ch/catalog/standards/sist/c8728a9a-a9f9-489a-bf29-b7c7413b2e1/sist-en-iec-61784-5-2-2019	
B.6.3 Installation acceptance test.....	98
B.7 Installation administration	99
B.8 Installation maintenance and installation troubleshooting.....	99
Annex C (normative) CP 2/3 (DeviceNet™) specific installation profile.....	100
C.1 Installation profile scope	100
C.2 Normative references	100
C.3 Installation profile terms, definitions, and abbreviated terms	100
C.3.1 Terms and definitions.....	100
C.3.2 Abbreviated terms.....	100
C.3.3 Conventions for installation profiles	100
C.4 Installation planning	101
C.4.1 General.....	101
C.4.2 Planning requirements	102
C.4.3 Network capabilities.....	103
C.4.4 Selection and use of cabling components	119
C.4.5 Cabling planning documentation	129
C.4.6 Verification of cabling planning specification	129
C.5 Installation implementation	129
C.5.1 General requirements	129
C.5.2 Cable installation	129
C.5.3 Connector installation	131

C.5.4	Terminator installation	144
C.5.5	Device installation.....	146
C.5.6	Coding and labelling	150
C.5.7	Earthing and bonding of equipment and devices and shield cabling	150
C.5.8	As-implemented cabling documentation	151
C.6	Installation verification and installation acceptance test.....	151
C.6.1	General.....	151
C.6.2	Installation verification	151
C.6.3	Installation acceptance test.....	154
C.7	Installation administration	155
C.8	Installation maintenance and installation troubleshooting.....	155
C.8.1	General.....	155
C.8.2	Maintenance	155
C.8.3	Troubleshooting	155
C.8.4	Specific requirements for maintenance and troubleshooting.....	155
Annex D (informative)	Additional information	159
D.1	Network validation check sheet for CP 2/3 (DeviceNet)	159
Bibliography.....		163

Figure 1 – Standards relationships.....	12
Figure A.1 – Interconnection of CPF 2 networks	17
Figure A.2 – Overview of CPF 2/1 networks	18
Figure A.3 – Drop cable requirements SIST EN IEC 61784-5-2:2019.....	20
Figure A.4 – Placement of BNC/TNC plugs https://public.itech.ai/cote/sist-en-iec-61784-5-2-2019-b7c7413fb2e1/sist-en-iec-61784-5-2-2019.....	20
Figure A.5 – Placement of terminators	21
Figure A.6 – Extending a network using repeaters	21
Figure A.7 – Extending a network using active star topology	21
Figure A.8 – Links.....	22
Figure A.9 – Extending the network beyond 99 nodes	22
Figure A.10 – Maximum allowable taps per segment.....	31
Figure A.11 – Example of repeaters in star configuration	32
Figure A.12 – Repeaters in parallel.....	33
Figure A.13 – Repeaters in combination series and parallel	34
Figure A.14 – Ring repeater.....	34
Figure A.15 – Installing bulkheads	35
Figure A.16 – Coaxial BNC and TNC terminators	36
Figure A.17 – Terminator placement in a segment	36
Figure A.18 – RC Shield Termination in Active Devices	38
Figure A.19 – Redundant network icons	39
Figure A.20 – Redundant coax media	39
Figure A.21 – Redundant fibre media.....	39
Figure A.22 – Repeaters in series versus length difference for coax media	40
Figure A.23 – Repeaters in series versus length difference for fibre media	41
Figure A.24 – Example of redundant coax network with repeaters.....	41
Figure A.25 – Example of improper redundant node connection	42

Figure A.26 – Example tool kit for installing BNC connectors	46
Figure A.27 – Calibration of coaxial stripper.....	46
Figure A.28 – Coax PVC strip length detail (informative).....	47
Figure A.29 – Memory cartridge and blade.....	48
Figure A.30 – Cable position.....	48
Figure A.31 – Locking the cable	48
Figure A.32 – Stripping the cable	49
Figure A.33 – Install the crimp ferrule	49
Figure A.34 – Cable preparation for PVC type cables (informative)	50
Figure A.35 – Cable preparation for FEP type cables (informative)	50
Figure A.36 – Strip guides	50
Figure A.37 – Using the flare tool.....	51
Figure A.38 – Expanding the shields.....	51
Figure A.39 – Install the centre pin	51
Figure A.40 – Crimping the centre pin.....	52
Figure A.41 – Installing the connector body	52
Figure A.42 – Installing the ferrule	52
Figure A.43 – Crimp tool.....	53
Figure A.44 – Sealed IP65/67 cable.....	54
Figure A.45 – Terminator placement.....	54
Figure A.46 – Mounting the taps	55
Figure A.47 – Mounting the tap assembly using the universal mounting bracket	56
Figure A.48 – Mounting the tap using tie wraps or screws	56
Figure A.49 – Redundant network icons.....	57
Figure A.50 – Network test tool.....	59
Figure A.51 – Shorting the cable to test for continuity	60
Figure A.52 – Testing fibre segments.....	62
Figure A.53 – Multi-fibre backbone cable housing	64
Figure A.54 – Repeater adapter module.....	64
Figure A.55 – Short and medium distance fibre module LEDs	66
Figure A.56 – Long and extra long repeater module LEDs	67
Figure B.1 – Interconnection of CPF 2 networks	70
Figure B.2 – Redundant linear bus.....	72
Figure B.3 – Peer-to-peer connections.....	72
Figure B.4 – Mated connections.....	75
Figure B.5 – The 8-way modular sealed jack & plug (plastic housing)	82
Figure B.6 – The 8-way modular sealed jack & plug (metal housing)	82
Figure B.7 – M12-4 connectors	83
Figure B.8 – Example of a metallic shell M12-8 X-coding connectors	84
Figure B.9 – Simplex LC connector.....	85
Figure B.10 – Duplex LC connector	85
Figure B.11 – IP65/67 sealed duplex LC connector.....	85
Figure B.12 – IP65/67 sealed duplex SC-RJ connector	86

Figure B.13 – M12-4 to 8-way modular bulkhead	88
Figure B.14 – The 8-way modular sealed jack & plug (plastic housing)	93
Figure B.15 – The 8-way modular sealed jack & plug (metal housing).....	93
Figure B.16 – M12-4 connectors	94
Figure B.17 – Earthing of cable shield	96
Figure C.1 – Interconnection of CPF 2 networks	101
Figure C.2 – Connection to generic cabling.....	102
Figure C.3 – DeviceNet cable system uses a trunk/drop line topology.....	104
Figure C.4 – Measuring the trunk length	106
Figure C.5 – Measuring the trunk and drop length.....	106
Figure C.6 – Measuring drop cable in a network with multiports	107
Figure C.7 – Removable device using open-style connectors.....	107
Figure C.8 – Fixed connection using open-style connector.....	108
Figure C.9 – Open-style connector pin out	108
Figure C.10 – Open-style connector pin out 10 position	108
Figure C.11 – Power Bus Current derate as a function of temperature differential.....	111
Figure C.12 – Power supply sizing example	112
Figure C.13 – Current limit for thick cable for one power supply.....	113
Figure C.14 – Example of a continuous power bus.....	114
Figure C.15 – Current limit for thick cable and two power supplies common V+	115
Figure C.16 – Worst-case scenario	116
Figure C.17 – Example using the lookup method https://standards.iteh.ai/catalog/standards/sist/c8728a9a-a9f9-489a-bf29-	116
Figure C.18 – One power supply end connected https://standards.iteh.ai/catalog/standards/sist/c8728a9a-a9f9-489a-bf29-	118
Figure C.19 – Segmenting power in the power bus	119
Figure C.20 – Segmenting the power bus using power taps	119
Figure C.21 – Thick cable construction	130
Figure C.22 – Cable Type I construction	130
Figure C.23 – Thin cable construction.....	131
Figure C.24 – Flat cable construction.....	131
Figure C.25 – Cable preparation	132
Figure C.26 – Connector assembly	132
Figure C.28 – M12 connector pin assignment	133
Figure C.29 – Mini connector pin assignment.....	133
Figure C.30 – Preparation of cable end.....	134
Figure C.31 – Shrink wrap installation.....	134
Figure C.32 – Wire preparation	134
Figure C.33 – Open-style connector (female).....	135
Figure C.34 – Open-style (male plug)	135
Figure C.35 – Flat cable.....	136
Figure C.36 – Aligning the cable	136
Figure C.37 – Closing the assembly.....	137
Figure C.38 – Proper orientation of cable.....	137
Figure C.39 – Locking the assembly	137

Figure C.40 – Driving the IDC contacts in to the cable	138
Figure C.41 – End cap placement	138
Figure C.42 – End cap seated	139
Figure C.43 – End cap installation on alternate side of cable	139
Figure C.44 – Flat cable IDC connectors	140
Figure C.45 – Installing the connectors	140
Figure C.46 – Cable wiring to open-style terminals	141
Figure C.47 – Auxiliary power cable profile	141
Figure C.48 – Pin out auxiliary power connectors	142
Figure C.49 – Power supply cable length versus wire size	143
Figure C.50 – Sealed terminator	145
Figure C.51 – Open-style terminator	145
Figure C.52 – Open-style IDC terminator	145
Figure C.53 – Sealed terminator IDC cable	146
Figure C.54 – Direct connection to the trunk	147
Figure C.55 – Wiring of open-style connector	147
Figure C.56 – Wiring of open-style 10-position connector	147
Figure C.57 – Diagnostic temporary connections	148
Figure C.58 – Thick cable preterminated cables (cord sets)	149
Figure C.59 – Thin cable preterminated cables (cord sets)	149

Table A.1 – Basic network characteristics for balanced cabling not based on Ethernet	23 https://standards.iteh.ai/catalog/standards/sist/c8728a9a-a9f9-489a-bf29
Table A.2 – Network characteristics for optical fibre cabling	24 https://standards.iteh.ai/catalog/standards/sist/c8728a9a-a9f9-489a-bf29
Table A.3 – RG6 coaxial electrical properties	26
Table A.4 – RG6 coaxial physical parameters	26
Table A.5 – Cable type selection	27
Table A.6 – Information relevant to optical fibre cables	28
Table A.7 – Copper connectors for ControlNet	29
Table A.8 – Optical fibre connecting hardware	29
Table A.9 – Relationship between FOC and fibre types (CP 2/1)	30
Table A.10 – Parameters for coaxial RG6 cables	44
Table A.11 – Bend radius for coaxial cables outside conduit	44
Table A.12 – Parameters for silica optical fibre cables	44
Table A.13 – Parameters for hard clad silica optical fibre	45
Table A.14 – Test matrix for BNC/TNC connectors	60
Table A.15 – Wavelength and fibre types	63
Table A.16 – LED status table	65
Table A.17 – Repeater adapter and module diagnostic	65
Table A.18 – Repeater adapter indicator diagnostic	65
Table A.19 – Repeater module indicator	66
Table A.20 – Short and medium distance troubleshooting chart	67
Table A.21 – Long and extra long troubleshooting chart	68
Table B.1 – Network characteristics for balanced cabling based on Ethernet	73

Table B.2 – Network characteristics for optical fibre cabling.....	74
Table B.3 – Fibre lengths for 1 mm POF A4a.2 POF 0.5 NA	74
Table B.4 – Fibre lengths for 1 mm POF A4d POF 0.3 NA	75
Table B.5 – Recognized fibre types.....	76
Table B.6 – Recognized fibre PMDs.....	76
Table B.7 – Information relevant to copper cable: fixed cables 10/100 MHz	77
Table B.8 – Information relevant to copper cable: fixed cables 1 000 MHz	77
Table B.9 – Information relevant to copper cable: cords 10/100 MHz	78
Table B.10 – TCL limits for unshielded twisted-pair cabling serving 10/100 Mb/s	79
Table B.11 – TCL limits for unshielded twisted-pair cabling serving 1 000 Mb/s	79
Table B.12 – ELTCTL limits for unshielded twisted-pair cabling serving 10/100 Mb/s	79
Table B.13 – ELTCTL limits for unshielded twisted-pair cabling serving 1 000 Mb/s	79
Table B.14 – Coupling attenuation limits for screened twisted-pair cabling.....	80
Table B.15 – Information relevant to optical fibre cables	80
Table B.16 – Connectors for balanced cabling CPs based on Ethernet	81
Table B.17 – TCL limits for connectors based on Ethernet serving 1 000 Mb/s.....	81
Table B.18 – Industrial EtherNet/IP 8-way modular connector parameters	82
Table B.19 – Industrial EtherNet/IP M12-4 D-coding connector parameters	82
Table B.20 – Industrial EtherNet/IP M12-8 X-coding connector parameters.....	83
Table B.21 – Optical fibre connecting hardware.....	84
Table B.22 – Relationship between FOC and fibre types (CP2/2).....	86
Table B.23 – Connector insertion loss..... https://standards.iteh.ai/catalog/standards/sist/c8728a9a-a9b9-489a-bf29-03741582c133/en-ic-61784-5-2-2019	86
Table B.24 – Parameters for balanced cables.....	92
Table B.25 – Parameters for silica optical fibre cables	92
Table B.26 – Parameters for POF optical fibre cables	93
Table C.1 – Basic network characteristics for copper cabling not based on Ethernet.....	104
Table C.2 – Cable trunk and drop lengths for CP 2/3	105
Table C.3 – Summary of available current for trunk cables (CP 2/3).....	109
Table C.4 – Permissible current for thin cable drop lines of various lengths	110
Table C.5 – Power supply specification for DeviceNet.....	110
Table C.6 – Power supply tolerance stack up for DeviceNet.....	111
Table C.7 – Current versus cable length for one power supply thick cable	114
Table C.8 – Current versus length for two power supplies.....	115
Table C.9 – Definition of equation variables	117
Table C.10 – Information relevant to copper cable: fixed cables	120
Table C.11 – Information relevant to copper cable: cords	120
Table C.12 – DeviceNet cables and connector support cross reference	121
Table C.13 – DeviceNet cable profiles	122
Table C.14 – Copper connectors for non-Ethernet based fieldbus	124
Table C.15 – Additional connectors for CP 2/3 (DeviceNet)	124
Table C.16 – Parameters for balanced cables.....	129
Table C.17 – Wire colour code and function	135
Table C.18 – Auxiliary power cable colour code	141

Table C.19 – Auxiliary power supply requirements	142
Table C.20 – Signal wire verification	152
Table C.21 – Shield to earth	152
Table C.22 – Connector pin out	154

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN IEC 61784-5-2:2019](#)

<https://standards.iteh.ai/catalog/standards/sist/c8728a9a-a9f9-489a-bf29-b7c7413fb2e1/sist-en-iec-61784-5-2-2019>