

SLOVENSKI STANDARD oSIST prEN 15643:2019

01-december-2019

Trajnostnost gradbenih objektov - Okvir za ocenjevanje trajnostnosti stavb in gradbenih inženirskih objektov

Sustainability of construction works - Framework for assessment of buildings and civil engineering works

Nachhaltigkeit von Bauwerken - Allgemeine Rahmenbedingungen zur Bewertung von Gebäuden und Ingenieurbauwerken NDARD PREVIEW

Contribution des ouvrages de construction au développement durable - Cadre pour l'évaluation des bâtiments et des ouvrages de génie civil

https://standards.iteh.ai/catalog/standards/sist/c545c161-bf30-41f8-b21a-

Ta slovenski standard je istoveten z:418/ksprEN 15643021

<u>ICS:</u>

13.020.20	Okoljska ekonomija.		
	Trajnostnost		
91.040.01	Stavbe na splošno		

Environmental economics. Sustainability Buildings in general

oSIST prEN 15643:2019

en,fr,de



iTeh STANDARD PREVIEW (standards.iteh.ai)

kSIST FprEN 15643:2021 https://standards.iteh.ai/catalog/standards/sist/c545c161-bf30-41f8-b21a-7d44846aa418/ksist-fpren-15643-2021



EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

ICS 91.040.01

DRAFT prEN 15643

October 2019

Will supersede EN 15643-1:2010, EN 15643-2:2011, EN 15643-3:2012, EN 15643-4:2012, EN 15643-5:2017

English Version

Sustainability of construction works - Framework for assessment of buildings and civil engineering works

Contribution des ouvrages de construction au développement durable - Cadre pour l'évaluation des bâtiments et des ouvrages de génie civil Nachhaltigkeit von Bauwerken - Allgemeine Rahmenbedingungen zur Bewertung von Gebäuden und Ingenieurbauwerken

This draft European Standard is submitted to CEN members for enquiry. It has been drawn up by the Technical Committee CEN/TC 350.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

<u>kSIST FprEN 15643:2021</u> CEN members are the national standards bodies of Austria, Relgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2019 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. prEN 15643:2019 E

Content

Euroj	pean foreword	3
Intro	duction	4
1 Sc	cope	7
2 N	ormativo referenços	
ZN	ormative references	/
3 To	erms and definitions	8
4 Pi	rinciples	22
4.1	General	22
4.2	Objectives of sustainability performance assessment of construction works	22
4.3	Approach to assessment of sustainability	22
4.4	Relevance of technical and functional requirements	23
4.5	Consideration of the construction works life cycle	23
4.6	Assessment of impacts and aspects related to the buildings and civil engineering works	23
4.7	Consideration of options for sustainable refurbishment of existing construction works	23
5 R	equirements for assessment methods	24
5.1	General	24
5.2	Object of assessment and the system boundary	24
5.3	Functional equivalent	25
5.4	Type of data and their assignment to the construction works life cycle	25
5.4.1	Assignment of data to the construction works life cycle	25
5.4.2	Reference study period	25
5.4.3	Aspects and impacts specific to the construction works	26
5.4.4	Scenarios	27
5.5	Requirements for data quality stick and used by starting starting starting starting and the starting s	27
5.6	Requirements for verification	28
5.7	Transparency of the assessment methods	28
5.8	Requirements for reporting and communication	28
5.8.1	General	28
5.8.2	Results of the assessment	28
5.8.3	Environmental, social and economic requirements from regulations and client's brief	30
5.8.4	Technical and functional performance	30
6 R	equirements for assessment methods of environmental, social and economic performance	е
of cor	nstruction works	31
6.1	Overview of the methodology for assessment of environmental, social and economic	
perfo	ormance of construction works	31
6.2	Environmental indicator categories	32
6.3	Social indicator categories	33
6.4	Economic indicator categories	34
Biblio	ography	35

European foreword

This document (prEN 15643:2019) has been prepared by Technical Committee CEN/TC 350 "Sustainability of construction works", the secretariat of which is held by AFNOR.

This document replaces a series of standards that consists of the following parts:

- EN 15643-1, Sustainability of construction works Sustainability assessment of buildings Part 1: General framework
- EN 15643-2, Sustainability of construction works Assessment of buildings Part 2: Framework for the assessment of environmental performance
- EN 15643-3, Sustainability of construction works Assessment of buildings Part 3: Framework for the assessment of social performance
- EN 15643-4, Sustainability of construction works Assessment of buildings Part 4: Framework for the assessment of economic performance
- EN 15643-5, Sustainability of construction works Sustainability assessment of buildings and civil engineering works - Part 5: Framework on specific principles and requirement for civil engineering works

iTeh STANDARD PREVIEW (standards.iteh.ai)

kSIST FprEN 15643:2021 https://standards.iteh.ai/catalog/standards/sist/c545c161-bf30-41f8-b21a-7d44846aa418/ksist-fpren-15643-2021

prEN 15643:2019 (E)

Introduction

This document forms part of a series of European Standards, written by CEN/TC 350, that provide a system for the sustainability assessment of buildings and civil engineering works using a life cycle approach. The sustainability assessment quantifies aspects and impacts to assess the environmental, social and economic performance of buildings and civil engineering works using quantifiable indicators measured without value judgements. The purpose of this series of standards is to enable comparability of the results of assessments. This series of European Standards does not set benchmarks or levels of performance.

This series of standards will allow the sustainability assessment, i.e. the assessment of environmental, social and economic performance of a builings and/or civil engineering works, to be made concurrently and on an equal footing, on the basis of the technical characteristics and functionality of the object of assessment.

The sustainability assessment of buildings and civil engineering works uses different types of information. The results of a sustainability assessment of a building and/or civil engineering works provide information on the different types of indicators, the related works scenarios, and the life cycle stages included in the assessment.

In carrying out assessments, scenarios and a functional equivalent are determined at the construction works level. Assessment at the construction works level means that the descriptive model of the works with the major technical and functional requirements has been defined in the client's brief or in the regulations, as illustrated in Figure 1.

Assessments can be undertaken either for the whole building or civil engineering works, for a part of the works or for a combination of several buildings and/or civil engineering works.

Although the evaluation of technical and functional performance is beyond the scope of this series of standards, the technical and functional characteristics are considered within this framework by reference to the functional equivalent. The functional equivalent takes into account the technical and functional requirements and forms the basis for comparisons of the results of the assessment.

Any particular demands for, or related to, the environmental, social and economic performance defined in the client's brief, or in regulations, may be declared and communicated. Figure 1 shows how the functional equivalent, and the technical and functional characteristics that differ from those required, either by the client's brief or through regulations, are to be declared and communicated with the results of the assessment.



In concept, the integrated construction works performance incorporates environmental, social and economic performance as well as the technical and functional performance, and these are intrinsically related to each other. Although the assessment of technical and functional performance does not form part of this series of standards, their interrelationship with environmental, social and economic performance is a prerequisite for an assessment of sustainability of construction works and, therefore, is taken into account, as illustrated in Figure 1.

The users' activities associated with the constructed asset (referred to as "users' activities") are part of the assessment of construction works. These can include, for example, the fuel consumed by the cars users of a road as part of the assessment of infrastructure, or the energy used for commuting to and from a building, as part of a building assessment.

It is advisable to carry out an assessment at the earliest opportunity during the conceptual stages of a construction or refurbishment project such as in the initial planning stage in order to provide a broad estimate of the environmental performance, social performance and economic performance. As the project evolves, the assessment can be periodically reviewed and updated to support decision-making. A final assessment (as-built) should be carried out. The results of this final assessment can be used to inform all parties concerned, and also serve as the database for future new similar projects.

oSIST prEN 15643:2019

1

prEN 15643:2019 (E)

Framework Level	Sustainability Assessment of Construction Works			Technical characteristics	Functionality		
	prEN 15643 (revisions of EN 15643-15) Sustainability of Construction Works – Framework for Assessment of Buildings and Civil Engineering Works						
		Service Life Planning - General Principles ISO 15686-1					
Works Level	EN 15978 Assessment of Environmental	EN 16309 Assessment of Social	EN 16627 Assessment of Economic	prWI00350029 As Options for Sustain Refurbishment of	sessment of nable Buildings		
	Performance of Buildings	Performance of Buildings	Performance of Buildings	EN ISO 52000			
	prEN WI00350028 Assessment of Civil Engineering Works			Energy Performance of Buildings			
Product Level	EN 15804 + A1 + A2 Environmental Product Declarations – Core Rules for Construction Products			Service Life Prediction Procedures			
	EN 15942 Communication Format B-to-B			ISO 15686-2, Feedback from Pratice ISO 15686-7, Reference Service Life & Service Life Estimation ISO 15686-8			
	prEN 15941 rev Generic Data						
	prEN xxxxx Communicat B-to-C						
	CEN/TR 16790 Guidance for EN 15804 dards.iteh.ai)						
	CEN/TR 17005 Add. Indicators						

NOTE The coloured boxes represent the current work programme of CEN/TC 350.

Figure 2 — Work program of CEN/TC 350

This framework is the general framework for sustainability assessment of buildings and civil engineering works. The purpose of this EN 15643 is to provide a framework with principles, requirements and guidelines for the assessment of the environmental, social and economic performance of a building and/or civil engineering works or combination thereof at the "framework level". This document has been drafted by combining the previously published 5 parts of the framework standards; i.e. EN 15643-1, -2, -3, -4 and -5 into one framework standard.

1 Scope

This document provides principles and requirements for the assessment of environmental, social and economic performance of buildings and civil engineering works taking into account their technical characteristics and functionality. Assessments of environmental, social and economic performance are the three aspects of sustainability assessment of buildings and civil engineering works, or combination thereof, (hereafter referred to as "construction works").

The framework applies to all types of construction works, both new and existing, and it is relevant for the assessment of the environmental, social and economic performance of new construction works over their entire life cycle, and of existing construction works over their remaining service life and end of life stage.

The sustainability assessment of construction works concentrates on the assessment of environmental, social and economic aspects and impacts of construction works expressed with quantifiable indicators. It includes the assessment of a construction works' influence on the environmental, social and economic aspects and impacts on the local area (area of influence) and of the local infrastructure beyond the curtilage of the building and the civil engineering works. It excludes environmental, social and economic risk assessment.

The European Standards developed under this framework do not set the rules for how the different assessment methodologies may provide valuation methods; nor do they prescribe levels or classes for measuring performance.

NOTE Valuation methods, levels, classes or benchmarks can be prescribed in the requirements for environmental, social and economic performance in the client's brief, construction regulations, national standards, national codes of practice, construction works assessment and certification schemes, etc.

The rules for assessment of environmental, social and economic aspects of organizations, such as management systems, are not included within this framework. However, the consequences of decisions or actions that influence the environmental, social and economic performance of the object of assessment are taken into accounts://standards.iteh.ai/catalog/standards/sist/c545c161-bf30-41f8-b21a-

7d44846aa418/ksist-fpren-15643-2021

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 15804, Sustainability of construction works — Environmental product declarations — Core rules for the product category of construction products

EN 15978, Sustainability of construction works — Assessment of environmental performance of buildings — Calculation method

EN 16309, Sustainability of construction works — Assessment of social performance of buildings — Calculation methodology

EN 16627, Sustainability of construction works — Assessment of economic performance of buildings — Calculation methods

EN ISO 14044, Environmental management — Life cycle assessment — Requirements and guidelines (ISO 14044)

ISO 15392:2008, Sustainability in building construction — General principles

ISO 15686-1:2011, Buildings and constructed assets — Service life planning — Part 1: General principles and framework

oSIST prEN 15643:2019

prEN 15643:2019 (E)

ISO 15686-2, Buildings and constructed assets — Service life planning — Part 2: Service life prediction procedures

ISO 15686-7, Buildings and constructed assets — Service life planning — Part 7: Performance evaluation for feedback of service life data from practice

ISO 15686-8, Buildings and constructed assets — Service-life planning — Part 8: Reference service life and service-life estimation

ISO/TS 15686-9, Buildings and constructed assets — Service-life planning — Part 9: Guidance on assessment of service-life data

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

3.1

accessibility

ability of a space or service to be entered or used with ease

Note 1 to entry: Requirements for accessibility will depend on the users' needs, as well as to activities during the life cycle of the building or civil engineering works, e.g. construction work, maintenance and deconstruction.

Note 2 to entry: "Barrier-free use of buildings" relates to requirements for accessibility to meet the needs of users with reduced mobility.

https://standards.iteh.ai/catalog/standards/sist/c545c161-bf30-41f8-b21a-[SOURCE: ISO 15392: 2019, modified] 7d44846aa418/ksist-fpren-15643-2021

3.2

adaptability

ability of the object of assessments or parts thereof to be changed or modified to make suitable for a particular use

[SOURCE: ISO 21929-1:2011, modified]

3.3

area of influence

area or combination of areas surrounding a construction works that can be affected with changes to their economical, environmental or social conditions by the use and operations of construction works throughout its life cycle

Note 1 to entry: The area of influence is defined per aspect.

Note 2 to entry: The area of influence is variable and dependent e.g. on the use of construction works, its location and its life cycle stage.

Note 3 to entry: The influence area concerns only the construction works and not the construction products. Example: Stones coming from China, China is not in the influence area.

[SOURCE: ISO/TS 21929-2:2015]

3.4 part of works assembled system

component or a set of components incorporated in the construction works

3.5

backfilling

recovery operation where suitable non-hazardous waste is used for purposes of reclamation in excavated areas or for engineering purposes in landscaping. Non-hazardous waste used for backfilling substitutes non-waste materials, be suitable for the aforementioned purposes, and be limited to the amount strictly necessary to achieve those purposes;

[SOURCE: Directive (EU) 2018/851, modified]

3.6

brief

written document that states the client's requirements for a construction project

[SOURCE: ISO 6707-2:2017, modified]

3.7

building

construction works that has the provision of shelter for its occupants or contents as one of its main purposes and is usually enclosed and designed to stand permanently in one place

[SOURCE: ISO 6707-1:2017, modified ndards.iteh.ai)

3.8

kSIST FprEN 15643:2021

built environment https://standards.iteh.ai/catalog/standards/sist/c545c161-bf30-41f8-b21acollection of buildings, civil engineering works, external works (landscape area), associated infrastructures and other civil engineering works within an area

[SOURCE: ISO 6707-1:2017, modified]

3.9

by-product

co-product from a process that is incidental or not intentionally produced and which cannot be avoided

Note 1 to entry: Wastes are not by-products.

[SOURCE: ISO 21930:2017]

3.10

civil engineering works

construction works comprising a structure, such as a dam, bridge, road, railway, runway, utilities, pipeline, or sewerage system, or the result of operations such as dredging, earthwork, geotechnical processes, but excluding a building and its associated site works

[SOURCE: ISO/TS 21929-2:2015]

3.11

co-product

one or more products from the same unit process, but which is not the object of the assessment

Note 1 to entry: Co-product and product have the same status and are used for identification of several distinguishable flows of products from the same unit process. Where one of two or more co-products is the object of assessment of the EPD, this is normally considered the product, and the other output(s) (ISO 14040:2006, 3.25) the co-product(s). Where one of the co-products is an input (ISO 14040:2006, 3.21) to a process (ISO 14040:2006, 3.11), this is normally considered as a product input. From co-product and product, waste (3.56) is the only output to be distinguished as a non-product.

[SOURCE: ISO 21930:2017]

3.12

client

person or organisation that requires a building or civil engineering works to be provided, altered or extended and is responsible for initiating and approving the brief

[SOURCE: ISO 6707-1:2017, modified]

3.13

component

construction product manufactured as a distinct unit to serve a specific function or functions

[SOURCE: ISO 6707-1:2017] **iTeh STANDARD PREVIEW** 3.14 (standards.iteh.ai)

construction product

item manufactured or processed for incorporation in construction works

https://standards.iteh.ai/catalog/standards/sist/c545c161-bf30-41f8-b21a-7d44846aa418/ksist-fpren-15643-2021

construction site

specified area of land where a building or a civil engineering works is located or is defined to be located and construction work of the building or civil engineering works and associated external works are undertaken

[SOURCE: ISO 6707-1:2017, modified]

3.16

3.15

construction work

activities of forming a construction works

[SOURCE: ISO 6707-1:2017]

3.17

construction works

everything that is constructed or results from construction operations

Note 1 to entry: This includes buildings, civil engineering works, structures, landscaping, external works and other types of construction works within a built environment.

Note 2 to entry: From an economic perspective, completed construction works are typically referred to as a constructed asset.

[SOURCE: ISO/FDIS 15392: 2019]