

ETSI TS 102 796 V1.7.1 (2023-09)



Hybrid Broadcast Broadband TV

STANDARD PREVIEW
(standards.iteh.ai)

ETSI TS 102 796 V1.7.1 (2023-09)

<https://standards.iteh.ai/catalog/standards/sist/545153b1-6f96-429a-b71f-2bc7e7052de9/etsi-ts-102-796-v1-7-1-2023-09>

EBU



Reference

RTS/JTC-116

Keywords

broadcasting, DVB, HTML, internet, multimedia

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:

<https://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://standards-portal.etsi.org/People/CommitteeSupportStaff.aspx>

If you find a security vulnerability in the present document, please report it through our

Coordinated Vulnerability Disclosure Program:

<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2023.

© European Broadcasting Union 2023.

All rights reserved.

Contents

Intellectual Property Rights	17
Foreword.....	17
Modal verbs terminology.....	17
Introduction	18
1 Scope	20
2 References	20
2.1 Normative references	20
2.2 Informative references.....	24
3 Definition of terms, symbols and abbreviations.....	26
3.1 Terms.....	26
3.2 Symbols.....	27
3.3 Abbreviations	27
4 Overview	31
4.1 Applications	31
4.2 Architecture (informative).....	31
4.2.1 Introduction.....	31
4.2.2 System overview.....	32
4.2.3 Functional terminal components.....	32
4.3 Terminal capabilities and extensions.....	34
4.4 Specification overview	34
4.5 Referenced W3C and WHATWG Specifications.....	36
5 User experience (informative).....	36
5.0 Introduction	36
5.1 Visual appearance of interactive applications	36
5.1.1 Balance of video and application	36
5.1.2 Service selection and event change.....	37
5.2 User input	38
5.3 Access to interactive applications	39
5.3.1 Overview of ways of access.....	39
5.3.2 Inaccessibility of applications.....	40
5.3.3 Starting broadcast-related autostart applications	40
5.3.3.1 Possible states of an autostart application	40
5.3.3.2 "Red Button" applications.....	41
5.3.4 Starting digital teletext applications.....	41
5.3.5 Starting broadcast-independent applications	42
5.4 Exiting and hiding broadcast-related applications.....	43
5.5 Companion Screens	43
5.6 User interface issues.....	44
5.6.1 Advertising broadcast applications	44
5.6.2 Co-existence with CI and CI Plus MMI.....	44
5.6.3 Encrypted channels	44
6 Service and application model	44
6.1 Application model	44
6.2 Application lifecycle	45
6.2.1 Introduction.....	45
6.2.2 Starting and stopping applications	45
6.2.2.1 Summary (informative).....	45
6.2.2.2 Behaviour when selecting a broadcast service	46
6.2.2.3 Behaviour while a broadcast service is selected.....	48
6.2.2.4 Time-shifting behaviour	50
6.2.2.5 Simultaneous broadcast/broadband/CI Plus application signalling.....	51
6.2.2.5.1 Priority	51

6.2.2.5.2	Not currently operational broadband connection.....	51
6.2.2.5.3	Currently operational broadband connection and error accessing initial page	51
6.2.2.5.4	Not currently operational CI Plus protocol.....	51
6.2.2.5.5	Currently operational CI Plus connection and error accessing file system.....	51
6.2.2.5.6	Application launch failure	51
6.2.2.6	Broadcast-independent applications.....	52
6.2.2.6.1	Lifecycle issues	52
6.2.2.6.2	Launch context signalling (informative)	53
6.2.2.7	Access to broadcast resources while presenting broadband-delivered A/V	54
6.2.2.8	Behaviour on encrypted broadcast services	54
6.2.2.9	Applications launched from non-HbbTV® application environments.....	55
6.2.2.10	Parental ratings.....	55
6.2.2.11	Other general behaviour	55
6.2.3	Application lifecycle example (informative)	57
6.2.4	Application visibility	58
6.3	Application boundary	59
6.3.1	Introduction.....	59
6.3.2	Origin.....	59
6.3.3	Application boundary definition	60
7	Formats and protocols	61
7.1	General formats and protocols.....	61
7.1.1	Graphic formats	61
7.1.2	Audio description.....	61
7.2	Broadcast-specific format and protocols	61
7.2.1	System, video, audio and subtitle formats	61
7.2.2	Protocol for application transport	62
7.2.3	Signalling of applications	63
7.2.3.1	Broadcast signalling.....	63
7.2.3.2	Broadcast-independent application signalling.....	66
7.2.4	Synchronization	69
7.2.5	DSM-CC carousel.....	69
7.2.5.1	Mounting related constraints	69
7.2.5.2	Initial carousel mounting.....	69
7.2.5.3	Subsequent carousel mountings (during the lifecycle of an application)	69
7.2.5.4	Constraints	70
7.2.5.5	Performance (informative)	70
7.2.6	Data services.....	71
7.2.7	File system acceleration.....	71
7.2.7.1	Introduction.....	71
7.2.7.2	HbbTV® stored groups descriptor	71
7.2.7.3	Group location descriptor.....	72
7.2.7.4	Group Manifest file name	72
7.2.7.5	File groups referenced by multiple carousels.....	73
7.2.7.6	The use_version flag	73
7.2.8	Protocol for download	73
7.3	Broadband-specific format and protocols.....	73
7.3.1	System, video and audio formats	73
7.3.1.1	General requirements	73
7.3.1.2	Systems layers.....	75
7.3.1.3	Video.....	76
7.3.1.4	Audio.....	77
7.3.1.5	Subtitles.....	78
7.3.1.5.1	TTML based subtitles.....	78
7.3.1.5.2	Broadcast subtitles.....	79
7.3.2	Protocols	80
7.3.2.1	Protocols for streaming	80
7.3.2.2	Protocols for download	80
7.3.2.3	Void.....	80
7.3.2.4	HTTP User-Agent header	80
7.3.2.5	HTTP Redirects.....	81
7.3.2.6	HTTP Caching	81

7.3.2.7	Simultaneous HTTP connections	82
7.3.2.8	HTTP/2	82
8	Browser application environment	82
8.1	DAE specification usage	82
8.2	Defined JavaScript APIs	82
8.2.1	Acquisition of DSM-CC stream events	82
8.2.1.1	Adding and removing stream event listeners	82
8.2.1.2	DSM-CC StreamEvent event	84
8.2.2	Carousel objects access with XMLHttpRequest	84
8.2.3	APIs for media synchronization.....	85
8.2.3.1	Introduction (informative).....	85
8.2.3.2	The MediaSynchroniser embedded object	86
8.2.3.2.0	General	86
8.2.3.2.1	Properties.....	86
8.2.3.2.2	Methods	89
8.2.3.2.3	DOM2 events	93
8.2.3.2.4	Error codes	93
8.2.3.3	The CorrelationTimestamp class.....	94
8.2.3.3.1	General	94
8.2.3.3.2	Properties.....	94
8.2.4	APIs for automatic deletion of downloaded content.....	95
8.2.5	APIs for obtaining the LCN of a service.....	95
8.2.6	Companion Screen discovery APIs	96
8.2.6.1	HbbTVCSManager embedded object	96
8.2.6.2	DiscoveredTerminal class	97
8.2.6.3	Void.....	97
9	System integration.....	98
9.1	Mapping from APIs to protocols.....	98
9.1.1	Unicast streaming	98
9.1.1.1	General streaming requirements.....	98
9.1.1.2	HTTP streaming	98
9.1.1.3	Media player implementations and API behaviour	98
9.1.2	Unicast content download.....	98
9.1.3	Seek accuracy	98
9.2	URLs	100
9.3	Other file formats	102
9.3.1	Stream event	102
9.3.2	MPEG DASH event integration.....	102
9.3.2.1	General	102
9.3.2.2	HTML5 media element	103
9.4	Presentation of adaptive bitrate content.....	105
9.4.1	General.....	105
9.4.2	Behaviour for HTML5 media objects.....	105
9.4.3	Behaviour for the A/V Control object	107
9.5	Downloading content via FDP	108
9.5.1	Download registration.....	108
9.5.2	Single file with multiple URLs	108
9.5.3	Properties of the Download object.....	108
9.5.4	Download state diagram	109
9.6	Media element integration.....	111
9.6.1	General.....	111
9.6.2	Resource management	111
9.6.3	Transition behaviour	113
9.6.4	Reporting and control of buffering	113
9.6.5	Distinguishing multiple media tracks (informative)	114
9.6.6	Controls attribute	114
9.6.7	DRM	114
9.6.8	Parental Rating Errors.....	115
9.6.9	Downloaded Content	115
9.6.10	Video presentation	115

9.6.11	getStartDate method	116
9.6.12	End of stream indication	116
9.6.13	Media Source Extensions	116
9.7	Synchronization	118
9.7.1	Synchronization and video objects	118
9.7.1.1	video/broadcast object	118
9.7.1.2	HTML5 media element	119
9.7.1.3	Void	120
9.7.2	Tolerance	121
9.7.3	Timeline availability	121
9.7.4	Minimum synchronization accuracy	122
9.8	Reliability and resilience	123
9.9	WebSocket Server and JSON-RPC Implementation	124
9.9.1	Introduction	124
9.9.2	The Web Socket Server	124
9.9.2.1	Discovery of the WebSocket Server	124
9.9.2.2	Securing the WebSocket Server	124
9.9.2.2.1	Mixed Content Issues	124
9.9.2.2.2	Additional Security Considerations	125
9.9.2.3	CORS Considerations	125
9.9.3	JSON-RPC Messaging	125
9.9.3.1	The JSON-RPC Message Format	125
9.9.3.2	Message batching	125
9.9.4	JSON-RPC Notifications from the terminal	125
9.9.4.1	The JSON-RPC Notifications	125
9.9.4.2	Registration for JSON-RPC Notifications (informative)	126
9.9.4.3	Subscribe API	126
9.9.4.4	Unsubscribe API	127
9.9.5	Request capability negotiation	127
9.9.6	Extensibility and compatibility	129
9.9.7	JSON-RPC Response Error Codes	129
9.9.8	JSON-RPC Response formats for non-Error Messages (informative)	130
9.10	Switching between broadcast and broadband-delivered content	130
10	Capabilities	131
10.1	Display model	131
10.2	Terminal capabilities and functions	132
10.2.1	Minimum terminal capabilities	132
10.2.2	User input	137
10.2.2.1	Key events	137
10.2.2.2	Mouse and wheel events	139
10.2.3	Terminal functions	139
10.2.3.1	Favourites and bookmarks	139
10.2.3.2	Streaming and Download	139
10.2.3.3	PVR	140
10.2.3.4	Download via broadcast using FDP	140
10.2.4	HbbTV [®] reported capabilities and option strings	140
10.2.4.1	General structure	140
10.2.4.2	Forward compatibility - Terminals	140
10.2.4.3	Forward compatibility - Applications	141
10.2.4.4	Third Party Extensions	141
10.2.4.5	Namespaces	142
10.2.4.6	Document Type Definition	142
10.2.4.7	XML Contents	142
10.2.4.8	Option strings	148
10.2.5	Void	149
10.2.6	Parental access control	149
10.2.6.1	Broadcast channel	149
10.2.6.2	Broadband delivered content	150
10.2.6.3	Downloaded content	150
10.2.6.4	PVR	151
10.2.6.5	Synchronization and parental access control	151

10.2.7	Component selection.....	151
10.2.7.1	General	151
10.2.7.2	Component selection by the terminal.....	153
10.2.7.3	Component selection by the application	154
10.2.7.4	Single decoder model.....	155
10.2.7.5	Multi-decoder model.....	155
10.2.7.6	Component selection with MSE (informative).....	156
10.2.8	Multi-stream media synchronization	156
10.2.8.1	General	156
10.2.8.2	Void.....	157
10.2.8.3	Other synchronization cases.....	157
10.2.8.4	Supported combinations.....	158
10.2.9	Inter-device media synchronization	159
10.2.9.1	General	159
10.2.9.2	Master terminal	159
10.2.9.3	Void.....	159
10.2.10	Application to media synchronization	159
10.2.11	Combining audio from memory and broadcast/broadband audio/video	159
10.2.12	Audio level adjustment for audio mixing	160
11	Security.....	161
11.1	Application and service security	161
11.2	TLS and Root Certificates	162
11.2.1	TLS support	162
11.2.2	Cipher suites	163
11.2.3	Root certificates	164
11.2.4	Signature algorithms	164
11.2.5	Key sizes and elliptic curves.....	164
11.2.6	Backward compatibility.....	165
11.3	TLS client certificates	165
11.4	CI Plus.....	165
11.4.1	CI Plus communication.....	165
11.4.2	Void	166
11.4.3	Auxiliary file system.....	166
11.4.4	Virtual channel.....	166
11.4.5	IP Delivery CICAM player mode	166
11.5	Protected content via broadband	166
11.6	Protected content via download.....	167
11.7	Terminal WebSocket service endpoints	167
11.8	Cookie storage.....	167
11.9	Use of unencrypted HTTP.....	168
11.10	Web cryptography API.....	168
11.10.1	Random number generation.....	168
12	Privacy.....	168
12.0	Overview	168
12.1	Terminal privacy features.....	169
12.1.1	Tracking preference expression (DNT)	169
12.1.1.0	Background	169
12.1.1.1	Principles.....	169
12.1.1.2	Expressing a tracking preference	169
12.1.1.2.1	Expression format.....	169
12.1.1.2.2	DNT header field for HTTP requests	169
12.1.2	Third party cookies	170
12.1.3	Blocking tracking websites.....	170
12.1.4	Persistent storage	170
12.1.5	Distinctive identifiers.....	171
12.2	Respecting privacy in applications	171
13	Media synchronization	172
13.1	General (informative).....	172
13.2	Architecture (informative).....	172
13.2.1	General.....	172

13.2.2	Multi-stream synchronization	173
13.2.3	Inter-device synchronization.....	174
13.2.4	Master media and other media	177
13.3	Media synchronization states and transitions	177
13.3.1	States overview (informative).....	177
13.3.2	Multi-stream synchronization	179
13.3.3	Becoming a master terminal	179
13.3.4	Ceasing to be a master terminal	180
13.3.5	Void	180
13.3.6	Void	180
13.3.7	Transient errors	180
13.3.8	Permanent errors	181
13.4	Timelines and timestamping.....	181
13.4.1	Reference point for timestamping.....	181
13.4.2	Supported timelines and their selection	181
13.4.3	Synchronization timeline	183
13.4.3.1	Timelines for the MediaSynchroniser API.....	183
13.4.3.2	Synchronization timeline for Inter-device synchronization	183
13.4.4	Timeline Selector for media timeline of media elements	183
13.5	Buffer for media synchronization.....	184
13.5.1	General.....	184
13.5.2	Media synchronization buffering cases.....	184
13.6	Content Identification Information service endpoint.....	185
13.6.1	General.....	185
13.6.2	CSS-CII service endpoint (master terminal)	185
13.6.3	Void	187
13.7	Wall clock synchronization	187
13.7.1	General.....	187
13.7.2	Wall clock properties.....	187
13.7.3	WC-Server (master terminal).....	188
13.7.4	Void	188
13.8	Timeline Synchronization service endpoint	188
13.8.1	General.....	188
13.8.2	CSS-TS service endpoint (master terminal).....	188
13.8.2.1	General	188
13.8.2.2	Synchronization timeline availability.....	189
13.8.2.3	Frequency of control timestamp messages.....	189
13.8.2.4	Controlling timing of presentation	190
13.8.3	Void	191
13.9	Trigger Events	191
13.10	Sequence diagrams for timeline synchronization (informative).....	191
13.10.1	General.....	191
13.10.2	Initiation of timeline synchronization	192
13.10.3	Protocols interactions for beginning inter-device synchronization	193
13.10.4	Termination of timeline synchronization	194
13.10.5	Detailed protocol interaction (HTML5 media element presenting ISOBMFF as master media)	194
13.10.6	Detailed protocol interaction (HTML5 media element presenting DASH as master media)	197
13.10.7	Detailed protocol interaction (video/broadcast object as master media)	201
13.10.8	Void	205
13.11	Application to media synchronization	206
13.11.1	General.....	206
13.11.2	Reading the media playback position of media objects	206
13.11.3	Reading the media playback position of the MediaSynchroniser object	206
14	Companion screens.....	207
14.1	Introduction	207
14.2	Description of framework (informative)	207
14.2.1	Supported features	207
14.2.2	Model.....	207
14.2.2.1	Void.....	207
14.2.2.2	Application to application communication	208
14.2.2.3	Remotely launching HbbTV® applications	208

14.3	Void.....	209
14.4	Void.....	209
14.5	Application to application communications	209
14.5.1	General.....	209
14.5.2	Service endpoints provided by the terminal.....	211
14.5.3	Handling of new connections from clients	212
14.5.4	Connection pairing.....	213
14.5.5	Paired connections	215
14.6	Launching an HbbTV® application from a CS application	216
14.6.1	Introduction.....	216
14.6.2	Launching an HbbTV® application protocol.....	216
14.6.3	Providing HbbTV® user agent	218
14.7	Discovering terminals and their service endpoints	219
14.7.1	Introduction.....	219
14.7.2	Terminal and service endpoint discovery	219
14.7.3	Discovery example (informative)	220
14.7.3.1	DIAL Service Discovery.....	220
14.7.3.2	DIAL Rest Service	221
14.8	Cross-Origin support	222
15	Accessibility Support	222
15.1	Introduction (informative).....	222
15.2	Accessibility Support Framework	223
15.2.1	Introduction.....	223
15.2.2	Accessibility Framework Messages.....	225
15.2.2.1	Finding out the TVOS support for various Accessibility Features.....	225
15.2.2.1.1	org.hbbtv.af.featureSupportInfo	225
15.2.2.1.2	Feature support query response message	226
15.2.2.2	Requesting that a TVOS suppresses its Accessibility Feature support	226
15.2.2.2.1	org.hbbtv.af.featureSuppress	226
15.2.2.2.2	Feature suppression request response message	227
15.2.2.3	Determining a TVOS Accessibility Features setting in detail.....	228
15.2.2.3.1	org.hbbtv.af.featureSettingsQuery.....	228
15.2.2.3.2	Feature detailed settings query response message	228
15.2.2.4	Change of TV OS Accessibility Feature setting.....	228
15.3	Accessibility Features.....	228
15.3.1	Summary of the Accessibility Features	228
15.3.2	Subtitles	229
15.3.2.1	Introduction.....	229
15.3.2.2	Subtitles settings query response message	229
15.3.2.3	Subtitles / Captions Preference Change Message	231
15.3.3	Dialogue Enhancement	231
15.3.3.1	Introduction.....	231
15.3.3.2	Dialogue Enhancement settings query response message	232
15.3.3.3	Dialogue Enhancement Preference Change Message	233
15.3.3.4	Dialogue Enhancement Override Request and Response Messages	233
15.3.4	User Interface Magnification	235
15.3.4.1	Introduction.....	235
15.3.4.2	UI Magnification settings query response message	235
15.3.4.3	UI Magnification Preference Change Message.....	236
15.3.5	High Contrast UI.....	236
15.3.5.1	Introduction.....	236
15.3.5.2	High Contrast UI settings query response message	236
15.3.5.3	High Contrast UI Preference Change Message	237
15.3.6	Screen Reader	237
15.3.6.1	Introduction.....	237
15.3.6.2	Screen Reader settings query response message	237
15.3.6.3	Screen Reader Preference Change Message	238
15.3.6.4	Navigation and focus handling.....	239
15.3.6.5	Structural mark-up	239
15.3.6.6	Description and WAI ARIA roles.....	239
15.3.6.7	WAI ARIA states and properties	240

15.3.7	Response to a User Action	240
15.3.7.1	Introduction	240
15.3.7.2	"Response to a User Action" settings query response message	240
15.3.7.3	"Response to a User Action" Preference Change Message	241
15.3.7.4	"Response to a User Action" Trigger Message	242
15.3.8	Audio Description	243
15.3.8.1	Introduction	243
15.3.8.2	Audio Description settings query response message	243
15.3.8.3	Audio Description Preference Change Message	244
15.3.9	In-Vision Signing (Sign Language)	244
15.3.9.1	Introduction	244
15.3.9.2	In-Vision Signing settings query response message	244
15.3.9.3	In-Vision Signing Preference Change Message	245
15.3.10	JSON Schemas	245
15.4	Accessibility Guidelines (informative)	245
15.4.1	Introduction to the Guidelines	245
15.4.2	Examples to show Usage Patterns of the Accessibility Framework	246
15.4.2.1	Introduction	246
15.4.2.2	Example 1a - HbbTV® application requests that a TV native feature is suppressed	246
15.4.2.3	Example 1b - HbbTV® application lets the TV realize the feature natively	247
15.4.2.4	Example 2 - TV feature does not affect the HbbTV® environment	247
15.4.2.5	Example 3 - Feature is not supported by the TV	248
15.4.2.6	Example 4 - TV setting exists, but TV has no corresponding feature support	248
15.4.3	Subtitles	248
15.4.4	Dialogue Enhancement	249
15.4.4.1	General	249
15.4.4.2	Application control of dialogue enhancement	249
15.4.4.3	Example use cases	249
15.4.4.3.1	Automatic dialogue boost when skipping back	249
15.4.4.3.2	Consistent UI for dialogue enhancement	250
15.4.5	UI Magnification Guidelines	250
15.4.5.1	General information	250
15.4.5.2	Magnifier Glass	251
15.4.5.3	Text Magnifier	251
15.4.5.4	Screen Zoom	251
15.4.5.5	Large Layout	251
15.4.6	High Contrast UI	251
15.4.7	Screen Reader	251
15.4.8	"Response to a User Action"	252
15.4.9	Audio Description	253
15.4.10	In-Vision Signing	253
15.4.11	Application choice on party responsible for implementing a feature	253
16	Voice interaction	253
16.1	Introduction	253
16.2	Architecture overview (informative)	254
16.3	JSON-RPC communication channel	255
16.3.1	WebSocket server	255
16.3.2	Capability negotiation and voice-readiness	255
16.3.3	Request origination	256
16.3.4	Application responses	256
16.4	Application to terminal JSON-RPC requests	257
16.4.1	org.hbbtv.app.voice.ready	257
16.4.2	org.hbbtv.app.state.media	257
16.5	Terminal to application JSON-RPC requests	260
16.5.1	org.hbbtv.app.intent.media.pause	260
16.5.2	org.hbbtv.app.intent.media.play	260
16.5.3	org.hbbtv.app.intent.media.fast-forward	261
16.5.4	org.hbbtv.app.intent.media.fast-reverse	261
16.5.5	org.hbbtv.app.intent.media.stop	262
16.5.6	org.hbbtv.app.intent.media.seek-content	262
16.5.7	org.hbbtv.app.intent.media.seek-relative	263

16.5.8	org.hbbtv.app.intent.media.seek-live	264
16.5.9	org.hbbtv.app.intent.media.seek-wallclock.....	264
16.5.10	org.hbbtv.app.intent.search	265
16.5.11	org.hbbtv.app.intent.display	266
16.5.12	org.hbbtv.app.intent.playback.....	266
16.6	Key events of the standard HbbTV® keyset	267
16.7	Usage of the text entry method.....	268

Annex A (normative): OIPF specification profile269

A.1	Detailed section-by-section definition for volume 5	269
A.2	Modifications, extensions and clarifications to volume 5	287
A.2.1	Resource management.....	287
A.2.2	Void.....	288
A.2.3	Void.....	288
A.2.4	Extensions to the video/broadcast object.....	288
A.2.4.1	State machine and related changes	288
A.2.4.2	Access to the video/broadcast object	291
A.2.4.3	Support for quiet service selection.....	291
A.2.4.3.1	Quiet service selection	291
A.2.4.3.2	Changes to the video/broadcast object	294
A.2.4.4	Definition of "delivery system descriptor"	294
A.2.4.5	Other modifications to the video/broadcast object.....	295
A.2.4.6	Support for creating audio and video components.....	295
A.2.4.7	Extensions to video/broadcast for time-shift	297
A.2.4.7.1	General	297
A.2.4.7.2	Constants	297
A.2.4.7.3	Properties	297
A.2.4.7.4	Methods.....	299
A.2.4.7.5	Events.....	300
A.2.4.8	Extensions to video/broadcast for recording.....	301
A.2.4.8.1	General	301
A.2.4.8.2	Properties	302
A.2.4.8.3	Methods.....	303
A.2.5	Extensions to the A/V Control object.....	303
A.2.5.1	New queue method	303
A.2.5.2	State machine and related changes	304
A.2.5.3	Support for TTML subtitles	305
A.2.5.4	Support for media synchronization with subtitle-only streams.....	305
A.2.5.5	Using an A/V Control object to play downloaded content	306
A.2.5.6	Extension to PlayStateChange event.....	306
A.2.5.7	Other modifications to the A/V Control object object	306
A.2.6	HTML Profile.....	307
A.2.6.1	Void	307
A.2.6.2	MIME type and DOCTYPE.....	307
A.2.6.3	Void	307
A.2.6.4	Browser History	308
A.2.6.5	Attribute reflection for visual embedded objects	308
A.2.7	Extensions to the oipfObjectFactory object.....	308
A.2.8	Void.....	308
A.2.9	Access to EIT Schedule Information.....	308
A.2.10	Correction to the application/oipfDownloadManager object	309
A.2.11	Extensions to the Download class	309
A.2.12	HTML5 media element mapping	309
A.2.12.0	General.....	309
A.2.12.1	Inband VideoTracks, AudioTracks and TextTracks	309
A.2.12.2	Out-of-band text tracks	311
A.2.12.3	Modifications to clause 8.4.6.....	312
A.2.13	Extensions to the AVSubtitleComponent class	313
A.2.14	Modifications to clause H.2 "Interaction with the video/broadcast and A/V Control objects"	313
A.2.15	Extensions to the OIPF-defined capability negotiation mechanism	314
A.2.16	Graphics performance	320

A.2.17	Notification of change of components.....	321
A.2.18	Clarification regarding the reserve() method of the application/oipfDownloadManager object	322
A.2.19	Correction to the registerDownloadURL() method	322
A.2.20	Extensions to the Configuration class	323
A.2.20.1	Extensions to Represent Subtitle Presentation.....	323
A.2.20.2	Extensions for time-shift.....	323
A.2.20.3	Extensions to represent audio description presentation	323
A.2.20.4	Extensions for access to network IDs	323
A.2.20.5	Extensions for distinctive identifiers.....	324
A.2.20.6	Extensions for audio and subtitle languages	325
A.2.21	Void.....	325
A.2.22	Modifications to clause 8.4.2.....	325
A.2.23	AVAudioComponent.....	325
A.2.24	Modifications to clause 7.10.1.1 and references to it	326
A.2.25	Modifications to content download descriptor and content access streaming descriptor	327
A.2.26	Correction to the ApplicationPrivateData class.....	328
A.2.27	Extensions to the application/oipfDrmAgent embedded object	328
A.2.28	Clarification of encoding of DVB-SI parental ratings.....	328
A.2.29	Security	329
A.2.29.1	Risk of tampering with data returned by APIs.....	329
A.2.30	Extensions and clarifications to the application/oipfCapabilities embedded object.....	329
A.3	Modifications, extensions and clarifications to the Web Media API Snapshot	330
A.3.0	General	330
A.3.1	TextTracks and Cues	330
A.3.2	getStartDate in HTML5 media elements.....	330
A.3.3	Event model.....	330
A.3.4	Void.....	331
A.3.5	Void.....	331
A.3.6	Support for volume controls.....	331
A.3.7	Support for multiple audio tracks.....	331
A.3.8	Fonts.....	331
A.3.9	Support for high resolution graphics	331
A.3.10	Web Audio API.....	332
A.3.11	Void.....	333
A.3.12	Void.....	333
A.3.13	Mixed content.....	333
A.3.14	Web security improvements.....	333
A.3.15	Testing considerations	333
A.3.16	Void.....	334
A.3.17	Void.....	334
A.3.18	Media fragments.....	334
A.3.19	Notifications.....	334
A.3.20	navigator.cookieEnabled	334
A.3.21	Streams	334
A.3.22	CSS Transformations and video elements.....	334
A.3.23	SVG.....	335
A.3.24	TextDecoder and TextEncoder.....	335
A.3.25	Beacon API and analytics on exit.....	335
A.3.26	Web Cryptography API.....	336
A.4	Modifications, extensions and clarifications to volume 7	336
A.4.1	Processing of the CI parental_control_info message.....	336
Annex B (normative):	Support for protected content delivered via broadband.....	337
B.1	Introduction	337
B.2	Common Encryption for ISOBMFF.....	337
B.3	Clear key encryption	337
B.4	Encrypted media extensions with DRM (informative)	337

B.5	Signalling and playing protected content (informative).....	338
B.5.1	Signalling in the MPD	338
B.5.2	Information in the content	338
B.5.2.1	Initialization Vector	338
B.5.2.2	Key ID	339
B.5.2.3	'pssh' box.....	339
B.6	Content protection levels.....	339
B.6.1	Audio.....	339
B.7	Track encryption box for cbcs (informative).....	339
Annex C (informative): Support for analogue broadcasting networks		340
C.1	Scope	340
C.2	AIT retrieval and monitoring	340
C.3	Tuning to a new channel	340
C.4	Other aspects	341
Annex D (informative): Server root certificate selection policy		342
D.1	Introduction	342
D.2	Background	342
D.3	Policy.....	342
Annex E (normative): Profiles of MPEG DASH.....		344
E.1	Introduction (informative).....	344
E.2	Requirements relating to the MPD	344
E.2.1	Profile definition	344
E.2.2	Numerical requirements	344
E.2.3	Metadata requirements	344
E.2.4	Role Related requirements	345
E.2.5	Audio Channel Configuration requirements	345
E.2.6	Content protection signalling	345
E.2.7	Adaptation Set	345
E.3	Restrictions on content	345
E.3.1	Restrictions on file format.....	345
E.3.1.1	ISO Base Media File Format	345
E.3.2	Restrictions on adaptation sets	345
E.4	Requirements on terminals.....	345
E.4.1	DASH profile support	345
E.4.2	Transitions between representations.....	347
E.4.2.1	Video tracks.....	347
E.4.2.2	Audio tracks.....	348
E.4.3	Buffering	348
E.4.4	ISO File Format support.....	348
E.4.5	MPD Anchors.....	348
E.4.6	Adaptation	348
E.4.7	Error handling	349
Annex F (informative): DRM Integration.....		350
F.1	Introduction	350
F.2	General issues.....	350
F.3	DRM Agent API.....	350
F.4	Content via the A/V Control object.....	350

F.5	Content via the HTML5 media element.....	351
F.6	Persistent Licences	351
Annex G (informative): Implementer guidelines for media synchronization		352
G.1	General	352
G.2	Managing delay throughout distribution network	352
G.3	Managing multiple content timelines	353
G.4	Synchronization with no buffer in the HbbTV® terminal.....	353
G.4.0	General	353
G.4.1	Inter-device media synchronization with the HbbTV® terminal as master with no buffer.....	354
G.4.2	Multi-stream (Intra-device) media synchronization with no buffer for broadcast within the HbbTV® terminal	354
Annex H (normative): HbbTV® File Delivery Protocol (FDP).....		356
H.0	Warning.....	356
H.1	High-level principles of FDP (informative)	356
H.2	Encapsulation and signalling.....	356
H.2.1	DVB signalling.....	356
H.2.2	Encapsulation of FDP in Data Pipes	356
H.2.3	File identification	357
H.2.4	Referring to files using URLs.....	357
H.3	File segmentation and broadcasting	357
H.3.1	File segmentation	357
H.3.2	Message sequence	358
H.3.3	Repeated broadcasts of file segments.....	359
H.3.4	File segment recovery	359
H.4	Syntax and semantics of FDP messages.....	360
H.4.1	Message types	360
H.4.2	Initialization Message.....	360
H.4.3	Data Message	362
H.4.4	Termination Message	363
Annex I (informative): Push-VoD services.....		364
I.1	Introduction	364
I.2	Level of trust	364
I.3	Protocols.....	364
I.3.1	Broadcast protocol.....	364
I.3.2	Download protocol.....	364
I.3.3	Sources	364
I.4	Application features	364
I.4.1	Overview on application features.....	364
I.4.2	Hard disk space reservation.....	365
I.4.3	Hard disk deallocation.....	365
I.5	Content management.....	366
I.5.1	Content schedule	366
I.5.2	Play-out	366
I.6	Playback	366
Annex J (informative): Advert insertion guidance for content providers.....		367
Annex K (normative): Mapping between HTML5 video element and CICAM player mode.....		369
K.1	Introduction (informative).....	369

K.2	Determining when to use CICAM player mode	371
K.3	Starting CICAM player	371
K.4	During CICAM player use	371
K.5	Stopping CICAM player use	372
K.6	Play to end of content.....	372
K.7	Errors.....	373
K.8	Play speed.....	373
K.9	Random access	373
K.10	Tracks	374
K.11	No mapping possible	374
Annex L (normative):	Deprecated features	375
L.1	Introduction	375
L.2	Void.....	375
L.3	Tiresias resident font	375
L.4	Broadband streaming of broadcast subtitles and of MPEG-2 transport streams	375
L.5	AVComponent and sub-classes.....	375
Annex M (informative):	Multi-stream synchronization examples.....	376
M.1	Alternate audio track for a single broadcast TV program	376
M.1.1	Introduction	376
M.1.2	User viewing service before programme starts	377
M.1.3	User starts viewing service during programme	378
M.2	Alternate audio track for a broadcast TV service	378
M.2.1	Introduction	378
Annex N (normative):	Electronic attachments.....	380
Annex O (normative):	HbbTV® and DVB-I.....	384
O.1	Introduction (informative).....	384
O.1.1	DVB-I service discovery, services and linked applications	384
O.1.2	Media APIs.....	384
O.2	General principles	386
O.3	Service and application model	387
O.4	Formats and protocols	388
O.5	Browser application environment	390
O.5.1	Introduction (informative).....	390
O.5.2	The ChannelList class	390
O.5.3	The Channel class.....	391
O.5.4	The video/broadcast object.....	392
O.5.5	DSM-CC stream events.....	394
O.5.6	APIs for playback of selected media components.....	394
O.5.7	Metadata APIs	394
O.6	System integration.....	395
O.6.1	General	395
O.6.2	Mapping from APIs to protocols and formats	395
O.6.2.1	Channel class	395
O.6.2.2	Programme class.....	397