



**SLOVENSKI STANDARD**  
**SIST ISO 8061:2017**

**01-oktober-2017**

**Nadomešča:**

**SIST ISO 8061:2005**

**SIST ISO 8061:2005/A1:2011**

---

**Varnostne vezi za alpske smuči - Metode za izbor mejnih vrednosti navora odpenjanj**

Alpine ski-bindings - Selection of release torque values

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

Fixations de skis alpins -- Sélection des valeurs du couple de déclenchement

[SIST ISO 8061:2017](https://standards.iteh.ai/catalog/standards/sist/4f3525f6-a3d5-49ec-9ff6-780236862d2a/sist-iso-8061-2017)

[https://standards.iteh.ai/catalog/standards/sist/4f3525f6-a3d5-49ec-9ff6-](https://standards.iteh.ai/catalog/standards/sist/4f3525f6-a3d5-49ec-9ff6-780236862d2a/sist-iso-8061-2017)

**Ta slovenski standard je istoveten z: ISO 8061:2015**

---

**ICS:**

97.220.20      Oprema za zimske športe      Winter sports equipment

**SIST ISO 8061:2017**

**en**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST ISO 8061:2017](#)

<https://standards.iteh.ai/catalog/standards/sist/4f3525f6-a3d5-49ec-9ff6-780236862d2a/sist-iso-8061-2017>

INTERNATIONAL  
STANDARD

ISO  
8061

Fourth edition  
2015-12-15

---

---

**Alpine ski-bindings — Selection of  
release torque values**

*Fixations de skis alpins — Sélection des valeurs du couple de  
déclenchement*

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST ISO 8061:2017](https://standards.iteh.ai/catalog/standards/sist/4f3525f6-a3d5-49ec-9ff6-780236862d2a/sist-iso-8061-2017)

<https://standards.iteh.ai/catalog/standards/sist/4f3525f6-a3d5-49ec-9ff6-780236862d2a/sist-iso-8061-2017>



Reference number  
ISO 8061:2015(E)

© ISO 2015

## iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ISO 8061:2017

<https://standards.iteh.ai/catalog/standards/sist/4f3525f6-a3d5-49ec-9ff6-780236862d2a/sist-iso-8061-2017>



### **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Ch. de Blandonnet 8 • CP 401  
CH-1214 Vernier, Geneva, Switzerland  
Tel. +41 22 749 01 11  
Fax +41 22 749 09 47  
copyright@iso.org  
www.iso.org

<b>Contents</b>		Page
<b>Foreword</b> .....		<b>iv</b>
<b>Introduction</b> .....		<b>v</b>
<b>1</b>	<b>Scope</b> .....	<b>1</b>
<b>2</b>	<b>Symbols</b> .....	<b>1</b>
<b>3</b>	<b>Release force</b> .....	<b>2</b>
<b>4</b>	<b>Weight method</b> .....	<b>2</b>
	4.1 Calculation of release torques.....	2
	4.2 Release torques corresponding to user's maximum recommended mass.....	3
	4.3 Correction of the release torque.....	3
<b>Annex A (normative) Definition of skier type</b> .....		<b>5</b>

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ISO 8061:2017](https://standards.iteh.ai/catalog/standards/sist/4f3525f6-a3d5-49ec-9ff6-780236862d2a/sist-iso-8061-2017)

<https://standards.iteh.ai/catalog/standards/sist/4f3525f6-a3d5-49ec-9ff6-780236862d2a/sist-iso-8061-2017>

**ISO 8061:2015(E)****Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#).

The committee responsible for this document is ISO/TC 83, *Sports and other recreational facilities and equipment*, Subcommittee SC 4, *Snowsports equipment*.

This fourth edition cancels and replaces the third edition (ISO 8061:2004), which has been technically revised to remove Annex B. It also incorporates the Amendment ISO 8061:2004/Amd 1:2006.

## Introduction

This International Standard is one of a series of International Standards dealing with the safety of ski bindings; the other International Standards of this series are ISO 9462 and ISO 9465.

National standards, complying with legal regulations, may be more extensive regarding, for example, the following:

- combined loading;
- deflexion of the ski.

International Standards covering these aspects are being prepared.

To verify the safety of ski-bindings, it is necessary to use all three International Standards of the series and also national standards covering aspects which are not yet standardized internationally.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ISO 8061:2017](https://standards.iteh.ai/catalog/standards/sist/4f3525f6-a3d5-49ec-9ff6-780236862d2a/sist-iso-8061-2017)

<https://standards.iteh.ai/catalog/standards/sist/4f3525f6-a3d5-49ec-9ff6-780236862d2a/sist-iso-8061-2017>

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST ISO 8061:2017](#)

<https://standards.iteh.ai/catalog/standards/sist/4f3525f6-a3d5-49ec-9ff6-780236862d2a/sist-iso-8061-2017>

# Alpine ski-bindings — Selection of release torque values

## 1 Scope

This International Standard specifies methods for the selection of the release torques for alpine ski-bindings. It gives information necessary to determine the release torques; these are to be recommended for use by ski-binding manufacturers in their instructions for installation and use, and by ski shops for the adjustment of already mounted ski-bindings.

It applies to alpine ski-bindings in current use.

It might be inappropriate for non-mechanical bindings or bindings used with boots which reach more than half-way up the lower leg.

Manufacturers may use either of the two specified methods, or a combination of the two, as the basis for their recommended release torques.

The methods apply to torque-measuring binding test machines. If force-measuring test machines are used, it is necessary to report the release force, calculated as shown in [Clause 3](#).

In recommending the release torques, it is necessary to take into account the abilities of the skier concerned by applying skier-type correction factors. For this purpose, three types of skier are defined, as described in [Annex A](#).

(standards.iteh.ai)

## 2 Symbols

See [Figure 1](#).

SIST ISO 8061:2017  
<https://standards.iteh.ai/catalog/standards/sist/4f3525f6-a3d5-49ec-9ff6-780236862d2a/sist-iso-8061-2017>




Figure 1 — Symbols

All imaginable loads on the ski boot can be referred to as force  $F$  acting along the  $x$ ,  $y$ , or  $z$  axes of a system of coordinates, and a moment of rotation  $M$  about that axis.

The origin of the system of coordinates is fixed at approximately the bottom of the boot sole.

The torques and forces shown in [Figure 1](#) are positive. Torques and forces in the opposite directions are negative.