
Satelitske zemeljske postaje in sistemi (SES) - Zemeljske postaje na mobilnih platformah (ESOMP), ki komunicirajo s sateliti v geostacionarni orbiti in delujejo v frekvenčnih pasovih od 27,5 GHz do 30,0 GHz in od 17,3 GHz do 20,2 GHz - Harmonizirani standard za dostop do radijskega spektra

Satellite Earth Stations and Systems (SES) - Earth Stations on Mobile Platforms (ESOMP) communicating with satellites in geostationary orbit, operating in the 27,5 GHz to 30,0 GHz and 17,3 GHz to 20,2 GHz frequency bands - Harmonised Standard for access to radio spectrum

Satelitske zemeljske postaje in sistemi (SES) - Harmonizirani standard, ki zajema bistvene zahteve člena 3.2 direktive 2014/53/EU, za zemeljske postaje na mobilnih platformah (ESOMP), ki oddajajo proti satelitom v geostacionarni orbiti in delujejo v frekvenčnih pasovih od 27,5 GHz do 30,0 GHz

Satellite Earth Stations and Systems (SES) - Harmonised Standard for Earth Stations on Mobile Platforms (ESOMP) transmitting towards satellites in geostationary orbit, operating in the 27,5 GHz to 30,0 GHz frequency bands covering the essential requirements of article 3.2 of the Directive 2014/53/EU

Ta slovenski standard je istoveten z: ETSI EN 303 978 V2.2.0 (2024-09)

ICS:

33.060.30 Radiorelejni in fiksni satelitski komunikacijski sistemi Radio relay and fixed satellite communications systems

oSIST prEN 303 978 V2.2.0:2024 **en**

Draft ETSI EN 303 978 V2.2.0 (2024-09)



**Satellite Earth Stations and Systems (SES);
Earth Stations on Mobile Platforms (ESOMP)
communicating with satellites in geostationary orbit,
operating in the 27,5 GHz to 30,0 GHz and
17,3 GHz to 20,2 GHz frequency bands;
Harmonised Standard for access to radio spectrum**

oSIST prEN 303 978 V2.2.0:2024

<https://standards.iteh.ai/catalog/standards/sist/6984b605-70a0-4b4e-bac2-5e36ff654d83/osist-pren-303-978-v2-2-0-2024>

Reference

REN/SES-00468

Keywordsantenna, earth station, GSO, mobile, regulation,
satellite**ETSI**650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
ETSI [Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#).

Users should be aware that the present document may be revised or have its status changed,
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.
In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2024.
All rights reserved.

Contents

Intellectual Property Rights	8
Foreword.....	8
Modal verbs terminology.....	9
Introduction	9
1 Scope	11
2 References	11
2.1 Normative references	11
2.2 Informative references.....	12
3 Definitions of terms, symbols and abbreviations	13
3.1 Terms.....	13
3.2 Symbols.....	14
3.3 Abbreviations	15
4 Technical requirements specifications	16
4.1 General	16
4.1.1 Environmental profile	16
4.1.2 Operational configurations	16
4.1.3 Determination of geographical location of the ESOMP	16
4.1.4 EIRP _{Aggregate} for networks of ESOMPs.....	16
4.1.5 Presentation of equipment for testing purposes	16
4.1.6 Choice of model for testing	17
4.2 Conformance requirements	17
4.2.1 Off-axis spurious radiation	17
4.2.1.1 Justification	17
4.2.1.2 Specification.....	17
4.2.1.3 Conformance tests.....	18
4.2.2 On-axis spurious radiation	18
4.2.2.1 Justification	18
4.2.2.2 Specification.....	18
4.2.2.2.1 "Carrier-on" radio state.....	18
4.2.2.2.2 "Carrier-off" and "Emissions disabled" radio states	19
4.2.2.3 Conformance tests	19
4.2.3 Off-axis EIRP emission density within the band	19
4.2.3.0 General	19
4.2.3.1 Justification	19
4.2.3.2 Total EIRP density specification.....	19
4.2.3.3 Void.....	20
4.2.3.4 Void.....	20
4.2.3.5 Burst Transmission Specification.....	20
4.2.3.6 Off-axis Geometry Specification	20
4.2.3.7 Conformance tests.....	21
4.2.4 Uplink Power Control Specification.....	21
4.2.5 Carrier suppression	21
4.2.5.1 Justification	21
4.2.5.2 Specification.....	21
4.2.5.3 Conformance tests.....	21
4.2.6 Antenna pointing and polarization alignment	21
4.2.6.1 Antenna pointing accuracy.....	21
4.2.6.1.1 Justification	21
4.2.6.1.2 Pointing accuracy specification	21
4.2.6.1.3 On-axis cross polarization isolation specification	22
4.2.6.1.4 Conformance tests	22
4.2.6.2 Antenna Pointing Error Detection.....	22
4.2.6.2.0 General	22

4.2.6.2.1	Pointing error detection specification	22
4.2.6.2.2	Polarization angle alignment specification	22
4.2.6.2.3	Conformance tests	23
4.2.7	Cessation of emissions	23
4.2.7.1	Justification	23
4.2.7.2	Specification	23
4.2.7.2.1	Specification 1: Mode of cessation of emissions	23
4.2.7.2.2	Specification 2: Conditions under which the ESOMP shall cease emissions	23
4.2.7.2.3	Specification 3: Cessation of emissions	24
4.2.7.2.4	Specification 4: Fault conditions	24
4.2.7.3	Conformance tests	24
4.2.8	Identification of the ESOMP	24
4.2.8.1	Justification	24
4.2.8.2	Specification	24
4.2.8.3	Conformance tests	24
4.2.9	Control and Monitoring Functions (CMFs)	25
4.2.9.1	ESOMP States	25
4.2.9.1.0	General	25
4.2.9.1.1	CMF state diagram	26
4.2.9.2	Processor monitoring	27
4.2.9.2.1	Justification	27
4.2.9.2.2	Specification	27
4.2.9.2.3	Conformance tests	28
4.2.9.3	Transmit subsystem monitoring	28
4.2.9.3.1	Justification	28
4.2.9.3.2	Specification	28
4.2.9.3.3	Conformance tests	28
4.2.9.4	Power-on/Reset	28
4.2.9.4.1	Justification	28
4.2.9.4.2	Specification	28
4.2.9.4.3	Conformance tests	28
4.2.9.5	Control Channel (CC) and Response Channel (RC)	28
4.2.9.5.1	Justification	28
4.2.9.5.2	Specification	29
4.2.9.5.3	Conformance tests	29
4.2.9.6	Network control commands	29
4.2.9.6.1	Justification	29
4.2.9.6.2	Specification	29
4.2.9.6.3	Conformance tests	30
4.2.9.7	Initial burst transmission	30
4.2.9.7.1	Justification	30
4.2.9.7.2	Specification	30
4.2.9.7.3	Conformance tests	30
4.2.9.8	Inhibition of transmissions	30
4.2.9.8.1	Justification	30
4.2.9.8.2	Specification	31
4.2.9.8.3	Conformance tests	31
4.2.10	Receive antenna off-axis gain pattern	31
4.2.10.1	Justification	31
4.2.10.2	Specification	31
4.2.10.3	Conformance tests	31
4.2.11	Blocking performance	31
4.2.11.1	Justification	31
4.2.11.2	Specification	32
4.2.11.3	Conformance tests	32
4.2.12	Adjacent Signal Selectivity	32
4.2.12.1	Justification	32
4.2.12.2	Specification	32
4.2.12.3	Conformance tests	32
5	Testing for compliance with technical requirements	33
5.1	Environmental conditions for testing	33

5.2	Radio test suites.....	33
6	Test methods for all aspects of the ESOMP.....	33
6.1	General.....	33
6.1.0	Introduction.....	33
6.1.1	Uplink power control.....	33
6.1.1.1	General.....	33
6.1.1.2	Test method.....	34
6.1.2	Measuring receiver.....	34
6.2	Off-axis spurious radiation.....	35
6.2.0	Introduction.....	35
6.2.1	Test method.....	35
6.2.1.0	Void.....	35
6.2.1.1	General.....	35
6.2.1.2	Multi-carrier operation.....	35
6.2.2	Measurements up to 1 000 MHz.....	36
6.2.2.1	Test site.....	36
6.2.2.2	Measuring receivers.....	36
6.2.2.3	Procedure.....	36
6.2.3	Measurements above 1 000 MHz.....	36
6.2.3.0	General.....	36
6.2.3.1	Identification of the significant frequencies of spurious radiation.....	37
6.2.3.1.1	Test site.....	37
6.2.3.1.2	Procedure.....	37
6.2.3.2	Measurement of radiated power levels of identified spurious radiation.....	37
6.2.3.2.1	Test site.....	37
6.2.3.2.2	Procedure.....	37
6.2.3.3	Measurement of conducted spurious radiation at the antenna flange.....	38
6.2.3.3.1	Test site.....	38
6.2.3.3.2	Procedure.....	39
6.3	On-axis spurious radiation.....	39
6.3.1	Test method.....	39
6.3.1.0	General.....	39
6.3.1.1	Test site.....	39
6.3.1.2	Method of measurement.....	39
6.3.1.2.1	General.....	39
6.3.1.2.2	Method of measurement at the antenna flange.....	39
6.3.1.2.3	Method of measurement for an EUT with antenna.....	40
6.4	Off-axis EIRP emission density within the band.....	41
6.4.1	Test method.....	41
6.4.1.0	Introduction.....	41
6.4.1.1	Transmit output power density.....	42
6.4.1.1.1	General.....	42
6.4.1.1.2	Test site.....	42
6.4.1.1.3	Method of measurement.....	42
6.4.1.2	Antenna transmit gain.....	43
6.4.1.2.1	General.....	43
6.4.1.2.2	Test site.....	43
6.4.1.2.3	Method of measurement.....	43
6.4.1.3	Antenna transmit radiation patterns.....	44
6.4.1.3.1	General.....	44
6.4.1.3.2	Test site.....	44
6.4.1.3.3	Test arrangement.....	45
6.4.1.3.4	Co-polar radiation pattern - azimuth.....	45
6.4.1.3.5	Co-polar radiation pattern - elevation.....	45
6.4.1.3.6	Cross-polar radiation pattern - azimuth.....	46
6.4.1.3.7	Cross-polar radiation pattern - elevation.....	46
6.4.2	Computation of results.....	47
6.5	Carrier suppression.....	47
6.5.1	Test method.....	47
6.6	Antenna pointing.....	47
6.6.1	General.....	47

6.6.2	Test method	48
6.7	Polarization angle alignment capability	48
6.7.1	General.....	48
6.7.2	Test site.....	48
6.7.3	Test method	48
6.8	Cessation of emissions of the ESOMP.....	49
6.8.0	General.....	49
6.8.1	Test Method.....	49
6.8.1.1	Required documentation	49
6.8.1.2	Cessation of emissions from the "Transmission enabled" state	49
6.8.1.3	Cessation of emission from the "Transmission disabled" state	49
6.8.1.4	Cessation of emission from the "Initial Phase" state.....	50
6.8.1.4.1	EUTs transmitting initial bursts.....	50
6.8.1.4.2	EUTs not transmitting initial bursts.....	50
6.8.1.5	"Single action" means of cessation of emissions.....	51
6.8.1.6	Fault conditions.....	51
6.9	Identification of ESOMP.....	52
6.9.1	Test arrangement	52
6.9.2	Test method	52
6.10	Control and monitoring functions	52
6.10.0	General.....	52
6.10.1	Test arrangement	52
6.10.2	Processor monitoring- Test method	52
6.10.3	Transmit subsystem monitoring-Test method.....	53
6.10.4	Power-on/Reset-Test method.....	53
6.10.5	Control Channel (CC) and Response Channel (RC) - Test method.....	53
6.10.6	Network Control commands-Test method.....	54
6.10.7	Initial burst transmission-Test method.....	55
6.10.8	Inhibition of transmission-Test method.....	55
6.11	Receive antenna off-axis gain pattern	56
6.11.1	Test method	56
6.11.1.1	Test site	56
6.11.1.2	Method of measurement.....	56
6.11.1.3	Computation.....	57
6.12	Blocking performance	57
6.12.1	Test method	57
6.13	Adjacent Signal Selectivity	58
6.13.1	Test method	58
6.14	Test for determination of geographical location of the ESOMP	58
6.14.1	Test arrangement	58
6.14.2	Test method	58
Annex A (informative): Relationship between the present document and the essential requirements of Directive 2014/53/EU		59
Annex B: Void.....		61
Annex C (normative): Radiated measurement.....		62
C.1	Test sites and general arrangements for measurements involving the use of radiated fields	62
C.1.0	General	62
C.1.1	Anechoic Chamber	62
C.1.2	Anechoic Chamber with a conductive ground plane	63
C.1.3	Open Area Test Site (OATS)	64
C.1.4	Minimum requirements for test sites for measurements above 18 GHz.....	65
C.1.5	Test antenna.....	65
C.1.6	Substitution antenna	66
C.1.7	Measuring antenna	66
C.2	Guidance on the use of radiation test sites	66
C.2.0	General	66
C.2.1	Verification of the test site	66
C.2.2	Preparation of the EUT.....	66

C.2.3	Power supplies to the EUT	66
C.2.4	Range length.....	67
C.2.5	Site preparation	67
C.3	Coupling of signals.....	68
C.3.1	General	68
C.4	Standard test methods.....	68
C.4.0	General	68
C.4.1	Calibrated setup.....	68
C.4.2	Substitution method.....	69
Annex D (normative):	Conducted measurements	70
Annex E (informative):	General Requirements for RF Cables.....	71
Annex F (informative):	RF Waveguides	72
Annex G (informative):	Applicability of parameters given in ETSI EG 203 336	74
Annex H (informative):	Maximum measurement uncertainty.....	76
Annex I (informative):	Bibliography.....	77
Annex J (informative):	Change history	78
History		79

iTech Standards
(<https://standards.iteh.ai>)
Document Preview

[oSIST prEN 303 978 V2.2.0:2024](https://standards.iteh.ai/catalog/standards/sist/6984b605-70a0-4b4e-bac2-5e36ff654d83/osist-pren-303-978-v2-2-0-2024)

<https://standards.iteh.ai/catalog/standards/sist/6984b605-70a0-4b4e-bac2-5e36ff654d83/osist-pren-303-978-v2-2-0-2024>

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Foreword

This draft Harmonised European Standard (EN) has been produced by ETSI Technical Committee Satellite Earth Stations and Systems (SES), and is now submitted for the combined Public Enquiry and Vote phase of the ETSI Standardisation Request deliverable Approval Procedure.

The present document is a revision of ETSI EN 303 978 (V2.1.2). Major changes concern the off-axis eirp density. Editorial clarifications have also been introduced.

The present document has been prepared under the Commission's standardisation request C(2015) 5376 final [i.9] to provide one voluntary means of conforming to the essential requirements of Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC [i.11].

Once the present document is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of the present document given in table A.1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of that Directive, and associated EFTA regulations.

Proposed national transposition dates	
Date of latest announcement of this EN (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	18 months after doa

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and "must not" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Introduction

The Earth Stations on Mobile Platforms (ESOMPs) system overview is given in figure 1 and has the following characteristics:

- The ESOMP operates as part of a satellite network (e.g. star, mesh or point-to-point) used for the distribution and/or exchange of information.
- The ESOMP is comprised of all the equipment, electrical and mechanical, from the antenna itself to the interface with other communications equipment on a mobile platform (usually referred to as the terrestrial interface).
- The ESOMP transmits in the frequency range from 27,50 GHz to 30,00 GHz, and receives in one or more frequencies within the range from 17,30 GHz to 20,20 GHz (FSS) which are bands allocated to the Fixed Satellite Services (FSS) (Earth-to-space) among other services.
- The ESOMP uses linear or circular polarization.
- The ESOMP is designed for unattended operation.
- The ESOMP is controlled and monitored by a Network Control Facility (NCF). This function may be performed centrally (e.g. for a network of ESOMPs with a central hub) or it could be performed within the ESOMP for autonomous control. The NCF is outside the scope of the present document.
- The ESOMP operates through a geostationary satellite (or a cluster of co-located geostationary satellites) that is at least 2° away from any other geostationary satellite operating in the same frequencies and over the same coverage area.
- The geostationary satellite network with which the ESOMP communicates is assumed to have completed coordination per ITU requirements with the neighbouring geostationary satellite networks.
- The coordination agreement or agreements above would allow the ESOMP to operate with the coordinated parameters, such as off-axis EIRP density and other parameters.

NOTE: ESOMPs may operate with satellites that are more closely spaced than 2° with additional operational constraints that are beyond the scope of the present document.

Enclosure / Radome




Figure 1: ESOMP System Overview

The present document may also be applicable to the frequency bands 30,0 GHz to 31,0 GHz (Earth-to-space) and 20,2 GHz to 21,2 GHz (space-to-Earth) subject to national regulation.

Annex A (informative) provides HS Requirements specifications.

Annex B is void.

Annex C (normative) provides specifications concerning radiated measurements.

Annex D (normative) provides specifications concerning conducted measurements.

Annex E (informative) provides general information concerning RF cables.

Annex F (informative) provides information concerning RF waveguides.

Annex G (informative) covers selection of receiver conformance parameters.

Annex H (informative) covers maximum measurement uncertainty.

Annex I (informative) provides bibliographical references.

Annex J (informative) change history.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[oSIST prEN 303 978 V2.2.0:2024](https://standards.iteh.ai/catalog/standards/sist/6984b605-70a0-4b4e-bac2-5e36ff654d83/osist-pren-303-978-v2-2-0-2024)

<https://standards.iteh.ai/catalog/standards/sist/6984b605-70a0-4b4e-bac2-5e36ff654d83/osist-pren-303-978-v2-2-0-2024>

1 Scope

The present document specifies technical characteristics and methods of measurements for Earth Stations on Mobile Platforms (ESOMP) equipment with the following characteristics:

- The ESOMP is designed for both mobile and stationary operation.
- The ESOMP operates on various mobile platforms such as trains, maritime vessels, aircraft and other vehicles.
- The ESOMP is controlled and monitored by a Network Control Facility (NCF). This function may be performed centrally (e.g. for a network of ESOMPs with a central hub) or it could be performed within the ESOMP for autonomous control. The NCF is outside the scope of the present document.
- The ESOMP transmit and receive frequencies are shown in table 1.

Table 1: Frequency bands

	Frequency Bands/frequencies (GHz)
Transmit (Earth-to-space)	27,50 to 30,00
Receive (space-to-Earth)	17,30 to 20,20

NOTE: The relationship between the present document and essential requirements of article 3.2 of Directive 2014/53/EU [i.11] is given in annex A.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference/>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] Void.
- [2] Void.
- [3] Void.
- [4] [CISPR 16-1-1 \(2019\)](#): "Specification for radio disturbance and immunity measuring apparatus and methods - Part 1-1: Radio disturbance and immunity measuring apparatus - Measuring apparatus".
- [5] [CISPR 16-1-4:2019+AMD1:2020+AMD2:2023 CSV Consolidated version](#): "Specification for radio disturbance and immunity measuring apparatus and methods - Part 1-4: Radio disturbance and immunity measuring apparatus - Antennas and test sites for radiated disturbance measurements".
- [6] [ANSI C63.5-2006](#): "American National Standard for Calibration of Antennas Used for Radiated Emission Measurements in Electro Magnetic Interference".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] Void.
- [i.2] Void.
- [i.3] Void.
- [i.4] ETSI TR 102 375: "Satellite Earth Stations and Systems (SES); Guidelines for determining the parts of satellite earth station antenna radiation patterns concerned by the geostationary satellite orbit protection".
- [i.5] Void.
- [i.6] Void.
- [i.7] Void.
- [i.8] Void.
- [i.9] [Commission Implementing Decision C\(2015\) 5376 final of 4.8.2015](#) on a standardisation request to the European Committee for Electrotechnical Standardisation and to the European Telecommunications Standards Institute as regards radio equipment in support of Directive 2014/53/EU of the European Parliament and of the Council.
- [i.10] IEC 153 (all parts): "Hollow metallic waveguides".
- [i.11] [Directive 2014/53/EU](#) of the European Parliament and of the Council of 16 April 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC (RE Directive).
- [i.12] ETSI TR 103 896: "Satellite Earth Stations and Systems (SES); Considerations on off-axis EIRP density mask applicability for Ka band GSO ESOMPs in relation to potential revision to ETSI EN 303 978 (V2.1.2)".
- [i.13] ETSI EG 203 336 (V1.2.1) (05-2020): "Guide for the selection of technical parameters for the production of Harmonised Standards covering article 3.1(b) and article 3.2 of Directive 2014/53/EU".
- [i.14] ETSI TR 103 581 (V1.1.1) (11-2019): "Use of measurement detectors in radio measurement methods".
- [i.15] ETSI TR 102 273 (all parts) (V1.2.1) (12-2001): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Improvement on Radiated Methods of Measurement (using test site) and evaluation of the corresponding measurement uncertainties".
- [i.16] ETSI TR 100 028: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics".