

ETSI TS 138 533 V17.6.1 (2023-07)



**5G;
NR;
User Equipment (UE) conformance specification;
Radio Resource Management (RRM)
(3GPP TS 38.533 version 17.6.1 Release 17)**

<https://standards.iteh.ai/catalog/standards/sist/ab979b50-1053-45aa-8fe0-41d50a97095b/etsi-ts-138-533-v17-6-1-2023-07>



ReferenceRTS/TSGR-0538533vh61

Keywords5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:

<https://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://standards-portal.etsi.org/People/CommitteeSupportStaff.aspx>

If you find a security vulnerability in the present document, please report it through our

Coordinated Vulnerability Disclosure Program:

<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2023.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by the ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <https://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document **"shall"**, **"shall not"**, **"should"**, **"should not"**, **"may"**, **"need not"**, **"will"**, **"will not"**, **"can"** and **"cannot"** are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and **"must not"** are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	34
1 Scope	35
2 References	35
3 Definitions, symbols and abbreviations	36
3.1 Definitions	36
3.2 Symbols.....	37
3.3 Abbreviations	38
3A Requirements for the support of RRM	40
3A.1 General	40
3A.1.0 Overview of RRM requirements.....	40
3A.1.1 Test coverage across 5G NR connectivity options	41
3A.2 Requirements Classification for Statistical Testing.....	41
3A.3 Antenna Configuration	41
3A.4 NR band groups.....	41
3A.4.0 General.....	41
3A.4.1 NR operating bands in FR1	42
3A.4.2 NR operating bands in FR2	43
3A.5 NR operating band configuration	44
3A.6 UE with Multiband Capability	44
4 EN-DC with all NR cells in FR1.....	44
4.0 General	44
4.1 Void.....	45
4.2 Void.....	45
4.3 RRC_CONNECTED state mobility	45
4.3.1 Void	45
4.3.2 RRC connection mobility control	45
4.3.2.1 Void.....	45
4.3.2.2 Random access.....	45
4.3.2.2.1 EN-DC FR1 contention based random access.....	45
4.3.2.2.2 EN-DC FR1 non-contention based random access.....	51
4.3.2.2.3 EN-DC FR1 2-step contention based random access	58
4.3.2.2.4 EN-DC FR1 2-step non-contention based random access	63
4.3.2.3 Void.....	68
4.4 Timing	68
4.4.1 UE transmit timing	68
4.4.1.0 Minimum conformance requirements	68
4.4.1.0.1 Minimum conformance requirements for UE transmit timing accuracy	68
4.4.1.1 EN-DC FR1 UE transmit timing accuracy.....	70
4.4.2 UE timer accuracy	76
4.4.3 Timing advance	76
4.4.3.0 Minimum conformance requirements	76
4.4.3.0.1 Minimum conformance requirements for timing advance adjustment accuracy	76
4.4.3.0.2 Minimum conformance requirements for timing advance adjustment delay.....	76
4.4.3.1 EN-DC FR1 timing advance adjustment accuracy.....	76
4.5 Signaling characteristics.....	81
4.5.1 Radio link monitoring.....	81
4.5.1.00 General	81
4.5.1.0 Minimum conformance requirements	81
4.5.1.0.1 Minimum conformance requirements for out-of-sync SSB-based RLM.....	81
4.5.1.0.2 Void.....	82

4.5.1.0.3	Minimum conformance requirements for out-of-sync CSI-RS based RLM.....	82
4.5.1.0.4	Minimum conformance requirements for in-sync CSI-RS based RLM	84
4.5.1.1	EN-DC FR1 radio link monitoring out-of-sync test for PSCell configured with SSB-based RLM RS in non-DRX mode	85
4.5.1.2	EN-DC FR1 radio link monitoring in-sync test for PSCell configured with SSB-based RLM RS in non-DRX mode	90
4.5.1.3	EN-DC FR1 radio link monitoring out-of-sync test for PSCell configured with SSB-based RLM RS in DRX mode	95
4.5.1.4	EN-DC FR1 radio link monitoring in-sync test for PSCell configured with SSB-based RLM RS in DRX mode	100
4.5.1.5	EN-DC FR1 radio link monitoring out-of-sync test for PSCell configured with CSI-RS-based RLM RS in non-DRX mode	105
4.5.1.6	EN-DC FR1 radio link monitoring in-sync test for PSCell configured with CSI-RS-based RLM RS in non-DRX mode	110
4.5.1.7	EN-DC FR1 radio link monitoring out-of-sync test for PSCell configured with CSI-RS-based RLM RS in DRX mode.....	115
4.5.2	Interruption	125
4.5.2.0	Minimum conformance requirements	125
4.5.2.0.1	Minimum conformance requirements for interruptions at transitions between active and non-active during DRX.....	125
4.5.2.0.2	Minimum conformance requirements for interruptions during measurements on deactivated NR SCC.....	126
4.5.2.0.3	Minimum conformance requirements for interruptions during measurements on deactivated E-UTRAN SCC	126
4.5.2.0.4	Minimum conformance requirements for interruptions at NR SRS carrier based switching	127
4.5.2.0.5	Minimum conformance requirements for interruptions at E-UTRA SRS carrier based switching	128
4.5.2.1	EN-DC FR1 interruptions at transitions between active and non-active during DRX in synchronous EN-DC	129
4.5.2.2	EN-DC FR1 interruptions at transitions between active and non-active during DRX in asynchronous EN-DC.....	133
4.5.2.3	EN-DC FR1 interruptions during measurements on deactivated NR SCC in synchronous EN-DC...	137
4.5.2.4	EN-DC FR1 interruptions during measurements on deactivated NR SCC in asynchronous EN-DC	144
4.5.2.5	EN-DC FR1 interruptions during measurements on deactivated E-UTRAN SCC in synchronous EN-DC	150
4.5.2.6	EN-DC FR1 interruptions during measurements on deactivated E-UTRAN SCC in asynchronous EN-DC	154
4.5.2.7	159	
4.5.2.8	EN-DC FR1 interruptions at NR SRS carrier based switching in asynchronous EN-DC	159
4.5.2.9	EN-DC FR1 interruptions at E-UTRA SRS carrier based switching.....	163
4.5.3	SCell activation and deactivation delay	167
4.5.3.0	Minimum conformance requirements	167
4.5.3.1	EN-DC FR1 SCell activation and deactivation of known SCell in non-DRX for 160ms SCell measurement cycle	170
4.5.3.2	EN-DC FR1 SCell activation and deactivation of known SCell in non-DRX for 640ms SCell measurement cycle	181
4.5.3.3	EN-DC FR1 SCell activation and deactivation of unknown SCell in non-DRX	182
4.5.3.5	Direct SCell activation at SCell addition of known SCell in FR1.....	184
4.5.4	UE UL carrier RRC reconfiguration delay	193
4.5.4.1	EN-DC FR1 UE UL carrier RRC reconfiguration delay.....	193
4.5.5	Link recovery procedures	200
4.5.5.0	Minimum conformance requirements	201
4.5.5.0.3	Scheduling availability of UE during beam failure detection and candidate beam detection.....	203
4.5.5.0.4	Requirements for Beam Failure Recovery in SCell.....	203
4.5.5.1	EN-DC FR1 SSB-based beam failure detection and link recovery in non-DRX	203
4.5.5.2	EN-DC FR1 SSB-based beam failure detection and link recovery in DRX	210
4.5.5.3	EN-DC FR1 CSI-RS-based beam failure detection and link recovery in non-DRX.....	216
4.5.5.4	EN-DC FR1 CSI-RS-based beam failure detection and link recovery in DRX	222
4.5.5.5	EN-DC FR1 SCell CSI-RS-based beam failure detection and SSB-based link recovery in non-DRX	229
4.5.5.6	EN-DC FR1 SCell CSI-RS-based beam failure detection and SSB-based link recovery in DRX.....	235

4.5.5.7	EN-DC FR1 PSCell TRP specific SSB-based beam failure detection and link recovery in non-DRX	241
4.5.5.8	EN-DC FR1 SCell with TRP specific CSI-RS-based beam failure detection and SSB-based link recovery in non-DRX	248
4.5.6	Active BWP switch delay	254
4.5.6.1	DCI-based and time-based active BWP switch	254
4.5.6.1.0	Minimum conformance requirements	255
4.5.6.1.1	EN-DC FR1 DCI-based DL active BWP switch in non-DRX in synchronous EN-DC	257
4.5.6.1.2	EN-DC FR1 DCI-based DL active BWP switch with SCell in non-DRX in synchronous EN-DC	264
4.5.6.2	RRC-based active BWP switch	273
4.5.6.2.0	Minimum conformance requirements	273
4.5.6.2.1	EN-DC FR1 RRC-based DL active BWP switch in non-DRX in synchronous EN-DC	274
4.5.7	PSCell addition and release delay	280
4.5.7.0	Minimum conformance requirements	280
4.5.7.0.1	NR PSCell Addition Delay Requirement	280
4.5.7.0.2	NR PSCell Release Delay Requirement	281
4.5.7.1	EN-DC FR1 addition and release delay of known PSCell	281
4.5.8	UL switching	286
4.5.8.0	Minimum conformance requirements	286
4.5.8.1	EN-DC FR1 interruptions at switching between two uplink carriers	286
4.6	Measurement procedures	294
4.6.1	Intra-frequency measurements	294
4.6.1.0	Minimum conformance requirements	294
4.6.1.0.1	Minimum conformance requirements for event-triggered reporting without gap	294
4.6.1.0.2	Minimum conformance requirements for event-triggered measurements with gap	299
4.6.1.1	EN-DC FR1 event-triggered reporting without gap in non-DRX	301
4.6.1.2	EN-DC FR1 event-triggered reporting without gap in DRX	305
4.6.1.3	EN-DC FR1 event-triggered reporting with gap in non-DRX	309
4.6.1.4	EN-DC FR1 event-triggered reporting with gap in DRX	314
4.6.1.5	EN-DC FR1 event-triggered reporting without gap in non-DRX with SSB time index detection	319
4.6.1.6	EN-DC FR1 event-triggered reporting with gap in non-DRX with SSB time index detection	323
4.6.1.7	EN-DC FR1 event-triggered reporting without gap in DRX for UE configured with highSpeedMeasFlag-r16	328
4.6.1.8	EN-DC FR1 event triggered reporting cell without SSB time index detection in DRX for UE configured with highSpeedMeasCA-Scell-r17	332
4.6.2	Inter-frequency measurements	338
4.6.2.0	Minimum conformance requirements for Inter-frequency measurements	338
4.6.2.1	EN-DC FR1-FR1 event-triggered reporting in non-DRX	340
4.6.2.2	EN-DC FR1-FR1 event-triggered reporting in DRX	345
4.6.2.3	Void	351
4.6.2.4	Void	351
4.6.2.5	EN-DC FR1-FR1 event-triggered reporting in non-DRX with SSB time index detection	351
4.6.2.6	EN-DC FR1-FR1 event-triggered reporting in DRX with SSB time index detection	356
4.6.2.7	Void	361
4.6.2.8	Void	361
4.6.2.9	EN-DC FR1-FR1 event triggered reporting without SSB time index detection in DRX for UE configured with highSpeedMeasInterFreq-r17	361
4.6.3	Void	366
4.6.4	L1-RSRP measurement for beam reporting	366
4.6.4.0	Minimum conformance requirements	366
4.6.4.0.1	Minimum conformance requirements for SSB-based L1-RSRP measurement for beam reporting	366
4.6.4.1	EN-DC FR1 SSB-based L1-RSRP measurement in non-DRX	370
4.6.4.1.5	Test requirement	373
4.6.4.2	EN-DC FR1 SSB-based L1-RSRP measurement in DRX	374
4.6.4.2.3	Minimum conformance requirements	374
4.6.4.3	EN-DC FR1 CSI-RS-based L1-RSRP measurement in non-DRX	377
4.6.4.4	EN-DC FR1 CSI-RS-based L1-RSRP measurement in DRX	381
4.6.4.5	EN-DC FR1 SSB-based L1-RSRP measurement in DRX for UE configured with highSpeedMeasFlag-r16	385
4.6.5	CLI measurements	389

4.6.5.0	Minimum conformance requirements	389
4.6.5.0.2	Minimum conformance requirements for CLI-RSSI measurement with non-DRX	390
4.6.5.1	EN-DC FR1 SRS-RSRP measurement with non-DRX.....	391
4.6.5.1.3	Minimum conformance requirements.....	391
4.6.5.2	EN-DC FR1 CLI-RSSI measurement with non-DRX.....	394
4.6.6	397	
4.6.7	L1-SINR measurement for beam reporting	397
4.6.7.0	Minimum conformance requirements	397
4.6.7.1	EN-DC FR1 CSI-RS based CMR and no dedicated IMR L1-SINR measurement in non-DRX	402
4.6.7.2	EN-DC FR1 SSB based CMR and dedicated IMR L1-SINR measurement in DRX.....	406
4.6.7.3	EN-DC FR1 CSI-RS based CMR and dedicated IMR L1-SINR measurement in DRX.....	411
4.7	Measurement performance requirements	415
4.7.1	SS-RSRP.....	415
4.7.1.0	Minimum conformance requirements	415
4.7.1.1	Intra-frequency measurements	419
4.7.1.2	Inter-frequency measurements	427
4.7.2	SS-RSRQ	434
4.7.2.0	Minimum conformance requirements	434
4.7.2.1	EN-DC FR1 SS-RSRQ measurement accuracy	437
4.7.2.2	Inter-Frequency SS-RSRQ measurement accuracy.....	441
4.7.2.2.1	EN-DC FR1-FR1 SS-RSRQ absolute measurement accuracy	441
4.7.2.2.2	EN-DC FR1-FR1 SS-RSRQ relative measurement accuracy.....	445
4.7.3	SS-SINR	447
4.7.3.0	Minimum conformance requirements	447
4.7.3.0.1	Intra-frequency SS-SINR measurement accuracy requirements	447
4.7.3.0.2	Inter-frequency absolute SS-SINR measurement accuracy requirements	448
4.7.3.0.3	Inter-frequency relative SS-SINR measurement accuracy requirements.....	449
4.7.3.1	EN-DC FR1 SS-SINR measurement accuracy	449
4.7.3.2	Inter-Frequency SS-SINR measurement accuracy	453
4.7.3.2.1	EN-DC FR1-FR1 SS-SINR absolute measurement accuracy.....	453
4.7.3.2.2	EN-DC FR1-FR1 SS-SINR relative measurement accuracy.....	457
4.7.4	L1-RSRP.....	459
4.7.4.0	Minimum conformance requirements	459
4.7.4.0.1	SSB based absolute L1-RSRP measurement accuracy requirements	459
4.7.4.0.3	CSI-RS based absolute L1-RSRP measurement accuracy requirements.....	462
4.7.4.0.4	CSI-RS based relative L1-RSRP measurement accuracy requirements	463
4.7.4.1	SSB based L1-RSRP measurements	463
4.7.4.1.1	EN-DC FR1 SSB-based L1-RSRP absolute measurement accuracy.....	463
4.7.4.1.2	EN-DC FR1 SSB-based L1-RSRP relative measurement accuracy.....	469
4.7.4.2	CSI-RS based L1-RSRP measurements	471
4.7.4.2.1	EN-DC FR1 CSI-RS-based L1-RSRP absolute measurement accuracy	471
4.7.4.2.2	EN-DC FR1 CSI-RS-based L1-RSRP relative measurement accuracy.....	474
4.7.5	SFTD	476
4.7.5.0	Minimum conformance requirements	476
4.7.5.0.1	SFTD Accuracy Requirement	476
4.7.5.1	EN-DC FR1 SFTD measurement accuracy.....	477
4.7.6	CLI measurements	481
4.7.6.0	Minimum conformance requirements	481
4.7.6.0.1	Minimum conformance requirements for SRS-RSRP accuracy.....	481
4.7.6.0.1.1	SRS-RSRP report mapping.....	483
4.7.6.0.2	Minimum conformance requirements for CLI-RSSI measurement accuracy with FR1 serving cell	483
4.7.6.1	EN-DC SRS-RSRP measurement accuracy with FR1 serving cell.....	484
4.7.6.2	EN-DC CLI-RSSI measurement accuracy with FR1 serving cell.....	489
4.7.7	L1-SINR measurement for beam reporting	492
4.7.7.0	Minimum conformance requirements	492
4.7.7.0.1	Minimum conformance requirements for CSI-RS based CMR and no dedicated IMR configured and CSI-RS resource set with repetition off.....	492
4.7.7.0.2	Minimum conformance requirements for SSB based CMR and dedicated IMR.....	495
4.7.7.0.3	Minimum conformance requirements for CSI-RS based CMR and dedicated IMR	497
4.7.7.1	EN-DC FR1 CSI-RS based CMR and no dedicated IMR configured and CSI-RS resource set with repetition off L1-SINR measurement.....	500

4.7.7.1.1	EN-DC FR1 CSI-RS based CMR and no dedicated IMR configured and CSI-RS resource set with repetition off L1-SINR absolute measurement accuracy.....	500
4.7.7.1.2	EN-DC FR1 CSI-RS based CMR and no dedicated IMR configured and CSI-RS resource set with repetition off L1-SINR relative measurement accuracy	505
4.7.7.2	EN-DC FR1 SSB based CMR and dedicated IMR L1-SINR absolute measurement accuracy	507
4.7.7.3	EN-DC FR1 CSI-RS based CMR and dedicated IMR L1-SINR measurement	512
4.7.7.3.1	EN-DC FR1 CSI-RS based CMR and dedicated IMR L1-SINR absolute measurement accuracy	512
4.7.7.3.2	EN-DC FR1 CSI-RS based CMR and dedicated IMR L1-SINR relative measurement accuracy	517
4A	NE-DC with all NR cells in FR1.....	520
4A.0	General	520
4A.1	Signalling characteristics.....	520
4A.1.1	E-UTRAN PSCell addition.....	520
4A.1.1.0	Minimum conformance requirements	520
4A.1.1.0.1	E-UTRA PSCell Addition Delay Requirement	520
4A.1.1.0.2	E-UTRA PSCell Release Delay Requirement	520
4A.1.1.1	NE-DC FR1 addition and release delay of known PSCell	521
4A.1.2	Active BWP switch delay	526
4A.1.2.0	Minimum conformance requirements	526
4A.1.2.1	NE-DC FR1 DCI-based and timer-based DL active BWP switch in non-DRX in synchronous NE-DC	526
4A.2	Measurement performance requirements	530
4A.2.1	SFTD accuracy	530
4A.2.1.0	Minimum conformance requirements	530
4A.1.1.0.1	NE-DC SFTD accuracy Requirement	530
4A.2.1.1	NE-DC FR1 SFTD accuracy	531
5	EN-DC with at least one NR cell in FR2	537
5.0	General	537
5.1	Void.....	537
5.2	Void.....	537
5.3	RRC_CONNECTED state mobility	537
5.3.1	Void	537
5.3.2	RRC connection mobility control	537
5.3.2.1	Void.....	537
5.3.2.2	Random access	537
5.3.2.2.1	EN-DC FR2 contention based random access	537
5.3.2.2.2	EN-DC FR2 non-contention based random access.....	545
5.3.2.2.3	EN-DC FR2 2-step contention based random access	552
5.3.2.2.4	EN-DC FR2 2-step non-contention based random access	555
5.3.2.3	Void.....	558
5.4	Timing	558
5.4.1	UE transmit timing	558
5.4.1.0	Minimum Conformance Requirements.....	558
5.4.1.0.1	Minimum conformance requirements for UE transmit timing accuracy	558
5.4.1.1	EN-DC FR2 UE transmit timing accuracy.....	560
5.4.2	UE timer accuracy	566
5.4.3	Timing advance	566
5.4.3.0	Minimum conformance requirements	566
5.4.3.0.1	Minimum conformance requirements for timing advance adjustment accuracy	566
5.4.3.1	EN-DC FR2 timing advance adjustment accuracy	566
5.5	Signaling characteristics.....	571
5.5.1	Radio link monitoring.....	571
5.5.1.0	Minimum conformance requirements	571
5.5.1.0.1	Minimum conformance requirements for out-of-sync SSB-based RLM.....	571
5.5.1.0.2	Minimum conformance requirements for in-sync SSB-based RLM	572
5.5.1.0.3	Minimum conformance requirements for out-of-sync CSI-RS based RLM.....	573
5.5.1.0.4	Minimum conformance requirements for in-sync CSI-RS based RLM	576
5.5.1.0.5	Minimum conformance requirements for UE scheduling restrictions during radio link monitoring	579

5.5.1.1	EN-DC FR2 radio link monitoring out-of-sync test for PSCell configured with SSB-based RLM RS in non-DRX mode	579
5.5.1.2	EN-DC FR2 radio link monitoring in-sync test for PSCell configured with SSB-based RLM RS in non-DRX mode	585
5.5.1.3	EN-DC FR2 radio link monitoring out-of-sync test for PSCell configured with SSB-based RLM RS in DRX mode	590
5.5.1.4	EN-DC FR2 radio link monitoring in-sync test for PSCell configured with SSB-based RLM RS in DRX mode	595
5.5.1.5	EN-DC FR2 radio link monitoring out-of-sync test for PSCell configured with CSI-RS-based RLM RS in non-DRX mode	601
5.5.1.6	EN-DC FR2 radio link monitoring in-sync test for PSCell configured with CSI-RS-based RLM RS in non-DRX mode	606
5.5.1.7	EN-DC FR2 radio link monitoring out-of-sync test for PSCell configured with CSI-RS-based RLM RS in DRX mode	611
5.5.1.9	EN-DC FR2 radio link monitoring UE scheduling restrictions	624
5.5.2	Interruption	627
5.5.2.0	Minimum conformance requirements	627
5.5.2.0.1	Minimum conformance requirements for interruptions at transitions between active and non-active during DRX	627
5.5.2.0.2	Minimum conformance requirements for interruptions during measurements on deactivated NR SCC	628
5.5.2.0.3	Minimum conformance requirements for interruptions during measurements on deactivated E-UTRAN SCC	628
5.5.2.0.4	Minimum conformance requirements for interruptions at NR SRS carrier based switching	629
5.5.2.0.5	Minimum conformance requirements for interruptions at E-UTRA SRS carrier based switching	630
5.5.2.1	EN-DC FR2 interruptions at transitions between active and non-active during DRX in synchronous EN-DC	631
5.5.2.2	EN-DC FR2 interruptions at transitions between active and non-active during DRX in asynchronous EN-DC	635
5.5.2.3	EN-DC FR2 interruptions during measurements on deactivated NR SCC in synchronous EN-DC	639
5.5.2.4	EN-DC FR2 interruptions during measurements on deactivated NR SCC in asynchronous EN-DC	644
5.5.2.5	EN-DC FR2 interruptions during measurements on deactivated E-UTRAN SCC in synchronous EN-DC	648
5.5.2.6	EN-DC FR2 interruptions during measurements on deactivated E-UTRAN SCC in asynchronous EN-DC	652
5.5.2.7	EN-DC FR2 interruptions at E-UTRA SRS carrier based switching	657
5.5.2.8	EN-DC FR2 interruptions at NR SRS carrier based switching	660
5.5.3	SCell activation and deactivation delay	663
5.5.3.1	EN-DC FR2 SCell activation and deactivation intra-band in non-DRX	663
5.5.3.2 to 5.5.3.6	667	
5.5.3.7	Direct SCell activation at SCell addition of known SCell in FR2	667
5.5.4	UE UL carrier RRC reconfiguration delay	670
5.5.5	Link recovery procedures	670
5.5.5.0	Minimum conformance requirements	670
5.5.5.0.1	Minimum conformance requirements for SSB-based BFD and link recovery procedures	670
5.5.5.0.2	Minimum conformance requirements for CSI-RS-based BFD and link recovery procedures	674
5.5.5.0.3	Scheduling availability of UE during beam failure detection and candidate beam detection	679
5.5.5.0.4	Requirements for Beam Failure Recovery in SCell	680
5.5.5.1	EN-DC FR2 SSB-based beam failure detection and link recovery in non-DRX	680
5.5.5.2	EN-DC FR2 SSB-based beam failure detection and link recovery in DRX	687
5.5.5.3	EN-DC FR2 CSI-RS-based beam failure detection and link recovery in non-DRX	693
5.5.5.4	EN-DC FR2 CSI-RS-based beam failure detection and link recovery in DRX	699
5.5.5.5	EN-DC FR2 scheduling available restriction during SSB-based beam failure detection and link recovery in non-DRX	705
5.5.5.6	EN-DC FR2 CSI-RS-based BFD and LR for SCell in non-DRX	710
5.5.5.7	EN-DC FR2 SCell CSI-RS-based beam failure detection and link recovery in DRX	716
5.5.5.8	EN-DC FR2 PSCell TRP specific Beam Failure Detection and Link Recovery in DRX mode	721
5.5.6	Active BWP switch delay	727
5.5.6.1	DCI-based and time-based active BWP switch	727
5.5.6.1.0	Minimum conformance requirements	727

5.5.6.1.1	EN-DC FR2 DCI-based DL active BWP switch in non-DRX in synchronous EN-DC	727
5.5.6.1.2	EN-DC FR2 DCI-based DL active BWP switch with SCell in non-DRX in synchronous EN-DC	728
5.5.6.2	RRC-based active BWP switch.....	729
5.5.6.2.0	Minimum conformance requirements.....	729
5.5.6.2.1	EN-DC FR2 RRC-based DL active BWP switch in non-DRX in synchronous EN-DC	729
5.5.7	Void	735
5.5.8	Active TCI state switch delay	735
5.5.8.0	Minimum conformance requirements	735
5.5.8.0.1	Minimum conformance requirements for MAC-CE based active TCI state switch.....	735
5.5.8.0.2	Minimum conformance requirements for RRC based active TCI state switch.....	737
5.5.8.1	EN-DC FR2 MAC-CE based active TCI state switch.....	738
5.5.8.2	EN-DC FR2 RRC based active TCI state switch	741
5.6	Measurement procedures.....	745
5.6.1	Intra-frequency measurements.....	745
5.6.1.0	Minimum conformance requirements	745
5.6.1.0.1	Minimum conformance requirements for event-triggered measurement without gap.....	745
5.6.1.0.2	Minimum conformance requirements for event-triggered measurement with gap.....	747
5.6.1.1	EN-DC FR2 event-triggered reporting without gap in non-DRX	749
5.6.1.2	EN-DC FR2 event-triggered reporting without gap in DRX	754
5.6.1.3	EN-DC FR2 event-triggered reporting with gap in non-DRX	758
5.6.1.4	EN-DC FR2 event-triggered reporting with gap in DRX.....	763
5.6.2	Inter-frequency measurements.....	768
5.6.2.0	Minimum conformance requirements for Inter-frequency measurements	768
5.6.2.1	EN-DC FR2-FR2 event-triggered reporting in non-DRX	770
5.6.2.2	EN-DC FR2-FR2 event-triggered reporting in DRX	774
5.6.2.3	EN-DC FR2-FR2 event-triggered reporting in non-DRX with SSB time index detection	779
5.6.2.4	EN-DC FR2-FR2 event-triggered reporting in DRX with SSB time index detection.....	784
5.6.2.5	EN-DC FR1-FR2 event-triggered reporting in non-DRX	788
5.6.2.6	EN-DC FR1-FR2 event-triggered reporting in DRX	793
5.6.2.7	EN-DC FR1-FR2 event-triggered reporting in non-DRX with SSB time index detection	799
5.6.2.8	EN-DC FR1-FR2 event-triggered reporting in DRX with SSB time index detection.....	804
5.6.3	L1-RSRP measurement for beam reporting	810
5.6.3.0	Minimum conformance requirements	810
5.6.3.0.1	Minimum conformance requirements for SSB-based L1-RSRP measurement for beam reporting	810
5.6.3.0.2	Minimum conformance requirements for CSI-RS-based L1-RSRP measurement for beam reporting	811
5.6.3.1	EN-DC FR2 SSB-based L1-RSRP measurement in non-DRX.....	814
5.6.3.2	EN-DC FR2 SSB-based L1-RSRP measurement in DRX	818
5.6.3.3	EN-DC FR2 CSI-RS-based L1-RSRP measurement in non-DRX	822
5.6.3.4	EN-DC FR2 CSI-RS-based L1-RSRP measurement in DRX.....	826
5.6.4	CLI measurements	829
5.6.4.0	Minimum conformance requirements	829
5.6.4.0.1	Minimum conformance requirements for SRS-RSRP measurement period.....	829
5.6.4.1	EN-DC FR2 SRS-RSRP measurement in non-DRX.....	830
5.6.4.2	EN-DC FR2 CLI-RSSI measurement in non-DRX.....	834
5.6.5	837	
5.6.6	L1-SINR measurement for beam reporting	837
5.6.6.0	Minimum conformance requirements	837
5.6.6.0.1	L1-SINR reporting with CSI-RS based CMR and no dedicated IMR configured.....	837
5.6.6.0.2	L1-SINR reporting with SSB based CMR and dedicated IMR configured	840
5.6.6.0.3	L1-SINR reporting with CSI-RS based CMR and dedicated IMR configured.....	842
5.6.6.1	EN-DC FR2 CSI-RS based CMR and no dedicated IMR L1-SINR measurement in DRX.....	845
5.6.6.2	EN-DC FR2 SSB based CMR and dedicated IMR L1-SINR measurement in non-DRX.....	849
5.6.6.3	EN-DC FR2 CSI-RS based CMR and dedicated IMR L1-SINR measurement in non-DRX	854
5.7	Measurement performance requirements	858
5.7.1	SS-RSRP	858
5.7.1.0	Minimum conformance requirements	858
5.7.1.0.1	Intra-frequency SS-RSRP measurement accuracy requirements.....	858
5.7.1.0.2	Inter-frequency SS-RSRP measurement accuracy requirements.....	859
5.7.1.1	EN-DC FR2 SS-RSRP measurement accuracy	861

5.7.1.2	EN-DC FR2-FR2 SS-RSRP measurement accuracy	868
5.7.1.3	EN-DC FR1-FR2 SS-RSRP measurement accuracy	875
5.7.2	SS-RSRQ	880
5.7.2.0	Minimum conformance requirements	880
5.7.2.0.1	Intra-frequency SS-RSRQ measurement accuracy requirements	880
5.7.2.0.2	Inter-frequency SS-RSRQ measurement accuracy requirements	881
5.7.2.1	EN-DC FR2 SS-RSRQ measurement accuracy	882
5.7.2.2	EN-DC FR2-FR2 SS-RSRQ measurement accuracy	886
5.7.3	SS-SINR	891
5.7.3.0	Minimum conformance requirements	891
5.7.3.0.1	Intra-frequency SS-SINR measurement accuracy requirements	891
5.7.3.0.2	Inter-frequency SS-SINR measurement accuracy requirements	892
5.7.3.1	EN-DC FR2 SS-SINR measurement accuracy	893
5.7.3.2	EN-DC FR2-FR2 SS-SINR measurement accuracy	897
5.7.4	L1-RSRP	903
5.7.4.0	Minimum conformance requirements	903
5.7.4.0.1	SSB-based L1-RSRP absolute measurement accuracy requirements	903
5.7.4.0.2	SSB-based L1-RSRP relative measurement accuracy requirements	903
5.7.4.0.3	CSI-RS-based L1-RSRP absolute measurement accuracy requirements	904
5.7.4.0.4	CSI-RS-based L1-RSRP relative measurement accuracy requirements	905
5.7.4.1	EN-DC FR2 SSB based L1-RSRP measurement accuracy	906
5.7.4.2	EN-DC FR2 CSI-RS based L1-RSRP measurement accuracy	911
5.7.5	SRS-RSRP	916
5.7.5.0	Minimum conformance requirements	916
5.7.5.0.1	Minimum conformance requirements for SRS-RSRP measurement accuracy	916
5.7.5.1	EN-DC FR2 SRS-RSRP measurement accuracy	919
5.7.5.2	EN-DC FR2 CLI-RSSI measurement accuracy	922
5.7.5.2.1	Test purpose	923
5.7.5.2.2	Test applicability	923
5.7.5.2.3	Minimum conformance requirements	923
5.7.5.2.4	Test description	923
5.7.5.2.5	Test requirement	924
5.7.6	L1-SINR measurement for beam reporting	926
5.7.6.0	Minimum conformance requirements	926
5.7.6.0.1	L1-SINR accuracy requirements with CSI-RS based CMR and no dedicated IMR configured	926
5.7.6.0.2	L1-SINR accuracy requirements with SSB based CMR and dedicated IMR configured	928
5.7.6.0.3	L1-SINR accuracy requirements with CSI-RS based CMR and dedicated IMR configured	930
5.7.6.1	EN-DC FR2 CSI-RS based CMR and no dedicated IMR configured and CSI-RS resource set with repetition off L1-SINR measurement accuracy	932
5.7.6.2	EN-DC FR2 SSB based CMR and dedicated IMR L1-SINR absolute measurement accuracy	937
5.7.6.3	EN-DC FR2 CSI-RS based CMR and dedicated IMR L1-SINR measurement accuracy	942
6	NR standalone in FR1	947
6.0	General	947
6.1	RRC_IDLE state mobility	947
6.1.1	NR cell re-selection	947
6.1.1.0	Minimum conformance requirements	947
6.1.1.0.1	Minimum conformance requirements for intra-frequency cell re-selection	947
6.1.1.0.2	Minimum conformance requirements for inter-frequency cell re-selection	947
6.1.1.0.3	Minimum conformance requirements for intra-frequency cell re-selection for UE configured with highSpeedMeasFlag-r16	950
6.1.1.0.4	Minimum conformance requirements for intra-frequency cell re-selection when UE configured with relaxed measurement criterion	950
6.1.1.0.5	Minimum conformance requirements for inter-frequency cell re-selection when UE configured with relaxed measurement criterion	952
6.1.1.1	NR SA FR1 cell re-selection	954
6.1.1.2	NR SA FR1-FR1 cell re-selection	959
6.1.1.3	NR SA FR1 cell re-selection for UE fulfilling low mobility relaxed measurement criterion	964
6.1.1.4	NR SA FR1 cell re-selection for UE fulfilling not-at-cell edge relaxed measurement criterion	969
6.1.1.5	NR SA FR1-FR1 cell re-selection for UE fulfilling low mobility relaxed measurement criterion	974
6.1.1.6	NR SA FR1-FR1 cell re-selection for UE fulfilling not-at-cell edge relaxed measurement criterion	980

6.1.1.7	NR SA FR1 cell re-selection for UE configured with highSpeedMeasFlag-r16.....	987
6.1.1.8	NR SA FR1-FR1 Cell reselection for UE configured with highSpeedMeasInterFreq-r17	991
6.1.2	NR – E-UTRA cell re-selection.....	996
6.1.2.0	Minimum conformance requirements	996
6.1.2.0.1	Minimum conformance requirements for NR – E-UTRA cell re-selection.....	996
6.1.2.0.2	Minimum conformance requirement for inter-RAT E-UTRAN cells for UE configured with relaxed measurement criterion.....	997
6.1.2.1	NR SA FR1 – E-UTRA cell re-selection to higher priority E-UTRA.....	999
6.1.2.2	NR SA FR1 – E-UTRA cell re-selection to lower priority E-UTRA.....	1004
6.1.2.3	NR SA FR1 – E-UTRA cell re-selection to lower priority E-UTRAN for UE fulfilling low mobility relaxed measurement criterion.....	1009
6.1.2.4	NR SA FR1 – E-UTRA cell re-selection to lower priority E-UTRAN for UE fulfilling not-at-cell edge relaxed measurement criterion.....	1015
6.1.2.5	NR SA FR1 – E-UTRA cell re-selection to lower priority E-UTRA for UE configured with highSpeedMeasFlag-r16	1020
6.2	RRC_INACTIVE state mobility	1026
6.2.0	General.....	1026
6.2.0.1	Minimum conformance requirements for TA validation using CG-SDT.....	1026
6.2.1	NR SA FR1 Configured Grant based Small Data Transmissions (CG-SDT).....	1027
6.2.1.1	Test Purpose	1027
6.2.1.2	Test Applicability.....	1027
6.2.1.3	Minimum Conformance Requirement	1027
6.2.1.4	Test Description	1027
6.2.1.5	Test Requirement	1031
6.3	RRC_CONNECTED state mobility	1032
6.3.1	Handover	1032
6.3.1.0	Minimum conformance requirements	1032
6.3.1.0.1	Minimum conformance requirements for NR – E-UTRAN handover	1032
6.3.1.0.2	Minimum conformance requirements for NR FR1 – NR FR1 handover.....	1032
6.3.1.0.3	Minimum conformance requirements for NR – UTRAN handover	1033
6.3.1.0.4	Minimum conformance requirements for NR FR1- NR FR1 DAPS handover	1034
6.3.1.1	NR SA FR1 handover with known target cell.....	1036
6.3.1.2	NR SA FR1 handover with unknown target cell.....	1040
6.3.1.3	NR SA FR1-FR1 handover with unknown target cell.....	1043
6.3.1.4	NR SA FR1 – E-UTRA handover with known target cell	1046
6.3.1.5	NR SA FR1 – E-UTRA handover with unknown target cell	1052
6.3.1.6	NR SA FR1 – UTRAN FDD handover with known target cell	1057
6.3.1.7	NR SA FR1 synchronous DAPS handover	1062
6.3.1.8	NR SA FR1 asynchronous DAPS handover	1069
6.3.1.9	NR SA FR1 Intra-band inter-frequency synchronous DAPS handover	1072
6.3.1.10	NR SA FR1 Intra-band inter-frequency asynchronous DAPS handover	1078
6.3.1.11	NR SA FR1 Inter-band inter-frequency synchronous DAPS handover	1085
6.3.1.12	NR SA FR1 Inter-band inter-frequency asynchronous DAPS handover	1093
6.3.2	RRC connection mobility control	1101
6.3.2.1	RRC re-establishment	1101
6.3.2.1.0	Minimum conformance requirements.....	1101
6.3.2.1.1	NR SA FR1 RRC re-establishment	1102
6.3.2.1.2	NR SA FR1 - FR1 RRC re-establishment	1106
6.3.2.1.3	NR SA FR1 RRC re-establishment without serving cell timing	1110
6.3.2.2	Random access.....	1114
6.3.2.2.0	Minimum conformance requirements.....	1114
6.3.2.2.1	NR SA FR1 contention based random access	1116
6.3.2.2.2	NR SA FR1 non-contention based random access	1122
6.3.2.2.3	NR SA FR1 2-step contention based random access.....	1128
6.3.2.2.4	NR SA FR1 2-step non-contention based random access	1132
6.3.2.3	RRC connection release with redirection	1137
6.3.2.3.0	Minimum conformance requirements.....	1137
6.3.2.3.1	NR SA FR1 RRC connection release with redirection	1138
6.3.2.3.2	NR SA FR1 – E-UTRA RRC connection release with redirection	1142
6.3.3	Conditional handover.....	1146
6.3.3.0	Minimum conformance requirements	1146
6.3.3.0.1	Minimum conformance requirements for NR FR1 intra-frequency conditional handover.....	1146

6.3.3.0.2	Minimum conformance requirements for NR FR1 inter-frequency conditional handover.....	1150
6.3.3.1	NR SA FR1 conditional handover	1153
6.3.3.2	NR SA FR1-FR1 conditional handover	1159
6.4	Timing	1166
6.4.1	UE transmit timing	1166
6.4.1.0	Minimum conformance requirements	1166
6.4.1.1	NR SA FR1 UE transmit timing accuracy	1167
6.4.2	UE timer accuracy	1173
6.4.3	Timing advance	1173
6.4.3.0	Minimum conformance requirement.....	1173
6.4.3.0.1	Minimum conformance requirement for timing advance adjustment.....	1173
6.4.3.1	NR SA FR1 timing advance adjustment accuracy	1173
6.5	Signaling characteristics.....	1178
6.5.1	Radio link monitoring.....	1178
6.5.1.00	General.....	1178
6.5.1.0	Minimum conformance requirements	1179
6.5.1.0.1	Minimum conformance requirements for out-of-sync SSB-based RLM.....	1179
6.5.1.0.2	Minimum conformance requirements for in-sync SSB-based RLM	1180
6.5.1.0.3	Minimum conformance requirements for out-of-sync and in-sync CSI-RS based RLM	1181
6.5.1.1	NR SA FR1 radio link monitoring out-of-sync test for PCell configured with SSB-based RLM RS in non-DRX mode	1182
6.5.1.2	NR SA FR1 radio link monitoring in-sync test for PCell configured with SSB-based RLM RS in non-DRX mode	1188
6.5.1.3	NR SA FR1 radio link monitoring out-of-sync test for PCell configured with SSB-based RLM RS in DRX mode	1193
6.5.1.4	NR SA FR1 radio link monitoring in-sync test for PCell configured with SSB-based RLM RS in DRX mode	1198
6.5.1.5	NR SA FR1 radio link monitoring out-of-sync test for PCell configured with CSI-RS-based RLM RS in non-DRX mode	1202
6.5.1.6	NR SA FR1 radio link monitoring in-sync test for PCell configured with CSI-RS-based RLM RS in non-DRX mode	1207
6.5.1.7	NR SA FR1 radio link monitoring out-of-sync test for PCell configured with CSI-RS-based RLM RS in DRX mode.....	1212
6.5.1.8	NR SA FR1 radio link monitoring in-sync test for PCell configured with CSI-RS-based RLM RS in DRX mode	1216
6.5.2	Interruption	1221
6.5.2.0	Minimum conformance requirements	1221
6.5.2.0.1	Minimum conformance requirements for interruptions during measurements on deactivated NR SCC.....	1221
6.5.2.0.2	Interruptions at NR SRS carrier based switching	1222
6.5.2.1	NR SA FR1 interruptions during measurements on deactivated NR SCC.....	1224
6.5.2.2	SA FR1 interruptions at NR SRS carrier based switching	1229
6.5.3	SCell activation and deactivation delay.....	1232
6.5.3.0	Minimum conformance requirements	1232
6.5.3.0.1	Minimum conformance requirements for SCell activation and deactivation delay.....	1232
6.5.3.1	NR SA FR1 SCell activation and deactivation of known SCell in non-DRX for 160ms SCell measurement cycle.....	1233
6.5.3.2	NR SA FR1 SCell activation and deactivation of known SCell in non-DRX for 640ms SCell measurement cycle.....	1242
6.5.3.3	NR SA FR1 SCell activation and deactivation of unknown SCell in non-DRX.....	1243
6.5.3.4	Direct SCell activation at SCell addition of known SCell in FR1.....	1245
6.5.3.5	Direct SCell activation at handover with known SCell in FR1	1252
6.5.4	UE UL carrier RRC reconfiguration delay	1256
6.5.4.0	Minimum conformance requirements	1256
6.5.4.0.1	Minimum conformance requirements for UL carrier RRC reconfiguration delay	1256
6.5.4.1	NR SA FR1 UE UL carrier RRC reconfiguration delay	1257
6.5.5	Link recovery procedures	1264
6.5.5.0	Minimum conformance requirements	1264
6.5.5.0.1	Minimum conformance requirements for SSB-based BFD and link recovery procedures.....	1264
6.5.5.0.3	Scheduling availability of UE during beam failure detection and candidate beam detection.....	1264
6.5.5.0.4	Requirements for Beam Failure Recovery in SCell.....	1264
6.5.5.0.2	Minimum conformance requirements for CSI-RS-based BFD and link recovery procedures	1264

6.5.5.1	NR SA FR1 SSB-based beam failure detection and link recovery in non-DRX	1266
6.5.5.2	NR SA FR1 SSB-based beam failure detection and link recovery in DRX	1272
6.5.5.3	NR SA FR1 CSI-RS-based beam failure detection and link recovery in non-DRX	1278
6.5.5.4	NR SA FR1 CSI-RS-based beam failure detection and link recovery in DRX	1284
6.5.5.5	NR SA FR1 SCell CSI-RS-based beam failure detection and SSB-based link recovery in non-DRX	1290
6.5.5.6	NR SA FR1 SCell CSI-RS-based beam failure detection and SSB-based link recovery in DRX	1297
6.5.5.7	NR SA FR1 PCell TRP Specific CSI-RS-based Beam Failure Detection and Link Recovery in DRX	1303
6.5.6	Active BWP switch delay	1310
6.5.6.1	DCI-based and time-based active BWP switch	1310
6.5.6.1.0	Minimum conformance requirements	1310
6.5.6.1.1	NR SA FR1-DCI-based DL active BWP switch in non-DRX	1312
6.5.6.1.2	NR SA FR1 DCI-based DL active BWP switch in non-DRX	1320
6.5.6.2	RRC-based active BWP switch	1327
6.5.6.2.0	Minimum conformance requirements	1327
6.5.6.2.1	NR SA FR1 RRC-based DL active BWP switch in non-DRX	1327
6.5.7	DL interruptions at switching between two uplink carriers	1333
6.5.7.0	Minimum conformance requirements	1333
6.5.7.1	NR SA FR1 DL Interruptions at switching between two uplink carriers in FDD-TDD CA	1333
6.5.7.2	NR SA FR1 DL Interruptions at switching between two uplink carriers in TDD-TDD CA	1342
6.5.8	UE specific CBW change	1347
6.5.8.0	Minimum conformance requirements	1347
6.5.8.0.1	Minimum conformance requirements for UE specific CBW change	1347
6.5.8.1	UE specific CBW change on PCell in FR1 in non-DRX	1348
6.6	Measurement procedures	1353
6.6.1	Intra-frequency measurements	1353
6.6.1.0	Minimum conformance requirements	1353
6.6.1.0.1	Minimum conformance requirements for event-triggered measurement without gap	1353
6.6.1.0.2	Minimum conformance requirements for event-triggered measurement with gap	1353
6.6.1.0.3	Void	1354
6.6.1.0.4	Minimum conformance requirements for event-triggered measurement with gap with SSB index reading	1354
6.6.1.0.5	Void	1356
6.6.1.1	NR SA FR1 event-triggered reporting without gap in non-DRX	1356
6.6.1.2	NR SA FR1 event-triggered reporting without gap in DRX	1360
6.6.1.3	NR SA FR1 event-triggered reporting with gap in non-DRX	1364
6.6.1.4	NR SA FR1 event-triggered reporting with gap in DRX	1369
6.6.1.5	NR SA FR1 event-triggered reporting without gap in non-DRX with SSB index reading	1374
6.6.1.6	NR SA FR1 event-triggered reporting with gap in non-DRX with SSB index reading	1377
6.6.1.7	NR SA FR1 event-triggered reporting without gap in DRX for UE configured with highSpeedMeasFlag-r16	1382
6.6.1.8	NR SA FR1 event triggered reporting without gap in DRX for UE configured with highSpeedMeasCA-SScell-r17	1386
6.6.2	Inter-frequency measurements	1390
6.6.2.0	Minimum conformance requirements for Inter-frequency measurements	1390
6.6.2.0.1	Minimum conformance requirements for Inter-frequency measurement with measurement gaps	1390
6.6.2.0.2	Minimum conformance requirements for Inter-frequency measurement without measurement gaps	1390
6.6.2.1	NR SA FR1-FR1 event-triggered reporting in non-DRX	1393
6.6.2.2	NR SA FR1-FR1 event-triggered reporting in DRX	1397
6.6.2.3	Void	1402
6.6.2.4	Void	1402
6.6.2.5	NR SA FR1-FR1 event-triggered reporting in non-DRX with SSB time index detection	1402
6.6.2.6	NR SA FR1-FR1 event-triggered reporting in DRX with SSB time index detection	1407
6.6.2.7	Void	1412
6.6.2.8	Void	1412
6.6.2.9	NR SA FR1-FR1 event triggered reporting tests with additional mandatory gap pattern	1412
6.6.2.10	NR SA FR1-FR1 event triggered reporting tests for FR1 without gap when DRX is used	1416
6.6.2.11	NR SA FR1-FR1 event triggered reporting tests for FR1 without gap when DRX is not used	1420

6.6.2.12	NR SA FR1-FR1 event triggered reporting tests without SSB time index detection in DRX for UE configured with highSpeedMeasInterFreq-r17	1424
6.6.3	Inter-RAT Measurements	1429
6.6.3.0	Minimum conformance requirements	1429
6.6.3.0.1	Minimum conformance requirements for inter-RAT event triggered reporting to E-UTRAN FDD	1429
6.6.3.0.2	Minimum conformance requirements for inter-RAT event triggered reporting to E-UTRAN TDD	1432
6.6.3.1	NR SA FR1 – E-UTRAN event-triggered reporting in non-DRX	1434
6.6.3.2	NR SA FR1 – E-UTRAN event-triggered reporting in DRX	1440
6.6.3.3	NR SA FR1 – E-UTRAN event-triggered reporting in DRX for UE configured with highSpeedMeasFlag-r16	1445
6.6.4	L1-RSRP measurement for beam reporting	1450
6.6.4.0	Minimum conformance requirements	1450
6.6.4.0.1	Minimum conformance requirements for SSB-based L1-RSRP measurement for beam reporting	1450
6.6.4.0.2	Minimum conformance requirements for CSI-RS-based L1-RSRP measurement for beam reporting	1450
6.6.4.1	NR SA FR1 SSB-based L1-RSRP measurement in non-DRX	1450
6.6.4.2	NR SA FR1 SSB-based L1-RSRP measurement in DRX	1455
6.6.4.3	NR SA FR1 CSI-RS-based L1-RSRP measurement in non-DRX	1458
6.6.4.4	NR SA FR1 CSI-RS-based L1-RSRP measurement in DRX	1462
6.6.4.5	NR SA FR1 SSB-based L1-RSRP measurement in DRX for UE configured with highSpeedMeasFlag-r16	1465
6.6.5	UTRAN inter-RAT measurement	1470
6.6.5.1	NR SA FR1 – UTRAN event-triggered reporting in non-DRX	1470
6.6.6	1475	1475
6.6.6.1	NR SA FR1 SRS-RSRP measurement in non-DRX	1475
6.6.7	1478	
6.6.8	L1-SINR measurement for beam reporting	1478
6.6.8.0	Minimum conformance requirements	1478
6.6.8.0.1	L1-SINR reporting with CSI-RS based CMR and no dedicated IMR configured	1478
6.6.8.0.2	L1-SINR reporting with SSB based CMR and dedicated IMR configured	1478
6.6.8.0.3	L1-SINR reporting with CSI-RS based CMR and dedicated IMR configured	1478
6.6.8.1	NR SA FR1 CSI-RS based CMR and no dedicated IMR L1-SINR measurement in DRX	1479
6.6.8.2	NR SA FR1 SSB based CMR and dedicated IMR L1-SINR measurement in non-DRX	1483
6.6.8.3	NR SA FR1 CSI-RS based CMR and dedicated IMR L1-SINR measurement in non-DRX	1488
6.6.9	Idle Mode CA/DC Measurements	1492
6.6.9.0	Minimum conformance requirements	1492
6.6.9.1	NR SA FR1 Idle mode CA/DC measurement for FR1	1495
6.6.10 to 6.6.14		1502
6.6.15	Idle Mode inter-RAT CA/DC Measurements	1502
6.6.15.0	Minimum conformance requirements	1502
6.6.15.1	NR SA FR1 Idle Mode measurements of inter-RAT CA candidate cells for early reporting	1503
6.6.16	1512	
6.6.17	1512	
6.6.18	SA event triggered reporting tests with concurrent gaps	1512
6.6.18.0	Minimum conformance requirements	1512
6.6.18.0.1	Minimum conformance requirements for Intra-frequency measurement	1512
6.6.18.0.2	Minimum conformance requirements for Inter-frequency measurement	1513
6.6.18.0.3	Minimum conformance requirements for Inter-RAT measurement	1514
6.6.18.0.4	Minimum conformance requirements for PRS measurement	1514
6.6.18.1	NR SA FR1 event-triggered reporting for concurrent gaps non-overlap with SSB-based measurements in both inter-frequency layers	1514
6.6.18.2	NR SA FR1 event-triggered reporting for concurrent gaps partially-overlap with SSB-based measurements in both inter-frequency layers	1519
6.6.18.3	NR SA FR1 NR - E-UTRAN and NR FR1 concurrent event-triggered reporting in non-DRX in FR1	1523
6.6.18.4	NR SA FR1 event triggered reporting tests for PRS and SSB measurement in FR1 without SSB time index detection when DRX is not used	1530
6.6.19	1534	
6.6.20	UE Rx-Tx time difference measurement for propagation delay compensation	1534