



SLOVENSKI STANDARD
SIST EN 319 132-1 V1.3.1:2024

01-september-2024

**Elektronski podpisi in infrastrukture zaupanja (ESI) - Digitalni podpisi XAdES - 1.
del: Gradniki in izhodiščni podpisi XAdES**

Electronic Signatures and Trust Infrastructures (ESI) - XAdES digital signatures - Part 1:
Building blocks and XAdES baseline signatures

iTeh Standards
(<https://standards.iteh.ai>)

Ta slovenski standard je istoveten z: ETSI EN 319 132-1 V1.3.1 (2024-07)

[SIST EN 319 132-1 V1.3.1:2024](https://standards.iteh.ai/catalog/standards/sist/44204af6-3f3f-4531-aefc-1611d8690145/sist-en-319-132-1-v1-3-1-2024)

<https://standards.iteh.ai/catalog/standards/sist/44204af6-3f3f-4531-aefc-1611d8690145/sist-en-319-132-1-v1-3-1-2024>

ICS:

35.040.01	Kodiranje informacij na splošno	Information coding in general
-----------	---------------------------------	-------------------------------

SIST EN 319 132-1 V1.3.1:2024 **en**

ETSI EN 319 132-1 V1.3.1 (2024-07)



**Electronic Signatures and Trust Infrastructures (ESI);
XAdES digital signatures;
Part 1: Building blocks and XAdES baseline signatures**

Document Preview

[SIST EN 319 132-1 V1.3.1:2024](https://standards.iteh.ai/catalog/standards/sist/44204af6-3f3f-4531-aefc-1611d8690145/sist-en-319-132-1-v1-3-1-2024)

<https://standards.iteh.ai/catalog/standards/sist/44204af6-3f3f-4531-aefc-1611d8690145/sist-en-319-132-1-v1-3-1-2024>



Reference

REN/ESI-0019132-1v131

Keywords

electronic signature, security, XAdES, XML

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
ETSI [Search & Browse Standards application](#).

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#).

Users should be aware that the present document may be revised or have its status changed,
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.
In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2024.
All rights reserved.

Contents

Intellectual Property Rights	6
Foreword.....	6
Modal verbs terminology.....	7
Introduction	7
1 Scope	8
2 References	8
2.1 Normative references	8
2.2 Informative references.....	9
3 Definition of terms, symbols, abbreviations and terminology	10
3.1 Terms.....	10
3.2 Symbols.....	11
3.3 Abbreviations	11
3.4 Terminology	12
4 General Syntax	12
4.1 General requirements	12
4.2 XML Namespaces	13
4.3 The QualifyingProperties container	14
4.3.1 Semantics and syntax.....	14
4.3.2 The SignedProperties container	14
4.3.3 The UnsignedProperties container	15
4.3.4 The SignedSignatureProperties container.....	15
4.3.5 The SignedDataObjectProperties container	16
4.3.6 The UnsignedSignatureProperties container.....	17
4.3.7 The UnsignedDataObjectProperties container.....	18
4.4 Incorporating qualifying properties into XAdES signatures	18
4.4.1 General requirements.....	18
4.4.2 Signing properties.....	19
4.4.3 The QualifyingPropertiesReference element	19
4.5 Managing canonicalization of XML nodesets	20
5 Qualifying properties semantics and syntax.....	20
5.1 Auxiliary syntax	20
5.1.1 The AnyType data type.....	20
5.1.2 The ObjectIdentifierType data type.....	21
5.1.3 The EncapsulatedPKIDataType data type.....	22
5.1.4 Types for electronic time-stamps management.....	23
5.1.4.1 Semantics	23
5.1.4.2 Containers for electronic time-stamps.....	23
5.1.4.3 The GenericTimeStampType data type	23
5.1.4.4 The XAdESTimeStampType data type	24
5.1.4.4.1 Semantics and syntax	24
5.1.4.4.2 Include mechanism.....	25
5.1.4.5 The OtherTimeStampType data type	26
5.2 Basic qualifying properties for XAdES signatures.....	27
5.2.1 The SigningTime qualifying property	27
5.2.2 The SigningCertificateV2 qualifying property.....	27
5.2.3 The CommitmentTypeIndication qualifying property	28
5.2.4 The DataObjectFormat qualifying property	30
5.2.5 The SignatureProductionPlaceV2 qualifying property	31
5.2.6 The SignerRoleV2 qualifying property.....	31
5.2.7 Countersignatures	32
5.2.7.1 Countersignature identifier in Type attribute of ds:Reference	32

5.2.7.2	Enveloped countersignatures: the CounterSignature qualifying property.....	33
5.2.8	Time-stamps on signed data objects	34
5.2.8.1	The AllDataObjectsTimeStamp qualifying property.....	34
5.2.8.2	The IndividualDataObjectsTimeStamp qualifying property	35
5.2.9	The SignaturePolicyIdentifier qualifying property.....	36
5.2.9.1	Semantics and syntax	36
5.2.9.2	Signature policy qualifiers	38
5.2.10	The SignaturePolicyStore qualifying property.....	39
5.3	The SignatureTimeStamp qualifying property	40
5.4	Qualifying Properties for validation data values	40
5.4.1	Introduction.....	40
5.4.2	The CertificateValues qualifying property.....	40
5.4.3	The RevocationValues qualifying property	41
5.4.4	The AttrAuthoritiesCertValues qualifying property.....	43
5.4.5	The AttributeRevocationValues qualifying property.....	43
5.4.6	The AnyValidationData qualifying property.....	44
5.5	Qualifying properties for long term availability and integrity of validation material.....	45
5.5.1	The TimeStampValidationData qualifying property	45
5.5.1.1	Semantics and syntax	45
5.5.1.2	Use of URI attribute.....	46
5.5.2	The ArchiveTimeStamp qualifying property defined in namespace with URI "http://uri.etsi.org/01903/v1.4.1#"	47
5.5.2.1	Semantics and syntax	47
5.5.2.2	Generation and incorporation of ArchiveTimeStamp	48
5.5.2.3	Computation of the message digest for not distributed case	49
5.5.2.4	Computation of the message digest for distributed case	50
5.5.3	The RenewedDigestsV2 qualifying property	50
6	XAdES baseline signatures	52
6.1	Signature levels	52
6.2	General requirements	53
6.2.1	Algorithm requirements	53
6.2.2	Notation for requirements.....	53
6.3	Requirements on XAdES signature's elements, qualifying properties and services.....	56
6.4	Legacy XAdES baseline signatures.....	62
Annex A (normative): Additional Qualifying Properties Specification		63
A.1	Qualifying properties for validation data	63
A.1.1	The CompleteCertificateRefsV2 qualifying property	63
A.1.2	The CompleteRevocationRefs qualifying property	64
A.1.3	The AttributeCertificateRefsV2 qualifying property.....	67
A.1.4	The AttributeRevocationRefs qualifying property	68
A.1.5	Time-stamps on references to validation data	68
A.1.5.1	The SigAndRefsTimeStampV2 qualifying property	68
A.1.5.1.1	Semantics and syntax	68
A.1.5.1.2	Not distributed case.....	69
A.1.5.1.3	Distributed case.....	69
A.1.5.2	The RefsOnlyTimeStampV2 qualifying property	70
A.1.5.2.1	Semantics and syntax	70
A.1.5.2.2	Not distributed case.....	70
A.1.5.2.3	Distributed case.....	71
A.2	Deprecated qualifying properties	71
A.2.1	Usage of deprecated qualifying properties	71
A.2.2	The RenewedDigests qualifying property	71
Annex B (normative): Alternative mechanisms for long term availability and integrity of validation data.....		72
Annex C (normative): XML Schema files.....		73

C.1	XML Schema file location for namespace http://uri.etsi.org/01903/v1.3.2#	73
C.2	XML Schema file location for namespace http://uri.etsi.org/01903/v1.4.1#	73
Annex D (normative):	Deprecated qualifying properties	74
Annex E (informative):	Change history	75
History		77

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[SIST EN 319 132-1 V1.3.1:2024](https://standards.iteh.ai/catalog/standards/sist/44204af6-3f3f-4531-aefc-1611d8690145/sist-en-319-132-1-v1-3-1-2024)

<https://standards.iteh.ai/catalog/standards/sist/44204af6-3f3f-4531-aefc-1611d8690145/sist-en-319-132-1-v1-3-1-2024>

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Foreword

This European Standard (EN) has been produced by ETSI Technical Committee Electronic Signatures and Trust Infrastructures (ESI).

The present document is part 1 of a multi-part deliverable covering XAdES digital signatures, as identified below:

ETSI EN 319 132 -1: "Building blocks and XAdES baseline signatures";

ETSI EN 319 132 -2: "Extended XAdES signatures".

ETSI TS 119 132-3: "Incorporation of Evidence Record Syntax (ERS) mechanisms in XAdES".

Two .xsd files, whose locations are detailed in clauses C.1 and C.2, and which contain XML Schema definitions, are contained in archive en_31913201v010301p0.zip which accompanies the present document.

National transposition dates	
Date of adoption of this EN:	23 July 2024
Date of latest announcement of this EN (doa):	31 October 2024
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 April 2025
Date of withdrawal of any conflicting National Standard (dow):	30 April 2025

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and "must not" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Introduction

Electronic commerce has emerged as a frequent way of doing business between companies across local, wide area and global networks. Trust in this way of doing business is essential for the success and continued development of electronic commerce. It is therefore important that companies using this electronic means of doing business have suitable security controls and mechanisms in place to protect their transactions and to ensure trust and confidence with their business partners. In this respect digital signatures are an important security component that can be used to protect information and provide trust in electronic business.

The present document is intended to cover digital signatures supported by PKI and public key certificates, and aims to meet the general requirements of the international community to provide trust and confidence in electronic transactions, including, amongst other, applicable requirements from Regulation (EU) No 910/2014 [i.1].

The present document can be used for any transaction between an individual and a company, between two companies, between an individual and a governmental body, etc. The present document is independent of any environment. It can be applied to any environment e.g. smart cards, SIM cards, special programs for electronic signatures, etc.

The present document is part of a rationalized framework of standards (see ETSI TR 119 000 [i.10]). ETSI TR 119 100 [i.11] provides guidance on how to use the present document within the aforementioned framework.

Document Preview

[SIST EN 319 132-1 V1.3.1:2024](#)

<https://standards.iteh.ai/catalog/standards/sist/44204af6-3f3f-4531-aefc-1611d8690145/sist-en-319-132-1-v1-3-1-2024>

1 Scope

The present document specifies XAdES digital signatures. XAdES signatures build on XML digital signatures [1], by incorporation of signed and unsigned qualifying properties, which fulfil certain common requirements (such as the long term validity of digital signatures, for instance) in a number of use cases.

The present document specifies XML Schema definitions for the aforementioned qualifying properties as well as mechanisms for incorporating them into XAdES signatures.

The present document specifies formats for XAdES baseline signatures, which provide the basic features necessary for a wide range of business and governmental use cases for electronic procedures and communications to be applicable to a wide range of communities when there is a clear need for interoperability of digital signatures used in electronic documents.

The present document defines four levels of XAdES baseline signatures addressing incremental requirements to maintain the validity of the signatures over the long term, in a way that a certain level always addresses all the requirements addressed at levels that are below it. Each level requires the presence of certain XAdES qualifying properties, suitably profiled for reducing the optionality as much as possible.

Procedures for creation, augmentation, and validation of XAdES digital signatures are out of scope and specified in ETSI EN 319 102-1 [i.6]. Guidance on creation, augmentation and validation of XAdES digital signatures including the usage of the different properties defined in the present document is provided in ETSI TR 119 100 [i.11].

The present document aims at supporting electronic signatures in different regulatory frameworks.

NOTE: Specifically but not exclusively, XAdES digital signatures specified in the present document aim at supporting electronic signatures, advanced electronic signatures, qualified electronic signatures, electronic seals, advanced electronic seals, and qualified electronic seals as per Regulation (EU) No 910/2014 [i.1].

(<https://standards.iteh.ai>)

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference/>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] [W3C® Recommendation \(11 April 2013\)](#): "XML Signature Syntax and Processing. Version 1.1".
- [2] [W3C® Recommendation Part 1 \(28 October 2004\)](#): "XML Schema Part 1: Structures Second Edition".
- [3] [W3C® Recommendation Part 2 \(28 October 2004\)](#): "XML Schema Part 2: Datatypes Second Edition".
- [4] [Recommendation ITU-T X.509](#): "Information technology - Open Systems Interconnection - The Directory: Public-key and attribute certificate frameworks".
- [5] [W3C® Recommendation \(26 November 2008\)](#): "Extensible Markup Language (XML) 1.0".
- [6] [IETF RFC 6960](#): "X.509 Internet Public Key Infrastructure Online Certificate Status Protocol - OCSP".

- [7] [IETF RFC 3161](#): "Internet X.509 Public Key Infrastructure Time Stamp Protocol (TSP)".
- [8] [IETF RFC 3061](#): "A URN Namespace of Object Identifiers".
- [9] [W3C® Recommendation \(15 March 2001\)](#): "Canonical XML Version 1.0".
- [10] [W3C® Recommendation \(18 July 2002\)](#): "Exclusive XML Canonicalization Version 1.0".
- [11] [W3C® Recommendation \(2 May 2008\)](#): "Canonical XML Version 1.1".
- [12] [IETF RFC 3986](#): "Uniform Resource Identifier (URI): Generic Syntax".
- [13] [W3C® Recommendation \(8 November 2002\)](#): "XML-Signature XPath Filter 2.0".
- [14] [ISO/IEC 29500-2:2021](#): "Information technology -- Document description and processing languages -- Office Open XML File Formats -- Part 2: Open Packaging Conventions".
- [15] [IETF RFC 5280](#): "Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile".
- [16] [IETF RFC 5816](#): "ESSCertIDv2 Update for IETF RFC 3161".
- [17] [IETF RFC 5035](#): "Enhanced Security Services (ESS) Update: Adding CertID Algorithm Agility".
- [18] [IETF RFC 2045](#): "Multipurpose Internet Mail Extensions (MIME) Part One: Format of Internet Message Bodies".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] [Regulation \(EU\) No 910/2014](#) of the European Parliament and of the Council on electronic identification and trust services for electronic transactions in the internal market and repealing Directive 1999/93/EC. OJ L 257, 28.08.2014, p. 73-114.
- [i.2] ETSI TS 101 903 (V1.4.2): "Electronic Signatures and Infrastructures (ESI); XML Advanced Electronic Signatures (XAdES)".
- [i.3] ETSI TS 103 171 (V2.1.1): "Electronic Signatures and Infrastructures (ESI); XAdES Baseline Profile".
- [i.4] ETSI TR 119 001: "Electronic Signatures and Infrastructures (ESI); The framework for standardization of signatures; Definitions and abbreviations".
- [i.5] [Commission Decision 2009/767/EC of 16 October 2009](#) amended by [CD 2010/425/EU of 28 July 2010](#), setting out measures facilitating the use of procedures by electronic means through the "points of single contact" under Directive 2006/123/EC of the European Parliament and of the Council on services in the internal market.
- [i.6] ETSI EN 319 102-1: "Electronic Signatures and Infrastructures (ESI); Procedures for Creation and Validation of AdES Digital Signatures; Part 1: Creation and Validation".
- [i.7] ETSI TS 119 172-1: "Electronic Signatures and Infrastructures (ESI); Signature Policies; Part 1: Building blocks and table of contents for human readable signature policy documents".
- [i.8] IETF RFC 6931: "Additional XML Security Uniform Resource Identifiers (URIs)".

- [i.9] OASIS Standard: "Assertions and Protocols for the OASIS Security Assertion Markup Language (SAML) V2.0".
- [i.10] ETSI TR 119 000: "Electronic Signatures and Infrastructures (ESI); The framework for standardization of digital signatures and trust services; Overview".
- [i.11] ETSI TR 119 100: "Electronic Signatures and Infrastructures (ESI); Guidance on the use of standards for signature creation and validation".
- [i.12] ETSI TS 119 612: "Electronic Signatures and Infrastructures (ESI); Trusted Lists".
- [i.13] ETSI TS 119 511: " Electronic Signatures and Infrastructures (ESI); Policy and security requirements for trust service providers providing long-term preservation of digital signatures or general data using digital signature techniques".
- [i.14] ETSI TS 119 312: "Electronic Signatures and Infrastructures (ESI); Cryptographic Suites".
- [i.15] IETF RFC 4998: "Evidence Record Syntax (ERS)".
- [i.16] IETF RFC 6283: "Extensible Markup Language Evidence Record Syntax (XMLERS)".
- [i.17] ETSI EN 319 132-2: "Electronic Signatures and Infrastructures (ESI); XAdES digital signatures; Part 2: Extended XAdES signatures".
- [i.18] ETSI TS 119 132-3: "Electronic Signatures and Infrastructures (ESI); XAdES digital signatures; Part 3: Incorporation of Evidence Record Syntax (ERS) mechanisms in XAdES".
- [i.19] ETSI EN 319 132-1 (V1.1.1): "Electronic Signatures and Infrastructures (ESI); XAdES digital signatures; Part 1: Building blocks and XAdES baseline signatures".
- [i.20] ETSI EN 319 132-1 (V1.2.1): "Electronic Signatures and Infrastructures (ESI); XAdES digital signatures; Part 1: Building blocks and XAdES baseline signatures".
- [i.21] ETSI TS 101 903 (V1.3.2): "XML Advanced Electronic Signatures (XAdES)".
- [i.22] ETSI TS 101 903 (V1.4.1): "XML Advanced Electronic Signatures (XAdES)".

3 Definition of terms, symbols, abbreviations and terminology

3.1 Terms

For the purposes of the present document, the terms given in ETSI TR 119 001 [i.4] and the following apply:

attribute certificate: data structure, digitally signed by an attribute authority, that binds some attribute values with identification information about its holder

certificate revocation list: signed list indicating a set of certificates that are no longer considered valid by the certificate issuer

data object: actual binary/octet data being operated on (transformed, digested, or signed) by an application

NOTE: This definition of term is part of the definition of this term within XMLDSIG [1].

digital signature: data appended to, or a cryptographic transformation of a data unit that allows a recipient of the data unit to prove the source and integrity of the data unit and protect against forgery e.g. by the recipient

digital signature value: result of cryptographic transformation of a data unit that allows a recipient of the data unit to prove the source and integrity of the data unit and protect against forgery e.g. by the recipient

electronic time-stamp: data in electronic form which binds other electronic data to a particular time establishing evidence that these data existed at that time

NOTE: In the case of IETF RFC 3161 [7] protocol, updated by IETF RFC 5816 [16], the electronic time-stamp is referring to the `timeStampToken` field within the `TimeStampResp` element (the TSA's response returned to the requesting client).

legacy XAdES 101 903 signature: digital signature generated according to ETSI TS 101 903 (V1.4.2) [i.2]

legacy XAdES baseline signature: digital signature generated according to ETSI TS 103 171 (V2.1.1) [i.3]

legacy XAdES signature: legacy XAdES 101 903 signature or legacy XAdES baseline signature

message imprint: digest value of the data that is going to be time-stamped

NOTE: In the case of electronic time-stamps compliant with IETF RFC 3161 [7], as updated by IETF RFC 5816 [16], it corresponds to the digest value incorporated into the `hashedMessage` field of `MessageImprint` type.

signature augmentation policy: set of rules, applicable to one or more digital signatures, that defines the technical and procedural requirements for their augmentation, in order to meet a particular business need, and under which the digital signature(s) can be determined to be conformant

NOTE: This covers collection of information and creation of new structures that allows performing, on the long term, validations of a signature.

signature creation policy: set of rules, applicable to one or more digital signatures, that defines the technical and procedural requirements for their creation, in order to meet a particular business need, and under which the digital signature(s) can be determined to be conformant

signature policy: signature creation policy, signature augmentation policy, signature validation policy or any combination thereof, applicable to the same signature or set of signatures

signature validation policy: set of rules, applicable to one or more digital signatures, that defines the technical and procedural requirements for their validation, in order to meet a particular business need, and under which the digital signature(s) can be determined to be valid

trust anchor: entity that is trusted by a relying party and used for validating certificates in certification paths

validation data: data that is used to validate a digital signature

XAdES signature: digital signature that satisfies the requirements specified within the present document or ETSI EN 319 132-2 [i.17] or ETSI TS 119 132-3 [i.18].

3.2 Symbols

Void.

3.3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

ASN.1	Abstract Syntax Notation 1
BER	Basic Encoding Rules
CA	Certification Authority
CD	europaean Commission Decision
CER	Canonical Encoding Rules
CRL	Certificate Revocation List
DER	Distinguished Encoding Rules
ERS	Evidence Record Syntax
HTTP	Hyper Text Transfer Protocol
MD5	Message-Digest Algorithm 5
MIME	Multipurpose Internet Mail Extensions

OCSF	Online Certificate Status Protocol
OID	Object IDentifier
PER	Packed Encoding Rules
PI	Processing Instruction
PKI	Public Key Infrastructure
SAML	Security Assertion Markup Language
SIM	Subscriber Identity Module
SPO	Service Provision Option
TSA	Time-Stamping Authorities
TSL	Trust-service Status List
TSP	Trusted Service Providers
TSU	Time-Stamping Unit
URI	Uniform Resource Identifier
URL	Uniform Resource Locator
URN	Uniform Resource Name
UTC	Coordinated Universal Time
XER	XML Encoding Rules
XML	eXtensible Markup Language
XMLDSIG	eXtensible Markup Language Digital SIGNature
XSLT	eXtensible Stylesheet Language Transformations

3.4 Terminology

The present document uses the term "qualifying property" for denoting an XML element that qualifies the signature, the signed data objects, or the signer.

The present document uses the term "element" exclusively for denoting XML elements.

The present document defines new XML elements that are containers of qualifying properties (for instance `QualifyingProperties`, `SignedProperties`, or `UnsignedProperties`). The present document uses the terms "element" or "container" when refers to them.

The present document uses the term "attribute" for denoting either XML attributes of XML elements or for denoting attributes owned by the signer (as in clause 5.2.6 for instance). Consequently, a qualifying property, being an XML element, can have (XML) attributes.

The present document uses the term "child element" exclusively in the context of XML content, for denoting an XML element that is a child element of another XML element.

The present document uses the term "XAdES components" for denoting any XAdES signature's element, and any XAdES qualifying property incorporated into the XAdES signature.

4 General Syntax

4.1 General requirements

XAdES signatures shall build on XMLDSIG as specified in [1] by incorporation of XML [5] signed and unsigned qualifying properties. These qualifying properties shall be instances of XML types using the XML Schema syntax and structures specified in [2] and [3].

The present clause defines the namespaces used in the aforementioned XML schema definitions.

The present clause also defines the types for the containers of the qualifying properties, and specifies the mechanisms for incorporating them into the XAdES signature.