



**SLOVENSKI STANDARD**  
**SIST EN 300 468 V1.18.1:2024**

**01-februar-2024**

---

**Digitalna video radiodifuzija (DVB) - Specifikacija za servisne informacije (SI) v sistemih DVB**

Digital Video Broadcasting (DVB) - Specification for Service Information (SI) in DVB systems

iTeh Standards  
(<https://standards.iteh.ai>)

**Ta slovenski standard je istoveten z: ETSI EN 300 468 V1.18.1 (2023-12)**

---

[SIST EN 300 468 V1.18.1:2024](https://standards.iteh.ai/catalog/standards/sist/5ae4c30c-6737-437b-892e-d046cb635d35/sist-en-300-468-v1-18-1-2024)

<https://standards.iteh.ai/catalog/standards/sist/5ae4c30c-6737-437b-892e-d046cb635d35/sist-en-300-468-v1-18-1-2024>

**ICS:**

33.170

Televizijska in radijska  
difuzija

Television and radio  
broadcasting

**SIST EN 300 468 V1.18.1:2024**

**en**

**iTeh Standards**  
**(<https://standards.iteh.ai>)**  
**Document Preview**

[SIST EN 300 468 V1.18.1:2024](https://standards.iteh.ai/catalog/standards/sist/5ae4c30c-6737-437b-892e-d046cb635d35/sist-en-300-468-v1-18-1-2024)

<https://standards.iteh.ai/catalog/standards/sist/5ae4c30c-6737-437b-892e-d046cb635d35/sist-en-300-468-v1-18-1-2024>

# ETSI EN 300 468 V1.18.1 (2023-12)



**Digital Video Broadcasting (DVB);  
Specification for Service Information (SI) in DVB systems**

**iTeh Standards**

**(<https://standards.iteh.ai>)**

**Document Preview**

[SIST EN 300 468 V1.18.1:2024](https://standards.iteh.ai/catalog/standards/sist/5ae4c30c-6737-437b-892e-d046cb635d35/sist-en-300-468-v1-18-1-2024)

<https://standards.iteh.ai/catalog/standards/sist/5ae4c30c-6737-437b-892e-d046cb635d35/sist-en-300-468-v1-18-1-2024>

**EBU DVB<sup>®</sup>**

---

**Reference**

REN/JTC-DVB-403

---

**Keywords**broadcasting, digital, DVB, MPEG, service, TV,  
video**ETSI**650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° w061004871

---

**Important notice**

The present document can be downloaded from:

<https://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at [www.etsi.org/deliver](http://www.etsi.org/deliver).

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

If you find a security vulnerability in the present document, please report it through our  
Coordinated Vulnerability Disclosure Program:

<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

---

**Notice of disclaimer & limitation of liability**

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2023.

© European Broadcasting Union 2023.

All rights reserved.

# Contents

Intellectual Property Rights .....	8
Foreword.....	8
Modal verbs terminology.....	9
1 Scope .....	10
2 References .....	10
2.1 Normative references .....	10
2.2 Informative references.....	13
3 Definition of terms, symbols and abbreviations.....	13
3.1 Terms.....	13
3.2 Symbols.....	17
3.3 Abbreviations .....	17
4 Service information description .....	20
5 Service information tables.....	22
5.1 Service information table mechanism .....	22
5.1.1 Use of table sections .....	22
5.1.2 Mapping of sections into DVB transport stream packets.....	23
5.1.3 Coding of PID and table_id fields .....	23
5.1.4 Repetition rates and random access .....	25
5.1.4.1 Rates for DVB PSI and SI.....	25
5.1.4.2 Rates for Satellite Access Tables .....	25
5.1.5 Scrambling.....	26
5.1.6 Bit order and transmission order.....	26
5.2 Table definitions.....	28
5.2.0 Introduction.....	28
5.2.1 Network Information Table .....	29
5.2.2 Bouquet Association Table.....	30
5.2.3 Service Description Table.....	32
5.2.4 Event Information Table.....	34
5.2.5 Time and Date Table.....	36
5.2.6 Time Offset Table.....	37
5.2.7 Running Status Table.....	37
5.2.8 Stuffing Table .....	38
5.2.9 Discontinuity Information Table.....	39
5.2.10 Selection Information Table .....	39
5.2.11 Satellite Access Tables .....	39
5.2.11.1 Definition .....	39
5.2.11.2 Satellite Position v2 info .....	40
5.2.11.3 Cell Fragment info .....	42
5.2.11.4 Time Association info .....	44
5.2.11.5 Beamhopping Time Plan info .....	45
6 Descriptors .....	48
6.0 Introduction .....	48
6.1 Descriptor identification and location .....	48
6.2 Descriptor coding .....	50
6.2.0 General principles .....	50
6.2.1 Adaptation field data descriptor.....	50
6.2.2 Ancillary data descriptor.....	51
6.2.3 Announcement support descriptor.....	51
6.2.4 Bouquet name descriptor .....	53
6.2.5 CA identifier descriptor .....	53
6.2.6 Cell frequency link descriptor.....	53
6.2.7 Cell list descriptor.....	54
6.2.8 Component descriptor.....	55

6.2.9	Content descriptor.....	63
6.2.10	Country availability descriptor .....	66
6.2.11	Data broadcast descriptor.....	67
6.2.12	Data broadcast id descriptor.....	67
6.2.13	Delivery system descriptors.....	68
6.2.13.1	Cable delivery system descriptor .....	68
6.2.13.2	Satellite delivery system descriptor.....	69
6.2.13.3	S2 satellite delivery system descriptor .....	71
6.2.13.4	Terrestrial delivery system descriptor .....	72
6.2.14	DSNG descriptor .....	74
6.2.15	Extended event descriptor.....	74
6.2.16	Extension descriptor .....	75
6.2.17	Frequency list descriptor.....	76
6.2.18	FTA content management descriptor.....	76
6.2.18.1	Semantics and syntax of the FTA content management descriptor.....	76
6.2.18.2	Scope of the FTA content management descriptor .....	79
6.2.19	Linkage descriptor .....	79
6.2.19.1	Semantics and syntax of the linkage descriptor .....	79
6.2.19.2	Mobile hand-over linkage .....	81
6.2.19.3	Event linkage.....	82
6.2.19.4	Extended event linkage .....	82
6.2.20	Local time offset descriptor .....	85
6.2.21	Mosaic descriptor.....	86
6.2.22	Multilingual bouquet name descriptor .....	89
6.2.23	Multilingual component descriptor.....	90
6.2.24	Multilingual network name descriptor.....	90
6.2.25	Multilingual service name descriptor.....	91
6.2.26	NVOD reference descriptor .....	91
6.2.27	Network name descriptor.....	92
6.2.28	Parental rating descriptor .....	92
6.2.29	Partial TS descriptor .....	93
6.2.30	PDC descriptor.....	93
6.2.31	Private data specifier descriptor.....	94
6.2.32	Scrambling descriptor.....	94
6.2.33	Service descriptor .....	95
6.2.34	Service availability descriptor.....	97
6.2.35	Service list descriptor.....	97
6.2.36	Service move descriptor.....	97
6.2.37	Short event descriptor .....	98
6.2.38	Short smoothing buffer descriptor .....	99
6.2.39	Stream identifier descriptor.....	101
6.2.40	Stuffing descriptor .....	101
6.2.41	Subtitling descriptor.....	101
6.2.42	Telephone descriptor.....	102
6.2.43	Teletext descriptor .....	104
6.2.44	Time shifted event descriptor.....	104
6.2.45	Time shifted service descriptor.....	105
6.2.46	Transport stream descriptor .....	105
6.2.47	VBI data descriptor.....	106
6.2.48	VBI teletext descriptor.....	107
6.3	Extended descriptor identification and location .....	107
6.4	Extended descriptor coding .....	108
6.4.0	General principles .....	108
6.4.1	Audio preselection descriptor .....	109
6.4.2	CID ancillary data descriptor .....	112
6.4.3	CP descriptor .....	112
6.4.4	CP identifier descriptor .....	113
6.4.5	CPCM delivery signalling descriptor.....	113
6.4.6	Delivery system descriptors.....	113
6.4.6.1	C2 delivery system descriptor .....	113
6.4.6.2	SH delivery system descriptor.....	115
6.4.6.3	T2 delivery system descriptor .....	119

6.4.6.4	C2 bundle delivery system descriptor .....	122
6.4.6.5	S2X satellite delivery system descriptors .....	123
6.4.6.5.1	Introduction .....	123
6.4.6.5.2	S2X satellite delivery system descriptor (version 1) .....	123
6.4.6.5.3	S2Xv2 satellite delivery system descriptor (version 2) .....	126
6.4.7	Image icon descriptor.....	129
6.4.8	Message descriptor .....	132
6.4.9	Network change notify descriptor.....	132
6.4.10	Service relocated descriptor .....	134
6.4.11	Supplementary audio descriptor .....	135
6.4.12	Target region descriptor.....	137
6.4.13	Target region name descriptor .....	139
6.4.14	T2-MI descriptor.....	140
6.4.15	URI linkage descriptor.....	141
6.4.16	Video depth range descriptor.....	141
6.4.16.1	Semantics and syntax of the video depth range descriptor.....	141
6.4.16.2	Production disparity hint .....	143
6.4.17	VVC subpictures descriptor .....	143
6.5	Scoping rules for scoping descriptors.....	145
7	Storage Media Interoperability measures.....	145
7.0	Introduction .....	145
7.1	SMI tables .....	145
7.1.0	General principles.....	145
7.1.1	Discontinuity Information Table.....	146
7.1.2	Selection Information Table .....	146
7.2	SMI descriptors .....	148
7.2.0	Introduction.....	148
7.2.1	Partial transport stream descriptor .....	148
<b>Annex A (normative):</b>	<b>Coding of text characters .....</b>	<b>149</b>
A.0	General principles .....	149
A.1	Control codes.....	149
A.2	Selection of character table .....	149
<b>Annex B (informative):</b>	<b>Void .....</b>	<b>163</b>
<b>Annex C (informative):</b>	<b>Conversion between time and date conventions .....</b>	<b>164</b>
<b>Annex D (normative):</b>	<b>Service information implementation of AC-3, Enhanced AC-3, and AC-4 audio in DVB systems .....</b>	<b>166</b>
D.0	Introduction .....	166
D.1	AC-3 and Enhanced AC-3 component types.....	166
D.2	AC-3 descriptor .....	167
D.3	AC-3 descriptor syntax and semantics .....	167
D.4	Enhanced AC-3 descriptor .....	168
D.5	Enhanced AC-3 descriptor syntax and semantics .....	169
D.6	AC-4 descriptor .....	171
D.7	AC-4 descriptor syntax and semantics .....	171
D.8	Use of the supplementary audio descriptor with AC-4 .....	173
<b>Annex E (normative):</b>	<b>Usage of the scrambling descriptor .....</b>	<b>174</b>
<b>Annex F (informative):</b>	<b>ISO 639 language descriptor for "original audio" soundtrack .....</b>	<b>175</b>

<b>Annex G (normative):</b>	<b>Service information implementation of DTS coded audio in DVB systems .....</b>	<b>176</b>
G.0	Introduction .....	176
G.1	DTS and DTS-HD descriptors .....	176
G.2	DTS descriptor .....	176
G.2.0	Use of the DTS descriptor .....	176
G.2.1	Syntax and semantics for the DTS descriptor .....	176
G.3	DTS-HD descriptor .....	179
G.3.1	DTS-HD descriptor syntax .....	179
G.3.2	Substream information .....	180
G.3.3	Asset information .....	182
G.3.4	Component type .....	183
G.4	Use of DTS-HD in Receiver Mixed Applications for Single PID and Multiple PID Implementations .....	184
G.5	DTS-UHD descriptors .....	185
G.5.1	DTS-UHD descriptor .....	185
G.5.2	DTS-UHD and the audio preselection descriptor .....	186
G.5.2.1	The DTS-UHD Broadcast Chunk and audio preselections .....	186
G.6	Use of the supplementary audio descriptor with DTS-UHD .....	187
<b>Annex H (normative):</b>	<b>Service information implementation of AAC coded audio in DVB systems .....</b>	<b>188</b>
H.0	Introduction .....	188
H.1	AAC Audio descriptor .....	188
H.2	AAC descriptor .....	188
H.2.0	Use of the AAC descriptor .....	188
H.2.1	Syntax and semantics for the AAC descriptor .....	188
<b>Annex I (normative):</b>	<b>Assignment and interpretation of the service_type field .....</b>	<b>190</b>
I.1	Background .....	190
I.2	Assignment of service_type .....	190
I.2.0	General principles .....	190
I.2.1	service_type "digital television service" (0x01) .....	190
I.2.2	service_type "H.264/AVC" (various) .....	191
I.2.3	service_type "H.264/AVC frame compatible stereoscopic HD" (various) .....	191
I.2.4	service_type "advanced codec digital radio sound service" (0x0A) .....	192
I.2.5	service_type "HEVC digital television service" (0x1F) .....	192
I.2.5.0	General principles .....	192
I.2.5.1	Signalling for service frame compatible plano-stereoscopic 3DTV for HEVC coded services .....	193
I.2.5.2	Signalling for HDR and/or frame rate of 100 Hz, 120 0001 001 Hz, or 120 Hz, but with a HEVC half frame rate temporal video sub-bitstream frame rate lower than or equal to 60 Hz .....	194
I.2.5.3	Spatial, temporal, and dynamic range characteristics .....	195
I.2.5.4	Summary of signalling for different bitstream profiles using service_type 0x1F .....	195
I.2.6	service_type "HEVC UHD digital television service" (0x20) .....	196
I.2.6.1	General principles .....	196
I.2.6.2	Summary of signalling for different bitstream profiles using service_type 0x20 .....	198
I.2.7	Summary of signalling for HEVC bitstream profiles using service_type 0x1F or 0x20 .....	200
I.2.8	service_type "VVC digital television service" (0x21) .....	203
I.2.8.1	General principles .....	203
I.2.8.2	Spatial, temporal and dynamic range characteristics .....	204
I.2.8.3	Examples of signalling for different bitstream profiles using service_type 0x21 .....	205
I.2.9	service_type "AVS3 digital television service" (0x22) .....	206
I.2.9.1	General principles .....	206
I.2.9.2	Spatial, temporal and dynamic range characteristics .....	207



I.2.9.3	Examples of signalling for different bitstream profiles using service_type 0x22 .....	208
<b>Annex J (normative): Signalling of supplementary audio .....</b>		<b>210</b>
J.1	Overview .....	210
J.2	Receiver-mix supplementary audio .....	210
J.2.1	Introduction .....	210
J.2.2	PSI PMT signalling .....	211
J.2.3	EIT signalling .....	211
J.2.3.1	General principles .....	211
J.2.3.2	Visually impaired audio description .....	211
J.3	Broadcast-mix supplementary audio .....	212
J.3.1	Introduction .....	212
J.3.2	PSI PMT signalling .....	212
J.3.3	EIT signalling .....	212
J.3.3.1	General principles .....	212
J.3.3.2	Visually impaired audio description .....	212
J.4	PSI signalling of audio purpose .....	213
J.5	SAOC-DE parametric data streams .....	213
J.5.1	Introduction .....	213
J.5.2	PSI PMT signalling .....	213
J.5.3	EIT signalling .....	214
<b>Annex K (normative): Use of the extended_event_linkage_info .....</b>		<b>215</b>
<b>Annex L (normative): Service information implementation of DTS Neural™ Surround coded audio in DVB systems .....</b>		<b>217</b>
L.0	Introduction .....	217
L.1	DTS Neural descriptor .....	217
<b>Annex M (normative): Signalling of next-generation audio .....</b>		<b>219</b>
M.1	Overview .....	219
M.2	PSI PMT signalling .....	219
M.3	Mapping of codec-specific values to the audio preselection descriptor (informative) .....	219
<b>Annex N (informative): Examples for using multiple component descriptors .....</b>		<b>222</b>
<b>Annex O (informative): Bibliography .....</b>		<b>223</b>
<b>Annex P (informative): Change History .....</b>		<b>224</b>
History .....		226

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

# Foreword

This European Standard (EN) has been produced by Joint Technical Committee (JTC) Broadcast of the European Broadcasting Union (EBU), Comité Européen de Normalisation ELECTrotechnique (CENELEC) and the European Telecommunications Standards Institute (ETSI).

**NOTE:** The EBU/ETSI JTC Broadcast was established in 1990 to co-ordinate the drafting of standards in the specific field of broadcasting and related fields. Since 1995 the JTC Broadcast became a tripartite body by including in the Memorandum of Understanding also CENELEC, which is responsible for the standardization of radio and television receivers. The EBU is a professional association of broadcasting organizations whose work includes the co-ordination of its members' activities in the technical, legal, programme-making and programme-exchange domains. The EBU has active members in about 60 countries in the European broadcasting area; its headquarters is in Geneva.

European Broadcasting Union  
CH-1218 GRAND SACONNEX (Geneva)  
Switzerland  
Tel: +41 22 717 21 11  
Fax: +41 22 717 24 81

The DVB Project is an industry-led consortium of broadcasters, manufacturers, network operators, software developers, regulators and others from around the world committed to designing open, interoperable technical specifications for the global delivery of digital media and broadcast services. DVB specifications cover all aspects of digital television from transmission through interfacing, conditional access and interactivity for digital video, audio and data. The consortium came together in 1993.

National transposition dates	
Date of adoption of this EN:	11 December 2023
Date of latest announcement of this EN (doa):	31 March 2024
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 September 2024
Date of withdrawal of any conflicting National Standard (dow):	30 September 2024

---

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

iTeh Standards  
(<https://standards.iteh.ai>)  
Document Preview

[SIST EN 300 468 V1.18.1:2024](#)

<https://standards.iteh.ai/catalog/standards/sist/5ae4c30c-6737-437b-892e-d046cb635d35/sist-en-300-468-v1-18-1-2024>



- [9] [ETSI EN 302 769](#): "Digital Video Broadcasting (DVB); Frame structure channel coding and modulation for a second generation digital transmission system for cable systems (DVB-C2)".
- [10] [ETSI EN 302 583](#): "Digital Video Broadcasting (DVB); Framing Structure, channel coding and modulation for Satellite Services to Handheld devices (SH) below 3 GHz".
- [11] [ETSI EN 302 755](#): "Digital Video Broadcasting (DVB); Frame structure channel coding and modulation for a second generation digital terrestrial television broadcasting system (DVB-T2)".
- [12] [ETSI EN 303 560](#): "Digital Video Broadcasting (DVB); TTML subtitling systems".
- [13] [ETSI ES 201 812](#): "Digital Video Broadcasting (DVB); Multimedia Home Platform (MHP) Specification 1.0.3".
- [14] [ETSI TS 101 154](#): "Digital Video Broadcasting (DVB); Specification for the use of Video and Audio Coding in Broadcast and Broadband Applications".
- [15] [ETSI TS 101 162](#): "Digital Video Broadcasting (DVB); Allocation of identifiers and codes for Digital Video Broadcasting (DVB) systems".
- [16] [ETSI TS 101 547-2](#): "Digital Video Broadcasting (DVB); Plano-stereoscopic 3DTV; Part 2: Frame Compatible Plano-stereoscopic 3DTV".
- [17] [ETSI TS 101 547-3](#): "Digital Video Broadcasting (DVB); Plano-stereoscopic 3DTV; Part 3: HDTV Service Compatible Plano-stereoscopic 3DTV".
- [18] [ETSI TS 101 547-4](#): "Digital Video Broadcasting (DVB); Plano-stereoscopic 3DTV; Part 4: Service frame compatible Plano-stereoscopic 3DTV for HEVC coded services".
- [19] [ETSI TS 102 005](#): "Digital Video Broadcasting (DVB); Specification for the use of Video and Audio Coding in DVB services delivered directly over IP protocols".
- [20] [ETSI TS 102 006](#): "Digital Video Broadcasting (DVB); Specification for System Software Update in DVB Systems".
- [21] [ETSI TS 102 323](#): "Digital Video Broadcasting (DVB); Carriage and signalling of TV-Anytime information in DVB transport streams".
- [22] [ETSI TS 102 770](#): "Digital Video Broadcasting (DVB); System Renewability Messages (SRM) in DVB Systems".
- [23] [ETSI TS 102 772](#): "Digital Video Broadcasting (DVB); Specification of Multi-Protocol Encapsulation - inter-burst Forward Error Correction (MPE-iFEC)".
- [24] [ETSI TS 102 773](#): "Digital Video Broadcasting (DVB); Modulator Interface (T2-MI) for a second generation digital terrestrial television broadcasting system (DVB-T2)".
- [25] [ETSI TS 102 809](#): "Digital Video Broadcasting (DVB); Signalling and carriage of interactive applications and services in Hybrid Broadcast/Broadband environments".
- [26] [ETSI TS 102 812](#): "Digital Video Broadcasting (DVB); Multimedia Home Platform (MHP) Specification 1.1.3".
- [27] [ETSI TS 102 825](#) (parts 1 to 5, 7, 9 and 10): "Digital Video Broadcasting (DVB); Content Protection and Copy Management (DVB-CPCM)".
- [28] [ETSI EN 300 231](#): "Television systems; Specification of the domestic video Programme Delivery Control system (PDC)".
- [29] [ETSI EN 300 401](#): "Radio Broadcasting Systems; Digital Audio Broadcasting (DAB) to mobile, portable and fixed receivers".
- [30] [ETSI EN 300 706](#): "Enhanced Teletext specification".
- [31] [EN 50221](#): "Common interface specification for conditional access and other digital video broadcasting decoder applications", (produced by CENELEC).

- [32] [IETF RFC 2045](#): "Multipurpose Internet Mail Extensions (MIME) Part One: Format of Internet Message Bodies".
- [33] [IETF RFC 3986](#): "Uniform Resource Identifiers (URI): Generic Syntax".
- [34] [ISO 3166 \(all parts\)](#): "Codes for the representation of names of countries and their subdivisions".
- [35] [ISO 639-2](#): "Codes for the representation of names of languages - Part 2: Alpha-3 code".
- [36] [ISO 8601-1](#): "Date and time -- Representations for information interchange -- Part 1: Basic rules".
- [37] [ISO/IEC 6937](#): "Information technology - Coded graphic character set for text communication - Latin alphabet".
- [38] [ISO/IEC 8859-1](#): "Information technology - 8-bit single-byte coded graphic character sets - Part 1: Latin alphabet No. 1".
- [39] [ISO/IEC 8859-2](#): "Information technology - 8-bit single-byte coded graphic character sets - Part 2: Latin alphabet No. 2".
- [40] [ISO/IEC 8859-3](#): "Information technology - 8-bit single-byte coded graphic character sets - Part 3: Latin alphabet No. 3".
- [41] [ISO/IEC 8859-4](#): "Information technology - 8-bit single-byte coded graphic character sets - Part 4: Latin alphabet No. 4".
- [42] [ISO/IEC 8859-5](#): "Information technology - 8-bit single-byte coded graphic character sets - Part 5: Latin/Cyrillic alphabet".
- [43] [ISO/IEC 8859-6](#): "Information technology - 8-bit single-byte coded graphic character sets - Part 6: Latin/Arabic alphabet".
- [44] [ISO/IEC 8859-7](#): "Information technology - 8-bit single-byte coded graphic character sets - Part 7: Latin/Greek alphabet".
- [45] [ISO/IEC 8859-8](#): "Information technology - 8-bit single-byte coded graphic character sets - Part 8: Latin/Hebrew alphabet".
- [46] [ISO/IEC 8859-9](#): "Information technology - 8-bit single-byte coded graphic character sets - Part 9: Latin alphabet No. 5".
- [47] [ISO/IEC 8859-10](#): "Information technology - 8-bit single-byte coded graphic character sets - Part 10: Latin alphabet No. 6".
- [48] [ISO/IEC 8859-11](#): "Information technology - 8-bit single-byte coded graphic character sets - Part 11: Latin/Thai alphabet".
- [49] [ISO/IEC 8859-13](#): "Information technology - 8-bit single-byte coded graphic character sets - Part 13: Latin alphabet No. 7".
- [50] [ISO/IEC 8859-14](#): "Information technology - 8-bit single-byte coded graphic character sets - Part 14: Latin alphabet No. 8 (Celtic)".
- [51] [ISO/IEC 8859-15](#): "Information technology - 8-bit single-byte coded graphic character sets - Part 15: Latin alphabet No. 9".
- [52] [ISO/IEC 10646](#): "Information technology - Universal Coded Character Set (UCS)".
- [53] [GB-2312-1980](#): "Code of Chinese graphic character set for information interchange, primary set".
- [54] KS X 1001-2014: "Code for Information Interchange (Hangeul and Hanja)", Korean Agency for Technology and Standards, 2014.

NOTE: Available at <https://kssn.net/en/search/std/detail.do?itemNo=K001010102764>. Also see <https://standard.go.kr/KSCI/standardIntro/getStandardSearchView.do?ksNo=KSX1001>. This document has been published in Korean only.