



SLOVENSKI STANDARD

oSIST prEN ISO 18530:2020

01-marec-2020

Zdravstvena informatika - Samodejna identifikacija ter zajem podatkov za označevanje in etiketiranje - Predmet varstva in posamezna identifikacija (ISO/DIS 18530:2020)

Health Informatics - Automatic identification and data capture marking and labelling - Subject of care and individual provider identification (ISO/DIS 18530:2020)

Medizinische Informatik - Automatische Identifikation und Datenerfassungskennzeichnung und -beschriftung - Identifikation von Behandelten und individuellen Anbietern (ISO/DIS 18530:2020)

Informatique de santé - identification lisible par capture automatique et marquage - identification des sujets de soins de santé et des professionnels de la santé (ISO/DIS 18530:2020)

[SIST EN ISO 18530:2021](https://standards.iteh.ai/SIST/EN/ISO/18530/2021)

<https://standards.iteh.ai/catalog/standards/sist/0eb479e4-a254-4d79-a68e-d29e9282e677/sist-en-iso-18530-2021>

Ta slovenski standard je istoveten z: prEN ISO 18530

ICS:

35.240.80	Uporabniške rešitve IT v zdravstveni tehniki	IT applications in health care technology
-----------	--	---

oSIST prEN ISO 18530:2020

en,fr,de

DRAFT INTERNATIONAL STANDARD

ISO/DIS 18530

ISO/TC 215

Secretariat: ANSI

Voting begins on:
2020-01-17Voting terminates on:
2020-04-10

Health Informatics — Automatic identification and data capture marking and labelling — Subject of care and individual provider identification

Informatique de santé — identification lisible par capture automatique et marquage — identification des sujets de soins de santé et des professionnels de la santé

ICS: 35.240.80

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

SIST EN ISO 18530:2021<https://standards.iteh.ai/catalog/standards/sist/0eb479e4-a254-4d79-a68e-d29e9282e677/sist-en-iso-18530-2021>

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

This document is circulated as received from the committee secretariat.

ISO/CEN PARALLEL PROCESSING



Reference number
ISO/DIS 18530:2020(E)

© ISO 2020

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[SIST EN ISO 18530:2021](https://standards.iteh.ai/catalog/standards/sist/0eb479e4-a254-4d79-a68e-d29e9282e677/sist-en-iso-18530-2021)

<https://standards.iteh.ai/catalog/standards/sist/0eb479e4-a254-4d79-a68e-d29e9282e677/sist-en-iso-18530-2021>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope (mandatory)	1
2 Normative references	1
3 Terms and definitions	1
4 Abbreviations	4
5 GS1 specifications and ISO Standards	4
6 Data structures and semantics	4
6.1 Application identifiers.....	4
6.2 Global service relation number (GSRN).....	4
6.3 Service relation instance number (SRIN).....	5
7 SoC and Individual Provider identification as a recognized priority	5
7.1 General.....	5
7.2 Supported processes.....	6
8 Why globally unique identification?	6
8.1 SoC identification and data processing.....	6
8.2 Implementation challenges.....	7
8.3 Symbol placement on identification bands.....	7
8.4 Individual Provider identification.....	8
Annex A (informative) Examples of use cases (UC)	9
Bibliography	51

Document Preview

SIST EN ISO 18530:2021

<https://standards.iteh.ai/catalog/standards/sist/0eb479e4-a254-4d79-a68e-d29e9282e677/sist-en-iso-18530-2021>

ISO/DIS 18530:2020(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 215, *Health informatics*.

This second edition cancels and replaces the first edition (ISO/TS 18350:2014), which has been technically revised.

The main changes compared to the previous edition are as follows:

- new definitions added
- use case and UML diagrams updated
- additional bibliography

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

The delivery of healthcare relies heavily on the ability to uniquely and accurately identify people when they attend for care, i.e. the Subject of Care (SoC), as well as, when they provide care, i.e. the Individual Provider.

Health informatics, supporting healthcare delivery, requires a clear specification to identify the SoC and the Individual Provider so that they are correctly associated with the health information contained within a healthcare application. This has led to the need to capture and share information across different systems and healthcare applications.

Data carriers, such as barcodes and Radio Frequency Identification (RFID), commonly referred to as Automatic Identification and Data Capture (AIDC), have amplified the importance of defining the identifier data structures for the SoC and Individual Provider to prevent ambiguity when information is being captured. AIDC provides a wide spectrum of solutions, in particular, regarding optical carriers (such as barcodes). Furthermore, the semantics of data carried is defined by a number of organizations (also named “issuing agencies”), some of them having commercial activities, others nation-wide missions, as well as, standard development organizations. This Technical Specification focuses on the use of the GS1 System of Standards¹⁾ since a considerable majority of supplies in healthcare around the world are identified in accordance to this multisectorial and global system of standards. Interoperability is easier to secure once a single system of standards is used in the healthcare setting.

Interoperability, where information is shared and used by different information systems, requires a common SoC and Individual Provider identification semantic to ensure that shared information is consistent and unambiguous. The same SoC and Individual Provider are accurately identified, referenced and cross-referenced in each system. Effective data capture systems and information sharing is the key to improving the care of SoCs and delivery by Individual Providers in terms of compliance, accuracy and integrity of the health data.

In hospitals, a SoC (as in-patient) usually experiences a large number of care instances. Examples of these instances include: prescriptions and medicinal product administration, laboratory testing of SoC bio-samples and subsequent analysis and reporting. Each of these instances requires accurate reconciliation of the instance and delivery to the SoC. Healthcare providers (i.e. organisations that deliver healthcare to the SoC) have introduced AIDC technology based barcodes to help capture the SoC's identity, as well as, identification of other related items such as biology samples, so that manual key entry can be replaced by AIDC. In the complex hospital environment with many care instances, the need for uniqueness of identifications is generally recognized, since this avoids identification conflicts, overlaps, uncertainty and risks.

The use of AIDC in the context of chronic care reinforces the need for standards. The SoC in the chronic care instance is not always in the same fixed location where a single technology is available. AIDC can therefore be interoperable with a variety of technologies, solutions and devices. This will enable a continuum of care.

As out-patients, SoCs may be self-medicating. A SoC undergoing treatment for chronic conditions, in particular, should administer and record their medication according to a prescribed treatment plan. This treatment plan can be very prescriptive, on an as-needed basis, or be preventive in nature to avoid dangerous clinical outcomes.

There is also a need to manage and clinically monitor the treatment plan for the SoC for safety and stock purposes. AIDC enables capture of the SoC's identification, medicinal product, administration event, recording of relevant data about the medicinal product administered and other data such as batch number, expiration information and amount used. This should be done for in-patients as well as out-patients. This same data capture can be used to efficiently manage and replenish stock.

1) GS1 is a registered trademark. Any trademark used in this document is information given for the convenience of users and does not constitute an endorsement.

ISO/DIS 18530:2020(E)

Benefits from unique SoC Identification in AIDC can be documented from the following three examples:

- Patient, as well as, data can travel outside a provider's environment: Following a devastating tornado in Joplin, Missouri, USA, in 2011, 183 SoCs from St John's Hospital had to be swiftly evacuated to other regional hospitals. Under such “chaotic” conditions, a patient identifier that is truly unique would prevent replacing identification bands immediately for every SoC admitted to a different hospital.
- For regional referral laboratories, especially those performing blood bank testing: positively identifying SoCs and linking them to previous records, is essential for patient safety. Two different SoC with the same name, hospitalised at two different facilities using identical patient identification numbering schemes (perhaps because they use the same IT system), could lead to serious errors.
- A provider uses two identifiers for the management of care processes: the “patient identification” and the “case identification”. One provider organized the number banks for the two identifiers in such a way, that data collision was excluded. After years of use of that solution, number banks started overlapping without anyone noticing, until two SoCs were having the same numbers, one of “patient identification”, the other for “care identification”. A mismatch with serious incident occurred.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[SIST EN ISO 18530:2021](https://standards.iteh.ai/catalog/standards/sist/0eb479e4-a254-4d79-a68e-d29e9282e677/sist-en-iso-18530-2021)

<https://standards.iteh.ai/catalog/standards/sist/0eb479e4-a254-4d79-a68e-d29e9282e677/sist-en-iso-18530-2021>

Health Informatics — Automatic identification and data capture marking and labelling — Subject of care and individual provider identification

1 Scope (*mandatory*)

This Technical Specification outlines the standards needed to identify and label the Subject of Care (SoC) and the Individual Provider on objects such as identification (wrist) bands, identification tags or other objects, to enable automatic data capture using data carriers in the care delivery process.

It provides for a unique SoC identification that may be used for other purposes, such as recording the identity of the SoC in individual health records.

This Technical Specification serves as a reference for any organization which plans to implement or improve Automatic Identification and Data Capture (AIDC) in their delivery of care process. It is to be used in conjunction with the GS1²⁾ system of standards. Other solutions, such as using other identification systems³⁾, are possible but not addressed by this Technical Specification.

This Technical Specification describes good practices to reduce/avoid variation and workarounds which challenge the efficiency of AIDC at the point of care and compromise patient safety^{[5][6]}.

This Technical Specification specifies how to manage identifiers in the AIDC process, and completes the information found in ISO/TS 22220 and ISO/TS 27575.

2 Normative references.

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/TS 22220, *Health informatics — Identification of subjects of health care*

ISO/TS 27527, *Health informatics — Provider identification*

ISO/IEC 15418, *Information technology — Automatic identification and data capture techniques — GS1 Application Identifiers and ASC MH10 Data Identifiers and maintenance*

ISO/IEC 16022, *Information technology — Automatic identification and data capture techniques — Data Matrix bar code symbology specification*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

2) GS1 is a registered trademark. Any trademark used in this document is information given for the convenience of users and does not constitute an endorsement.

3) For example, systems based on ISBT 128, maintained by ICCBBA (www.iccbba.org)

ISO/DIS 18530:2020(E)

3.1**application identifier****AI**

GS1 prefix that defines the meaning and purpose of the data element that follows, as defined in ISO/IEC 15418 and GS1 General Specifications

[SOURCE: ISO 19762-1:2008, 01.01.94]

3.2**AIDC****automatic identification and data capture**

refers to the methods or technologies for automatically identifying objects, collecting data about them, and entering that data directly into computer systems, eliminating manual entry

Note 1 to entry: The methods or technologies typically considered as part of AIDC include barcodes which can be linear or 2-dimensional symbols and Radio Frequency Identification (RFID) tags/chips.

3.3**business entity**

recognised formal business entity, such as a corporation or company

Note 1 to entry: This entity holds details of the formal 'owner' entity of the organization.

[SOURCE: ISO/TS 27527:2010, 3.1 — modified, Note 1 to entry added.]

3.4**data capture**

deliberate action which results in the registration of a record into a record keeping system

3.5**care unit**

subdivision of an organization where the subject of care (3.16) receives the care they need during their stay

Note 1 to entry: A care unit may also be referred to as a ward.

3.6**GSRN⁴⁾****global service relation number**

used to identify the relationship between an organization offering services and the recipient or provider of services

Note 1 to entry: GSRN are encoded on data carriers with an Application Identifier 8018 for the recipient of a service (Subject of Care) and with an Application Identifier 8017 for the provider of a service (Individual Provider).

3.7**healthcare provider**

organization or facility that delivers healthcare to Subjects of Care

4) GSRN is the GS1 identifier for service relations and is supplied by the GS1 System. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of the service relation identifier named. Equivalent products may be used if they can be shown to lead to the same results.

3.8**IHE⁵⁾****integrating the healthcare enterprise**

initiative by healthcare professionals and industry to improve the way computer systems in healthcare share information

Note 1 to entry: IHE promotes the coordinated use of established standards to address specific clinical need in support of optimal patient care.

Note 2 to entry: Systems developed in accordance with IHE communicate with one another better, are easier to implement, and enable care providers to use information more effectively.

3.9**individual provider**

any person who provides or is a potential provider of a health care service

Note 1 to entry: An individual provider is an individual person and is not considered to be a group of providers.

Note 2 to entry: Not all health care providers are recognized by professional bodies. It is for this reason the term health care professional has not been used to describe them. All health care professionals are providers, but not all providers are health care professionals.

3.10**individual provider identification**

unique number or code issued for the purpose of identifying an individual provider

3.11**information system**

organized collection of hardware, software, supplies, policies, procedures and people that stores, processes and provides access to information

3.12**machine readable code**

code, readable by a machine, that contains information used to establish a relationship between a physical object such as a medical product package and data sources such as medical, production, logistical and/or reimbursement coding systems

3.13**record**

recorded information, in any form, including data in computer systems, created or received and maintained by an organization or person in the transaction of business or the conduct of affairs and kept as evidence of such activity

3.14**registration**

act of giving a record a unique identity in a record keeping system

3.15**SRIN****service relation instance number**

attribute to a global service relation number (3.6) to identify an instance within a care process

EXAMPLE Such as an identification band, an order sheet, test-tube etc.

3.16**SoC****subject of care**

person seeking to receive, receiving or having received health care text of the definition

5) IHE is a registered trade name. Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

ISO/DIS 18530:2020(E)

4 Abbreviations

AIDC	Automatic Identification and Data Capture
CIS	Clinical Information System
GSRN	Global Service Relation Number
IHE	Integrating the Healthcare Enterprise
ISBT	ISBT 128 is the standard for blood transfusion and transplantation, maintained by the International Council for Commonality in Blood Banking Automation (ICCBBA)
SCI	Subject of Care Identifier
SOC	Subject of Care
SRIN	Service Relation Instance Number

5 GS1 specifications and ISO Standards

In this Technical Specification, automatic identification and data capture (AIDC) refers to selected data carriers which are widely used across many industries, jurisdictions and which are already based on and specified in International Standards. The benefit of this approach is to use the already widely available applications and devices for encoding and reading the different types of data carriers. It should, however, be noted that certain types of data carriers such as data matrix may only be read by image based scanners.

AIDC solutions should be in accordance with GS1 general specifications, which in-turn are based on ISO Standards. If the recommendation is followed, then information contained in the data carriers shall be structured and standardized according to the GS1 semantics. The identification key (global service relation number, GSRN) is the identifier for service relations (such as SoC and Individual Providers) and is supplied by the GS1 System of Standards.

<https://standards.iteh.ai/catalog/standards/sist/0eb479e4-a254-4d79-a68e-d29e9282e677/sist-en-iso-18530-2021>

6 Data structures and semantics

6.1 Application identifiers

The GS1 item identification system and related encodation standard are complemented by the GS1 maintained application identifiers, hereafter referred to as “GS1 Application Identifiers” or “GS1 AIs”. This Technical Specification comprises two principal elements that are the key to any encoding system: the data content and the data carrier.

The use of GS1 AIs is subject to the rules established by GS1.

GS1 AIs identify generic and simple data fields for use in cross-sectorial and international supply chain applications. The GS1 General Specifications provide rules for the definition, format and structure of the data fields. Each GS1 AI consists of two or more characters. The first two digits determine the length of the AI.

SOURCE: ISO/IEC 15418.

6.2 Global service relation number (GSRN)

The Global Service Relation Number (GSRN) is the GS1 Identification Key used to identify the relationship between an organization offering services and the recipient or provider of services. The key comprises of a GS1 Company Prefix, Service Reference and Check Digit, with an 18 numeric digits fix length.




Figure 1 — Global service relation number (GSRN)

6.3 Service relation instance number (SRIN)

The Service Relation Instance Number (SRIN) is an attribute to the GSRN which allows distinguishing different encounters during the same episode, or the reuse of the same GSRN in different episodes. SRIN is a 10 numeric digits variable length field.



Figure 2 — Service relation instance number (SRIN)

For the purpose of this Technical Specification, for compliance with ISBT 128, the SRIN shall be used as a fixed length string with the first two digits (NN) reserved for the ISBT 128 location code (Table RT018); the selection of the remaining eight (8) digits is left to the discretion of the user and may be incremental.

7 SoC and Individual Provider identification as a recognized priority

7.1 General

The World Health Organization (WHO) and the Joint Commission International (JCI) have developed a list of priority solutions to enhance patient (meaning SoC) safety. Among the list of solutions WHO and JCI recommended is the use of AIDC technology (when the technical framework permits). Among the "Nine patient safety solutions"^[1] given by WHO, the second solution^[2] addresses patient (SoC) identification and the use of "barcodes" to reduce the risk of identification errors. Other solutions (communication during patient hand-over; performance of correct procedures at correct body site; assuring medication accuracy at transitions in care) require security of a patient's (SoC's) identification.

[Annex A](#) illustrates how SoC and Individual Provider identification should be enabled for different types of healthcare care use cases. If used, the Informative Annex explains the type of care and how AIDC shall be implemented as a good practice in different use cases. The following use cases (UC) are included:

- UC 01 to 04 covers the typical overall SoC flow through a hospital;
- UC 05 to 11 describes specific care instances that might arise within a hospital environment;
- UC 12 to 19 looks at machine readable coding in complex point of care environments;
- UC 20 to 24 looks at machine readable coding in the blood transfusion processes;

ISO/DIS 18530:2020(E)

- UC 25 to 27 describes machine readable coding for chronic outpatients;
- UC 28 to 30 examines the need to integrate nationwide SoC and Individual Provider identification.

The textual presentation of the use cases is completed with UML diagrams where, in particular, data capture is positioned; normative recommendations are included in the “good practice” section.

In each of the use cases, there is requirement to provide unambiguous data qualifiers to distinguish between the SoC, the Individual Provider and the product for data capture. Without qualifiers, it is impossible to guarantee that the captured information (or data) is what was intended. There is also the possibility of duplication of identity. This is avoided by using a standardized globally unique identification.

7.2 Supported processes

[Annex A](#) provides examples of a series of processes which are supported by capturing SoC identifier, SRIN and Individual Provider identification. [Table 1](#) (based on the examples found in [Annex A](#)) provides an overview so that implementers can evaluate their needs and the appropriate solution to adopt.

Table 1 — Overview of supported processes

Usage Requirements	SoC identifier	SRIN	Individual Provider Identification
SoC and Individual Provider Identification as a recognized priority	X		X
Machine readable coding for clinical purpose (point of care)	X	X	X
Machine readable coding in complex point of care environments	X	X	X
Machine readable coding to avoid workarounds	X	X	X
Machine readable coding in the blood transfusion processes	X	X	X
Machine readable coding for chronic outpatient	X	X	X
Machine readable coding by integrating nationwide SoC identification	X	X	X

8 Why globally unique identification?

8.1 SoC identification and data processing

When GSRN is used in data processing, solutions have been developed by IHE International as Master Patient Indexes (MPI), which secure uniqueness of the identification in a defined environment and associates defined demographics to a SoC identifier. MPI should be interconnected by using IHE tools so that heterogenic identifications are linked together by using the associated demographics. The use of GSRN, as described in this document, does not impact data processing and the use of IHE tools, since IHE’s MPI are conceived to address situations where SoC are identified with *any* identifier.

GSRN are fixed length 18 digits numeric keys according GS1 General Specifications.^[8] In a GS1 DataMatrix, the SoC GSRN shall be headed by a GS1 AI 8018.