
Aeronavtika - Jeklo X5CrNiCu 17-4 (1.4542) - Taljeno - Topilno žarjena in izločevalno utrjena - Pločevina in trakovi - $a \leq 6$ mm - $R_m \geq 1070$ MPa

Aerospace series - Steel X5CrNiCu 17-4 (1.4542) - Air melted - Solution treated and precipitation treated - Sheets and strips - $a \leq 6$ mm - $R_m \geq 1070$ MPa

Luft- und Raumfahrt - Stahl X5CrNiCu 17-4 (1.4542) - Lufterschmolzen - Lösungsgeglüht und ausgelagert - Bleche und Bänder - $a \leq 6$ mm - $R_m \geq 1070$ MPa

Série aérospatiale - Acier X5CrNiCu 17-4 (1.4542) - Elaboré à l'air - Mis en solution et précipité - Tôles et bandes - $a \leq 6$ mm - $R_m \geq 1070$ MPa

[oSIST prEN 4882:2021](https://standards.iteh.ai/catalog/standards/sist/e27cdc47-a096-40e1-a3af-8064b0c99d6/osist-pr-en-4882-2021)

[https://standards.iteh.ai/catalog/standards/sist/e27cdc47-a096-40e1-a3af-](https://standards.iteh.ai/catalog/standards/sist/e27cdc47-a096-40e1-a3af-8064b0c99d6/osist-pr-en-4882-2021)

Ta slovenski standard je istoveten z: prEN 4882

ICS:

49.025.10	Jekla	Steels
77.140.50	Ploščati jekleni izdelki in polizdelki	Flat steel products and semi-products

oSIST prEN 4882:2021

en,fr,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[oSIST prEN 4882:2021](#)

<https://standards.iteh.ai/catalog/standards/sist/e27cdc47-a096-40e1-a3af-8f964b0c99d6/osist-pren-4882-2021>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

DRAFT
prEN 4882

May 2021

ICS 49.025.10

English Version

**Aerospace series - Steel X5CrNiCu 17-4 (1.4542) - Air
melted - Solution treated and precipitation treated - Sheets
and strips - $a \leq 6$ mm - $R_m \geq 1\ 070$ MPa**

Série aérospatiale - Acier X5CrNiCu 17-4 (1.4542) -
Élaboré à l'air - Mis en solution et précipité - Tôles et
bandes - $a \leq 6$ mm - $R_m \geq 1\ 070$ MPa

Luft- und Raumfahrt - Stahl X5CrNiCu 17-4 (1.4542) -
Lufterschmolzen - Lösungsgeglüht und ausgelagert -
Bleche und Bänder - $a \leq 6$ mm - $R_m \geq 1\ 070$ MPa

This draft European Standard is submitted to CEN members for enquiry. It has been drawn up by the Technical Committee ASD-STAN.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword	3
Introduction	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	5
4 Requirements	5
Bibliography	9

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[oSIST prEN 4882:2021](https://standards.iteh.ai/catalog/standards/sist/e27cdc47-a096-40e1-a3af-8f964b0c99d6/osist-pren-4882-2021)
<https://standards.iteh.ai/catalog/standards/sist/e27cdc47-a096-40e1-a3af-8f964b0c99d6/osist-pren-4882-2021>

European foreword

This document (prEN 4882:2021) has been prepared by the Aerospace and Defence Industries Association of Europe — Standardization (ASD-STAN).

After enquiries and votes carried out in accordance with the rules of this Association, this document has received the approval of the National Associations and the Official Services of the member countries of ASD-STAN, prior to its presentation to CEN.

This document is currently submitted to the CEN Enquiry.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[oSIST prEN 4882:2021](https://standards.iteh.ai/catalog/standards/sist/e27cdc47-a096-40e1-a3af-8f964b0c99d6/osist-pren-4882-2021)

<https://standards.iteh.ai/catalog/standards/sist/e27cdc47-a096-40e1-a3af-8f964b0c99d6/osist-pren-4882-2021>

prEN 4882:2021 (E)

Introduction

This document is part of the series of EN metallic material standards for aerospace applications. The general organization of this series is described in EN 4258.

This document has been prepared in accordance with EN 4500-005.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[oSIST prEN 4882:2021](https://standards.iteh.ai/catalog/standards/sist/e27cdc47-a096-40e1-a3af-8f964b0c99d6/osist-pren-4882-2021)

<https://standards.iteh.ai/catalog/standards/sist/e27cdc47-a096-40e1-a3af-8f964b0c99d6/osist-pren-4882-2021>

1 Scope

This document specifies the requirements relating to:

Steel X5CrNiCu 17-4 (1.4542)
Air melted
Solution treated and precipitation treated
Sheets and strips
 $a \leq 6$ mm
 $R_m \geq 1\,070$ MPa

for aerospace applications.

W.nr: 1.4542.

The ASD-STAN designation of this material is FE-PM3801.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 4700-001, *Aerospace series - Steel and heat resisting alloys - Wrought products - Technical specification - Part 001: Plate, sheet and strip*

AMS 2315, *Determination of delta ferrite content*¹⁾

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

4 Requirements

See Table 1.

¹⁾ Published by SAE International (US) Society of Automotive Engineers (<http://www.sae.org/>).

Table 1 — Requirements for steel X5CrNiCu 17-4 (1.4542)

1	Material designation		Steel X5CrNiCu 17-4 (1.4542)										
2	Chemical composition %	Element	C	Si	Mn	P	S	Cr	Mo	Ni	Cu	Nn + Ta	Fe
		min.	—	—	—	—	—	15,0	—	3,0	3,0	5 x C	Base
		max.	0,07	1,00	1,00	0,040	0,030	17,5	0,50	5,0	5,0	0,45	
3	Method of melting		Air melted										
4.1	Form		Sheets and strips										
4.2	Method of production		Hot or cold rolled										
4.3	Limit dimension(s)	mm	$a \leq 6$										
5	Technical specification		EN 4700-001										

6.1	Delivery condition		Solution treated				Solution treated and precipitation treated					
	Heat treatment		1 025 °C ≤ θ ≤ 1 055 °C/ $t \geq 30$ min/AC, PQ or OQ + cool to $\theta \leq 30$ °C				1 025 °C ≤ θ ≤ 1 055 °C/ $t \geq 30$ min/AC, PQ or OQ + cool to $\theta \leq 30$ °C + 540 °C ≤ θ ≤ 560 °C/ $t \geq 4$ h/AC					
6.2	Delivery condition code		W				U					
7	Use condition		Solution treated and precipitation treated				Delivery condition					
	Heat treatment		Delivery condition + 540 °C ≤ θ ≤ 560 °C/ $t \geq 4$ h/AC				—					

<https://standards.iteh.ai/catalog/standards/sist/e27cdc47-4096-40e1-a3af-8f964b0c99d6/osist-pr-en-4882-2021> Characteristics

8.1	Test sample(s)		See EN 4700-001.											
8.2	Test piece(s)		See EN 4700-001.											
8.3	Heat treatment		Solution treated				Use condition							
9	Dimensions concerned	mm	$a \leq 6$				$a \leq 6$							
10	Thickness of cladding on each face	%	—				—							
11	Direction of test piece		—				L							
12	T	Temperature	θ	°C	—				Ambient					
13		Proof stress	$R_{p0,2}$	MPa	—				≥ 1 000					
14		Strength	R_m	MPa	—				≥ 1 070					
15		Elongation	A	%	—				≥ 6					
16		Reduction of area	Z	%	—				—					
17	Hardness	HV	≤ 370				364 ≤ HV ≤ 431 ^a							
18	Shear strength	R_c	MPa	—				—						
19	Bending	k	—				—							
20	Impact strength		—				—							

21	C	Temperature	θ	°C	—	
22		Time		h	—	
23		Stress	σ_a	MPa	—	
24		Elongation	a	%	—	
25		Rupture stress	σ_R	MPa	—	
26		Elongation at rupture	A	%	—	
27	Notes (see line 98)				a	
30	Microstructure				—	See EN 4700-001.
					1	See AMS 2315.
					7	The δ ferrite content shall not exceed 5 %.
34	Grain size				—	See EN 4700-001.
					7	$G \geq 4$
44	External imperfections (visual testing-VT)				—	See EN 4700-001.
					1	Visual.
50	Inclusion content				—	See EN 4700-001.
					7	Category 2
<p>iTeh STANDARD PREVIEW (standards.iteh.ai)</p> <p>oSIST prEN 4882:2021 https://standards.iteh.ai/catalog/standards/sist/e27cdc47-a096-40e1-a3af-8f964b0c99d6/osist-pren-4882-2021</p>						
95	Marking inspection				—	See EN 4700-001.
96	Dimensional inspection				—	See EN 4700-001.
98	Notes				—	^a Or $34 \leq \text{HRC} \leq 42$
99	Typical use				—	—

prEN 4882:2021 (E)

100	—	Product qualification	—	EN 4700-001 Qualification programme to be agreed between manufacturer and purchaser.
<p>iTeh STANDARD PREVIEW (standards.iteh.ai)</p> <p>oSIST prEN 4882:2021 https://standards.iteh.ai/catalog/standards/sist/e27cdc47-a096-40e1-a3af-8f964b0c99d6/osist-pren-4882-2021</p>				