

### SLOVENSKI STANDARD SIST EN IEC 61169-54:2021

01-december-2021

Nadomešča:

SIST EN 61169-54:2017

Radiofrekvenčni konektorji - 54. del: Področna specifikacija za koaksialne konektorje z notranjim premerom zunanjih vodnikov 10 mm in nazivno karakteristično impendanco 50 ohm, serija 4,3-10 (IEC 61169-54:2021)

Radio frequency connectors - Part 54: Sectional specification for coaxial connectors with 10 mm inner diameter of outer conductor, nominal characteristic impedance 50 Ohms. Series 4.3-10 (IEC 61169-54:2021) iTeh STANDARD PREVIEW

Hochfrequenz-Steckverbinder - Teil 54 Rahmenspezifikation für koaxiale HF-Steckverbinder mit 10 mm Innendurchmesser des Außenleiters, Wellenwiderstand 50 Ω, Typ 4,3-10 (IEC 61169-54:2021) SIST EN IEC 61169-54:2021

https://standards.iteh.ai/catalog/standards/sist/bec44b9f-1a73-4a33-aa3f-7a51d6bb00fc/sist-en-iec-61169-54-2021

Connecteurs pour fréquences radioélectriques - Partie 54: Spécification intermédiaire relative aux connecteurs coaxiaux avec diamètre intérieur du conducteur extérieur de 10 mm. impédance caractéristique nominale de 50 Ohms. série 4.3-10 (IEC 61169-54:2021)

Ta slovenski standard je istoveten z: EN IEC 61169-54:2021

ICS:

33.120.30 Radiofrekvenčni konektorji RF connectors

(RF)

SIST EN IEC 61169-54:2021 en SIST EN IEC 61169-54:2021

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN IEC 61169-54:2021

### EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

**EN IEC 61169-54** 

October 2021

ICS 33.120.30

Supersedes EN 61169-54:2016 and all of its amendments and corrigenda (if any)

#### **English Version**

Radio frequency connectors - Part 54: Sectional specification for coaxial connectors with 10 mm inner diameter of outer conductor, nominal characteristic impedance 50  $\Omega$ , Series 4,3-10 (IEC 61169-54:2021)

Connecteurs pour fréquences radioélectriques - Partie 54: Spécification intermédiaire relative aux connecteurs coaxiaux avec diamètre intérieur du conducteur extérieur de 10 mm, impédance caractéristique nominale 50  $\Omega$ , série 4,3-10 (IEC 61169-54:2021)

Hochfrequenz-Steckverbinder - Teil 54: Rahmenspezifikation für koaxiale HF-Steckverbinder mit 10 mm Innendurchmesser des Außenleiters, Wellenwiderstand 50  $\Omega$ , Typ 4,3-10 (IEC 61169-54:2021)

This European Standard was approved by CENELEC or 2021-10-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

SIST EN IEC 61169-54:2021

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

### EN IEC 61169-54:2021 (E)

### **European foreword**

The text of document 46F/574/FDIS, future edition 2 of IEC 61169-54, prepared by SC 46F "RF and microwave passive components" of IEC/TC 46 "Cables, wires, waveguides, RF connectors, RF and microwave passive components and accessories" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61169-54:2021.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2022-07-01 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2024-10-01 document have to be withdrawn

This document supersedes EN 61169-54:2016 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

## iTeh STEndorsement notice EVIEW (standards.iteh.ai)

The text of the International Standard IEC 61169-54:2021 was approved by CENELEC as a European Standard without any modification. https://standards.iteh.ai/catalog/standards/sist/bec44b9f-1a73-4a33-aa3f-7a51d6bb00fc/sist-en-iec-61169-54-2021

EN IEC 61169-54:2021 (E)

### **Annex ZA**

(normative)

### Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: <a href="www.cenelec.eu">www.cenelec.eu</a>.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 61169-1	2013	Radio-frequency connectors - Generic specification - requirements and measuring metho	General	2013
IEC 62037-1  2012 Passive RF and microwave devices EN 62037-1 intermodulation level measurement - Part  1: General requirements and measuring methods		2012		

SIST EN IEC 61169-54:2021

SIST EN IEC 61169-54:2021

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN IEC 61169-54:2021



### IEC 61169-54

Edition 2.0 2021-08

## INTERNATIONAL STANDARD

### NORME INTERNATIONALE

Radio-frequency donnectors ANDARD PREVIEW

Part 54: Sectional specification for coaxial connectors with 10 mm inner diameter of outer conductor, nominal characteristic impedance 50  $\Omega$ , series 4,3-10 SIST EN IEC 61169-542021

https://standards.iteh.ai/catalog/standards/sist/bec44b9f-1a73-4a33-aa3f-

Connecteurs pour fréquences radioélectriques 54-2021

Partie 54: Spécification intermédiaire relative aux connecteurs coaxiaux avec diamètre intérieur du conducteur extérieur de 10 mm, impédance caractéristique nominale 50  $\Omega$ , série 4,3-10

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 33.120.30 ISBN 978-2-8322-1014-5

Warning! Make sure that you obtained this publication from an authorized distributor. Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

### CONTENTS

F	OREWO	RD	4		
١N	ITRODU	CTION	6		
1	Scop	e	7		
2	Norm	ative references	7		
3	Term	s and definitions	7		
4		g face and gauge information			
·	4.1	Dimensions – General connectors – Grade 2			
	4.1.1	Connector with pin-centre contact (see Figure 1)			
	4.1.2	, , , , , , , , , , , , , , , , , , , ,			
	4.1.3				
	4.2	Gauges			
	4.2.1	Gauge pins for socket-centre contact (see Figure 6)			
	4.2.2	Test procedure	15		
	4.2.3	Gauge rings for plug outer contact (see Figure 7)	16		
	4.2.4	Test procedure	16		
	4.3	Dimensions – Standard test connectors – Grade 0	17		
	4.3.1	Connector with pin-centre contact (see Figure 8)			
	4.3.2	( 5 - 7			
5	Quali	ty assessment procedure (Standards.iteh.ai)	20		
	5.1	General	20		
	5.2	Ratings and characteristics FER FEC 61169-542021	21		
	5.3	Test schedule and inspectionate quirements bec44b9f-1a73-4a33-aa3f			
	5.3.1	Acceptance tests 151d6bb00fc/sist-en-iec-61169-54-2021	23		
	5.3.2	Periodic tests	24		
	5.4	Procedures for quality conformance	25		
	5.4.1	Quality conformance inspection	25		
	5.4.2	· · · · · · · · · · · · · · · · · ·			
	5.5	Test and measurement procedures			
	5.5.1	General			
	5.5.2	Schedule of basic test groupings for acceptance and periodic tests			
	5.6	Specifications			
	5.6.1	Specification structures			
	5.6.2				
	5.6.3				
	5.6.4	'			
	5.6.5	Blank detail specification pro-forma for 50 $\Omega$ type 4,3-10 connectors			
6	Mark	ng			
	6.1	Marking of component			
	6.2	Marking and contents of package	34		
Fi	gure 1 -	Connector with pin-centre contact (for dimensions and key, see Table 1)	8		
Figure 2 – Connector with socket-centre contact (for dimensions and key, see Table 2)10					
Figure 3 – Screw type					
	•	· Hand screw type			
	-	· Quick lock type			
	94.50	Quiet 1901 1900	т-т		

– 3 –

Figure 6 – Gauge pins for socket-centre contact (for dimensions, see Table 3)	15
Figure 7 – Gauge rings for socket outer contact (for dimensions see Table 4)	16
Figure 8 – Connector with pin-centre contact (for dimensions and key, see Table 5)	)17
Figure 9 – Connector with socket-centre contact (for dimensions and key, see Tabl	e 6)19
Table 1 – Dimensions of connector with pin-centre contact	0
Table 2 – Dimensions of connector with socket-centre contact	11
Table 3 – Dimensions of gauge pins for socket-centre contact	15
Table 4 – Dimensions of gauge rings for socket outer contact	16
Table 5 – Dimensions of connector with pin-centre contact	18
Table 6 – Dimensions of connector with socket-centre contact	20
Table 7 – Climatic categories	21
Table 8 – Ratings and characteristics	21
Table 9 – Acceptance tests	24
Table 10 – Periodic tests	25

## iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN IEC 61169-54:2021</u> https://standards.iteh.ai/catalog/standards/sist/bec44b9f-1a73-4a33-aa3f-7a51d6bb00fc/sist-en-iec-61169-54-2021

#### – 4 –

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

### **RADIO-FREQUENCY CONNECTORS -**

Part 54: Sectional specification for coaxial connectors with 10 mm inner diameter of outer conductor, nominal characteristic impedance 50  $\Omega$ , series 4,3-10

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61169-54 has been prepared by subcommittee 46F: RF and microwave passive components, of IEC technical committee 46: Cables, wires, waveguides, RF connectors, RF and microwave passive components and accessories. It is an International Standard.

This second edition cancels and replaces the first edition published in 2016. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) updated patent statement,
- b) Table 8: some values changed.

IEC 61169-54:2021 © IEC 2021

- 5 -

The text of this International Standard is based on the following documents:

FDIS	Report on voting
46F/574/FDIS	46F/577/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members\_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts of the IEC 61169 series, under the general title: Radio-frequency connectors, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed, iTeh STANDARD PREVIEW
- withdrawn.
- replaced by a revised edition, or and ards.iteh.ai)
- amended.

SIST EN IEC 61169-54:2021

IEC 61169-54:2021 © IEC 2021

### INTRODUCTION

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of a patent. IEC takes no position concerning the evidence, validity, and scope of this patent right.

The holder of this patent right has assured IEC that s/he is willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with IEC. Information may be obtained from the patent database available at http://patents.iec.ch.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those in the patent database. IEC shall not be held responsible for identifying any or all such patent rights.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN IEC 61169-54:2021</u> https://standards.iteh.ai/catalog/standards/sist/bec44b9f-1a73-4a33-aa3f-7a51d6bb00fc/sist-en-iec-61169-54-2021

**- 6 -**

IEC 61169-54:2021 © IEC 2021

**-7-**

### RADIO-FREQUENCY CONNECTORS -

Part 54: Sectional specification for coaxial connectors with 10 mm inner diameter of outer conductor, nominal characteristic impedance 50  $\Omega$ , series 4,3-10

### 1 Scope

This part of IEC 61169, which is a sectional specification (SS), provides information and rules for the preparation of detail specifications (DS) for coaxial connectors with 10 mm inner diameter of outer conductor, characteristic impedance 50  $\Omega$ , series 4,3-10 with screw type, hand screw type or quick-lock type coupling, for an upper operating frequency limit of 6 GHz, for use in wireless telecommunication and wireless network applications in conjunction with appropriate transmission line types for these applications.

It also describes mating face dimensions for general purpose connectors, gauging information and tests selected from IEC 61169-1, applicable to all detail specifications relating to 4.3-10 series connectors.

This specification indicates the recommended performance characteristics to be considered when writing a detail specification and it covers test schedules and inspection requirements for assessment levels M and H. (standards.iteh.ai)

### 2 Normative references

SIST EN IEC 61169-54:2021

https://standards.iteh.ai/catalog/standards/sist/bec44b9f-1a73-4a33-aa3f-

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61169-1:2013, Radio-frequency connectors – Part 1: Generic specification – General requirements and measuring methods

IEC 62037-1:2012, Passive RF and microwave devices, intermodulation level measurement – Part 1: General requirements and measuring methods

### 3 Terms and definitions

No terms and definitions are listed in this document.

### 4 Mating face and gauge information

#### 4.1 Dimensions - General connectors - Grade 2

### 4.1.1 Connector with pin-centre contact (see Figure 1)

Metric dimensions are original dimensions. All un-dimensioned pictorial configurations are for reference purpose only.