

SLOVENSKI STANDARD SIST EN ISO 15213-1:2023

01-maj-2023

Mikrobiologija v prehranski verigi - Horizontalna metoda za ugotavljanje prisotnosti in števila Clostridium spp. - 1. del: Preštevanje Clostridium spp., ki reducirajo sulfit, s tehniko štetja kolonij (ISO 15213-1:2023)

Microbiology of the food chain - Horizontal method for the detection and enumeration of Clostridium spp. - Part 1: Enumeration of sulfite-reducing Clostridium spp. by colony-count technique (ISO 15213-1:2023)

Mikrobiologie der Lebensmittelkette - Horizontales Verfahren zum Nachweis und zur Zählung von Clostridium spp. - Teil 1: Zählung von sulfitreduzierenden Clostridium spp. durch Koloniezählverfahren (ISO 15213-1:2023)

Microbiologie de la chaîne alimentaire - Méthode horizontale pour la recherche et le dénombrement de Clostridium spp. - Partie 1: Dénombrement des bactéries Clostridium spp. sulfito-réductices par la technique de comptage des colonies (ISO 15213-1:2023)

Ta slovenski standard je istoveten z: EN ISO 15213-1:2023

ICS:

07.100.30 Mikrobiologija živil Food microbiology

SIST EN ISO 15213-1:2023 en,fr,de

SIST EN ISO 15213-1:2023

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 15213-1:2023</u>

https://standards.iteh.ai/catalog/standards/sist/e3dacccd-0ed3-45ab-97cd-f6ead0cd52be/sist-en-iso-15213-1-2023

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 15213-1

February 2023

ICS 07.100.30

English Version

Microbiology of the food chain - Horizontal method for the detection and enumeration of Clostridium spp. - Part 1: Enumeration of sulfite-reducing Clostridium spp. by colony-count technique (ISO 15213-1:2023)

Microbiologie de la chaîne alimentaire - Méthode horizontale pour la recherche et le dénombrement de Clostridium spp. - Partie 1: Dénombrement des bactéries Clostridium spp. sulfito-réductices par la technique de comptage des colonies (ISO 15213-1:2023) Mikrobiologie der Lebensmittelkette - Horizontales Verfahren zum Nachweis und zur Zählung von Clostridium spp. - Teil 1: Zählung von sulfitreduzierenden Clostridium spp. durch Koloniezählverfahren (ISO 15213-1:2023)

This European Standard was approved by CEN on 24 December 2022.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
T	2
European foreword	

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 15213-1:2023</u> https://standards.iteh.ai/catalog/standards/sist/e3dacccd-0ed3-45ab-97cd-f6ead0cd52be/sist en-iso-15213-1-2023

European foreword

This document (EN ISO 15213-1:2023) has been prepared by Technical Committee ISO/TC 34 "Food products" in collaboration with Technical Committee CEN/TC 463 "Microbiology of the food chain" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2023, and conflicting national standards shall be withdrawn at the latest by August 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Endorsement notice

https://standards.iteh.ai/catalog/standards/sist/e3dacccd-0ed3-45ab-91/cd-16ead0cd52be/sist

The text of ISO 15213-1:2023 has been approved by CEN as EN ISO 15213-1:2023 without any modification.

SIST EN ISO 15213-1:2023

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 15213-1:2023</u>

https://standards.iteh.ai/catalog/standards/sist/e3dacccd-0ed3-45ab-97cd-f6ead0cd52be/sist-en-iso-15213-1-2023

SIST EN ISO 15213-1:2023

INTERNATIONAL STANDARD

ISO 15213-1

First edition 2023-01

Microbiology of the food chain — Horizontal method for the detection and enumeration of *Clostridium* spp. —

Part 1:

Enumeration of sulfite-reducing Clostridium spp. by colony-count statechnique (e. a.)

Microbiologie de la chaîne alimentaire — Méthode horizontale pour la recherche et le dénombrement de Clostridium spp. —

Partie 1: Dénombrement des bactéries Clostridium spp. sulfitoréductrices par la technique de comptage des colonies



iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 15213-1:2023
https://standards.iteh.ai/catalog/standards/sist/e3dacccd-0ed3-45ab-97cd-f6ead0cd52be/sist



COPYRIGHT PROTECTED DOCUMENT

© ISO 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Foreword	Con	tents	Page
1 Scope 1 2 Normative references 2 3 Terms and definitions 2 4 Principle 2 4.1 General 2 4.2 Preparation of dilutions 3 4.3 Enumeration 3 4.4 Confirmation 3 5 Culture media and reagents 3 6 Equipment and consumables 3 7 Sampling 4 8 Preparation of test sample 4 9 Procedure 5 9.1 General 5 9.2 Test portion, initial suspension and dilutions 5 9.3 Heat treatment to select spores 5 9.4 Inoculation and incubation 5 9.5 Enumeration of typical colonies 6 9.6 Confirmation of sulfite-reducing Clostridium spp. 6 10 Expression of results 7 11.1 Interlaboratory study 7 11.2 Performance characteristics 7 12	Forev	vord	iv
1 Scope 1 2 Normative references 2 3 Terms and definitions 2 4 Principle 2 4.1 General 2 4.2 Preparation of dilutions 3 4.3 Enumeration 3 4.4 Confirmation 3 5 Culture media and reagents 3 6 Equipment and consumables 3 7 Sampling 4 8 Preparation of test sample 4 9 Procedure 5 9.1 General 5 9.2 Test portion, initial suspension and dilutions 5 9.3 Heat treatment to select spores 5 9.4 Inoculation and incubation 5 9.5 Enumeration of typical colonies 6 9.6 Confirmation of sulfite-reducing Clostridium spp. 6 10 Expression of results 7 11.1 Interlaboratory study 7 11.2 Performance characteristics 7 12	Intro	duction	vi
2 Normative references 2 3 Terms and definitions 2 4 Principle 2 4.1 General 2 4.2 Preparation of dilutions 3 4.3 Enumeration 3 4.4 Confirmation 3 5 Culture media and reagents 3 6 Equipment and consumables 3 7 Sampling 4 8 Preparation of test sample 4 9 Procedure 5 9.1 General 5 9.2 Test portion, initial suspension and dilutions 5 9.3 Heat treatment to select spores 5 9.4 Inoculation and incubation 5 9.5 Enumeration of typical colonies 6 9.6 Confirmation of sulfite-reducing Clostridium spp. 6 10 Expression of results 7 11.1 Interlaboratory study. 7 11.2 Performance characteristics 7	_		
3 Terms and definitions 2 4 Principle 2 4.1 General 2 4.2 Preparation of dilutions 3 4.3 Enumeration 3 4.4 Confirmation 3 5 Culture media and reagents 3 6 Equipment and consumables 3 7 Sampling 4 8 Preparation of test sample 4 9 Procedure 5 9.1 General 5 9.2 Test portion, initial suspension and dilutions 5 9.2 Test portion, initial suspension and dilutions 5 9.3 Heat treatment to select spores 5 9.4 Inoculation and incubation 5 9.5 Enumeration of typical colonies 6 9.6 Confirmation of sulfite-reducing Clostridium spp. 6 10 Expression of results 7 11 Interlaboratory study 7 11.2 Performance characteristics 7 12 Test report 8	2	•	
4 Principle 2 4.1 General 2 4.2 Preparation of dilutions 3 4.3 Enumeration 3 5 Culture media and reagents 3 6 Equipment and consumables 3 7 Sampling 4 8 Preparation of test sample 4 9 Procedure 5 9.1 General 5 9.2 Test portion, initial suspension and dilutions 5 9.2 Test portion, initial suspension and dilutions 5 9.3 Heat treatment to select spores 5 9.4 Inoculation and incubation 5 9.5 Enumeration of typical colonies 6 9.6 Confirmation of sulfite-reducing Clostridium spp. 6 10 Expression of results 7 11 Validation of the method 7 11.1 Interlaboratory study. 7 11.2 Performance characteristics 7 12 Test report 8 13 Quality assurance			
4.1 General 2 4.2 Preparation of dilutions 3 4.3 Enumeration 3 4.4 Confirmation 3 5 Culture media and reagents 3 6 Equipment and consumables 3 7 Sampling 4 8 Preparation of test sample 4 9 Procedure 5 9.1 General 5 9.2 Test portion, initial suspension and dilutions 5 9.2 Test portion, initial suspension and dilutions 5 9.3 Heat treatment to select spores 5 9.4 Inoculation and incubation 5 9.5 Enumeration of typical colonies 6 9.6 Confirmation of sulfite-reducing Clostridium spp. 6 10 Expression of results 7 11 Validation of the method 7 11.1 Interlaboratory study 7 11.2 Performance characteristics 7 12 Test report 8 Annex A (normative) Flow diagram of the procedu			
4.2 Preparation of dilutions 4.3 Enumeration 3 4.4 Confirmation 3 5 Culture media and reagents 3 6 Equipment and consumables 3 7 Sampling 4 8 Preparation of test sample 9 Procedure 9.1 General 9.2 Test portion, initial suspension and dilutions 9.3 Heat treatment to select spores 9.4 Inoculation and incubation 9.5 Enumeration of typical colonies 9.6 Confirmation of sulfite-reducing Clostridium spp. 6 10 Expression of results 7 11 Validation of the method 7 11.1 Interlaboratory study 11.2 Performance characteristics 7 7 12 Test report 13 Quality assurance 14 Annex B (normative) Flow diagram of the procedure 9 Annex B (normative) Performance characteristics of the method 14 Annex D (informative) Special protocol for the enumeration of sulfite-reducing Clostridium spp. in feed	4		
4.4 Confirmation 3 5 Culture media and reagents 3 6 Equipment and consumables 3 7 Sampling 4 8 Preparation of test sample 4 9 Procedure 5 9.1 General 5 9.2 Test portion, initial suspension and dilutions 5 9.3 Heat treatment to select spores 5 9.4 Inoculation and incubation 5 9.5 Enumeration of typical colonies 6 9.6 Confirmation of sulfite-reducing Clostridium spp. 6 10 Expression of results 7 11.1 Interlaboratory study 7 11.2 Performance characteristics 7 12 Test report 8 13 Quality assurance 8 Annex A (normative) Flow diagram of the procedure 9 Annex B (normative) Culture media and reagents 11 Annex D (informative) Special protocol for the enumeration of sulfite-reducing Clostridium spp. in feed 17		4.2 Preparation of dilutions	3
5 Culture media and reagents 3 6 Equipment and consumables 3 7 Sampling 4 8 Preparation of test sample 9 9 Procedure 5 9.1 General 5 9.2 Test portion, initial suspension and dilutions 5 9.3 Heat treatment to select spores 5 9.4 Inoculation and incubation 5 9.5 Enumeration of typical colonies 6 9.6 Confirmation of sulfite-reducing Clostridium spp. 6 10 Expression of results 7 11 Validation of the method 7 11.1 Interlaboratory study 7 11.2 Performance characteristics 7 12 Test report 8 13 Quality assurance 8 14 Annex A (normative) Flow diagram of the procedure 9 15 Annex C (informative) Performance characteristics of the method 14 16 Annex D (informative) Special protocol for the enumeration of sulfite-reducing Clostridium spp. in feed 17			
6 Equipment and consumables 3 7 Sampling 4 8 Preparation of test sample 5 9.1 General 5 9.2 Test portion, initial suspension and dilutions 5 9.3 Heat treatment to select spores 5 9.4 Inoculation and incubation 5 9.5 Enumeration of typical colonies 6 9.6 Confirmation of sulfite-reducing Clostridium spp. 6 10 Expression of results 7 11 Validation of the method 7 11.1 Interlaboratory study 7 11.2 Performance characteristics 7 12 Test report 8 13 Quality assurance 8 13 Annex A (normative) Flow diagram of the procedure 9 14 Annex C (informative) Performance characteristics of the method 14 14 Annex D (informative) Special protocol for the enumeration of sulfite-reducing Clostridium spp. in feed 17			
7 Sampling 4 8 Preparation of test sample 5 9 Procedure 5 9.1 General 5 9.2 Test portion, initial suspension and dilutions 5 9.3 Heat treatment to select spores 5 9.4 Inoculation and incubation 5 9.5 Enumeration of typical colonies 6 9.6 Confirmation of sulfite-reducing Clostridium spp. 6 10 Expression of results 7 11 Validation of the method 7 11.1 Interlaboratory study 7 11.2 Performance characteristics 7 12 Test report 8 13 Quality assurance 8 13 Annex A (normative) Flow diagram of the procedure 9 14 Annex B (informative) Performance characteristics of the method 14 15 Annex C (informative) Special protocol for the enumeration of sulfite-reducing Clostridium spp. in feed 17	5	Culture media and reagents	3
8 Preparation of test sample	6	Equipment and consumables	3
9 Procedure 5 9.1 General 5 9.2 Test portion, initial suspension and dilutions 5 9.3 Heat treatment to select spores 5 9.4 Inoculation and incubation 5 9.5 Enumeration of typical colonies 6 9.6 Confirmation of sulfite-reducing Clostridium spp. 6 10 Expression of results 7 11 Validation of the method 7 11.1 Interlaboratory study 7 11.2 Performance characteristics 7 12 Test report 8 13 Quality assurance 8 Annex A (normative) Flow diagram of the procedure 9 Annex B (normative) Culture media and reagents 11 Annex C (informative) Performance characteristics of the method 14 Annex D (informative) Special protocol for the enumeration of sulfite-reducing Clostridium spp. in feed 17	7	Sampling	4
9.1 General 5 9.2 Test portion, initial suspension and dilutions 5 9.3 Heat treatment to select spores 5 9.4 Inoculation and incubation 5 9.5 Enumeration of typical colonies 6 9.6 Confirmation of sulfite-reducing Clostridium spp. 6 10 Expression of results 7 11 Validation of the method 7 11.1 Interlaboratory study 7 11.2 Performance characteristics 7 12 Test report 8 13 Quality assurance 8 14 Annex A (normative) Flow diagram of the procedure 9 15 Annex B (normative) Performance characteristics of the method 14 16 Annex D (informative) Special protocol for the enumeration of sulfite-reducing Clostridium spp. in feed 17	8	Preparation of test sample	4
9.2 Test portion, initial suspension and dilutions	9	Procedure	5
9.3 Heat treatment to select spores 9.4 Inoculation and incubation 5 9.5 Enumeration of typical colonies 6 9.6 Confirmation of sulfite-reducing Clostridium spp. 6 10 Expression of results 7 11 Interlaboratory study 7 11.1 Interlaboratory study 7 11.2 Performance characteristics 7 12 Test report 8 13 Quality assurance 8 Annex A (normative) Flow diagram of the procedure 9 Annex B (normative) Culture media and reagents 11 Annex C (informative) Performance characteristics of the method 14 Annex D (informative) Special protocol for the enumeration of sulfite-reducing Clostridium spp. in feed 17			
9.4 Inoculation and incubation		9.2 Test portion, initial suspension and dilutions	5
9.5 Enumeration of typical colonies 6 9.6 Confirmation of sulfite-reducing Clostridium spp. 6 10 Expression of results 7 11 ps Validation of the method and and sustained accorded 45ab-97cd-16cad 6cd 52bc/sist-7 11.1 Interlaboratory study 7 11.2 Performance characteristics 7 12 Test report 8 13 Quality assurance 8 Annex A (normative) Flow diagram of the procedure 9 Annex B (normative) Culture media and reagents 11 Annex C (informative) Performance characteristics of the method 14 Annex D (informative) Special protocol for the enumeration of sulfite-reducing Clostridium spp. in feed 17			
9.6 Confirmation of sulfite-reducing Clostridium spp. 6 10 Expression of results 7 11 Interlaboratory study 7 11.1 Interlaboratory study 7 11.2 Performance characteristics 7 12 Test report 8 13 Quality assurance 8 Annex A (normative) Flow diagram of the procedure 9 Annex B (normative) Culture media and reagents 11 Annex C (informative) Performance characteristics of the method 14 Annex D (informative) Special protocol for the enumeration of sulfite-reducing Clostridium spp. in feed 17			
11 tps Validation of the method landards/sist/e3dacccd-0ed3-45ab-97cd-f6ead0cd52be/sist-7 11.1 Interlaboratory study en iso 15213-12023			
11 tps Validation of the method landards/sist/e3dacccd-0ed3-45ab-97cd-f6ead0cd52be/sist-7 11.1 Interlaboratory study en iso 15213-12023	10	Expression of results	7
11.2 Performance characteristics 7 12 Test report 8 13 Quality assurance 8 Annex A (normative) Flow diagram of the procedure 9 Annex B (normative) Culture media and reagents 11 Annex C (informative) Performance characteristics of the method 14 Annex D (informative) Special protocol for the enumeration of sulfite-reducing Clostridium spp. in feed 17	11ttps		
12 Test report 8 13 Quality assurance 8 Annex A (normative) Flow diagram of the procedure 9 Annex B (normative) Culture media and reagents 11 Annex C (informative) Performance characteristics of the method 14 Annex D (informative) Special protocol for the enumeration of sulfite-reducing Clostridium spp. in feed 17			
13 Quality assurance 8 Annex A (normative) Flow diagram of the procedure 9 Annex B (normative) Culture media and reagents 11 Annex C (informative) Performance characteristics of the method 14 Annex D (informative) Special protocol for the enumeration of sulfite-reducing Clostridium spp. in feed 17		11.2 Performance characteristics	7
Annex A (normative) Flow diagram of the procedure 9 Annex B (normative) Culture media and reagents 11 Annex C (informative) Performance characteristics of the method 14 Annex D (informative) Special protocol for the enumeration of sulfite-reducing Clostridium spp. in feed 17	12	Test report	8
Annex B (normative) Culture media and reagents 11 Annex C (informative) Performance characteristics of the method 14 Annex D (informative) Special protocol for the enumeration of sulfite-reducing Clostridium spp. in feed 17	13	Quality assurance	8
Annex C (informative) Performance characteristics of the method	Anne	x A (normative) Flow diagram of the procedure	9
Annex D (informative) Special protocol for the enumeration of sulfite-reducing Clostridium spp. in feed	Anne	x B (normative) Culture media and reagents	11
Annex D (informative) Special protocol for the enumeration of sulfite-reducing Clostridium spp. in feed	Anne	x C (informative) Performance characteristics of the method	14
• •		x D (informative) Special protocol for the enumeration of sulfite-reducing	
	Dibli	••	

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 34, *Food products*, Subcommittee SC 9, *Microbiology*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 463, *Microbiology of the food chain*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This first edition of ISO 15213-1 cancels and replaces ISO 15213:2003, which has been technically revised.

The main changes are as follows:

- the Scope has been expanded to include samples from the primary production stage;
- the scope of the method has been changed from "sulfite-reducing bacteria" to "sulfite-reducing *Clostridium* spp.": therefore, typical colonies on the iron sulfite agar plates are confirmed;
- the concentration of sulfite in the iron sulfite agar has been reduced from 1.0 g/l to 0.5 g/l;
- the heat treatment of 10 min at 80 °C has been made optional, in the case of high background flora or for the enumeration of only spores of sulfite-reducing *Clostridium* spp. present in the sample;
- the option for using tubes for inoculation has been removed;
- the option for incubating the samples at 50 °C for the enumeration of thermophilic sulfite-reducing bacteria has been removed;
- a description of how the confirmation of typical colonies has to be performed has been added;
- the flow diagram in Annex A giving a short description of the procedure has been revised;
- in Annex C, the performance characteristics have been added;
- Annex D has been added to provide a special protocol for the enumeration of sulfite-reducing Clostridium spp. in feed.

A list of all parts in the ISO 15213 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 15213-1:2023
https://standards.iteh.ai/catalog/standards/sist/e3dacccd-0ed3-45ab-97cd-f6ead0cd52be/sist

Introduction

Sulfite-reducing *Clostridium* spp. are obligate anaerobic, Gram-positive, spore-forming, rod-shaped bacteria. The most important species which belong to this group are *Clostridium* (*C.*) *perfringens, C. bifermentans, C. sporogenes* and *C. botulinum*. Some species can cause foodborne illness. As ubiquitous bacteria they are predominantly found in nature. The *Clostridium* species inhabit soils and the intestinal tract of animals and humans.

Sulfite-reducing *Clostridium* spp., including *C. perfringens*, are widely used as microbial indicators of clostridial contamination in the manufacturing of foods (e.g. meat production). These have the capacity to produce heat-resistant spores. Outside the dairy industry, the use of sulfite-reducing *Clostridium* spp. as a microbial indicator is limited to a relatively small number of foods. Its current application in non-dairy foods is either an indication of faecal contamination (especially *C. perfringens*, see also ISO 15213-2 and ISO/TS 15213-3) and/or as an indicator of sanitation/process control related to potential growth and survival of anaerobic spore-forming bacteria.

This document describes the horizontal method for the enumeration of sulfite-reducing *Clostridium* spp. in food, feed, environmental samples and samples from the primary production stage. The method for the enumeration of *C. perfringens* is described in ISO 15213-2. The method for the detection of *C. perfringens* is described in ISO/TS 15213-3. These three parts are published as a series of International Standards because the methods are closely linked to each other. These methods are often conducted in association with each other in a laboratory, and the media and their performance characteristics can be similar.

The main technical changes listed in the Foreword, introduced in this document compared with ISO 15213:2003, are considered as major (see ISO 17468).

These changes have a major impact on the performance characteristics of the method.

https://standards.iteh.ai/catalog/standards/sist/e3dacccd-0ed3-45ab-97cd-f6ead0cd52be/sist