

# ETSI TS 122 101 V15.8.0 (2023-07)



**Universal Mobile Telecommunications System (UMTS);  
LTE;  
5G;  
Service aspects;  
Service principles  
(3GPP TS 22.101 version 15.8.0 Release 15)**



---

**Reference**

RTS/TSGS-0122101vf80

---

**Keywords**

5G,LTE,UMTS

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° w061004871

---

**Important notice**

The present document can be downloaded from:

<https://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at [www.etsi.org/deliver](http://www.etsi.org/deliver).

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://standards-portal.etsi.org/People/CommitteeSupportStaff.aspx> 4b62-962e-

If you find a security vulnerability in the present document, please report it through our  
Coordinated Vulnerability Disclosure Program:

<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

---

**Notice of disclaimer & limitation of liability**

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2023.  
All rights reserved.

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

# Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <https://webapp.etsi.org/key/queryform.asp>.

---

# Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# Contents

Intellectual Property Rights .....	2
Legal Notice .....	2
Modal verbs terminology.....	2
Foreword.....	8
1 Scope .....	9
2 References .....	9
2.1 Normative references .....	10
2.2 Informative references.....	11
3 Definitions and abbreviations.....	13
3.1 Definitions .....	13
3.2 Abbreviations .....	14
4 General .....	15
4.1 Aims of 3GPP specifications.....	15
4.2 Standardisation of Service Capabilities.....	15
4.2.1 Provision of service capabilities in shared networks .....	15
4.3 Efficient Use of Network Resources .....	15
4.3.1 Network Traffic Patterns .....	15
4.3.2 Mass Simultaneous Registration.....	16
4.3.3 Radio Interface.....	16
4.3.4 Real-time Resource Usage.....	16
4.3.5 Selected IP Traffic Offload (SIPTO) for PS Domain only .....	16
4.3.5.1 Common Requirements for SIPTO in the Mobile Operator Network and SIPTO at the Local Network.....	16
4.3.5.2 Requirements for SIPTO in the Mobile Operator Network .....	17
4.3.6 Paging policy selection for LTE .....	18
4.4 Compatibility with Global Standards .....	18
4.5 Void.....	18
4.6 Functionality of Serving Network and Home Environment.....	18
4.7 PLMN Architecture.....	19
4.8 Interworking Between PLMN and Wireless LANs.....	19
4.9 Network Sharing .....	19
4.10 The Evolved Packet System .....	19
4.11 User Data Convergence.....	19
4.11.1 Introduction.....	19
4.11.2 Management of user data.....	20
4.11.3 User Data Modelling.....	20
5 Evolution .....	21
5.1 Support of 2G services .....	21
5.2 Provision and evolution of services.....	21
6 Classification of services.....	22
7 Principles for new service capabilities .....	23
7.1 General .....	23
7.2 Multimedia .....	23
7.2.1 Circuit Switched (CS) multimedia calls.....	23
7.2.2 IP multimedia (IM) sessions .....	24
7.2.3 Multimedia Messaging Service (MMS).....	24
7.2.4 Real-Time Text Conversation.....	24
7.2.5 Packet Switched Streaming Service.....	25
7.3 Service Management Requirements .....	25
7.4 Automatic Device Detection .....	25
8 Service architecture .....	26

9	Quality of Service (QoS).....	27
10	Emergency Calls .....	28
10.1	General requirements .....	28
10.1.1	Identification of emergency numbers .....	29
10.1.2	Domains priority and selection for UE attempts to emergency call.....	30
10.1.2.1	Voice and GTT only.....	30
10.1.2.2	Other media.....	30
10.1.3	Call-Back Requirements .....	30
10.2	Emergency calls in the CS CN Domain .....	30
10.3	Emergency Calls in the PS CN Domain.....	31
10.4	Emergency calls in the IM CN subsystem.....	31
10.4.1	General.....	31
10.4.2	IMS Multimedia Emergency Sessions.....	31
10.4.2.1	General .....	31
10.4.2.2	UE Requirements .....	32
10.4.2.3	Originating Network Requirements .....	33
10.5	Void.....	34
10.6	Location Availability for Emergency Calls.....	34
10.7	Transfer of data during emergency calls .....	34
10.8	Supplementary service interaction during emergency calls .....	35
11	Numbering principles .....	36
11.1	Number portability .....	36
11.1.1	Requirements for CS CN domain .....	36
11.1.2	Requirements for PS CN domain.....	36
11.1.3	Requirements for IM CN subsystem.....	36
11.2	Evolution path .....	36
11.3	Void.....	37
11.4	Void.....	37
11.5	Void.....	37
11.6	Private numbering .....	37
11.7	Numbering schemes .....	37
11.7.1	Multiple numbering scheme .....	37
11.7.2	Single numbering scheme .....	37
11.7.3	Additional numbers.....	37
11.8	Optimal routing .....	37
11a	Identification Requirements .....	38
11a.1	Subscriber Identification .....	38
11a.2	Terminal Identification.....	38
11a.3	Home Environment / Serving Network Identification.....	38
11a.4	Serving Environment / Mobile Virtual Network Identification.....	38
12	Human Factors and user procedures .....	39
13	UICC, USIM and Terminal .....	40
13.1	The USIM/ISIM and User Profiles.....	40
13.1.1	The USIM .....	40
13.1.2	User Profiles .....	40
13.1.3	UICC usage in GERAN only Terminals.....	41
13.1.4	Multiple USIMs per UICC .....	41
13.1.5	The ISIM.....	41
13.2	The UICC .....	41
13.2.1	The UICC and Applications other than the USIM or ISIM .....	41
13.2.1a	UICC applications and IMS.....	42
13.2.2	Fast Access and Retrieval of Data from UICC .....	42
13.3	Terminals and Multiple UICCs .....	42
14	Types of features of UEs .....	43
15	Relationship between subscription and service delivery.....	44
15.1	Subscription.....	44
15.2	Other concepts associated with services.....	45

15.3	Requirements concerning service delivery .....	45
15.3.1	Mobile Originated Voice calls .....	46
15.3.2	Mobile Terminated Voice calls .....	46
16	Charging principles .....	47
17	Roaming .....	48
17.1	Assumptions .....	48
17.2	Principle .....	48
17.3	Requirements .....	48
18	Handover Requirements .....	50
19	Network Selection .....	51
20	Security .....	52
21	Voice Call Continuity .....	53
21.1	General .....	53
21.2	Support of Supplementary Services .....	53
21.2.1	Line Identification Services .....	53
21.2.2	All Call Forwardings .....	53
21.2.3	Call Waiting .....	54
21.2.4	Call Hold .....	54
21.2.5	Multiparty .....	54
21.2.6	All Call Barrings .....	54
21.2.7	Void .....	54
21.2.8	Void .....	54
21.2.9	All other Supplementary Services .....	54
21.3	Quality of Service .....	54
21.4	Security .....	54
21.5	Emergency calls .....	54
21.6	Charging .....	55
21.7	VCC Activation .....	55
22	IMS Centralized Services .....	56
22.1	General .....	56
22.2	Service Consistency .....	56
22.3	Service Continuity .....	56
22.4	IMS Services .....	56
22.5	Roaming Support .....	56
23	CS IP interconnection requirements .....	58
23.1	Introduction .....	58
23.2	IP interconnect .....	58
23.3	MSC server interconnect .....	58
24	Service Alignment & Migration .....	59
24.1	Introduction .....	59
24.2	Alignment of supplementary services settings .....	59
25	System optimisation for communication with specific characteristics .....	61
25.1	Void .....	61
25.2	Numbering Resource Efficiency .....	61
25.3	Network provided destination for uplink data .....	61
25.4	PS only subscriptions .....	61
26	Single Sign-On (SSO) Service .....	62
26.1	Requirements .....	62
26.1.1	Requirements for the UE .....	62
26.1.2	Requirements for a 3GPP SSO Service .....	62
27	User plane congestion management .....	63
27.1	Introduction .....	63
27.2	General .....	63
27.3	Prioritizing traffic .....	63

27.4	Reducing traffic.....	63
27.5	Void.....	64
28	RAN Sharing Enhancements.....	64
28.1	General.....	64
28.2	Specific E-UTRAN and NG-RAN Sharing requirements.....	64
28.2.1	Allocation of Shared E-UTRAN and NG-RAN resources.....	64
28.2.2	OA&M Access to the Shared E-UTRAN/NG-RAN.....	65
28.2.3	Generation and retrieval of usage and accounting information.....	65
28.2.4	MDT Collection.....	65
28.2.5	PWS support of Shared E-UTRAN/NG-RAN.....	65
28.2.6	Support for load balancing.....	66
28.2.7	Dynamic capacity negotiation.....	66
28.3	Specific GERAN & UTRAN Sharing Requirements.....	66
28.3.1	Allocation of Shared GERAN or UTRAN Resources.....	66
28.3.2	OA&M Access to the Shared GERAN or UTRAN.....	67
28.3.3	Generation and retrieval of usage and accounting information.....	67
28.3.4	MDT Collection.....	68
28.3.5	PWS support of Shared GERAN or UTRAN.....	68
28.3.6	Support for load balancing.....	68
28.3.7	Dynamic capacity negotiation.....	68
29	Service exposure with 3 <sup>rd</sup> party service providers.....	69
29.1	General.....	69
29.2	Exposed Services and capabilities.....	69
30	Flexible Mobile Service Steering.....	71
30.1	Introduction.....	71
30.2	General Requirements.....	71
31	Control of traffic from UE-based applications toward associated server.....	73
31.1	Description.....	73
31.2	Requirements.....	73
31.2.1	Control requirements.....	73
31.2.2	Requirements on awareness of third party server issue.....	73
32	3GPP enhancement for TV application support.....	73
32.1	Feature description.....	73
32.2	Requirements.....	74
32.2.1	General requirements.....	74
32.2.2	Requirement for transmission performance enhancement.....	74
32.2.3	Requirement for network flexibility.....	75
32.2.4	Requirement for TV application support.....	75
32.2.5	Requirement for RAN sharing.....	76
32.2.6	Requirement for wide area support.....	76
32.2.7	Requirement for capability exposure.....	76
32.2.8	Fixed reception for TV services.....	76
33	Usage over unlicensed access.....	77
33.1	Description.....	77
33.2	Requirements.....	77
34	Void.....	77
34.1	Void.....	77
34.2	Void.....	77
<b>Annex A (normative): Description of optional user equipment features.....</b>		<b>78</b>
A.1	Display of called number.....	78
A.2	Indication of call progress signals.....	78
A.3	Country/PLMN indication.....	78
A.4	Service Provider Name indication.....	78
A.4a	Core Network Operator Name indication.....	79
A.5	Keypad.....	79
A.6	Short message indication and acknowledgement.....	79

A.7	Short message overflow indication .....	79
A.8	International access function .....	80
A.9	Service Indicator (SI) .....	80
A.10	Dual Tone Multi Frequency (DTMF).....	80
A.11	On/Off switch.....	80
A.12	Sub-Address .....	80
A.13	Short Message Service Cell Broadcast.....	80
A.14	Short Message Service Cell Broadcast DRX.....	80
A.15	Support of the extended Short message cell broadcast channel .....	81
A.16	Network Identity and Timezone .....	81
A.17	Network's indication of alerting in the UE .....	81
A.18	Network initiated Mobile Originated (MO) connection.....	82
A.19	Abbreviated dialling .....	83
A.20	Barring of Dialed Numbers .....	83
A.21	DTMF control digits separator .....	84
A.22	Selection of directory number in messages .....	84
A.23	Last Numbers Dialed (LND).....	84
A.24	Service Dialling Numbers .....	84
A.25	Fixed number dialling .....	84
A.26	Message Waiting Indication .....	85
A.27	Transfer of eCall Minimum Set of Data (MSD).....	86
A.27.1	General Requirements .....	86
A.27.2	Requirements for the transfer of eCall MSD in a TS12 call.....	86
A.27.3	Requirements for the transfer of eCall data in an IMS emergency call.....	87
A.27.4	Interworking requirements .....	87
A.27.5	Domain selection.....	87
A.28	Requirements for "In Case of Emergency" (ICE) information.....	87
<b>Annex B (informative):</b>	<b>Additional number use case .....</b>	<b>90</b>
<b>Annex C (informative):</b>	<b>Change history .....</b>	<b>91</b>
History .....	<a href="https://standards.iteh.ai/catalog/standards/sist/74db63c3-d296-4b62-962e-4dc85461f9bb/etsi-ts-122-101-v15-8-0-2023-07">https://standards.iteh.ai/catalog/standards/sist/74db63c3-d296-4b62-962e-4dc85461f9bb/etsi-ts-122-101-v15-8-0-2023-07</a>	101

<https://standards.iteh.ai/catalog/standards/sist/74db63c3-d296-4b62-962e-4dc85461f9bb/etsi-ts-122-101-v15-8-0-2023-07>

---

# Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

iTeh STANDARD PREVIEW  
(standards.iteh.ai)

[ETSI TS 122 101 V15.8.0 \(2023-07\)](https://standards.iteh.ai/catalog/standards/sist/74db63e3-d296-4b62-962e-4dc85461f9bb/etsi-ts-122-101-v15-8-0-2023-07)

<https://standards.iteh.ai/catalog/standards/sist/74db63e3-d296-4b62-962e-4dc85461f9bb/etsi-ts-122-101-v15-8-0-2023-07>

---

# 1 Scope

This Technical Specification (TS) describes the Service Principles for PLMNs specified by 3GPP. Principles and requirements for interworking with WLAN are covered in TS 22.234 [35].

3GPP specifications provide integrated personal communications services. The system will support different applications ranging from narrow-band to wide-band communications capability with integrated personal and terminal mobility to meet the user and service requirements of the 21<sup>st</sup> century.

3GPP specifications allow the realisation of a new generation of mobile communications technology for a world in which personal communications services should allow person-to-person calling, independent of location, the terminal used, the means of transmission (wired or wireless) and the choice of technology. Personal communication services should be based on a combination of fixed and wireless/mobile services to form a seamless end-to-end service for the user.

3GPP specifications should be in compliance with the following objectives:

- a) to provide a single integrated system in which the user can access services in an easy to use and uniform way in all environments;
- b) to allow differentiation between service offerings of various serving networks and home environments;
- c) to provide a wide range of telecommunications services including those provided by fixed networks and requiring user bit rates of up to 100 Mbit/s as well as services special to mobile communications. These services should be supported in residential, public and office environments and in areas of diverse population densities. These services are provided with a quality comparable with that provided by fixed networks such as ISDN and fixed broadband Internet access;
- d) to provide services via hand held, portable, vehicular mounted, movable and fixed terminals (including those which normally operate connected to fixed networks), in all environments (in different service environments - residential, private domestic and different radio environments) provided that the terminal has the necessary capabilities;
- e) to provide support of roaming users by enabling users to access services provided by their home environment in the same way even when roaming.
- f) to provide audio, data, video and particularly multimedia services;
- g) to provide for the flexible introduction of telecommunication services;
- h) to provide within the residential environment the capability to enable a pedestrian user to access all services normally provided by fixed networks;
- i) to provide within the office environment the capability to enable a pedestrian user to access all services normally provided by PBXs and LANs;
- j) to provide a substitute for fixed networks in areas of diverse population densities, under conditions approved by the appropriate national or regional regulatory authority.
- k) to provide support for interfaces which allow the use of terminals normally connected to fixed networks.

---

# 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.

- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

## 2.1 Normative references

- [1] 3GPP TS 22.105 "Services and Service Capabilities"
- [2] Void
- [3] 3GPP TS 22.038: "(U)SIM Application Toolkit (USAT); Service description; Stage 1".
- [4] 3GPP TS 22.001: "Principles of Circuit telecommunication services supported by a Public Land Mobile Network (PLMN)".
- [5] 3GPP TS 22.004: "General on supplementary services"
- [6] 3GPP TS 22.030: "Man-Machine Interface (MMI) of the User Equipment (UE)"
- [7] 3GPP TS 22.066: "Support of Mobile Number Portability (MNP); Service description; Stage 1"
- [8] 3GPP TS 22.079: " Support of Optimal Routeing (SOR); Service definition; Stage 1".
- [9] 3GPP TS 22.129: "Handover Requirements between UTRAN and GERAN or other Radio Systems".
- [10] 3GPP TS 33.102: "Security Architecture".
- [11] 3GPP TS 22.011: "Service Accessibility".
- [12] 3GPP TS 22.016: "International mobile Station Equipment Identities (IMEI)".
- [13] 3GPP TS 24.008: "Mobile Radio Interface Layer 3 Specification".
- [14] 3GPP TS 22.003: "Circuit Teleservices supported by a Public Land Mobile Network (PLMN)".
- [15] 3GPP TS 21.133: "Security Threats and Requirements".
- [16] 3GPP TS 33.120: "Security Principles".
- [17] 3GPP TS 22.042: "Network Identity and Time Zone, Service Description, Stage 1".
- [18] 3GPP TS 42.009: "Security Aspects".
- [19] 3GPP TS 31.102: "USIM Application Characteristics".
- [20] 3GPP TS 23.221 "Architectural Requirements".
- [21] 3GPP TS 22.002: "Circuit Bearer Services (BS) supported by a Public Land Mobile Network (PLMN)".
- [22] 3GPP TS 22.060: "General Packet Radio Service (GPRS) ; Service description; Stage 1".
- [23] 3GPP TS 29.002: "Mobile Application Part (MAP) specification".
- [24] 3GPP TR 23.972: "Circuit switched multimedia telephony".
- [25] 3GPP TS 22.140: " Multimedia Messaging Service (MMS); Stage 1".
- [26] 3GPP TS 22.226: "Global Text Telephony, Stage 1".
- [27] 3GPP TS 22.228: " Service requirements for the Internet Protocol (IP) multimedia core network subsystem (IMS); Stage 1".
- [28] RFC 3261: "SIP: Session Initiation Protocol".
- [29] 3GPP TR 21.905: " Vocabulary for 3GPP Specifications".

- [30] 3GPP TS 26.233: "Packet Switched Streaming Service (PSS) ; General Description".
- [31] 3GPP TS 26.234: "Packet Switched Streaming Service (PSS) ; Protocols and Codecs".
- [32] 3GPP TR 22.934: "Feasibility study on 3GPP system to Wireless LAN (WLAN) interworking".
- [33] RFC 2486: "The Network Access Identifier".
- [34] 3GPP TS 51.011: "Specification of the Subscriber Identity Module - Mobile Equipment (SIM-ME) interface Release 4)".
- [35] 3GPP TS 22.234: "Requirements on 3GPP system to wireless local area network (WLAN) interworking".
- [36] 3GPP TS 31.101: "UICC-terminal interface; Physical and logical characteristics".
- [37] OMA Device Management V1.2 specifications
- [38] OMA Client Provisioning V1.1 specifications
- [39] void
- [40] 3GPP TS 22.173: " IP Multimedia Core Network Subsystem (IMS) Multimedia Telephony Service and supplementary services; Stage 1".
- [41] 3GPP TS 22.082: "Call Forwarding (CF) supplementary services - Stage 1".
- [42] 3GPP TS 22.278: "Service Requirements for the Evolved Packet System (EPS)".
- [44] 3GPP TS 22.071: "Location Services (LCS); Service description; Stage 1".
- [45] 3GPP TR 22.985: "Service requirement for the 3GPP User Data Convergence (UDC), Release 9".
- [46] EN 15722:2015 "Intelligent transport systems - eSafety - eCall minimum set of data (MSD)"
- [47] 3GPP TS 23.226: "Global text telephony (GTT); Stage 2"
- [48] 3GPP TS 22.220: " Service requirements for Home Node B (HNB) and Home eNode B (HeNB) ".
- [49] ETSI TS 181 019 V2.0.0 (2007-11): "Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN); Business Communication Requirements".
- [50] 3GPP TS 23.335: "User Data Convergence (UDC); Technical realization and information flows; stage 2".
- [51] OpenID Foundation: "OpenID Authentication 2.0", <http://openid.net/specs/openid-authentication-2.0.html>.
- [52] 3GPP TS 22.368: "Service requirements for Machine-Type Communications (MTC); Stage 1".
- [53] OMA Presence API: "OMA-TS-REST\_NetAPI\_Presence-V1\_0-20130212-C".
- [54] IETF RFC-5491: "GEOPRIV Presence Information Data Format Location Object (PIDF-LO) Usage Clarification, Considerations, and Recommendations".
- [55] IETF RFC-5139: "Revised Civic Location Format for Presence Information Data Format Location Object (PIDF-LO)".
- [56] 3GPP TS 23.032: "Universal Geographical Area Description (GAD)".
- [57] 3GPP TS 23.402: "Architecture enhancements for non-3GPP accesses".

## 2.2 Informative references

- [43] GSMA PRD IR.34: "Inter-Service Provider IP Backbone Guidelines"
- [58] ETSI TR 103.140 V1.1.1 (2014-04): "eCall for VoIP"

[59]

Void

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[ETSI TS 122 101 V15.8.0 \(2023-07\)](https://standards.iteh.ai/catalog/standards/sist/74db63c3-d296-4b62-962e-4dc85461f9bb/etsi-ts-122-101-v15-8-0-2023-07)

<https://standards.iteh.ai/catalog/standards/sist/74db63c3-d296-4b62-962e-4dc85461f9bb/etsi-ts-122-101-v15-8-0-2023-07>

## 3 Definitions and abbreviations

### 3.1 Definitions

For the purposes of the present document, the terms and definitions given in TR 21.905 [1] and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in TR 21.905 [1].

**3GPP SSO Authentication:** Authentication performed between an SSO-capable UE and 3GPP SSO Identity Provider using Operator-controlled credentials and without requiring user involvement.

**3GPP SSO Identity Provider:** An entity that maintains Operator-controlled identity and credential information for a user, performs 3GPP SSO Authentication, and asserts the user's identity to a Data Application Provider.

**3rd Party SSO Identity Provider:** An entity that maintains identity and credential information (that is not Operator-controlled) for a user, performs authentication, and asserts the user's identity to a Data Application Provider.

**Attended Data Traffic:** Data traffic of which the user is aware he/she initiated, e.g. based on the screen/keypad lock being deactivated, length of time since the UE last received any input from the user, known type of application (e.g. an application monitoring a user's health – "mHealth" – which may need its data always treated as Attended Data Traffic.)

**eCall:** A manually or automatically initiated emergency call (TS12 or IMS emergency call), from a vehicle, supplemented with a minimum set of emergency related data (MSD).

**Data Application Provider:** An entity that offers data application services to users (e.g., over the public Internet). The data applications can be browser or non-browser based services.

**Free-to-air (FTA) TV:** A TV service characterised by no content encryption and being made available at no additional cost to the end user.

**Free-to-view (FTV) TV:** A TV service characterised by optional content encryption and being made available at no additional cost to the end user.

**GERAN or UTRAN Sharing:** The sharing of GERAN or UTRAN among a number of operators.

**Hosting E-UTRAN Operator:** The Operator that has operational control of a Shared E-UTRAN. With regard to management of the Shared E-UTRAN the Hosting E-UTRAN Operator is a Master Operator [29].

**Hosting RAN:** The Shared RAN that is owned or controlled by the Hosting RAN Operator.

**Hosting RAN Operator:** The Operator that has operational control of a Shared NG-RAN, Shared E-UTRAN, Shared GERAN or UTRAN.

**IMS Centralized Services:** The provision of communication services wherein services and service control are based on IMS mechanisms and enablers, and support is provided for a diversity of access networks (including CS domain and IP based, wireless and wireline), and for service continuity between access networks.

**MSD:** The Minimum Set of Data [46] forming the data component of an eCall sent from a vehicle to a Public Safety Answering Point or other designated emergency call centre. The MSD has a maximum size of 140 bytes and includes, for example, vehicle identity, location information and time-stamp.

**NG-RAN:** A radio access network connecting to the 5G core network which uses NR, E-UTRA, or both.

**Participating Operator:** Authorized operator that is using Shared NG-RAN, Shared E-UTRAN, Shared GERAN or UTRAN resources provided by a Hosting RAN Operator.

**RAN user plane congestion:** The situation where the demand for RAN resources to transfer user data exceeds the available RAN capacity to deliver the user data for a significant period of time in the order of few seconds or longer.

**(S)Gi-LAN:** The network infrastructure connecting to 3GPP network over the SGi or Gi reference point that provides various IP-based services (e.g. NAT, antimalware, parental control, DDoS protection, video optimization).

**Shared E-UTRAN:** E-UTRAN that is shared among a number of operators.

**Shared RAN:** GERAN, UTRAN, E-UTRAN or NG-RAN that is shared among a number of operators.

**Shared GERAN or UTRAN:** GERAN or UTRAN that is shared among a number of operators.

**Shared NG-RAN:** NG-RAN that is shared among a number of operators.

**SSO Provider:** An entity that provides SSO Service. The SSO Provider enables a user to authenticate to an IdP and thereby to have their identity asserted to a DAP. Each data application, whether provided by different DAPs or the same DAP, may have its own policy regarding authentication. In the 3GPP SSO Service, the SSO Provider is the 3GPP Operator.

**SSO Service:** A service in which the user of a data application is authenticated once, and as a result of that authentication is provided with seamless and transparent access to multiple data applications offered by one or more Data Application Providers.

**SSO Local User Authentication:** Authentication performed by the UE that establishes the presence of the registered user of the data application by requiring input which only the registered user would be able to provide.

**Subscribed TV service:** A TV service which is characterised by requiring a subscription (to content owner, content provider, or MNO) in order to access the service.

**Unattended Data Traffic:** Data traffic of which the user is unaware he/she initiated, e.g. based on the screen/keypad lock being activated, length of time since the UE last received any input from the user, known type of app (e.g. an application monitoring a user's health – "mHealth" – may need its data never treated as Unattended Data Traffic.)

## 3.2 Abbreviations

For the purposes of the present document, the abbreviations given in TR 21.905 [1] and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in TR 21.905 [1].

DAP	Data Application Provider
IdP	Identity Provider
IVS	In Vehicle System (eCall terminal and associated sub-systems in vehicle)
ME	Mobile Equipment
OTT	Over The Top
PC	Personal Computer
SSO	Single Sign-On