



**SLOVENSKI STANDARD**  
**oSIST prEN 319 522-1 V1.2.0:2023**  
**01-december-2023**

---

**Elektronski podpisi in infrastruktura (ESI) - Storitve elektronske priporočene dostave - 1. del: Ogradje in arhitektura**

Electronic Signatures and Infrastructures (ESI) - Electronic Registered Delivery Services - Part 1: Framework and Architecture

iTeh Standards  
(<https://standards.iteh.ai>)

**Ta slovenski standard je istoveten z: ETSI EN 319 522-1 V1.2.0 (2023-10)**

---

[oSIST prEN 319 522-1 V1.2.0:2023](https://standards.iteh.ai/catalog/standards/sist/9d035d21-2114-4640-b7bb-d4d2dea0660b/osist-pren-319-522-1-v1-2-0-2023)

**ICS:**

35.040.01      Kodiranje informacij na splošno      Information coding in general

**oSIST prEN 319 522-1 V1.2.0:2023**      en



Draft **ETSI EN 319 522-1** V1.2.0 (2023-10)



**Electronic Signatures and Infrastructures (ESI);  
Electronic Registered Delivery Services;  
Part 1: Framework and Architecture**

**(<https://standards.iteh.ai>)  
Document Preview**

[oSIST prEN 319 522-1 V1.2.0:2023](https://standards.iteh.ai/catalog/standards/sist/9d035d21-2114-4640-b7bb-d4d2dea0660b/osist-pren-319-522-1-v1-2-0-2023)

<https://standards.iteh.ai/catalog/standards/sist/9d035d21-2114-4640-b7bb-d4d2dea0660b/osist-pren-319-522-1-v1-2-0-2023>

---

**Reference**

REN/ESI-0019522-1v121

---

**Keywords**e-delivery services, registered e-delivery services,  
registered electronic mail**ETSI**650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° w061004871

---

**Important notice**

The present document can be downloaded from:

<https://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at [www.etsi.org/deliver](http://www.etsi.org/deliver).

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

If you find a security vulnerability in the present document, please report it through our  
Coordinated Vulnerability Disclosure Program:

<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

---

**Notice of disclaimer & limitation of liability**

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2023.

All rights reserved.

# Contents

Intellectual Property Rights .....	4
Foreword.....	4
Modal verbs terminology.....	5
1 Scope .....	6
2 References .....	6
2.1 Normative references .....	6
2.2 Informative references.....	6
3 Definition of terms, symbols and abbreviations.....	7
3.1 Terms.....	7
3.2 Symbols.....	8
3.3 Abbreviations .....	8
4 ERDS logical model.....	8
4.1 Introduction .....	8
4.2 Black-box model .....	9
4.2.1 Functional viewpoint .....	9
4.2.2 Sequence viewpoint .....	10
4.3 4-corner model .....	11
4.3.1 Functional viewpoint .....	11
4.3.2 Sequence viewpoint .....	13
4.4 Extended model.....	14
4.4.1 Functional viewpoint .....	14
4.4.2 Sequence viewpoint .....	14
5 ERDS interfaces .....	16
6 ERDS events and evidence set.....	17
6.1 Overview .....	17
6.2 Events and their Proof.....	19
6.2.1 Overview .....	19
6.2.2 A. Events related to the submission.....	19
6.2.3 B. Events related to the relay between ERDSs .....	20
6.2.4 C. Events related to the acceptance/rejection by recipient.....	21
6.2.5 D. Events related to the consignment to Recipient .....	22
6.2.6 E. Events related to the handover to the recipient.....	23
6.2.7 F. Events related to connections with non ERD systems.....	23
<b>Annex A (informative): Change History .....</b>	<b>25</b>
History .....	26

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

# Foreword

This draft European Standard (EN) has been produced by ETSI Technical Committee Electronic Signatures and Infrastructures (ESI), and is now submitted for the combined Public Enquiry and Vote phase of the ETSI standards EN Approval Procedure.

The present document is part 1 of a multi-part deliverable covering the Electronic Registered Delivery Services, as identified below:

**Part 1: "Framework and Architecture";**

Part 2: "Semantic contents";

Part 3: "Formats";

Part 4: "Bindings":

Sub-part 1: "Message delivery bindings";

Sub-part 2: "Evidence and identification bindings";

Sub-part 3: "Capability/requirements bindings".

## Proposed national transposition dates

Date of latest announcement of this EN (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	6 months after doa

---

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

iTeh Standards  
(<https://standards.iteh.ai>)  
Document Preview

[oSIST prEN 319 522-1 V1.2.0:2023](#)

<https://standards.iteh.ai/catalog/standards/sist/9d035d21-2114-4640-b7bb-d4d2dea0660b/osist-pren-319-522-1-v1-2-0-2023>





## 3 Definition of terms, symbols and abbreviations

### 3.1 Terms

For the purposes of the present document, the following terms apply:

**Common Service Interface (CSI):** interface of a supporting system that can provide message routing, trust management, capability management, governance functions

**consignment:** act of making the user content available to the recipient, within the boundaries of the electronic registered delivery service

**Electronic Registered Delivery Service (ERDS):** electronic service that transmits data between a sender and recipients by electronic means, provides evidence relating to the handling of the transmitted data, including proof of sending and receiving the data, and that protects transmitted data against the risk of loss, theft, damage or any unauthorized alterations

NOTE: An electronic registered delivery service is provided by one ERDSP. ERDSPs can cooperate in transferring data from a sender to a recipient when they are subscribed to different ERDSPs (as detailed in 4-corner and extended models in clauses 4.3 and 4.4).

**Electronic Registered Delivery Service Provider (ERDSP):** entity which provides electronic registered delivery service

NOTE: It can be a Trust Service Provider as defined in Regulation (EU) No 910/2014 [i.1].

**ERD event:** relevant event in the electronic delivery process, which can be attested by an ERDS evidence

**ERD message:** data composed of an optional user content, ERDS relay metadata and zero or more ERDS evidence

**ERD User Agent/Application (ERD-UA):** system consisting of software and/or hardware components by which senders and recipients participate in the exchange of data with electronic registered delivery service providers

**ERDS evidence:** data generated by the electronic registered delivery service, which aims to prove that a certain event has occurred at a certain time

**ERDS handover metadata:** data related to the user content which is generated by the electronic registered delivery service and handed over to the ERD user agent/application

**ERDS Message and Evidence Retrieval Interface (ERDS MERI):** interface of electronic registered delivery service used by ERD user agent/application to retrieve user content and associated metadata

**ERDS Message Submission Interface (ERDS MSI):** interface used by the sender's ERD user agent/application to submit original messages to the sender's electronic registered delivery service

**ERDS Relay Interface (ERDS RI):** interface that supports ERD message relay between different electronic registered delivery services

**ERDS relay metadata:** data related to the user content which is generated by the electronic registered delivery service for the purpose of relaying to another electronic registered delivery service

**ERD-UA Message and Evidence Push Interface (ERD-UA MEPI):** interface of ERD-UA used by ERDS to push data

**handover:** act of having the user content successfully cross the border of the recipient's electronic registered delivery service towards the recipient's ERD user agent/application

**original message:** data including user content and submission metadata

**recipient:** natural or legal person to which the user content is addressed

**sender:** natural or legal person that has submitted the user content

**submission metadata:** data submitted to the electronic registered delivery service together with the user content

**user content:** original data produced by the sender which has to be delivered to the recipient

## 3.2 Symbols

Void.

## 3.3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

CSI	Common Service Interface
DNS	Domain Name System
ERD	Electronic Registered Delivery
ERDS	Electronic Registered Delivery Service
ERDS MERI	ERDS Message and Evidence Retrieval Interface
ERDS MSI	ERDS Message Submission Interface
ERDS RI	ERDS Relay Interface
ERDSP	Electronic Registered Delivery Service Provider
ERD-UA	Electronic Registered Delivery User Agent/Application
ERD-UA MEPI	ERD-UA Message and Evidence Push Interface
ERP	Enterprise Resource Planning
I-ERDS	Intermediate ERDS
R-ERDS	Recipient's ERDS
SAML	Security Assertion Markup Language
S-ERDS	Sender's ERDS
WSDL	Web Services Description Language

---

## 4 ERDS logical model

### 4.1 Introduction

An ERDS provides evidence about events that happen during the transfer of data between parties (e.g. evidence that the data has been delivered to the recipient), similar to well-known physical postal services for paper-based documents, such as "registered mail" and/or "return receipt". This evidence can be used to prove to third parties, if needed also in legal proceedings, that the transaction took place at the time and between the parties as indicated in the evidence. The legal requirements to an ERDS and the evidence it needs to support can vary across different domains.

An **ERDS evidence** is an **attestation** provided by an ERDS **that a specific event** related to the process of transferring some specific data between the sender and recipient (for instance, the submission of a message, the delivery of a message, the refusal of a message) **happened at a certain time**. An ERDS evidence can be immediately delivered to the sender/recipient or can be kept in a repository for later access by interested parties. It is common practice to implement ERDS evidence as digitally signed data. The concept of ERDS evidence can be assimilated to non-repudiation tokens defined in ISO/IEC 13888 [i.2], [i.3] and [i.4], with many specificities as illustrated in clause 6. Secure and reliable delivery to a recipient requires that the recipient is uniquely identified. The present document also covers the unique identification of the sender (which is a requirement, for instance, for enforcing legal accountability), even if in some cases his identity is not disclosed to the recipient. Unique identification can be achieved by one unique identifier or by a collection of attributes that together uniquely identify the actor. An important purpose of the present document is to support ERDS delivery between senders and recipients that are natural or legal persons; however, in principle any uniquely identified entity (system, service, function, etc.) that can be addressed through an ERDS can be a sender or recipient. The present document also addresses delegation, i.e. the capability of a sender or a recipient to delegate a different entity to act on their behalf. An ERDS can rely on external, trusted parties for authentication.