

ETSI TS 138 523-1 V17.3.0 (2023-07)



**LTE;
5G;
5GS;
User Equipment (UE) conformance specification;
Part 1: Protocol
(3GPP TS 38.523-1 version 17.3.0 Release 17)**



Reference

RTS/TSGR-0538523-1vh30

Keywords

5G,LTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:

<https://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://standards.iteh.ai/> <https://portal.etsi.org/People/CommitteeSupportStaff.aspx> ETSI-1341ac8560cd@etsi.org

If you find a security vulnerability in the present document, please report it through our

Coordinated Vulnerability Disclosure Program:

<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2023.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by the ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <https://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document **"shall"**, **"shall not"**, **"should"**, **"should not"**, **"may"**, **"need not"**, **"will"**, **"will not"**, **"can"** and **"cannot"** are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and **"must not"** are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	29
1 Scope	31
2 References	31
3 Definitions, symbols and abbreviations	33
3.1 Definitions	33
3.2 Symbols.....	33
3.3 Abbreviations	33
4 Overview	34
4.1 Test methodology	34
4.1.1 Testing of optional functions and procedures	34
4.1.2 Test interfaces and facilities.....	34
4.2 Implicit testing.....	34
4.3 Repetition of tests	34
4.4 Handling of differences between conformance requirements in different releases of core specifications.....	34
5 Reference conditions, generic and test procedures, test parameters.....	35
5.1 Reference conditions	35
5.2 Generic and test procedures.....	35
5.3 Test parameters	35
5.3.1 PLMNs.....	35
5.3.2 Cells	35
5.3.3 USIM	36
5.3.4 Messages and Information Elements (IEs)	36
6 Idle mode and RRC Inactive state operations	36
6.1 NR idle mode operations.....	36
6.1.1 NG-RAN Only PLMN Selection.....	36
6.1.1.1 PLMN selection of RPLMN, HPLMN/EHPLMN, UPLMN and OPLMN / Automatic mode	36
6.1.1.2 PLMN selection of "Other PLMN/access technology combinations" / Automatic mode	44
6.1.1.3 Cell reselection of ePLMN in manual mode	49
6.1.1.4 PLMN selection in shared network environment / Automatic mode	52
6.1.1.4a PLMN selection in shared network environment / Automatic mode / Cells broadcasting multiple PLMN IDs with unique TAC's, RAN areas, and cell identities	58
6.1.1.5 PLMN selection of RPLMN, HPLMN/EHPLMN, UPLMN and OPLMN / Automatic mode / User reselection.....	60
6.1.1.6 PLMN selection / Periodic reselection / MinimumPeriodicSearchTimer	65
6.1.1.7 PLMN selection of RPLMN or (E)HPLMN; Automatic mode	68
6.1.1.8 PLMN selection of RPLMN or (E)HPLMN; Manual mode	71
6.1.2 NG-RAN Only Cell Selection	74
6.1.2.1 Cell selection / Qrxlevmin & Cell reselection (Intra NR)	74
6.1.2.2 Cell selection / Qqualmin / Intra NR / Serving cell becomes non-suitable (Srxlev > 0, Squal < 0)	84
6.1.2.3 Cell selection / Intra NR / Serving cell becomes non-suitable (S<0, MIB Indicated barred).....	93
6.1.2.3a Intra frequency reselection not allowed	98
6.1.2.4 Cell reselection for interband operation	101
6.1.2.5 Cell reselection for interband operation using Pcompensation / Between FDD and TDD	105
6.1.2.6 Void.....	109
6.1.2.7 Cell reselection / Equivalent PLMN	109
6.1.2.8 Cell reselection / Equivalent PLMN / Single Frequency operation	113
6.1.2.9 Cell reselection using Qhyt, Qoffset and Treselection	116

6.1.2.10	Void.....	123
6.1.2.11	Area Specific SIBs using systemInformationAreaID.....	123
6.1.2.12	Cell reselection using cell status and cell reservations / cellReservedForOtherUse	129
6.1.2.13	Cell reselection using cell status and cell reservations / Access Identity 0, 1, 2 and 12 to 14 – cellReservedForOperatorUse	133
6.1.2.14	Cell reselection using cell status and cell reservations / Access Identity 11 or 15 - cellReservedForOperatorUse	135
6.1.2.15	Cell reselection in shared network environment	138
6.1.2.15a	Cell reselection in shared network environment / Cells broadcasting multiple PLMN IDs with unique TAC's, RAN areas, and cell identities	142
6.1.2.16	Inter-frequency cell reselection (equal priority).....	144
6.1.2.17	Cell reselection / Cell-specific reselection parameters provided by the network in a neighbouring cell list.....	145
6.1.2.18	Cell reselection, Sintrasearch, Snonintrasearch.....	148
6.1.2.19	Speed-dependent cell reselection	154
6.1.2.20	Inter-frequency cell reselection according to cell reselection priority provided by SIBs.....	159
6.1.2.21	Cell reselection, SintraSearchQ and SnonIntraSearchQ	164
6.1.2.22	Inter-frequency cell reselection based on common priority information with parameters ThreshX, HighQ, ThreshX, LowQ and ThreshServing, LowQ	174
6.1.2.23	Cell reselection / MFBI.....	182
6.1.2.24	Slice-based cell reselection / Reselection priorities provided by SIB16	189
6.1.2.25	Slice-based cell reselection / Re-derive reselection priority for frequency	194
6.1.2.26	Cell Selection / RedCap	199
6.1.2.27	Cell reselection / inter-frequency / RedCap	204
6.2	Multi-mode environment.....	207
6.2.1	Inter-RAT PLMN selection	207
6.2.1.1	Inter-RAT PLMN Selection / Selection of correct RAT for OPLMN / Automatic mode.....	207
6.2.1.2	Inter-RAT PLMN Selection / Selection of correct RAT for UPLMN / Automatic mode.....	210
6.2.1.3	Inter-RAT PLMN Selection / Selection of correct PLMN and RAT in shared network environment / Automatic mode.....	213
6.2.1.4	Inter-RAT PLMN Selection / Selection of correct RAT from the OPLMN list / Manual mode	217
6.2.1.5	Inter-RAT Background HPLMN Search / Search for correct RAT for HPLMN / Automatic Mode	220
6.2.2	Inter-RAT Cell Selection	224
6.2.2.1	Inter-RAT cell selection / From NR RRC_IDLE to EUTRA_Idle / Serving cell becomes non- suitable	224
6.2.2.2	Inter-RAT cell selection / From E-UTRA_Idle to NR RRC_IDLE / Serving cell becomes non- suitable	232
6.2.3	Inter-RAT Cell Reselection	239
6.2.3.1	Inter-RAT cell reselection / From E-UTRA_IDLE to NR RRC_IDLE (lower priority & higher priority, Srxlev based).....	239
6.2.3.2	Inter-RAT cell reselection / From E-UTRA_IDLE to NR RRC_IDLE (lower priority & higher priority, Squal based)	247
6.2.3.3	Inter-RAT cell reselection / From NR RRC_IDLE to E-UTRA_IDLE (lower priority & higher priority, Srxlev based).....	256
6.2.3.4	Inter-RAT cell reselection / From NR RRC_IDLE to E-UTRA_IDLE (lower priority & higher priority, Squal based)	262
6.2.3.5	Inter-RAT cell reselection / From NR RRC_IDLE to E-UTRA_IDLE according to RAT priority provided by dedicated signalling (RRCRelease).....	269
6.2.3.6	Inter-RAT cell reselection / From E-UTRA_IDLE to NR RRC_IDLE according to RAT priority provided by dedicated signalling (RRCConnRelease).....	277
6.2.3.7	Inter-RAT cell reselection / From NR RRC_IDLE to E-UTRA RRC_IDLE, Snonintrasearch.	283
6.2.3.8	Inter-RAT cell reselection / From E-UTRA RRC_IDLE to NR RRC_IDLE, Snonintrasearch	287
6.2.3.9	Void.....	293
6.2.3.10	Inter-RAT cell reselection / From E-UTRA_IDLE to NR RRC_IDLE / schedulingInfoList- v12j0	293
6.2.3.11	Inter-RAT cell reselection / From E-UTRA_IDLE to NR RRC_IDLE / schedulingInfoListExt- r12	302
6.3	5GS Steering of Roaming.....	310
6.3.1	Steering of Roaming	310
6.3.1.1	Steering of UE in roaming during registration/security check successful using List Type 1.....	310

6.3.1.2	Steering of UE in roaming during registration/security check successful but SOR Transparent container indicates ACK has been NOT been requested.....	316
6.3.1.3	Steering of UE in roaming during registration/security check unsuccessful/Automatic mode ..	322
6.3.1.4	Steering of UE in roaming during registration/security check unsuccessful/Manual mode.....	326
6.3.1.5	Steering of UE in roaming during registration/UE configured to receive Steering of Roaming information but does not receive Steering of Roaming from Network	330
6.3.1.6	Void.....	335
6.3.1.7	Steering of UE in roaming during registration/security check unsuccessful but emergency service pending to be activated.....	335
6.3.1.8	Steering of UE in roaming after registration/Automatic PLMN selection mode	340
6.3.1.9	Steering of UE in roaming after registration/Manual PLMN selection mode	344
6.3.1.10	Steering of UE in roaming during mobility update registration	348
6.3.2	Steering of Roaming with using SOR-CMCI	352
6.3.2.1	Steering of UE in roaming after registration / SOR-CMCI rule / DNN of the PDU session / DL NAS transport	352
6.3.2.2	Steering of UE in roaming after registration / SOR-CMCI rule / MMTEL voice call / DL NAS transport	363
6.3.2.3	Steering of UE in roaming after registration / SOR-CMCI rule / match all / DL NAS transport	374
6.3.2.4	Steering of UE in roaming after registration / SOR-CMCI rule / DNN of the PDU session / update Tso-cm Timer / DL NAS transport	385
6.3.2.5	Steering of UE in roaming after registration / SOR-CMCI rule / DNN of the PDU session / store SOR-CMCI in ME / DL NAS transport.....	397
6.3.2.6	Steering of UE in roaming after registration / SOR-CMCI rule / match all / Emergency call / DL NAS transport	410
6.4	UE Procedures in RRC_INACTIVE state.....	424
6.4.1	NG-RAN Only PLMN Selection in RRC_INACTIVE state	424
6.4.1.1	PLMN Selection/Higher priority/HPLMN in Automatic PLMN Selection Mode.....	424
6.4.1.2	Cell reselection of ePLMN in manual mode	432
6.4.2	Cell Selection/Qrxlevmin & Cell Reselection (Intra NR in RRC_INACTIVE state).....	439
6.4.2.1	Cell Selection/Qrxlevmin & Cell Reselection (Intra NR in RRC_INACTIVE state)	439
6.4.2.2	Inter-frequency cell reselection to cell reselection priority provided by SIBs in RRC_INACTIVE state.....	447
6.4.2.3	Slice-based cell reselection in RRC_INACTIVE state / Reselection priorities provided by SIB16	453
6.4.3	Inter-RAT Cell Reselection	458
6.4.3.1	Inter-RAT cell reselection From NR RRC_INACTIVE to E-UTRA RRC_IDLE (lower priority & higher priority, Srxlev based).....	458
6.5	SNPN and CAG Selection.....	465
6.5.1	SNPN Only Selection	465
6.5.1.1	SNPN Selection in Manual Mode	465
6.5.1.2	SNPN Selection in Automatic Mode.....	468
6.5.1.3	SNPN / User Reselection in Automatic Mode	471
6.5.2	CAG (Closed Access Group).....	474
6.5.2.1	CAG Selection in Manual Mode.....	474
6.5.2.2	CAG Selection in Automatic Mode	479
6.5.2.3	CAG / Limited Service / No Suitable cell	486
6.5.2.4	CAG / cell reselection / Within allowed CAG / non-CAG cell to CAG cell	491
6.5.2.5	Void.....	498
6.5.2.6	CAG / cell reservation.....	498
6.6	NR unlicensed idle mode operations	506
6.6.1	NR unlicensed cell selection.....	506
6.6.1.1	Cell selection / next strongest cell / Intra frequency reselection not allowed.....	506
6.6.2	NR unlicensed cell reselection.....	509
6.6.2.1	Cell reselection / next best cell / Intra frequency	509
6.6.2.2	Cell reselection / next best cell not suitable / inter frequency	512
6.6.2.3	Cell reselection / next best cell / intra frequency / RRC Inactive.....	516
6.6.2.4	Cell reselection / next best cell not suitable / inter frequency / RRC Inactive	521
7	Layer 2.....	526
7.1	NR Layer 2.....	526
7.1.0	Common test case specific values for Layer 2.....	526

7.1.1	MAC	526
7.1.1.0	Default Pre-Test Conditions for all MAC test cases	526
7.1.1.1	Random Access Procedures	528
7.1.1.1.1	Correct selection of RACH parameters / Random access preamble and PRACH resource explicitly signalled to the UE by RRC / contention free random access procedure	528
7.1.1.1.1a	Correct selection of RACH parameters / Random access preamble and PRACH resource explicitly signalled to the UE by PDCCH Order / contention free random access procedure	536
7.1.1.1.2	Random access procedure / Successful / C-RNTI Based / Preamble selected by MAC itself	543
7.1.1.1.3	Random access procedure / Successful / SI request	558
7.1.1.1.4	Random access procedure / Successful / Beam Failure / Preamble selected by MAC itself / Non Contention Free RACH procedure	567
7.1.1.1.5	Random access procedure / Successful / Supplementary Uplink	582
7.1.1.1.6	Random access procedure / Successful/ Temporary C-RNTI Based / Preamble selected by MAC itself	587
7.1.1.1.7	Random access procedure / 2-step RACH / RA_TYPE selection	600
7.1.1.1.8	Correct selection of RACH parameters / 2-step RACH/MSG4 and PRACH resource explicitly signalled to the UE by RRC / contention free random access procedure	607
7.1.1.1.9	Random access procedure / Successful / 2-step RACH/C-RNTI Based / Preamble selected by MAC itself	618
7.1.1.1.9a	Random access procedure / 2-step RACH / Successful / RRC_IDLE	632
7.1.1.1.10	Random access procedure / 2-step RACH/not complete/ RA_TYPE to 4-stepRA	636
7.1.1.1.10a	Random access procedure / 2-step RACH/ Fallback for CBRA	643
7.1.1.1.11	Random access procedure / Successful/ Slice specific RACH configuration	649
7.1.1.1.12	Random access procedure / Successful/ ra-PrioritizationForSlicing	653
7.1.1.1.13	Random access procedure / Successful / Slice specific RACH configuration / 2-step RACH	659
7.1.1.1.14	Random access procedure / Successful/ ra-PrioritizationForSlicingTwoStep / 2-step RACH	665
7.1.1.1.15	Random access procedure / RedCap UE / SI request	673
7.1.1.1.16	Random access procedure / RedCap UE identification / Msg3-based / CCCH1	676
7.1.1.1.17	Random access procedure / RedCap UE identification	678
7.1.1.1.18	Random access procedure / Msg3 repetition indication / Random access resources selection	684
7.1.1.2	Downlink Data Transfer	685
7.1.1.2.1	Correct Handling of DL MAC PDU / Assignment / HARQ process	685
7.1.1.2.2	Correct Handling of DL HARQ process PDSCH Aggregation	695
7.1.1.2.3	Correct HARQ process handling / CCCH	701
7.1.1.2.4	Correct HARQ process handling / BCCH	705
7.1.1.2.5	Correct HARQ process handling / DL grant prioritization	708
7.1.1.2.6	Correct Handling of DL MAC PDU / Assignment / HARQ process	709
7.1.1.3	Uplink Data Transfer	715
7.1.1.3.1	Correct Handling of UL MAC PDU / Assignment / HARQ process	715
7.1.1.3.2	Logical channel prioritization handling	725
7.1.1.3.2b	Logical channel prioritization handling with Mapping restrictions	728
7.1.1.3.3	Correct handling of MAC control information / Scheduling requests	736
7.1.1.3.4	Correct handling of MAC control information / Buffer status / UL data arrive in the UE Tx buffer / Regular BSR	740
7.1.1.3.5	Correct handling of MAC control information / Buffer Status / UL resources are allocated / Padding BSR	749
7.1.1.3.6	Correct handling of MAC control information / Buffer status / Periodic BSR timer expires	756
7.1.1.3.7	UE power headroom reporting / Periodic reporting / DL pathloss change reporting	762
7.1.1.3.8	UE power headroom reporting / SCell activation / DL pathloss change reporting	769
7.1.1.3.8.1	UE power headroom reporting / SCell activation / DL pathloss change reporting/ Intra-band Contiguous CA	769
7.1.1.3.8.2	UE power headroom reporting / SCell activation / DL pathloss change reporting / Inter-band CA	777
7.1.1.3.8.3	UE power headroom reporting / SCell activation / DL pathloss change reporting / Intra-band non-Contiguous CA	778

7.1.1.3.9	Correct Handling of UL HARQ process / PUSCH Repetition Type A / PUSCH Aggregation	778
7.1.1.3.10	Correct Handling of HARQ process / Multiple CORESETPoolIndex	785
7.1.1.3.11	Correct handling of UL grant prioritization.....	787
7.1.1.3.12	Correct Handling of UL HARQ process / PUSCH Repetition Type B	794
7.1.1.3.13	Logical channel prioritization handling with Mapping restrictions / physical layer priority	804
7.1.1.3.14	Correct Handling of UL HARQ process / PUSCH Repetition Type A enhancement	809
7.1.1.3.14.1	Correct Handling of UL HARQ process / PUSCH Repetition Type A enhancement / Increased maximum repetition number / dynamic grant.....	809
7.1.1.3.14.2	Correct Handling of UL HARQ process / PUSCH Repetition Type A enhancement / Increased maximum repetition number / configured grant	816
7.1.1.3.14.3	Correct Handling of UL HARQ process / PUSCH Repetition Type A enhancement / repetition based on available slots / dynamic grant.....	825
7.1.1.3.14.4	Correct Handling of UL HARQ process / PUSCH Repetition Type A enhancement / repetition based on available slots / configured grant.....	832
7.1.1.3.15	Correct Handling of UL HARQ process / TBoMS procedure.....	841
7.1.1.3.15.1	Correct Handling of UL HARQ process / TBoMS procedure / DG and CG based transmission.....	841
7.1.1.3.15.2	Correct <i>Handling</i> of UL HARQ process / TBoMS procedure / Repetition of TBoMS.....	849
7.1.1.3.16	Correct Handling of UL grant / DRB configured with survival time	859
7.1.1.3.16.1	Correct Handling of UL grant / DRB configured with survival time / Split DRB	859
7.1.1.3.16.2	Correct Handling of UL grant / DRB configured with survival time / MCG or SCG DRB / Intra-band contiguous CA.....	861
7.1.1.3.16.3	Correct Handling of UL grant / DRB configured with survival time / MCG or SCG DRB / Intra-band non-contiguous CA.....	864
7.1.1.3.16.4	Correct Handling of UL grant / DRB configured with survival time / MCG or SCG DRB / Inter-band CA	864
7.1.1.4	Transport Size Selection	865
7.1.1.4.1	DL-SCH Transport Block Size Selection	865
7.1.1.4.1.0	Common parameters for DL-SCH Transport Block Size Selection.....	865
7.1.1.4.1.1	DL-SCH Transport Block Size selection / DCI format 1_0.....	865
7.1.1.4.1.2	Void	874
7.1.1.4.1.3	DL-SCH transport block size selection / DCI format 1_1 / RA type 0/RA Type 1 / 2 Codewords enabled.....	874
7.1.1.4.1.4	DL-SCH transport block size selection / DCI format 1_1 / RA type 0/RA Type 1 / 2 Codewords enabled / 256QAM.....	886
7.1.1.4.1.5	DL-SCH transport block size selection / DCI format 1_2	897
7.1.1.4.2	UL-SCH Transport Block Size Selection	909
7.1.1.4.2.0	Common parameters for UL-SCH Transport Block Size Selection.....	909
7.1.1.4.2.1	UL-SCH Transport Block Size selection / DCI format 0_0 / Transform precoding disabled	910
7.1.1.4.2.2	Void	921
7.1.1.4.2.3	UL-SCH transport block size selection / DCI format 0_1 / RA type 0/RA Type 1 / Transform precoding disabled	921
7.1.1.4.2.4	UL-SCH transport block size selection / DCI format 0_1 / RA type 0/RA Type 1 / 256QAM / Transform precoding disabled	937
7.1.1.4.2.5	UL-SCH Transport Block Size selection / DCI format 0_0 / Transform precoding and 64QAM	953
7.1.1.4.2.6	UL-SCH Transport Block Size selection / DCI format 0_2.....	964
7.1.1.4.2.7	UL-SCH Transport Block Size selection / TBoMS procedure	980
7.1.1.5	Discontinuous reception	991
7.1.1.5.0	DRX Common Definitions	991
7.1.1.5.1	DRX operation / Short cycle not configured / Parameters configured by RRC	991
7.1.1.5.2	DRX operation / Short cycle not configured / Long DRX command MAC control element reception	996
7.1.1.5.3	DRX operation / Short cycle configured / Parameters configured by RRC	1001
7.1.1.5.4	DRX operation / Short cycle configured / DRX command MAC control element reception	1004
7.1.1.5.5	DRX operation / Short cycle configured / Long DRX command MAC control element reception	1010
7.1.1.6	Semi-Persistent Scheduling.....	1014
7.1.1.6.1	Correct handling of DL assignment / Semi-persistent case	1014

7.1.1.6.2	Correct handling of UL grant / configured grant Type 1	1021
7.1.1.6.3	Correct handling of UL grant / configured grant Type 2	1031
7.1.1.6.4	Correct handling of DL assignment / Multi Semi-persistent configuration	1040
7.1.1.6.5	Correct handling of UL grant / Multi configured uplink grants	1047
7.1.1.7	Activation/Deactivation of SCells	1057
7.1.1.7.1	Activation/Deactivation of SCells / Activation/Deactivation MAC control element reception / sCellDeactivationTimer	1057
7.1.1.7.1.1	Activation/Deactivation of SCells / Activation/Deactivation MAC control element reception / sCellDeactivationTimer / Intra-band Contiguous CA	1057
7.1.1.7.1.2	Activation/Deactivation of SCells / Activation/Deactivation MAC control element reception / sCellDeactivationTimer / Inter-Band CA	1063
7.1.1.7.1.3	Activation/Deactivation of SCells / Activation/Deactivation MAC control element reception / sCellDeactivationTimer / Intra-band non-Contiguous CA	1063
7.1.1.8	Bandwidth Part (BWP) operation	1063
7.1.1.8.1	Bandwidth Part (BWP) operation UL/DL	1063
7.1.1.8.2	1085	
7.1.1.8.3	Separate BWP / IDLE / RedCap	1085
7.1.1.9	MAC Reconfiguration and Reset	1091
7.1.1.9.1	MAC Reset	1091
7.1.1.10	Other Procedures	1096
7.1.1.10.1	DataInactivityTimer expiry	1096
7.1.1.10.2	Recommended Bit Rate	1098
7.1.1.11	NR Dual Connectivity	1101
7.1.1.11.1	DC power headroom reporting / PSCell activation and DL pathloss change reporting	1101
7.1.1.12	UE power saving	1107
7.1.1.12.1	Void	1107
7.1.1.12.2	Void	1107
7.1.1.12.3	DRX adaptation / UE wakeup indication	1107
7.1.1.12.4	DRX adaptation / SCell dormancy indication	1117
7.1.1.12.4.1	DRX adaptation / SCell dormancy indication / Intra-band Contiguous CA	1117
7.1.1.12.4.2	DRX adaptation / SCell dormancy indication / Intra-band non Contiguous CA	1127
7.1.1.12.4.3	DRX adaptation / SCell dormancy indication / Inter-band CA	1127
7.1.1.13	Small Data Transmission (SDT)	1127
7.1.1.13.1	RA Based SDT / 2-step RACH / Successful	1127
7.1.1.13.2	RA Based SDT / 4-step RACH / Successful	1133
7.1.1.13.3	RA Based SDT / 2-step RACH / not complete / RA_TYPE to 4-stepRA	1139
7.1.1.13.4	RA Based SDT / 4-step RA based SDT / Time Alignment Timer expiry	1143
7.1.1.13.5	RA Based SDT / CG Based SDT/ cg-SDT-TimeAlignmentTimer	1148
7.1.2	RLC	1157
7.1.2.1	Default Pre-Test Conditions for all RLC test cases	1157
7.1.2.1.1	Default Pre-Test Conditions for AM RLC test cases	1157
7.1.2.1.2	Default Pre-Test Conditions for UM RLC test cases	1158
7.1.2.2	RLC Unacknowledged mode	1159
7.1.2.2.1	UM RLC / Segmentation and reassembly / 6-bit SN / Segmentation Info (SI) field	1159
7.1.2.2.2	UM RLC / Segmentation and reassembly / 12-bit SN / Segmentation Info (SI) field	1163
7.1.2.2.3	UM RLC / 6-bit SN / Correct use of sequence numbering	1165
7.1.2.2.4	UM RLC / 12-bit SN / Correct use of sequence numbering	1168
7.1.2.2.5	UM RLC / Receive Window operation and t-Reassembly expiry	1172
7.1.2.2.6	UM RLC / RLC re-establishment procedure	1176
7.1.2.3	RLC Acknowledged Mode	1181
7.1.2.3.1	AM RLC / 12-bit SN / Segmentation and reassembly / Segmentation Info (SI) field	1181
7.1.2.3.2	AM RLC / 18-bit SN / Segmentation and reassembly / Segmentation Info (SI) field	1184
7.1.2.3.3	AM RLC / 12-bit SN / Correct use of sequence numbering	1186
7.1.2.3.4	AM RLC / 18-bit SN / Correct use of sequence numbering	1190
7.1.2.3.5	AM RLC / 12-bit SN / Control of transmit window / Control of receive window	1191
7.1.2.3.5a	AM RLC / 18-bit SN / Control of transmit window / Control of receive window	1194
7.1.2.3.6	AM RLC / Polling for status	1195
7.1.2.3.7	AM RLC / Receiver status triggers	1200
7.1.2.3.8	AM RLC / Reconfiguration of RLC parameters by upper layers	1205
7.1.2.3.9	AM RLC / Reassembling of AMD PDUs	1210
7.1.2.3.10	AM RLC / Re-transmission of RLC PDU with and without re-segmentation	1218
7.1.2.3.11	AM RLC / RLC re-establishment procedure	1225

7.1.3	PDCP	1231
7.1.3.0	Default Pre-Test Conditions for all PDCP test cases	1231
7.1.3.1	Maintenance of PDCP sequence numbers for radio bearers	1232
7.1.3.1.1	Maintenance of PDCP sequence numbers / User plane / 12 bit SN	1232
7.1.3.1.2	Maintenance of PDCP sequence numbers / User plane / 18 bit SN	1236
7.1.3.2	PDCP integrity protection	1237
7.1.3.2.1	Integrity protection / Correct functionality of integrity algorithm SNOW3G / SRB / DRB	1237
7.1.3.2.2	Integrity protection / Correct functionality of integrity algorithm AES / SRB / DRB	1244
7.1.3.2.3	Integrity protection / Correct functionality of integrity algorithm ZUC / SRB / DRB	1245
7.1.3.3	PDCP Ciphering and deciphering	1246
7.1.3.3.1	Ciphering and deciphering / Correct functionality of encryption algorithm SNOW3G / SRB / DRB	1246
7.1.3.3.2	Ciphering and deciphering / Correct functionality of encryption algorithm AES / SRB / DRB	1250
7.1.3.3.3	Ciphering and deciphering / Correct functionality of encryption algorithm ZUC / SRB / DRB	1251
7.1.3.4	PDCP Handover	1252
7.1.3.4.1	PDCP handover / Lossless handover / PDCP sequence number maintenance / PDCP status report to convey the information on missing or acknowledged PDCP SDUs at handover / In- order delivery and duplicate elimination in the downlink	1252
7.1.3.4.2	PDCP handover / Non-lossless handover / PDCP sequence number maintenance	1261
7.1.3.4.3	PDCP handover / DAPS handover / Status reporting / Intra-frequency	1264
7.1.3.4.4	PDCP handover / DAPS handover / Status reporting / Inter-frequency	1272
7.1.3.5	PDCP other	1273
7.1.3.5.1	PDCP Discard	1273
7.1.3.5.2	PDCP Uplink Routing / Split DRB	1275
7.1.3.5.3	PDCP Data Recovery	1279
7.1.3.5.4	PDCP reordering / Maximum re-ordering delay below t-Reordering / t-Reordering timer operations	1285
7.1.3.5.5	PDCP Duplication	1290
7.1.3.5.6	PDCP Duplication / 3 RLC entities	1295
7.1.3.5.6.1	PDCP Duplication / 3 RLC entities / Intra-band Contiguous CA	1295
7.1.3.5.6.2	PDCP Duplication / 3 RLC entities / Intra-band non-Contiguous CA	1303
7.1.3.5.7	Ethernet header compression and decompression / Correct functionality of ethernet header compression and decompression	1303
7.1.3.6	PDCP UDC	1306
7.1.3.6.1	PDCP UDC / No dictionary	1306
7.1.3.6.2	PDCP UDC / Pre-defined dictionary	1309
7.1.3.6.3	PDCP UDC / checksum error / Reset	1311
7.1.3.6.4	PDCP UDC/ Handover/ Intra-frequency	1312
7.1.3.6.5	PDCP UDC/ Handover/ Inter-frequency	1318
7.1.3.6.6	PDCP UDC/ RRC resume	1319
7.1.3.6.7	PDCP UDC/ RRC reestablishment	1327
7.1.3.6.8	PDCP UDC/ PSCell addition / SCG DRB with UDC configuration/ NR-DC	1333
7.1.3.6.9	PDCP UDC/ PSCell addition / SCG DRB with UDC configuration/ NE-DC	1336
7.1.4	SDAP	1341
7.1.4.1	SDAP Data Transfer and PDU Header Handling UL/DL	1341
7.1.4.2	SDAP Data Transfer handling without Header UL/DL	1350
8	RRC	1357
8.1	NR RRC	1357
8.1.1	RRC connection management procedures	1357
8.1.1.1	Paging	1357
8.1.1.1.1	RRC / Paging for connection / Multiple paging records	1357
8.1.1.1.2	RRC / Paging for connection / Shared network environment	1361
8.1.1.1a	Paging Early Indication and Subgrouping	1367
8.1.1.1a.1	Paging Early Indication with Subgrouping / RRC_IDLE / lastUsedCellOnly not configured / Subgroup ID selection	1367
8.1.1.1a.2	Paging Early Indication with Subgrouping / RRC_INACTIVE / lastUsedCellOnly configured	1372
8.1.1.1a.3	Paging Early Indication without Subgrouping / RRC_IDLE	1376

8.1.1.2	RRC connection establishment	1381
8.1.1.2.1	RRC connection establishment / Return to idle state after T300 expiry / connEstFailOffsetValidity / T300 expired.....	1381
8.1.1.2.2	Void.....	1386
8.1.1.2.3	RRC connection establishment / RRC Reject with wait time.....	1386
8.1.1.2.4	RRC connection establishment / Extended and spare fields in SI	1388
8.1.1.3	RRC release.....	1392
8.1.1.3.1	RRC connection release / Redirection to another NR frequency.....	1392
8.1.1.3.2	RRC connection release / Redirection from NR to E-UTRA	1395
8.1.1.3.3	RRC connection release / Success / With priority information / T320 expiry.....	1398
8.1.1.3.4	RRC connection release / Success / With priority information / T320 expiry / E-UTRA ..	1408
8.1.1.3.5	Void.....	1416
8.1.1.3.6	Void.....	1416
8.1.1.3.7	RRC connection release / Success / Deprioritisation / Frequency / T325 expiry	1416
8.1.1.3.7a	RRC connection release / Success / Deprioritisation / NR / T325 expiry	1418
8.1.1.3.7b	RRC connection release / Success / Deprioritisation / Deletion of Stored deprioritisation request	1420
8.1.1.3.8	RRC connection release / Redirection to another NR frequency / MPS Priority Indication.....	1423
8.1.1.4	RRC resume	1425
8.1.1.4.1	RRC resume / Suspend-Resume / RNA update / Success / Short message for SI update ..	1425
8.1.1.4.2	RRC resume / Suspend-Resume / RRC setup / T319 expiry.....	1435
8.1.1.4.3	Void.....	1440
8.1.1.4.4	RRC resume / Suspend-Resume / RRC reconfiguration / Active MCG SCell addition / Intra- band Contiguous CA	1440
8.1.1.4.5	RRC resume / Suspend-Resume / RRC reconfiguration / Active MCG SCell addition / Intra- band non-Contiguous CA	1442
8.1.1.4.6	RRC resume / Suspend-Resume / RRC reconfiguration / Active MCG SCell addition / Inter- band CA.....	1443
8.1.1.4.7	RRC resume / Suspend-Resume / RRC reconfiguration / Active SCG SCell addition / Intra- band Contiguous CA	1443
8.1.1.4.8	RRC resume / Suspend-Resume / RRC reconfiguration / Active SCG SCell addition / Intra- band non-Contiguous CA	1446
8.1.1.4.9	RRC resume / Suspend-Resume / RRC reconfiguration / Active SCG SCell addition / Inter- band CA.....	1446
8.1.2	RRC reconfiguration.....	1447
8.1.2.1	Radio bearer establishment / reconfiguration / release.....	1447
8.1.2.1.1	RRC reconfiguration / DRB / SRB / Establishment / Modification / Release / Success	1447
8.1.2.1.2	RRC reconfiguration / RRC bearer establishment / uplinkTxDirectCurrentList	1454
8.1.2.1.3	Void.....	1457
8.1.2.1.4	RRC reconfiguration / Dedicated RLF timer.....	1457
8.1.2.1.5	NR CA / RRC reconfiguration / SCell addition / modification / release / Success	1460
8.1.2.1.5.1	NR CA / RRC reconfiguration / SCell addition / modification / release / Success / Intra- band Contiguous CA.....	1460
8.1.2.1.5.2	NR CA / RRC reconfiguration / SCell addition / modification / release / Success / Inter- band CA	1463
8.1.2.1.5.3	NR CA / RRC reconfiguration / SCell addition / modification / release / Success / Intra- band non-contiguous CA	1464
8.1.2.1.5.4	NR CA / RRC reconfiguration / SCell addition / modification / release / Success / Active MCG SCell addition / Intra-band Contiguous CA	1464
8.1.2.1.5.5	NR CA / RRC reconfiguration / SCell addition / modification / release / Success / Active MCG SCell addition / Intra-band non-contiguous CA.....	1468
8.1.2.1.5.6	NR CA / RRC reconfiguration / SCell addition / modification / release / Success / Active MCG SCell addition / Inter-band CA	1469
8.1.2.1.6	RRC reconfiguration/ MUSIM / MUSIM- gap / Addition / Modification / Release	1469
8.1.3	Measurement configuration control and reporting.....	1475
8.1.3.1	Intra NR measurements.....	1475
8.1.3.1.1	Measurement configuration control and reporting / Intra NR measurements / Event A1 / Event A2	1475
8.1.3.1.2	Measurement configuration control and reporting / Event A3 / Measurement of Neighbour NR cell / Intra-frequency measurements	1485

8.1.3.1.3	Measurement configuration control and reporting / Event A3 / Measurement of Neighbour NR cell / Inter-frequency measurements	1492
8.1.3.1.4	Measurement configuration control and reporting / Event A3 / Measurement of Neighbour NR cell / Inter-band measurements	1494
8.1.3.1.5	Measurement configuration control and reporting / Event A4 / Measurement of Neighbour NR cell / Intra-frequency measurements	1496
8.1.3.1.6	Measurement configuration control and reporting / Event A4 / Measurement of Neighbour NR cell / Inter-frequency measurements	1505
8.1.3.1.7	Measurement configuration control and reporting / Event A4 / Measurement of Neighbour NR cell / Inter-band measurements	1507
8.1.3.1.8	Measurement configuration control and reporting / Event A5 / Measurement of Neighbour NR cell / Intra-frequency measurements	1509
8.1.3.1.9	Measurement configuration control and reporting / Event A5 / Measurement of Neighbour NR cell / Inter-frequency measurements	1517
8.1.3.1.10	Measurement configuration control and reporting / Event A5 / Measurement of Neighbour NR cell / Inter-band measurements	1519
8.1.3.1.11	Measurement configuration control and reporting / Intra NR measurements / Two simultaneous events A3 (intra and inter-frequency measurements) / RSRQ based measurements	1522
8.1.3.1.12	Measurement configuration control and reporting / Intra NR measurements / Two simultaneous events A5 (intra and inter-frequency measurements) / SINR based measurements	1530
8.1.3.1.13	Measurement configuration control and reporting / SS/PBCH block based / CSI-RS based intra-frequency measurements / Measurement of Neighbour NR cell.....	1539
8.1.3.1.14	Void.....	1556
8.1.3.1.14A	Measurement configuration control and reporting / SS/PBCH block based / CSI-RS based inter-frequency measurements / Measurement of Neighbour NR cell.....	1556
8.1.3.1.15	Void.....	1561
8.1.3.1.15A	Measurement configuration control and reporting / Intra NR measurements / Exclude-listing	1561
8.1.3.1.16	Measurement configuration control and reporting / Intra NR measurements / Allow-listing	1573
8.1.3.1.17	NR CA / Measurement configuration control and reporting / Intra NR measurements / Event A6	1582
8.1.3.1.17.1	NR CA / Measurement configuration control and reporting / Intra NR measurements / Event A6 / Intra-band Contiguous CA.....	1582
8.1.3.1.17.2	NR CA / Measurement configuration control and reporting / Intra NR measurements / Event A6 / Inter-band CA	1592
8.1.3.1.17.3	NR CA / Measurement configuration control and reporting / Intra NR measurements / Event A6 / Intra-band non Contiguous CA.....	1593
8.1.3.1.18	NR CA / Measurement configuration control and reporting / Intra NR measurements / Additional measurement reporting	1594
8.1.3.1.18.1	NR CA / Measurement configuration control and reporting / Intra NR measurements / Additional measurement reporting / Intra-band Contiguous CA	1594
8.1.3.1.18.2	NR CA / Measurement configuration control and reporting / Intra NR measurements / Additional measurement reporting / Inter-band CA	1604
8.1.3.1.18.3	NR CA / Measurement configuration control and reporting / Intra NR measurements / Additional measurement reporting / Intra-band non Contiguous CA	1606
8.1.3.1.19	Measurement configuration control and reporting / Inter-frequency measurements/ SFTD	1606
8.1.3.1.20	Measurement configuration control and reporting / Measurement Gaps / gapFR1	1612
8.1.3.1.21	Measurement configuration control and reporting / Measurement Gaps / gapFR2	1619
8.1.3.1.22	Void.....	1626
8.1.3.1.23	Measurement configuration control and reporting / Intra NR measurements / Periodic reporting / Continuation of the measurements after RRC Resume.....	1626
8.1.3.2	Inter-RAT measurements	1633
8.1.3.2.1	Measurement configuration control and reporting / Inter-RAT measurements / Event B1 / Measurement of E-UTRA cells	1633
8.1.3.2.2	Measurement configuration control and reporting / Inter-RAT measurements / Event B2 / Measurement of E-UTRA cells	1641
8.1.3.2.3	Measurement configuration control and reporting / Inter-RAT measurements / Event B2 / Measurement of E-UTRA cells / RSRQ based measurements	1650

8.1.3.2.4	Measurement configuration control and reporting / Inter-RAT measurements / Event B2 / Measurement of E-UTRA cells / SINR based measurements	1659
8.1.3.2.5	Void	1667
8.1.3.2.6	Measurement configuration control and reporting / Inter-RAT measurements / Event B1 / NR to UTRA	1667
8.1.3.2.7	Measurement configuration control and reporting / Inter-RAT measurements / Event B2 / NR to UTRA	1673
8.1.3.2.8	Measurement configuration control and reporting / Inter-RAT measurements / Periodic reporting / NR to UTRA	1681
8.1.3.3	Measurement for self-optimized networks	1687
8.1.3.3.1	Measurement configuration control and reporting / CGI reporting of NR cell	1687
8.1.3.3.2	Measurement configuration control and reporting / CGI reporting of E-UTRA cell	1698
8.1.3.4	Void	1709
8.1.4	Handover	1709
8.1.4.1	Intra NR handover	1709
8.1.4.1.1	Void	1709
8.1.4.1.2	Intra NR handover / Success / Inter-frequency	1709
8.1.4.1.3	Void	1724
8.1.4.1.4	Void	1724
8.1.4.1.5	Intra NR handover / Failure / Re-establishment successful	1724
8.1.4.1.6	Intra NR handover / Failure / Re-establishment failure	1729
8.1.4.1.7	NR CA / Intra NR handover / Success / PCell Change and SCell addition / SCell release	1734
8.1.4.1.7.1	NR CA / Intra NR handover / Success / PCell Change and SCell addition / SCell release / Intra-band Contiguous CA	1734
8.1.4.1.7.2	NR CA / Intra NR handover / Success / PCell Change and SCell addition / SCell release / Inter-band CA	1739
8.1.4.1.7.3	NR CA / Intra NR handover / Success / PCell Change and SCell addition / SCell release / Intra-band non-contiguous CA	1740
8.1.4.1.8	NR CA / Intra NR handover / Success / PCell Change / SCell no Change	1740
8.1.4.1.8.1	NR CA / Intra NR handover / Success / PCell Change / SCell no Change / Intra-band Contiguous CA	1740
8.1.4.1.8.2	NR CA / Intra NR handover / Success / PCell Change / SCell no Change / Inter-band CA	1745
8.1.4.1.8.3	NR CA / Intra NR handover / Success / PCell Change / SCell no Change / Intra-band non-contiguous CA	1745
8.1.4.1.9	NR CA / Intra NR handover / Failure / Re-establishment successful	1746
8.1.4.1.9.1	NR CA / Intra NR handover / Failure / Re-establishment successful / Intra-band Contiguous CA	1746
8.1.4.1.9.2	NR CA / Intra NR handover / Failure / Re-establishment successful / Inter-band CA	1756
8.1.4.1.9.3	NR CA / Intra NR handover / Failure / Re-establishment successful / Intra-band non-contiguous CA	1757
8.1.4.1.10	eCall Only mode / Intra NR handover / Success / Inter-frequency	1757
8.1.4.2	Inter-RAT handover	1766
8.1.4.2.1	Inter-RAT handover from NR	1766
8.1.4.2.1.1	Inter-RAT handover / From NR to E-UTRA / Success	1766
8.1.4.2.1.2	Inter-RAT handover / From NR to EN-DC / Success	1771
8.1.4.2.2	Inter-RAT handover to NR	1778
8.1.4.2.2.1	Inter-RAT handover / From E-UTRA to NR / Success	1778
8.1.4.3	DAPS handover	1782
8.1.4.3.1	DAPS handover with key change / Success / Intra-frequency	1782
8.1.4.3.2	DAPS handover / HO Failure and source link available / HO Success and RLF in source / Intra-frequency	1792
8.1.4.3.3	1805	
8.1.4.3.4	DAPS handover with key change / Success / Inter-frequency	1805
8.1.4.3.5	DAPS handover / HO Failure and source link available / HO Success and RLF in source / Inter-frequency	1806
8.1.4.4	Conditional handover	1807
8.1.4.4.1	Conditional handover / Success / A3 / A5 / A3+A5	1807
8.1.4.4.2	Conditional handover / modify conditional handover configuration	1818
8.1.4.4.3	Conditional handover / Failure	1828
8.1.4.4.4	Conditional handover / legacy Handover / legacy Handover Failure	1838
8.1.5	RRC others	1848

8.1.5.1	UE capability transfer	1848
8.1.5.1.1	UE capability transfer / Success	1848
8.1.5.2	SI change / On-demand SIB	1885
8.1.5.2.1	Void	1885
8.1.5.2.2	SI change / Notification of BCCH modification / Short message for SI update in NR RRC_CONNECTED state	1885
8.1.5.3	PWS notification	1888
8.1.5.3.1	PWS notification / PWS reception in NR RRC_IDLE state	1888
8.1.5.3.2	PWS notification / PWS reception in NR RRC_INACTIVE state	1890
8.1.5.3.3	PWS notification / PWS reception in NR RRC_CONNECTED state	1891
8.1.5.3.4	PWS notification / PWS reception using dedicatedSystemInformationDelivery	1892
8.1.5.4	Counter check	1897
8.1.5.4.1	Counter check / Reception of CounterCheck message by the UE	1897
8.1.5.5	Redirection to NR	1902
8.1.5.5.1	Redirection to NR / From E-UTRA / Success	1902
8.1.5.6	Radio link failure	1906
8.1.5.6.1	Radio link failure / RRC connection re-establishment success	1906
8.1.5.6.2	Void	1913
8.1.5.6.3	Radio link failure / T311 expiry	1913
8.1.5.6.4	Void	1917
8.1.5.6.5	NR CA / No Radio Link Failure on SCell / RRC Connection Continues on PCell	1917
8.1.5.6.5.1	NR CA / No Radio Link Failure on SCell / RRC Connection Continues on PCell / Intra- band Contiguous CA	1917
8.1.5.6.5.2	NR CA / No Radio Link Failure on SCell / RRC Connection Continues on PCell / Inter- band CA	1920
8.1.5.6.5.3	NR CA / No Radio Link Failure on SCell / RRC Connection Continues on PCell / Intra- band non-Contiguous CA	1921
8.1.5.6.6	Radio link failure / Shared spectrum / LBT Failure	1921
8.1.5.7	Failure information	1925
8.1.5.7.1	Failure information / RLC failure / MCG	1925
8.1.5.7.1.1	Failure information / RLC failure / MCG / Intra-band Contiguous CA	1925
8.1.5.7.1.2	Failure information / RLC failure / MCG / Inter-band CA	1931
8.1.5.7.1.3	Failure information / RLC failure / MCG / Intra-band non Contiguous CA	1932
8.1.5.8	Processing delay	1932
8.1.5.8.1	Processing delay / RRC_Idle to RRC_Connected / RRC_Inactive to RRC_Connected / Success / Latency check	1932
8.1.5.8.2	Processing delay / RRC_Inactive to RRC_Connected / Success / Latency check / SCell addition	1942
8.1.5.8.2.1	Processing delay / RRC_Inactive to RRC_Connected / Success / Latency check / SCell addition / Intra-band Contiguous CA	1942
8.1.5.8.2.2	Processing delay / RRC_Inactive to RRC_Connected / Success / Latency check / SCell addition / Inter-band CA	1946
8.1.5.8.2.3	Processing delay / RRC_Inactive to RRC_Connected / Success / Latency check / SCell addition / Intra-band non-Contiguous CA	1947
8.1.5.9	Message Segment transfer	1947
8.1.5.9.1	RACS / UL Message Segment transfer / UECapabilityInformation	1947
8.1.5.9.2	RRC reconfiguration / DL segment transfer	1954
8.1.5.9.3	RRC resume / DL segment transfer	1959
8.1.5.10	UE Assistance Information	1962
8.1.5.10.1	UE Assistance Information/ Release Preference	1962
8.1.5.10.2	UE Assistance Information / MUSIM	1966
8.1.5.10.3	UE Assistance Information / MUSIM / Leaving RRC_CONNECTED / T346g expires ...	1972
8.1.5.10.4	UE Assistance Information / RRM measurement relaxation / RedCap	1975
8.1.5.11	Idle/Inactive measurements	1980
8.1.5.11.1	Idle/Inactive measurements / Idle mode / SIB11 configuration / Measurement of NR cells	1980
8.1.5.11.2	Void	1988
8.1.5.11.2	Idle/Inactive measurements / Idle mode / RRCRelease configuration / Measurement of NR cells	1988
8.1.5.11.3	Idle/Inactive measurements / Inactive mode / SIB11 configuration / Measurement of NR cells	1996

8.1.5.11.4	Idle/Inactive measurements / Inactive mode / RRCRelease configuration / Measurement of NR cells	2003
8.1.5.13	Small Data Transmission	2013
8.1.5.13.1	RRC SDT/CG based SDT/Success.....	2013
8.1.5.13.2	RRC SDT / CG based SDT ongoing / Data on non-SDT Radio Bearers	2020
8.1.5.13.2.1	Test Purpose (TP)	2020
8.1.5.13.2.2	Conformance requirements	2020
8.1.5.13.3	RRC SDT / CG based SDT / SDT-SRB2-Indication.....	2025
8.1.6	SON and MDT support for NR.....	2031
8.1.6.1	Intra NR MDT	2031
8.1.6.1.1	Immediate MDT	2031
8.1.6.1.1.1	Immediate MDT / Measurement reporting / Location information	2031
8.1.6.1.1.2	Immediate MDT / Measurement / Latency metrics for UL PDCP Packet Delay per DRB	2038
8.1.6.1.2	Logged MDT	2046
8.1.6.1.2.1	Logged MDT / RRC_IDLE / Logging and reporting / Intra-frequency measurement..	2046
8.1.6.1.2.2	Logged MDT / RRC_INACTIVE / Logging and reporting / Inter-frequency measurement	2054
8.1.6.1.2.3	Logged MDT / Intra-frequency measurement, logging and reporting	2062
8.1.6.1.2.4	Logged MDT/ RRC_IDLE / Logging and reporting / periodic measurement trigger...	2073
8.1.6.1.2.5	Logged MDT/ RRC_IDLE / Logging and reporting / event-based trigger	2080
8.1.6.1.2.6	Logged MDT/ RRC_IDLE / Logging and reporting / event-based trigger/ out-of-coverage	2089
8.1.6.1.2.7	Logged MDT / Logging and reporting / Indication of logged measurements at NR reestablishment	2097
8.1.6.1.2.8	Logged MDT / Logging and reporting / Reporting at RRC reconfiguration	2100
8.1.6.1.2.9	Logged MDT / Location information	2107
8.1.6.1.2.10	Logged MDT / Maintaining logged measurement configuration / UE mobility.....	2113
8.1.6.1.2.11	Logged MDT / UE state transitions	2119
8.1.6.1.2.12	Logged MDT / Release of logged MDT measurement configuration / Expire of duration timer	2124
8.1.6.1.2.13	Logged MDT / Release of logged MDT measurement configuration / Reception of new logged measurement configuration.....	2131
8.1.6.1.2.14	Logged MDT / RRC_IDLE / Logging and reporting / IDC mechanism	2137
8.1.6.1.2.15	Logged MDT / RRC_IDLE / early measurements.....	2140
8.1.6.1.3.1	Radio Link Failure / Reporting of Intra-frequency measurements	2145
8.1.6.1.3.2	Radio Link Failure / Reporting of Inter-frequency measurements	2154
8.1.6.1.3.3	Radio Link Failure / Reporting at RRC connection establishment and reestablishment	2156
8.1.6.1.3.4	Radio Link Failure / Reporting at NR handover	2164
8.1.6.1.3.5	Radio Link Failure / Location information	2170
8.1.6.1.3.6	Radio Link Failure / Random access problem	2176
8.1.6.1.3.7	Radio Link Failure / Logging and reporting / Reporting at intra NR handover / PLMN list	2182
8.1.6.1.4	Connection Establishment Failure.....	2189
8.1.6.1.4.1	Connection Establishment Failure / Logging and reporting / T300 expiry.....	2189
8.1.6.1.4.2	Connection Establishment Failure / Logging and reporting / RRC Resume.....	2192
8.1.6.1.4.3	Connection Establishment Failure / Logging and reporting / Reporting at intra-NR handover	2196
8.1.6.1.4.4	Connection Establishment Failure / Logging and reporting / Reporting at RRC connection re-establishment	2201
8.1.6.1.4.5	Connection Establishment Failure / Logging and reporting / Location Information	2204
8.1.6.1.4.6	Connection Establishment Failure / Logging and reporting / Reporting of Intra-frequency measurements.....	2207
8.1.6.1.4.7	Connection Establishment Failure / Logging and reporting / Reporting of Inter-frequency measurements.....	2212
8.1.6.1.4.8	Connection Establishment Failure / Logging and reporting / RACH failure report	2216
8.1.6.1.4.9	Connection Establishment Failure / Logging and reporting / T300 expiry / Multiple CEF reports	2220
8.1.6.2	Inter-RAT MDT	2227
8.1.6.2.1	Inter-RAT MDT / Immediate MDT / Periodic reporting of E-UTRAN/ Location information	2227