



SLOVENSKI STANDARD

oSIST prEN ISO 19905-3:2019

01-julij-2019

Industrija za predelavo nafte in zemeljskega plina - Ocenjevanje premičnih naftnih ploščadi na področju postavitve - 3. del: Plavajoča enota (ISO 19905-3:2017)

Petroleum and natural gas industries - Site-specific assessment of mobile offshore units - Part 3: Floating unit (ISO 19905-3:2017)

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Industries du pétrole et du gaz naturel - Évaluation spécifique au site d'unités mobiles en mer - Partie 3: Unité flottante (ISO 19905-3:2017)

<https://standards.iteh.ai/catalog/standards/sist/33ee247c-3642-4c28-a062-8326015/sist-pr-en-iso-19905-3:2019>

Ta slovenski standard je istoveten z: prEN ISO 19905-3

ICS:

75.180.10

Oprema za raziskovanje,
vrtanje in odkopavanje

Exploratory, drilling and
extraction equipment

oSIST prEN ISO 19905-3:2019

en,fr,de

INTERNATIONAL STANDARD

**ISO
19905-3**

First edition
2017-10

Petroleum and natural gas industries — Site-specific assessment of mobile offshore units —

Part 3: Floating unit

*Industries du pétrole et du gaz naturel — Évaluation spécifique au
site d'unités mobiles en mer —
Partie 3: Unité flottante*

SIST EN ISO 19905-3:2020

<https://standards.iteh.ai/catalog/standards/sist/33ee247c-3642-4c28-a062-aaab8556691b/sist-en-iso-19905-3-2020>



Reference number
ISO 19905-3:2017(E)

© ISO 2017

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 19905-3:2020

<https://standards.iteh.ai/catalog/standards/sist/33ee247c-3642-4c28-a062-aaab8556691b/sist-en-iso-19905-3-2020>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	2
3 Terms and definitions	2
4 Abbreviated terms	4
5 Overall considerations	5
5.1 General	5
5.1.1 Competency	5
5.1.2 Planning	5
5.1.3 Reporting	5
5.1.4 Regulations	5
5.1.5 Classification of unit	5
5.2 Assessment	5
5.3 Exposure levels	6
5.4 Selection of limit states	6
5.5 Determination of assessment situations	7
5.5.1 General	7
5.5.2 Arctic operations and ice	7
5.5.3 Earthquake	8
5.6 Models and analytical tools	8
6 Data to be assembled for each site	8
6.1 Applicability	8
6.2 Mobile floating unit data	8
6.3 Stationkeeping data	9
6.3.1 General	9
6.3.2 Moored units	9
6.3.3 Moored units with thruster assist	9
6.3.4 Dynamically positioned units	9
6.4 Site data	9
6.5 Data on activity use limitations	10
6.5.1 General	10
6.5.2 Reassessment or modification of activity use limitations	10
6.5.3 Sources of data and types of activity use limitations	10
6.6 Post installation data	11
7 Actions	11
8 Hull of unit	11
8.1 Strength	11
8.1.1 General	11
8.1.2 Monohull	11
8.1.3 Semi-submersible	12
8.1.4 Other hull forms	12
8.2 Airgap and freeboard	12
8.2.1 General	12
8.2.2 Monohull	12
8.2.3 Semi-submersible	12
8.2.4 Other hull forms	13
8.3 Temperature	13
8.4 Stability	13
9 Stationkeeping system	13
9.1 General	13

ISO 19905-3:2017(E)

9.2	Moored.....	13
9.3	Thruster assisted mooring.....	13
9.4	Dynamic positioning systems	13
10	Activity specific assessments.....	14
10.1	General.....	14
10.2	Assessment of site-specific activities and equipment.....	14
10.2.1	General.....	14
10.2.2	Marine drilling riser assessment.....	14
10.3	Risk assessment.....	14
10.4	Activity specific operating guidelines.....	14
11	Confirmation of compatibility between analysis and as-installed condition	15
Annex A	(informative) Outline of an activity specific operating guideline document for a dynamically positioned unit and a moored unit.....	16
Annex B	(informative) Suggested process for completing a site-specific assessment of a mobile floating unit.....	19
Bibliography	21

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 19905-3:2020

<https://standards.iteh.ai/catalog/standards/sist/33ee247c-3642-4c28-a062-aaab8556691b/sist-en-iso-19905-3-2020>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 67, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries*, Subcommittee SC 7, *Offshore structures*.

A list of all parts in the ISO 19905 series can be found on the ISO website.

ISO 19905-3:2017(E)

Introduction

The series of International Standards applicable to types of offshore structure, ISO 19900 to ISO 19906, addresses design requirements and assessments for all offshore structures used by the petroleum and natural gas industries worldwide. Through their application, the intention is to achieve reliability levels appropriate for manned and unmanned offshore structures, whatever the type of structure and the nature or combination of the materials used.

It is important to recognize that structural integrity is an overall concept comprising models for describing actions, structural analyses, design or assessment rules, safety elements, workmanship, quality control procedures and national requirements, all of which are mutually dependent. The modification of one aspect of the design or assessment in isolation can disturb the balance of reliability inherent in the overall concept or structural system. The implications involved in modifications, therefore, need to be considered in relation to the overall reliability of offshore structural systems.

The series of International Standards applicable to the various types of offshore structure is intended to provide a wide latitude in the choice of structural configurations, materials and techniques without hindering innovation. Sound engineering judgement is therefore necessary in the use of these International Standards.

This document states the general principles and basic requirements for the site-specific assessment of mobile floating units. The technical information used in the assessment primarily resides in documents referenced herein. This document is intended to be used for assessment and not for design.

Site-specific assessment is normally carried out when an existing mobile floating unit is to be installed at a specific site. The assessment is not intended to provide a full evaluation of the unit; it is assumed that aspects not addressed herein have been addressed at the design stage using other practices and standards.

The purpose of the site-specific assessment is to demonstrate the adequacy of the mobile floating unit, its stationkeeping system and any connected systems for the applicable assessment situations and defined limit states, taking into account the consequences of failure. The results of a site-specific assessment should be appropriately recorded and communicated to those persons required to know or act on the conclusions and recommendations. Alternative approaches to the site-specific assessment can be used provided that they have been shown to give a level of reliability equivalent, or superior, to that implicit in this document.

In International Standards, the following verbal forms are used:

- “shall” and “shall not” are used to indicate requirements strictly to be followed in order to conform to the document and from which no deviation is permitted;
- “should” and “should not” are used to indicate that, among several possibilities, one is recommended as particularly suitable, without mentioning or excluding others, or that a certain course of action is preferred but not necessarily required, or that (in the negative form) a certain possibility or course of action is deprecated but not prohibited;
- “may” is used to indicate a course of action permissible within the limits of the document;
- “can” and “cannot” are used for statements of possibility and capability, whether material, physical or causal.

Petroleum and natural gas industries — Site-specific assessment of mobile offshore units —

Part 3: Floating unit

1 Scope

This document specifies requirements and gives guidance for the site-specific assessment of mobile floating units for use in the petroleum and natural gas industries. It addresses the installed phase, at a specific site, of manned non-evacuated, manned evacuated and unmanned mobile floating units.

This document addresses mobile floating units that are monohull (e.g. ship-shaped vessels or barges); column-stabilized, commonly referred to as semi-submersibles; or other hull forms (e.g. cylindrical/conical shaped). It is not applicable to tension leg platforms. Stationkeeping can be provided by a mooring system, a thruster assisted mooring system, or dynamic positioning. The function of the unit can be broad, including drilling, floatel, tender assist, etc. In situations where hydrocarbons are being produced, there can be additional requirements.

The requirements of this document apply to the hull and stationkeeping system for all types of mobile units. The activity specific operating guideline document requirements can be modified to be appropriate to the situation being assessed.

This document does not address all site considerations, and certain specific locations can require additional assessment.

This document is applicable only to mobile floating units that are structurally sound and adequately maintained, which is normally demonstrated through holding a valid RCS classification certificate.

This document does not address design, transportation to and from site, or installation and removal from site.

This document sets out the requirements for site-specific assessments, but generally relies on other documents to supply the details of how the assessments are to be undertaken. In general:

- ISO 19901-7 is referenced for the assessment of the stationkeeping system;
- ISO 19904-1 is referenced to determine the metocean actions on the unit;
- ISO 19906 is referenced for arctic and cold regions;
- the hull structure and airgap are assessed by use of a comparison between the site-specific metocean conditions and its design conditions, as set out in the RCS approved operations manual;
- ISO 13624-1 and ISO/TR 13624-2^[1] are referenced for the assessment of the marine drilling riser of mobile floating drilling units. Equivalent alternative methodologies can be used;
- IMCA M 220^[5] is referenced for developing an activity specific operating guidelines. Agreed alternative methodologies can be used.

NOTE 1 The scope of ISO 19904-1 specifically states that its requirements do not apply to mobile units, but the methodologies given for assessing metocean actions can be used.

NOTE 2 RCS rules and the IMO MODU code^[4] provide guidance for design and general operation of mobile floating units.

ISO 19905-3:2017(E)

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 13624-1:2009, *Petroleum and natural gas industries — Drilling and production equipment — Part 1: Design and operation of marine drilling riser equipment*

ISO 19900:2013, *Petroleum and natural gas industries — General requirements for offshore structures*

ISO 19901-1, *Petroleum and natural gas industries — Specific requirements for offshore structures — Part 1: Metocean design and operating considerations*

ISO 19901-7:2013, *Petroleum and natural gas industries — Specific requirements for offshore structures — Part 7: Stationkeeping systems for floating offshore structures and mobile offshore units*

ISO 19904-1, *Petroleum and natural gas industries — Floating offshore structures — Part 1: Monohulls, semi-submersibles and spars*

ISO 19906:—¹⁾, *Petroleum and natural gas industries — Arctic offshore structures*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 19900, ISO 19901-1, ISO 19901-7, ISO 19904-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at <http://www.iso.org/obp>

— IEC Electropedia: available at <http://www.electropedia.org/>
<https://standards.iteh.ai/catalog/standards/sist/33ee247c-3642-4c28-a062-aaab8556691b/sist-en-iso-19905-3-2020>

3.1 activity specific operating guidelines ASOG

document that sets out the activity specific actions to be taken at specific *alert level thresholds* (3.3)

Note 1 to entry: The ASOG for drilling operations is often called the well specific operating guideline document.

Note 2 to entry: An example ASOG for DP and moored units is given in [Annex A](#).

3.2 alert level

condition when certain parameters are below the lower limit, or between limits, or above the upper limit

Note 1 to entry: Alert levels are often colour-coded. The colour-coding will often be green for normal, blue for advisory, yellow alert, or red alert. Parameters affecting the change of colour-coded alert levels can be, for example, limiting metocean conditions are reached, loss of equipment function, reduced power levels, offset limits are reached [*watch circles* (3.17)], vessel motions, etc. Actions that need to be taken can include, for example, discontinue drilling, disconnect riser, suspend lifts, etc.

3.3 alert level threshold

boundary between *alert levels* (3.2) which is crossed when certain parameters reach or exceed specific limits and that triggers actions

1) To be published. Stage at time of publication ISO/DIS 19906:2017.

3.4**assessment****site-specific assessment**

evaluation of a mobile floating unit and activity specific equipment to determine compliance with the requirements of this document

[SOURCE: ISO 19905-1:2016, 3.4, modified — the definition has been revised.]

3.5**assessment situation**

mobile floating unit configuration together with the metocean and ice actions to be assessed

[SOURCE: ISO 19905-1:2016, 3.5, modified — the definition has been revised.]

3.6**assessor**

entity performing the site-specific assessment

[SOURCE: ISO 19905-1:2016, 3.6]

3.7**drift-off**

unintended move of a dynamically positioned or thruster-assisted vessel off its intended location [*watch circle* (3.17)] relative to its set point, generally caused by loss of stationkeeping control or propulsion

[SOURCE: ISO 13624-1:2009, 3.1.25, modified — the definition has been revised.]

3.8**drive-off**

unintended move of a dynamically positioned or thruster-assisted vessel off its intended location [*watch circle* (3.17)] relative to its set point, driven by the vessel's main propulsion or stationkeeping thrusters

[SOURCE: ISO 13624-1:2009, 3.1.27, modified — the definition has been revised.]

3.9**extreme storm event**

extreme combination of wind, wave and current conditions to which the structure can be subjected during its deployment

Note 1 to entry: This is the metocean event used for ULS storm assessment and varies depending on what is being assessed. For example, the metocean event for the ULS assessment of the mooring system can be different from that used in the ULS assessment of the hull strength or airgap.

[SOURCE: ISO 19905-1:2016, 3.17, modified — Note 1 to entry has been revised.]

3.10**operating manual****marine operations manual**

manual that defines the operational characteristics and capabilities of the mobile floating unit

Note 1 to entry: The *assessor* (3.6) is advised to ensure that the operations manual referenced is the latest revision and that any updated weight data are provided.

[SOURCE: ISO 19905-1:2016, 3.45, modified — “jack-up” has been replaced by “mobile floating unit”.]

3.11**operator**

representative of the companies leasing the site

Note 1 to entry: The operator is normally the oil company acting on behalf of co-licensees.

[SOURCE: ISO 19905-1:2016, 3.46]