

SLOVENSKI STANDARD kSIST-TP FprCEN/TR 17611:2020

01-november-2020

Alge in izdelki iz alg - Specifikacije za uporabo v kozmetiki

Algae and algae products - Specifications for cosmetic sector applications

Algen und Algenprodukte - Spezifikationen für Anwendungen im Kosmetikbereich

iTeh STANDARD PREVIEW

Ta slovenski standard je istoveten z: FprCEN/TR 17611

<u>kSIST-TP FprCEN/TR 17611:2020</u>

https://standards.iteh.ai/catalog/standards/sist/38f9e214-f979-47b8-8e83-be5a670f7c4b/ksist-tp-fprcen-tr-17611-2020

ICS:

71.100.70 Kozmetika. Toaletni

pripomočki

Cosmetics. Toiletries

kSIST-TP FprCEN/TR 17611:2020 en,fr,de

kSIST-TP FprCEN/TR 17611:2020

iTeh STANDARD PREVIEW (standards.iteh.ai)

kSIST-TP FprCEN/TR 17611:2020 https://standards.iteh.ai/catalog/standards/sist/38f9e214-f979-47b8-8e83-be5a670f7c4b/ksist-tp-fprcen-tr-17611-2020

TECHNICAL REPORT RAPPORT TECHNIQUE TECHNISCHER BERICHT

FINAL DRAFT FprCEN/TR 17611

September 2020

ICS

English Version

Algae and algae products - Specifications for cosmetic sector applications

Algen und Algenprodukte - Spezifikationen für Anwendungen im Kosmetikbereich

This draft Technical Report is submitted to CEN members for Vote. It has been drawn up by the Technical Committee CEN/TC 454.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation dards.iteh.ai)

Warning: This document is not a Technical Report. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a Technical Report EN/TR 17611:2020

https://standards.iteh.ai/catalog/standards/sist/38f9e214-f979-47b8-8e83-be5a670f7c4b/ksist-tp-fprcen-tr-17611-2020



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents Page

| Europ | ean foreword | 5 |
|----------------|---|----|
| Introd | luction | 6 |
| 1 | Scope | 7 |
| 2 | Normative references | 7 |
| 3 | Terms and definitions | 7 |
| 4 | Product characteristics | 9 |
| 4.1 | Product purity | |
| 4.1.1 | General | |
| 4.1.2 | Purity of microalgae | |
| 4.1.3 | Purity of macroalgae | |
| 4.1.4 | Purity of algae derivatives or extracts | |
| 4.1.5 | Methods of analysis | |
| 4.2 | Contamination iTeh STANDARD PREVIEW | 12 |
| 4.2.1 | | |
| 4.2.2 4.2.3 | Physical, biological and chemical contaminants | 12 |
| | - · · · · · · · · · · · · · · · · · · · | |
| 5 | Product information documents | 15 |
| 5.1 | Product information documents KSIST-TP FprCEN/TR 17611:2020 General Material Safety Data Sheet Desaryor/C4b/RSIS-IP-Iprcell-II-17611-2020 Other relevant product information | 15 |
| 5.2 | Material Safety Data Sheet | 15 |
| 5.3 | Other relevant product information | 13 |
| 5.3.1 | Origin | |
| 5.3.2 | Algae extracts | |
| 5.3.3 | Safety | |
| 5.3.4 | Safety Assessment - CPSR (Cosmetic Product Safety Report) | |
| 6 | Sustainable development | |
| 6.1 | General | |
| 6.2 | United Nations sustainable development goals | |
| 6.3 | Sustainable development of macroalgae production | |
| 6.4 | Sustainable development of microalgae production | 18 |
| 7 | Traceability | 19 |
| 7.1 | General | 19 |
| 7.2 | Chain of Custody | |
| 8 | Labelling | 20 |
| Annex | x A (informative) Regulatory framework | 21 |
| A.1 | Regulatory framework in Europe | |
| A.2 | Regulatory framework outside the EU | |
| A.2.1 | USA | |
| A.2.2 | China | 23 |
| A.2.3 | South East Asia | 24 |

| Annex | B (informative) RMS and TDS examples | 25 |
|--------------|---|----|
| B.1 | Example of RMS on Spirulina (Arthrospira platensis) dry powder Cosmetic grade (Manufacturer's letterhead) | 25 |
| B.1.1 | Product description | 25 |
| B.1.2 | Identification | 25 |
| B.1.3 | Physical and organoleptic characteristics | 26 |
| B.1.4 | Chemical characteristics | 26 |
| B.1.5 | Aminoacid profile | 28 |
| B.1.6 | Contaminants | 28 |
| B.1.6.1 | Residual solvents | 28 |
| B.1.6.2 | Heavy metals | 28 |
| B.1.7 | Microbiological characteristics | 29 |
| B.1.8 | Decontamination by radiation | 29 |
| B.1.9 | Regulatory information | 29 |
| B.1.10 | Allergen statement | 29 |
| B.1.11 | GMO statement | 29 |
| B.1.12 | Authenticity iTeh STANDARD PREVIEW | 29 |
| B.1.13 | Animal testing (standards.iteh.ai) | 29 |
| B.1.14 | Other | 29 |
| B.1.15 | Other <u>kSIST-TP FprCEN/TR 17611:2020</u> Ingredient originandards itch ni/ontalog/standards/cint/38/0c214-079-4768-8c83 | 30 |
| B.1.16 | Packaging be5a670f7c4b/ksist-tp-fprcen-tr-17611-2020 | 30 |
| B.1.17 | Storage conditions | 30 |
| B.2 | Example of Cyanobacteria Technical Data Sheet (TDS) | 30 |
| B.2.1 | Description | 30 |
| B.2.2 | Analytical data | 31 |
| B.2.2.1 | Physico-chemical characteristics | 31 |
| B.2.2.2 | Microbiological characteristics | 31 |
| B.2.3 | Contaminants | 31 |
| B.3 | Example of Microalgae Technical Data Sheet (TDS) | 32 |
| B.3.1 | Description | 32 |
| B.3.2 | Analytical data | 32 |
| B.3.2.1 | Physico-chemical characteristics | 32 |
| B.3.2.2 | Microbiological characteristics | 33 |
| B.3.3 | Contaminants | 33 |
| Annex | C (informative) Origin of algae products | 34 |
| C.1 | Origin of algae strains | 34 |
| C.2 | Origin of algae products | 34 |

kSIST-TP FprCEN/TR 17611:2020

FprCEN/TR 17611:2020 (E)

| C.3 | Origin Statement | 36 | |
|------------|--|----|--|
| Annex | x D (informative) Algae extracts | 37 | |
| D.1 | Algae extracts for cosmetic purposes | 37 | |
| D.2 | Solvent properties | 37 | |
| D.3 | Solvent extraction vs CO ₂ -Extraction | 38 | |
| D.4 | Typical Algae biomass CO ₂ -Extraction | 38 | |
| D.4.1 | Material and methods | 38 | |
| Annex | Annex E (informative) Purity identification methods and gap analysis algae | | |
| Biblio | ography | 42 | |

iTeh STANDARD PREVIEW (standards.iteh.ai)

kSIST-TP FprCEN/TR 17611:2020 https://standards.iteh.ai/catalog/standards/sist/38f9e214-f979-47b8-8e83-be5a670f7c4b/ksist-tp-fprcen-tr-17611-2020

European foreword

This document (FprCEN/TR 17611:2020) has been prepared by Technical Committee CEN/TC 454 "Algae and algae products", the secretariat of which is held by NEN.

This document is currently submitted to the Vote.

The European committee for Standardization (CEN) was requested by the European Commission (EC) to draft European standards or European standardization deliverables to support the implementation of Article 3 of Directive 2009/28/EC for algae and algae products or intermediates. The request presented as Mandate M/547, also contributes to the Communication on "Innovating for Sustainable Growth: A Bio economy for Europe".

The former working group CEN Technical Board Working Group 218 "Algae" was created in 2016 to develop a work programme as part of the Mandate. The technical committee CEN/TC 454 "Algae and algae products" was established to carry out the work program the secretariat of which is held by NEN. CEN/TC 454 set up a number of topic specific working Groups listed below to develop standards for algae and algae products.

This document has been prepared by Working Group 5 "Specifications for non-food/feed sector applications" with the support of UNI as the secretariat, in close collaboration with the other CEN/TC 454 working groups:

CEN/TC 454/WG 1 "Terminology"

CEN/TC 454/WG 2 "Identification" (standards.iteh.ai)

CEN/TC 454/WG 3 "Productivity." kSIST-TP FprCEN/TR 17611:2020 https://standards.iteh.ai/catalog/standards/sist/38f9e214-f979-47b8-8e83-

CEN/TC 454/WG 4 "Specifications for food/feed sectors applications"

CEN/TC 454/WG 6 "Product test methods"

Introduction

The interest in algae and algae-based products or intermediates as a renewable and sustainable source of carbohydrates, proteins, lipids and pigments has increased significantly in Europe.

The purpose of this document prepared by WG 5 is to provide an overview on how quality indicating parameters for algae and algae-based products and intermediates relevant for cosmetic applications can be handled and to identify the need for any future standard developments for cosmetic applications.

Macroalgae are highly available and used in many Countries as fertiliser, biostimulant, animal feed, medicine, cosmetic and food ingredients, and have different compounds depending on species.

iTeh STANDARD PREVIEW (standards.iteh.ai)

kSIST-TP FprCEN/TR 17611:2020 https://standards.iteh.ai/catalog/standards/sist/38f9e214-f979-47b8-8e83-be5a670f7c4b/ksist-tp-fprcen-tr-17611-2020

1 Scope

This document gives an overview of recommendations on product specifications, and other relevant information, for algae and algae products for cosmetics industry.

This document does not apply to food and feed applications.

This document does not provide instructions on handling of technical requirements in existing legislations.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 16751, Bio-based products - Sustainability criteria

EN 16760, Bio-based products - Life Cycle Assessment

EN 16848, Bio-based products - Requirements for Business to Business communication of characteristics using a Data Sheet

EN 16935, Bio-based products - Requirements for Business-to-Consumer communication and claims

(standards.iteh.ai)

EN 17399, Algae and algae products - Terms and definitions

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 17399 and the following apply. ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

3.1

algae and algae products

functional group of organisms consisting of microalgae, macroalgae, cyanobacteria, labyrinthulomycetes and products derived thereof

3.2

Raw Material Specification

RMS

several pages technical dossier about the product, usually prepared by manufacturer, directed to provide all product approval information to the customer and usually attached to commercial contract

Note 1 to entry: Models of RMS for some algae categories are attached as Annex B.

3.3

Technical Data Sheet

TDS

one (few) page technical document showing the technical (biochemical) parameters adopted to characterize the product and therefore being the paradigm of the Certificate of Analysis (CoA)

Note 1 to entry: It includes ranges of different parameters used to define the product characteristics or applicable regulatory limits.

Note 2 to entry: Models of TDS for some algae categories are attached as Annex B.

3.4

Certificate of Analysis

CoA

one (few) page document issued from laborator(ies) and reporting test results for a specific lot, usually in front of TDS parameters, including references to test method

Note 1 to entry: It may or not have legal value.

3.5

Material Safety Data Sheet

MSDS or SDS

document issued with the aim of providing information about product compliance in respect of human health and safety at the workplace and protection of the environment.

3.6 (standards.iteh.ai)

sustainable development

development that meets the environmental social and economic needs of the present without compromising the ability of future generations to meet their own needs 79-4718-8883-

be5a670f7c4b/ksist-tp-fprcen-tr-17611-2020

[SOURCE: ISO Guide 82:2019, 3.2]

4 Product characteristics

4.1 Product purity

4.1.1 General

The product purity is defined by the percentage of specific component in the total amount of product or, in case of whole algal biomass, by species/strain amount as percentage of the total dry weight of the product. Any other substances should be specified in the technical data sheet.

The purity percentage is specified by mass fraction (kg/kg). When this is not possible according to the state in which the product is presented, it can be expressed by volume fraction (m^3/m^3) or cell fraction (cell counts/all cell counts) or their corresponding concentrations if more appropriate.

The presence of GMO material in algae and algae products is to be considered as impurity (ref to EU Reg on GMO).

The presence of not organic material in organic algae and algae products is to be considered as impurity (ref to EU Reg on Organic production).

NOTE 1 Purity is referred to contractual limits. Purity is generally not directly related to contamination since the latter is often of small extent and does not affect the amount of required substance.

NOTE 2 Purity is affected by the accidental presence or the fraudulent addition of any organism, part or product of an organism, other than that named in the product specification and description of the algae concerned; or any foreign substances with the same composition as dry algae, even in the absence of contamination.

NOTE 3 Purity is related to species identification and test methods. For methods on the identification of species refer to prEN 17477:2020.

When a product is not pure, this impurity can be detected by different types of detection methods listed in Table 1.

https://standards.iteh.ai/catalog/standards/sist/38f9e214-f979-47b8-8e83-be5a670f7c4b/ksist-tp-fprcen-tr-17611-2020

Macroscopical/microscopical characterization includes features, which distinguish the algae material from potential non-specified substances. Identification tests need to be specifically validated for algae and are usually a combination of methods depending on the algae species. Identification tests include macroscopical characters, microscopical characters, chromatographic procedures and physicochemical analysis. Automated tools might help like cell counters or cell flow cytometers.

The development of tests based on nucleic acids characteristics (microsatellites, NGS, barcoding, RAPD, AFLP, etc.) to be sequenced from product samples would provide simple and fast tools for the identification of multiple targeted species and would help to indicate the presence of other nucleic acids than those of the algal material. In general there is a lack of algae databases for the identification of foreign matter.

Currently these tests are not yet standardized and available for routine testing. Therefore quality assurance methods aimed at reduction / prevention of risk of impurity like good farming practices (GFP), good manufacturing practices (GMP), traceability and Chain of Custody systems are essential to monitor the level of purity for algae and algae products.

An overview of the currently available methods for qualitative and quantitative determination of algae purity is shown in Table 1. The reliability of these different methods depends on the complexity of the species and impurities and are not necessarily sufficient for each case.

The following substances affecting the purity of a product can be addressed:

 Physical foreign matter (i.e. (micro) plastic fragments, wires from fishing nets and ropes, feathers from birds, shells);

- Other algae (including toxin-producing cyanobacteria), bacteria or organic materials (i.e. grass, proteins or oils from other species).
- Algae from other location then stated (i.e. from Asia instead of Europe). Most promising test to detect
 the presence of algae from other regions then stated, is the use of stable isotopes. However, first
 databases with the characterization of isotopes from different regions need to be established.

Macroscopic examination is suitable for determining the presence of particles of foreign matter in whole or cut (macro)algae. Foreign matter are all materials which are not part of the (macro)algae biomass. Additional aids (like UV-light, sieving, centrifugation) might be helpful to find the foreign matter.

The algae harvesting and farming company should provide the purity on a CoA for each batch of algae.

4.1.2 Purity of microalgae

Microscopy is a suitable tool for microalgae, cyanobacteria and all powdered materials. Reduction of particle size or powdering materials can hide the presence of non-specified substances and make it more difficult to detect. Also diluted samples cannot be qualified and need a quantification step.

Specifically for cyanobacteria, some guidance for the numeration of phytoplankton is available in EN 15204.

The determination of purity in fresh sample can be possible using inverted microscopy (Utermöhl technique according to EN 15204) to determine the microalgae and cyanobacteria biovolume. This European Standard describes the necessary methods for measuring cell dimensions and for the calculation of cell or counting unit volumes to estimate the biovolume (wet weight biomass) in phytoplankton samples. This method has been successfully used by French spirulina producers to monitor the quality and purity of their biomass.

Where available, methods based on nucleic acid analysis of specific species, fingerprinting or metabarcoding (using 1 or 2 markers) may provide information on purity of any algae powder.

Currently these methods are not yet available for routine tests: 17611-2020

4.1.3 Purity of macroalgae

By their very nature, macroalgae growing in the wild may be found to grow interspersed with other species. Therefore, it is not always practical to obtain a harvest of macroalgae that is 100 % pure.

Macroscopic examination is suitable for determining the presence of foreign matter in whole or cut macroalgae. This applies also to algae cultivated in tanks.

Visual inspection is suitable for freshly harvested algae as the intact cells can be recognized as a whole. When the holdfast is removed, or when epiphytic organisms are present on the surface visual inspection may not be sufficient to identify the species after harvesting. For ground algae, cells are disrupted and algae type can no longer be recognized nor be quantified.

Microscopy is indispensable for all powdered materials. Reduction of particle size or powdering materials can hide the presence of non-specified substances and make it more difficult to detect. Also diluted samples cannot be qualified and need a quantification step.

The most reliable way to monitor the purity of macroalgae is for companies to assess the freshly harvested raw material by visual, macroscopic means. Purity should be expressed as the percentage of the target macroalgae of interest over the total weight of the harvested biomass. In case the growth of other algae/bacteria on the macroalgae is noticed, some follow-up test may be needed (microscopical for instance) in order to check for potential impurities from hazardous organisms to check if the product is safe for the purpose of the product.

It is noted that macroalgae harvested from the wild may contain up to 10 % of other species that grow alongside and co-occur with the main species that is harvested; of course, if the composition of such

products is fit for use, it can still be considered a single ingredient product, defined by its $90\,\%$ component, because the presence of other macroalgae is not regulated by specific limits provided all the macroalgae is safe for intended use.

4.1.4 Purity of algae derivatives or extracts

Pure algae extract can include a range of compounds present in the algae and/or it may refer to a pure fraction containing one or more compounds. Purified extracts with single components or a small number of components can be responsible for the product efficacy. In complex mixtures of natural origin (extracts) the efficacy may be related to synergistic effects of several components of the raw material and not to a single molecule.

| Impurity | Fresh materials | | Dry materials or powders | |
|------------------------------|---|--|---|-----------------------------------|
| | Qualitative | Quantitative | Qualitative | Quantitative |
| Physical foreign matter | Visual inspection | Visual inspection | Visual inspection | Visual inspection |
| | Microscopical inspection | Microscopical inspection | Microscopical inspection | Microscopical inspection |
| | Additional tools | Additional tools | Additional tools | Additional tools |
| Other algae, bacteria and | Visual Visual N | Visual Name of the | Visual inspection | Visual inspection |
| organic materials | Microscopical C inspection | a Microscopical a inspection | Microscopical inspection | Microscopical inspection |
| https: | Nucleic acid //standards.teh.a/catalog analysis besao/017c4b/l | FprCEN/TR 17611:2020 /standards/sist/38f9e214 .sist-tp-forcen-tr-17611- | Nucleic acid -f979-4768-8683- 2020 analysis | |
| | Chemical | | Chemical | |
| | fingerprinting ^a | | fingerprinting ^a | |
| Regional identity | Isotopic analysis | Isotopic analysis ^b | Isotopic analysis | Isotopic analysis ^b |

Table 1 — Types of impurities and detection methods

4.1.5 Methods of analysis

The inventory of available methods and recommendation for prioritizing future method development on purity of algae and algae products are listed in Annex E.

Specific gaps to use these methods are lack of respectively [1]:

- sampling strategies for visual inspection and microscopy,
- quantification method for microscopy,
- databases, algae selective primers and protocols for nucleic acid identification, and
- databases for molecular and chemical fingerprinting and isotope analysis (see Annex E).

^a Chemical fingerprinting includes different techniques, for example: IR spectra, NMR, TLC, Mass Spectrometry, fatty acid profile.

b methods to be developed