
**Kakovost tal - Določevanje izbranih eksplozivov in podobnih spojin - 3. del:
Metoda s tekočinsko kromatografijo s tandemsko masno spektrometrijo (LC-
MS/MS) (ISO 11916-3:2021)**

Soil quality - Determination of selected explosives and related compounds - Part 3:
Method using liquid chromatography-tandem mass spectrometry (LC-MS/MS) (ISO/FDIS
11916-3:2021)

Bodenbeschaffenheit - Bestimmung von ausgewählten Explosivstoffen und verwandten
Verbindungen - Teil 3: Verfahren mittels Flüssigkeitschromatographie mit Tandem-
Massenspektrometrie (LC-MS/MS) (ISO 11916-3:2021)

Qualité du sol - Dosage d'une sélection d'explosifs et de composés apparentés - Partie
3: Méthode utilisant la chromatographie en phase liquide couplée à la spectrométrie de
masse en tandem (CL-SM/SM) (ISO 11916-3:2021)

Ta slovenski standard je istoveten z: EN ISO 11916-3:2021

ICS:

13.080.10	Kemijske značilnosti tal	Chemical characteristics of soils
71.040.50	Fizikalnokemijske analitske metode	Physicochemical methods of analysis

SIST EN ISO 11916-3:2022**en,fr,de**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 11916-3:2022](#)

<https://standards.iteh.ai/catalog/standards/sist/665af326-7400-45e3-a29d-07370cbbdabf/sist-en-iso-11916-3-2022>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 11916-3

October 2021

ICS 13.080.10

English Version

Soil quality - Determination of selected explosives and related compounds - Part 3: Method using liquid chromatography-tandem mass spectrometry (LC-MS/MS) (ISO 11916-3:2021)

Qualité du sol - Dosage d'une sélection d'explosifs et de composés apparentés - Partie 3: Méthode utilisant la chromatographie en phase liquide couplée à la spectrométrie de masse en tandem (CL-SM/SM) (ISO 11916-3:2021)

Bodenbeschaffenheit - Bestimmung von ausgewählten Explosivstoffen und verwandten Verbindungen - Teil 3: Verfahren mittels Flüssigkeitschromatographie mit Tandem-Massenspektrometrie (LC-MS/MS) (ISO 11916-3:2021)

This European Standard was approved by CEN on 7 September 2021.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword.....	3

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 11916-3:2022](https://standards.iteh.ai/catalog/standards/sist/665af326-7400-45e3-a29d-07370cbbdabf/sist-en-iso-11916-3-2022)
<https://standards.iteh.ai/catalog/standards/sist/665af326-7400-45e3-a29d-07370cbbdabf/sist-en-iso-11916-3-2022>

European foreword

This document (EN ISO 11916-3:2021) has been prepared by Technical Committee ISO/TC 190 "Soil quality" in collaboration with Technical Committee CEN/TC 444 "Environmental characterization of solid matrices" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2022, and conflicting national standards shall be withdrawn at the latest by April 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

iTeh STANDARD PREVIEW

(standards.iteh.ai)

Endorsement notice

The text of ISO 11916-3:2021 has been approved by CEN as EN ISO 11916-3:2021 without any modification.

SIST EN ISO 11916-3:2022
<https://standards.iteh.ai/catalog/standards/sist/665af526-7400-45e3-a29d-07370cbbdabf/sist-en-iso-11916-3-2022>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 11916-3:2022](#)

<https://standards.iteh.ai/catalog/standards/sist/665af326-7400-45e3-a29d-07370cbbdabf/sist-en-iso-11916-3-2022>

INTERNATIONAL
STANDARDISO
11916-3First edition
2021-09

**Soil quality — Determination of
selected explosives and related
compounds —****Part 3:
Method using liquid chromatography-
tandem mass spectrometry (LC-MS/
MS)****(standards.iteh.ai)***Qualité du sol — Dosage d'une sélection d'explosifs et de composés
apparentés*

ISO 11916-3:2022

<https://standards.iteh.ai/catalog/standards/sist/665ef326-7409-45e3-a29d-07370cb9c7bf/sist-en-iso-11916-3-2022>*Partie 3: Méthode utilisant la chromatographie en phase liquide
couplée à la spectrométrie de masse en tandem (CL-SM/SM)*Reference number
ISO 11916-3:2021(E)

© ISO 2021

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 11916-3:2022](https://standards.iteh.ai/catalog/standards/sist/665af326-7400-45e3-a29d-07370cbbdabf/sist-en-iso-11916-3-2022)

<https://standards.iteh.ai/catalog/standards/sist/665af326-7400-45e3-a29d-07370cbbdabf/sist-en-iso-11916-3-2022>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Principle	2
5 Interferences	2
6 Reagents	2
6.1 General	2
6.2 Chemicals	2
6.3 Standard substances and solutions	3
6.3.1 Standard substances	3
6.3.2 Standard solutions	3
7 Apparatus	4
7.1 General	4
7.2 Equipment for extraction	4
7.3 Liquid chromatograph-tandem mass spectrometer (LC-MS/MS)	4
8 Procedure	5
8.1 Sample pre-treatment, sample storage and determination of water content	5
8.2 Extraction	5
8.2.1 General	5
8.2.2 Extraction using ultrasonic waves	5
8.2.3 Extraction using mechanical shaking	6
8.3 Storage of extract	6
9 Liquid chromatography tandem mass spectrometry (LC-MS/MS)	6
9.1 General	6
9.2 Identification and quantification	6
9.3 Calibration	7
10 Calculation of results	7
11 Quality assurance/quality control (QA/QC)	8
12 Expression of results	9
13 Test report	9
Annex A (informative) Conditions of high performance liquid chromatography tandem mass spectrometry (LC-MS/MS)	10
Annex B (informative) Comparison of LC-MS and LC-MS/MS application for PETN, 1,3,5-TNB and tetryl	13
Annex C (informative) Comparison of LOD and LOQ in the measurement of HPLC and LC-MS/MS	16
Annex D (informative) Comparison of extractive capability of acetonitrile and methanol when using LC-MS/MS	19
Annex E (informative) Report of interlaboratory validation study for ISO 11916-3	21
Bibliography	23

ISO 11916-3:2021(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 190, *Soil quality*, Subcommittee SC 3, *Chemical and physical characterization*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 444, *Environmental characterization of solid matrices*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

A list of all parts in the ISO 11916 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Currently two ISO standards exist for the analysis of explosives and related compounds in soil: ISO 11916-1 (HPLC with UV detection method), ISO 11916-2 (GC-ECD or MS). According to the results of inter-laboratory trial with ISO 11916-1, it showed some problematic aspects to analyze PETN, 1,3,5-TNB and tetryl. In case of ISO 11916-2, it also gave poor inter-laboratory trial results for 1,3,5-TNB. Therefore, it is necessary to develop new method effectively applicable to the determination of PETN, 1,3,5-TNB and tetryl. In addition to this, lower risk-based PRGs (Preliminary Remediation Goal), new regulatory concerns, and change of land use have created the atmosphere to apply more sensitive and selective instruments to determine explosive and related compounds. From the view of these aspects, liquid chromatography–tandem mass spectrometry (LC-MS/MS) is one of alternative methods for these purposes. LC-MS/MS method provides 10-20 times or more lower detection limit than that of HPLC/UV method. In this document, LC-MS/MS method is intended for the trace analysis of explosives and related compounds and applicable to 12 compounds (1,3-DNB, 1,3,5-TNB, 2,4-DNT, 2,6-DNT, 2,4,6-TNT, 4-A-2,6-DNT, 2-A-4,6-DNT, Tetryl, Hexyl, RDX, HMX, PETN) listed in ISO 11916-1 (soil, HPLC with UV detection method) except for nitrobenzene, 2-nitrotoluene, 3-nitrotoluene and 4-nitrotoluene (see [Annex E](#)). In case of nitrobenzene and nitrotoluenes, they have the low sensitivity in LC-MS/MS measurement than using HPLC with UV detection method. In particular LC-MS/MS measurement is effective for the analysis of PETN, 1,3,5-TNB and tetryl when comparing with the method using HPLC with UV detection method. Also LC-MS/MS method is getting more familiar in ISO standard development (e.g. ISO 22104 Water quality-Microcystins, ISO/NP 21677 Water quality-HBCD, ISO 21675 Water quality-PFAS).

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 11916-3:2022](#)

<https://standards.iteh.ai/catalog/standards/sist/665af326-7400-45e3-a29d-07370cbbdabf/sist-en-iso-11916-3-2022>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 11916-3:2022](#)

<https://standards.iteh.ai/catalog/standards/sist/665af326-7400-45e3-a29d-07370cbbdabf/sist-en-iso-11916-3-2022>