

FINAL
DRAFT

TECHNICAL
REPORT

ISO/DTR
37178

ISO/TC 268/SC 1

Secretariat: JISC

Voting begins on:
2023-05-16

Voting terminates on:
2023-07-11

Smart community infrastructures — Data exchange and sharing for the lamppost network in smart community

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO/DTR 37178

<https://standards.iteh.ai/catalog/standards/sist/d8d36c9a-177f-4f48-b96b-70891d6a7743/iso-dtr-37178>

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.



Reference number
ISO/DTR 37178:2023(E)

© ISO 2023

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO/DTR 37178

<https://standards.iteh.ai/catalog/standards/sist/d8d36c9a-177f-4f48-b96b-70891d6a7743/iso-dtr-37178>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword.....	iv
Introduction.....	v
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	1
4 Overview.....	2
5 Principles for data exchange and sharing.....	3
6 Data spectrum.....	3
7 Data transmission.....	3
7.1 Interfaces.....	3
7.2 Data transmission.....	4
7.3 Data format and content.....	4
8 Security and privacy issues.....	4
8.1 Security risk landscape.....	4
8.2 Security strategy.....	4
8.2.1 Accountability and responsibility.....	4
8.2.2 Privacy.....	4
Annex A (informative) Smart lamppost network use cases — Integrated nodes of infrastructural data exchange and sharing.....	6
Bibliography.....	11

ISO/DTR 37178

<https://standards.iteh.ai/catalog/standards/sist/d8d36c9a-177f-4f48-b96b-70891d6a7743/iso-dtr-37178>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 268, *Sustainable cities and communities*, Subcommittee SC 1, *Smart community infrastructures*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

ISO 37156 gives guidelines on principles and the framework for data exchange and sharing to entities having authority to develop and operate community infrastructure.

Guided by the principles given in ISO 37156, this document examines the needs and model of data exchange and sharing for the lamppost network as an important type of smart community infrastructure, which is of special importance to the general robustness of smart community infrastructures.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/DTR 37178](https://standards.iteh.ai/catalog/standards/sist/d8d36c9a-177f-4f48-b96b-70891d6a7743/iso-dtr-37178)

<https://standards.iteh.ai/catalog/standards/sist/d8d36c9a-177f-4f48-b96b-70891d6a7743/iso-dtr-37178>

Smart community infrastructures — Data exchange and sharing for the lamppost network in smart community

1 Scope

This document examines the lamppost network as an important smart community infrastructure from the perspective of data exchange and sharing, guided by ISO 37156 and ISO 37170.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1

community infrastructure

systems of facilities, equipment and services that support the operations and activities of communities

Note 1 to entry: Such community infrastructures include, but are not limited to, energy, water, transportation, waste and information and communication technologies (ICT).

[SOURCE: ISO 37100:2016, 3.6.1]

3.2

data exchange

accessing, transferring and archiving of data

[SOURCE: ISO 37156:2020, 3.3.5]

3.3

data sharing

providing shared, exchangeable and extensible data to enable *community infrastructure* (3.1)

[SOURCE: ISO 37156:2020, 3.3.6]

3.4

data spectrum

differentiation of data assets on the basis of whether they are considered closed, shareable or open

[SOURCE: BSI PAS 183:2017]

3.5

smart community infrastructure

community infrastructure (3.1) with enhanced technological performance that is designed, operated and maintained to contribute to sustainable development and resilience of the community

[SOURCE: ISO 37100:2016, 3.6.2, modified — Notes to entry deleted.]

4 Overview

The lamppost network described in this document is based on the traditional physical structures of the streetlights system, which is definitely an important type of smart community infrastructure, visible and touchable in daily life, forming a widespread network of electrified points around a city with relatively close distances where traditional communication and internet of things (IoT) technology devices can be hosted and interconnected easily. The characteristics of the lamppost network give it great potential to become carrier of information flow centered on data exchange and sharing across a community, apart from merely supporting street lighting.

Data exchange and sharing for the smart lamppost network generally contains three functional blocks, gathering, processing and sharing, as shown by [Figure 1](#).




Figure 1 — Overview of data exchange and sharing of the smart lamppost network

The smart lamppost network gathers data through sensing devices built in luminaires, or attached to the supporting poles, which are a convenient choice for data gathering. In addition to this, data are also collected through other channels linked to the lamppost network. Collected by individual lampposts, the data are brought together into cloud-based data centre through a transmission network, and are cleansed, structured and coded before being exchanged and shared for multiples purposes. Some data can also be used locally or pre-processed locally.

According to ITU-T Y.4458^[6], data exchanged and shared by the smart lamppost network supports a range of meaningful services, which includes:

- a) weather-related sensing;
- b) illumination intensity sensing;
- c) traffic flow monitoring;
- d) infrared sensing;
- e) Wi-Fi services;
- f) air quality sensing;

- g) electric vehicle (EV) charging;
- h) advertising platforms;
- i) over-the-air (OTA) firmware upgrades.

See [Annex A](#) for examples of use cases in different regions.

5 Principles for data exchange and sharing

For the purposes of effective data exchange and sharing for the smart lamppost network, guided by relevant provisions given in ISO 37156, the following principles can be considered:

- a) The data gathered by the smart lamppost network are accessible with sufficient security measures in place.
- b) The operator in charge of the smart lamppost network maintenance and operation maintains a catalogue of the data types within its ownership that are available for exchange and sharing, and periodically updates this catalogue.
- c) The integrity of the data meets minimum requirements for exchange and sharing.
- d) The entire process of data exchange and sharing meets corresponding national and industrial regulations.
- e) The entire process of data exchange and sharing ensures the interoperability and compatibility between hardware and software products that are developed under a common framework.

6 Data spectrum

The data spectrum for the lamppost network is determined by security, access and control requirements. It also depends on the nature of the entities providing data.

The majority of the data described by this document belong to the categories of shared data and open data, as given in ISO 37156.

7 Data transmission

7.1 Interfaces

The smart lamppost network combines a range of sensing facilities, supported by appropriate types of interfaces for the purpose of data transmission. [Table 1](#) shows the mainstream interfaces and transmission manners applicable to transmission processes between lamppost terminals and a cloud platform at the local level.

Table 1 — Interfaces for data transmission

Functionality	Interface (recommended)	Transmission manner
Smart/adaptive lighting	DALI D4i, RS485, NEMA standard 0V to 10V, PWM output	Wired/wireless
Video surveillance	Ethernet/EMVA, GigE, USB, GeniCAM/ JSON	Wired/wireless
WLAN	Ethernet /Wi-Fi/5G	Wired/wireless
Broadcast	Ethernet /Wi-Fi/5G	Wired/wireless
Radio detection	Ethernet /Wi-Fi/5G	Wired/wireless

7.2 Data transmission

As a common practice, data are transmitted in frames comprising a certain number of bytes as the basic units. Frames are generally transmitted in the Open Systems Interconnection (OSI) reference model defined by ISO 7498-1, characterized by a seven-layer stratification. In the case of the lamppost network, for the objective of acquiring a quick response with limited bandwidth, an enhanced performance architecture (EPA) is applied, which adopts a three-layer model containing only physical, data link and application.

7.3 Data format and content

Formats of data exchanged and shared related to the lamppost network include: character (C), numeric (N), time (T) and string (S), as shown in [Table 2](#). The data are stored in XML.

The data structure is open source and standardized so it can be adopted and applied by all hardware and software manufacturers to ensure the interoperability of the smart city infrastructure.

Table 2 — Data formats

Type	Explanation
C	Value expressed in the form of a character. C plus a natural number (e.g. C6) refers to a long string of characters.
N	Value expressed in the form of a calculable decimal number. N plus a natural number (e.g. N4) refers to a fixed length number.
T	Expression of time. Typically in the form of YYYYMMDDhhmmss. T plus 4, 6, 8, 10, 12 refers to different timing precisions: T4 refers to year, T6 refers to year and month, etc.
S	S refers to text of unfixed length.
B	Binary

8 Security and privacy issues

8.1 Security risk landscape

The operators of lamppost networks in smart cities are expected to be aware of the risk landscape that amounts to security pitfalls if without effective mitigation measures. According to ISO 37156, the security risk is generally related to loss of confidentiality, availability, safety, resilience, possession, authenticity, utility and/or integrity of data, and requires sufficient security measures.

8.2 Security strategy

8.2.1 Accountability and responsibility

The data provider maintains a catalogue of the data types within its ownership that are available for exchange and sharing, and is held accountable for ensuring that data collection, exchange and sharing processes are implemented in a consistent manner across the lamppost network.

8.2.2 Privacy

Privacy issues are generally addressed as follows:

- a) The acquisition, storage and utilization of data complies with the basic principles of national laws and regulations on the protection of residents’ personal information and data, processed in accordance with the rights of individual residents granted by the state.