

FINAL
DRAFT

INTERNATIONAL
STANDARD

ISO/FDIS
37180

ISO/TC 268/SC 1

Secretariat: JISC

Voting begins on:
2021-05-18

Voting terminates on:
2021-07-13

**Smart community infrastructures —
Guidance on smart transportation
with QR code identification and
authentication in transportation and
its related or additional services**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/FDIS 37180](https://standards.iteh.ai/catalog/standards/sist/65698cf3-cd9f-4cc8-92ea-fe33b5217d9d/iso-fdis-37180)

[https://standards.iteh.ai/catalog/standards/sist/65698cf3-cd9f-4cc8-92ea-
fe33b5217d9d/iso-fdis-37180](https://standards.iteh.ai/catalog/standards/sist/65698cf3-cd9f-4cc8-92ea-fe33b5217d9d/iso-fdis-37180)

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.



Reference number
ISO/FDIS 37180:2021(E)

© ISO 2021

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/FDIS 37180

<https://standards.iteh.ai/catalog/standards/sist/65698cf3-cd9f-4cc8-92ea-fe33b5217d9d/iso-fdis-37180>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Concept of smart transportation with QR code identification and authentication	2
4.1 Background.....	2
4.2 Practical usefulness of QR codes.....	2
4.3 Satisfying the Sustainable Development Goals.....	2
5 QR code identification and authentication-applicable transportation and its related or additional services	2
5.1 General.....	2
5.2 Services to customers in public transportation.....	3
5.3 Services to customers in private transportation.....	3
5.4 Services to customers in inter-modal, carrier or line operational transportation for public and private purposes.....	3
5.5 Business work by operators, administrators and facilities owners of public transportation and its related or additional services.....	3
5.6 Business work by operators, administrators and facilities owners of private transportation and its related or additional services.....	3
6 QR code identification, authentication and authorization in or for smart transportation	3
6.1 General.....	3
6.2 QR code identification.....	4
6.3 QR code authentication.....	4
6.4 QR code authorization.....	4
6.4.1 General.....	4
6.4.2 Authorization processes.....	4
6.5 Other practically useful applications of QR codes in transportation and its related or additional services.....	5
6.5.1 General.....	5
6.6 Application to data transfer validation.....	5
7 Security of smart transportation with QR code identification and authentication	6
7.1 General.....	6
7.2 QR code identification and authentication security.....	6
7.3 QR code authorization security.....	6
7.3.1 General.....	6
7.3.2 Personal information collection and encryptions.....	7
7.3.3 Security procedures.....	7
8 Organization and operation of smart transportation with QR code identification and authentication	7
8.1 General.....	7
8.2 Secure-trusted infrastructures for QR code identification and authentication.....	7
8.2.1 Credible service management modules.....	7
8.2.2 Big data analysis centres.....	7
8.2.3 Registration centres.....	8
8.2.4 Data transfer modules.....	8
8.2.5 Terminal application modules.....	8
9 Quality maintenance of smart transportation with QR code identification and authentication	8
9.1 General.....	8
9.2 Parameters to be observed.....	8

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO/FDIS 37180

<https://standards.iteh.ai/catalog/standards/sist/65698cf3-cd9f-4cc8-92ea-fe33b5217d9d/iso-fdis-37180>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 268, *Sustainable cities and communities*, Subcommittee SC 1, *Smart community infrastructures*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Quick Response (or QR) codes are widely used worldwide due to their extremely large capacity for data storage and data transfer instead of barcodes. In the transportation field, QR codes have been used for over 20 years. However, their application is limited since the identification and authentication procedure with QR codes in data transfer takes over one second. In cities, a ticket inspection gate should communicate with 60 customers per minute for their ticket validation at rail stations. As the number of people delayed due to ticket processing in a concourse increases, this results in more risk leading to passenger injuries. A typical example is the metro in Bangkok, Thailand. The slow processing rate of ticket inspection machines disturbs passenger flows in the station. The passengers are delayed frequently at the gate due to the processing resulting in missed trains.

In the past, the security of QR codes was very limited, and so it was highly risky to use the QR code for ticket value information retention. If the QR codes were falsely duplicated, the copies would work as a valid ticket. Transportation operators were hesitant to apply QR codes in ticketing and used the code only for specific purposes or particular situations. For example, a bus stop numbered ticket for fare adjustment in bus services and seat reservation sold within one hour of train departure.

However, the lack of security features has been overcome by improving QR code identification and authentication procedures through the use of dynamic encryption keys and their matching fields. These processes aid in achieving fluidity enhancement, controllable anonymity, non-forgery, non-repeatable data transfer and non-repudiation. QR codes are now effective tools to identify data senders and recipients. Further, QR codes can be used to authenticate information contents and authorize personal status, by completing the procedures safely and quickly. This advanced performance and security cultivate improved transportation and its related or additional service fields, such as money transfer services for payment and charging pre-paid cards. Thereby, ensuring that the services are more beneficial for customers and assist service agents with the more highly accurate and functional informational data flow. In geographic information systems where large data are traded, supported with such efforts, QR code applications already started for data provenance indication, metadata linkage, dictionary organization, data integration, qualification and exchange as well as security.

This guidance document describes QR code identification and authentication to be applied in such services.

In the development of this document, ISO Guide 82 has been taken into account in addressing sustainability issues.

Smart community infrastructures — Guidance on smart transportation with QR code identification and authentication in transportation and its related or additional services

1 Scope

This document provides guidance on transportation and its related or additional services using quick response (QR) codes for identification and authentication in data transfer, in order to make their services both convenient and advantageous for customers and service agents while protecting them from cheating and illegal action in data transfer.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1

QR code

<smart transportation> quick response (QR) code, such ones as designated in ISO/IEC 18004, which is to be used for identification and authentication in data transfer in or for smart transportation in a general meaning defined in ISO 37154:2017, 3.7

Note 1 to entry: Smart transportation in a general meaning is transportation that provides city issue solutions by transportation system.

Note 2 to entry: In smart transportation, data are usually transferred between customers and service agents in transportation and its related or additional services and between the agents.

Note 3 to entry: QR codes designated by ISO/IEC 18004 should be used in smart transportation. When using other QR codes not covered by ISO standards, the user would be charged on the utilization even while such QR codes still technically work for smart transportation.

3.2

QR code identification

process to identify data senders and recipients with *QR codes* (3.1) when transferring data in transportation and its related or additional services

3.3

QR code authentication

process to authenticate information contents with *QR codes* (3.1) when transferring data in transportation and its related or additional services

3.4

QR code authorization

process to authorize personal status by *QR code* (3.1) identification and authentication in transportation and its related or additional services

3.5

service agent

person working for operators, administrators and facilities owners in transportation and its related or additional services

4 Concept of smart transportation with QR code identification and authentication

4.1 Background

In transportation and its related or additional services, data should be transferred safely and quickly between customers and service agents for specific purposes such as fare or fee payment and receipts, seat, sleeping car and hotel room reservations and confirmation as well as delivery items and freight tracking. In this case, data sender and recipient identification and information content authentication should be completed instantaneously. Identification confirms who is who, while authentication recognizes what is whose. Identification and authentication work to verify persons and information, respectively. For example, it can be checked with a QR code printed on a ticket that the ticket is valid, held by a qualified person and fixed for the fare and fee payment to transportation operators. The payment can also be transacted through QR-codes, if highly secured and quickly processed.

4.2 Practical usefulness of QR codes

QR codes have good readability which is helpful in identifying persons by authenticating the content within information and retaining multiple types of information.

QR codes are applied by printing directly on paper or other materials such as plastic tickets and pasting a sticker printed therewith anywhere convenient for services (e.g. ticket vending machine bodies, transportation vehicle fee boxes, cashier counters) for identification of data senders and recipients (e.g. customers, service agents) and authentication of information contents (e.g. reservations, money transaction, enquiries). Smartphones, which are normally equipped with digital camera functions, work effectively as QR code readers and indicators. PC displays are also useful QR code indication devices, which show homepages linked to official websites for information enquiries. QR codes protect customers, if used with identification and authentication, from cheating action through phishing websites while customers are communicating therewith.

4.3 Satisfying the Sustainable Development Goals

Smart transportation works to satisfy the United Nations' Sustainable Development Goals (SDGs), especially goal 8 'Decent work and economic growth', goal 9 'Industry, innovation and infrastructure', goal 10 'Reduced inequalities', goal 11 'Sustainable cities and communities', goal 12 'Responsible consumption and production' and goal 15 'Life on land'.

5 QR code identification and authentication-applicable transportation and its related or additional services

5.1 General

QR code identification and authentication are normally employed as methods for highly secure data transfer. When applied in transportation and its related or additional services, they work for data senders (e.g. customers) and recipients (e.g. transportation service agents) identification and information content (e.g. reserved seats, beds and rooms) authentication. The applicable services

to customers and business work by operators, administrators and facilities owners are as already described in ISO 37154. See [5.2](#) to [5.6](#) for easy reference to the applicable services.

5.2 Services to customers in public transportation

For passenger as well as delivery items and freight services, see ISO 37154, 5.2.6.2, a) and b).

EXAMPLE QR code identification and authentication work on ticketing (e.g. seat reservation tickets) and ticket inspection (e.g. ticket verification), fare and fee payment and collection (e.g. d-payment), travel planning (e.g. service schedule download), shipping and receiving planning, delivery items and freight tracking (e.g. successful receipt), weather forecast and its information delivery, emergency communication (e.g. automatic connection), information provision and indication, and internet connection.

5.3 Services to customers in private transportation

For common and pooling vehicles, see ISO 37154, 5.2.6.3, a) and b).

EXAMPLE QR code identification and authentication work on information provision (e.g. map indication), parking lot services (e.g. parking tickets) as well as vehicle sharing and rental services (e.g. rental contracts).

5.4 Services to customers in inter-modal, carrier or line operational transportation for public and private purposes

For the same transportation mode services, inter-modal services and interface services between public and private transportation, see ISO 37154 6.3.2, 6.3.3 and 6.3.4, respectively.

EXAMPLE QR code identification and authentication work on ticketing for travelling to other same-mode carriers and by inter-modal transport (e.g. through ticket verification between different carriers), arrangements for shipping to different-mode carriers (e.g. planning to ship to other carriers) and parking lot services on inter-modal interfaces (e.g. parking lot reservations).

ISO/FDIS 37180
<https://standards.iteh.ai/catalog/standards/sist/65698cf3-cd9f-4cc8-92ea->

5.5 Business work by operators, administrators and facilities owners of public transportation and its related or additional services

For rail, bus and truck, ferry as well as air vehicle modes, see ISO 37154, 5.2.5.2, a), b), c) and d).

EXAMPLE QR code identification and authentication work on passenger, delivery items and freight services as well as the operation (e.g. service dispatching), its technical support (e.g. repair records, operation manuals), safety ensuring and information provision in the services.

5.6 Business work by operators, administrators and facilities owners of private transportation and its related or additional services

For the business work and personal-use public transportation, see ISO 37154, 5.2.5.3, a) and b).

EXAMPLE QR code identification and authentication work on vehicle sharing and rental services (e.g. vehicle reservations, rental contracts).

6 QR code identification, authentication and authorization in or for smart transportation

6.1 General

QR codes in or for smart transportation to be used with temporary keys and matching fields work for personal identification and information content authentication, whenever customers and service agents transfer data. Such QR codes enable safe and quick enquiries on transportation and its related or additional services, which are linked to appropriate websites by protecting customers from tricks and information disclosure.

Conventional procedures to secure data transfer require tedious and complex certificates of identification and authentication. Obtaining the certificate takes time and hitch-less communication bothers customers and service agents in the process. To avoid such disadvantages, QR code identification and authentication in or for smart transportation should have the following characteristics:

- non-centralized, end-to-end data transfer modes;
- public-key cryptography to ensure high efficiency and low-cost data transfer;
- convenience and security;
- online or offline communication;
- tamper-free and non-repudiated data transfer;
- tractable trading.

6.2 QR code identification

QR code identification is applied whenever transferring data in transportation and its related or additional services, in order to identify data senders and recipients. In the services, data are transferred:

- between customers and service agents of operators, administrators or facilities owners;
- between service agents of operators, administrators and facilities owners;
- between customers or service agents of operators, administrators and facilities owners, and settlement organizations.

ITeh STANDARD PREVIEW
(standards.iteh.ai)

6.3 QR code authentication

QR code authentication is applied whenever transferring data in transportation and its related or additional services, in order to protect information contents from illegal action. The data are normally transferred between persons, as mentioned in [6.2](#).

ISO/FDIS 37180

6.4 QR code authorization

6.4.1 General

It is common that customers make reservations for train, bus and ferry rides, flight services as well as hotel and restaurant. QR code authorization is applied in the reservation process. When people (e.g. customers) are identified and information contents (e.g. reservation details) are authenticated with QR codes, their status (e.g. qualification for taking the reserved seat) is authorized. QR codes simplify authorization processes that usually take time in conventional ways, whereas QR code authorization is processed in a short time in smart transportation. QR code authorization also avoids illegal or wrong action that happens in manual processing.

6.4.2 Authorization processes

QR code authorization works with immediate responses to confirm personal status, which is completed by applying QR code identification and authentication. Customer status is authorized in transportation and its related or additional services when validating and verifying their tickets in a station, ferry terminal or airport, passports at passport control and reservation slips at a hotel or restaurant, for example.

In addition, customers can show their qualification for discounts (e.g. students, repeaters, frequent visitors) and fee exemption (e.g. students, elderly, disabled), when booking seats, beds and rooms as well as buying articles. QR code authorization works just like certificates (e.g. driver's license, entry visa, personal health record).