

ETSI TS 138 473 V17.6.0 (2023-10)



**5G;
NG-RAN;
F1 Application Protocol (F1AP)
(3GPP TS 38.473 version 17.6.0 Release 17)**

[ETSI TS 138 473 V17.6.0 \(2023-10\)](https://standards.iteh.ai/catalog/standards/sist/cc3359ce-dd79-47ad-832c-4ac419f30ff4/etsi-ts-138-473-v17-6-0-2023-10)

<https://standards.iteh.ai/catalog/standards/sist/cc3359ce-dd79-47ad-832c-4ac419f30ff4/etsi-ts-138-473-v17-6-0-2023-10>



ReferenceRTS/TSGR-0338473vh60

Keywords5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:

<https://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

If you find a security vulnerability in the present document, please report it through our

Coordinated Vulnerability Disclosure Program:

<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2023.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. (2023-10)

The cross reference between 3GPP and ETSI identities can be found under <https://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	17
1 Scope	18
2 References	18
3 Definitions and abbreviations.....	20
3.1 Definitions	20
3.2 Abbreviations	21
4 General	22
4.1 Procedure specification principles.....	22
4.2 Forwards and backwards compatibility	23
4.3 Specification notations	23
5 F1AP services.....	23
6 Services expected from signalling transport.....	24
7 Functions of F1AP	24
8 F1AP procedures	24
8.1 List of F1AP Elementary procedures	24
8.2 Interface Management procedures	27
8.2.1 Reset	27
8.2.1.1 General	27
8.2.1.2 Successful Operation.....	27
8.2.1.2.1 Reset Procedure Initiated from the gNB-CU.....	27
8.2.1.2.2 Reset Procedure Initiated from the gNB-DU.....	28
8.2.1.3 Abnormal Conditions	29
8.2.2 Error Indication.....	29
8.2.2.1 General	29
8.2.2.2 Successful Operation.....	29
8.2.2.3 Abnormal Conditions	30
8.2.3 F1 Setup	30
8.2.3.1 General	30
8.2.3.2 Successful Operation.....	30
8.2.3.3 Unsuccessful Operation	32
8.2.3.4 Abnormal Conditions	32
8.2.4 gNB-DU Configuration Update.....	32
8.2.4.1 General	32
8.2.4.2 Successful Operation.....	33
8.2.4.3 Unsuccessful Operation	35
8.2.4.4 Abnormal Conditions	35
8.2.5 gNB-CU Configuration Update	36
8.2.5.1 General	36
8.2.5.2 Successful Operation.....	36
8.2.5.3 Unsuccessful Operation	38
8.2.5.4 Abnormal Conditions	39
8.2.6 gNB-DU Resource Coordination.....	39
8.2.6.1 General	39
8.2.6.2 Successful Operation.....	39
8.2.7 gNB-DU Status Indication.....	39
8.2.7.1 General	39
8.2.7.2 Successful Operation.....	40
8.2.7.3 Abnormal Conditions	40

8.2.8	F1 Removal.....	40
8.2.8.1	General	40
8.2.8.2	Successful Operation.....	41
8.2.8.3	Unsuccessful Operation	41
8.2.8.4	Abnormal Conditions	42
8.2.9	Network Access Rate Reduction	42
8.2.9.1	General	42
8.2.9.2	Successful operation.....	42
8.2.9.3	Abnormal Conditions	43
8.2.10	Resource Status Reporting Initiation	43
8.2.10.1	General	43
8.2.10.2	Successful Operation.....	43
8.2.10.3	Unsuccessful Operation	44
8.2.10.4	Abnormal Conditions	44
8.2.11	Resource Status Reporting.....	45
8.2.11.1	General	45
8.2.11.2	Successful Operation.....	45
8.2.11.3	Unsuccessful Operation	45
8.2.11.4	Abnormal Conditions	45
8.3	UE Context Management procedures.....	45
8.3.1	UE Context Setup	45
8.3.1.1	General	45
8.3.1.2	Successful Operation.....	46
8.3.1.3	Unsuccessful Operation	53
8.3.1.4	Abnormal Conditions	53
8.3.2	UE Context Release Request (gNB-DU initiated)	54
8.3.2.1	General	54
8.3.2.2	Successful Operation.....	54
8.3.2.3	Abnormal Conditions	54
8.3.3	UE Context Release (gNB-CU initiated)	55
8.3.3.1	General	55
8.3.3.2	Successful Operation.....	55
8.3.3.4	Abnormal Conditions	55
8.3.4	UE Context Modification (gNB-CU initiated).....	56
8.3.4.1	General	56
8.3.4.2	Successful Operation.....	56
8.3.4.3	Unsuccessful Operation	66
8.3.4.4	Abnormal Conditions	66
8.3.5	UE Context Modification Required (gNB-DU initiated).....	67
8.3.5.1	General	67
8.3.5.2	Successful Operation.....	67
8.3.5.2A	Unsuccessful Operation	69
8.3.5.3	Abnormal Conditions	69
8.3.6	UE Inactivity Notification	69
8.3.6.1	General	69
8.3.6.2	Successful Operation.....	69
8.3.6.3	Abnormal Conditions	70
8.3.7	Notify.....	70
8.3.7.1	General	70
8.3.7.2	Successful Operation.....	70
8.3.7.3	Abnormal Conditions	70
8.3.8	Access Success	70
8.3.8.1	General	70
8.3.8.2	Successful Operation.....	71
8.3.8.3	Abnormal Conditions	71
8.4	RRC Message Transfer procedures	71
8.4.1	Initial UL RRC Message Transfer	71
8.4.1.1	General	71
8.4.1.2	Successful operation.....	71
8.4.1.3	Abnormal Conditions	72
8.4.2	DL RRC Message Transfer.....	72
8.4.2.1	General	72

8.4.2.2	Successful operation.....	72
8.4.2.3	Abnormal Conditions	73
8.4.3	UL RRC Message Transfer.....	73
8.4.3.1	General	73
8.4.3.2	Successful operation.....	73
8.4.3.3	Abnormal Conditions	74
8.4.4	RRC Delivery Report.....	74
8.4.4.1	General	74
8.4.4.2	Successful operation.....	74
8.4.4.3	Abnormal Conditions	74
8.5	Warning Message Transmission Procedures.....	74
8.5.1	Write-Replace Warning	74
8.5.1.1	General	74
8.5.1.2	Successful Operation.....	75
8.5.1.3	Unsuccessful Operation	75
8.5.1.4	Abnormal Conditions	75
8.5.2	PWS Cancel.....	76
8.5.2.1	General	76
8.5.2.2	Successful Operation.....	76
8.5.2.3	Unsuccessful Operation	76
8.5.2.4	Abnormal Conditions	76
8.5.3	PWS Restart Indication.....	77
8.5.3.1	General	77
8.5.3.2	Successful Operation.....	77
8.5.3.3	Abnormal Conditions	77
8.5.4	PWS Failure Indication.....	77
8.5.4.1	General	77
8.5.4.2	Successful Operation.....	77
8.5.4.3	Abnormal Conditions	77
8.6	System Information Procedures	78
8.6.1	System Information Delivery.....	78
8.6.1.1	General	78
8.6.1.2	Successful Operation.....	78
8.6.1.3	Abnormal Conditions	78
8.7	Paging procedures	78
8.7.1	Paging	78
8.7.1.1	General	78
8.7.1.2	Successful Operation.....	79
8.7.1.3	Abnormal Conditions	80
8.8	Trace Procedures	80
8.8.1	Trace Start.....	80
8.8.1.1	General	80
8.8.1.2	Successful Operation.....	80
8.8.1.3	Abnormal Conditions	80
8.8.2	Deactivate Trace	80
8.8.2.1	General	80
8.8.2.2	Successful Operation.....	81
8.8.2.3	Abnormal Conditions	81
8.8.3	Cell Traffic Trace.....	81
8.8.3.1	General	81
8.8.3.2	Successful Operation.....	81
8.8.3.3	Abnormal Conditions	81
8.9	Radio Information Transfer procedures	82
8.9.1	DU-CU Radio Information Transfer.....	82
8.9.1.1	General	82
8.9.1.2	Successful operation.....	82
8.9.1.3	Abnormal Conditions	82
8.9.2	CU-DU Radio Information Transfer.....	82
8.9.2.1	General	82
8.9.2.2	Successful operation.....	82
8.9.2.3	Abnormal Conditions	83
8.10	IAB Procedures	83

8.10.0	General.....	83
8.10.1	BAP Mapping Configuration.....	83
8.10.1.1	General.....	83
8.10.1.2	Successful Operation.....	83
8.10.1.A	Unsuccessful Operation	84
8.10.1.3	Abnormal Conditions	84
8.10.2	gNB-DU Resource Configuration.....	84
8.10.2.1	General.....	84
8.10.2.2	Successful Operation.....	85
8.10.2.B	Unsuccessful Operation	85
8.10.2.3	Abnormal Conditions	86
8.10.3	IAB TNL Address Allocation.....	86
8.10.3.1	General.....	86
8.10.3.2	Successful Operation.....	86
8.10.3.C	Unsuccessful Operation	87
8.10.3.3	Abnormal Conditions	87
8.10.4	IAB UP Configuration Update.....	87
8.10.4.1	General.....	87
8.10.4.2	Successful Operation.....	87
8.10.4.3	Unsuccessful Operation	88
8.10.4.4	Abnormal Conditions	88
8.11	Self Optimisation Support procedures.....	88
8.11.1	Access and Mobility Indication	88
8.11.1.1	General.....	88
8.11.1.2	Successful Operation.....	89
8.11.1.3	Abnormal Conditions	89
8.12	Reference Time Information Reporting procedures.....	89
8.12.1	Reference Time Information Reporting Control.....	89
8.12.1.1	General.....	89
8.12.1.2	Successful Operation.....	89
8.12.1.3	Abnormal Conditions	90
8.12.2	Reference Time Information Report.....	90
8.12.2.1	General.....	90
8.12.2.2	Successful Operation.....	90
8.12.2.3	Abnormal Conditions	90
8.13	Positioning Procedures.....	90
8.13.1	Positioning Assistance Information Control.....	90
8.13.1.1	General.....	90
8.13.1.2	Successful Operation.....	91
8.13.1.3	Abnormal Conditions	91
8.13.2	Positioning Assistance Information Feedback.....	91
8.13.2.1	General.....	91
8.13.2.2	Successful Operation.....	92
8.13.2.3	Abnormal Conditions	92
8.13.3	Positioning Measurement	92
8.13.3.1	General.....	92
8.13.3.2	Successful Operation.....	92
8.13.3.3	Unsuccessful Operation	93
8.13.3.4	Abnormal Conditions	94
8.13.4	Positioning Measurement Report.....	94
8.13.4.1	General.....	94
8.13.4.2	Successful Operation.....	94
8.13.4.3	Unsuccessful Operation	94
8.13.4.4	Abnormal Conditions	94
8.13.5	Positioning Measurement Abort.....	94
8.13.5.1	General.....	94
8.13.5.2	Successful Operation.....	95
8.13.5.3	Unsuccessful Operation	95
8.13.5.4	Abnormal Conditions	95
8.13.6	Positioning Measurement Failure Indication	95
8.13.6.1	General.....	95
8.13.6.2	Successful Operation.....	95

8.13.6.3	Unsuccessful Operation	95
8.13.6.4	Abnormal Conditions	96
8.13.7	Positioning Measurement Update	96
8.13.7.1	General	96
8.13.7.2	Successful Operation	96
8.13.7.3	Unsuccessful Operation	96
8.13.7.4	Abnormal Conditions	96
8.13.8	TRP Information Exchange	96
8.13.8.1	General	96
8.13.8.2	Successful Operation	97
8.13.8.3	Unsuccessful Operation	97
8.13.9	Positioning Information Exchange	98
8.13.9.1	General	98
8.13.9.2	Successful Operation	98
8.13.9.3	Unsuccessful Operation	98
8.13.10	Positioning Activation	99
8.13.10.1	General	99
8.13.10.2	Successful Operation	99
8.13.10.3	Unsuccessful Operation	99
8.13.10.4	Abnormal Conditions	100
8.13.11	Positioning Deactivation	100
8.13.11.1	General	100
8.13.11.2	Successful Operation	100
8.13.11.3	Unsuccessful Operation	100
8.13.11.4	Abnormal Conditions	100
8.13.12	E-CID Measurement Initiation	100
8.13.12.1	General	100
8.13.12.2	Successful Operation	101
8.13.12.3	Unsuccessful Operation	101
8.13.13	E-CID Measurement Failure Indication	101
8.13.13.1	General	101
8.13.13.2	Successful Operation	102
8.13.13.3	Unsuccessful Operation	102
8.13.14	E-CID Measurement Report	102
8.13.14.1	General	102
8.13.14.2	Successful Operation	102
8.13.14.3	Unsuccessful Operation	102
8.13.15	E-CID Measurement Termination	103
8.13.15.1	General	103
8.13.15.2	Successful Operation	103
8.13.15.3	Unsuccessful Operation	103
8.13.16	Positioning Information Update	103
8.13.16.1	General	103
8.13.16.2	Successful Operation	103
8.13.16.3	Unsuccessful Operation	104
8.13.16.4	Abnormal Conditions	104
8.13.17	PRS Configuration Exchange	104
8.13.17.1	General	104
8.13.17.2	Successful Operation	104
8.13.17.3	Unsuccessful Operation	104
8.13.17.4	Abnormal Conditions	105
8.13.18	Measurement Preconfiguration	105
8.13.18.1	General	105
8.13.18.2	Successful Operation	105
8.13.18.3	Unsuccessful Operation	105
8.13.19	Measurement Activation	106
8.13.19.1	General	106
8.13.19.2	Successful Operation	106
8.13.19.3	Unsuccessful Operation	106
8.13.20	Positioning System Information Delivery	106
8.13.20.1	General	106
8.13.20.2	Successful Operation	106

8.13.20.3	Abnormal Conditions	107
8.14	NR MBS Procedures	107
8.14.1	Broadcast Context Setup	107
8.14.1.1	General	107
8.14.1.2	Successful Operation	107
8.14.1.3	Unsuccessful Operation	108
8.14.1.4	Abnormal Conditions	108
8.14.2	Broadcast Context Release	108
8.14.2.1	General	108
8.14.2.2	Successful Operation	108
8.14.2.3	Unsuccessful Operation	109
8.14.2.4	Abnormal Conditions	109
8.14.3	Broadcast Context Release Request	109
8.14.3.1	General	109
8.14.3.2	Successful Operation	109
8.14.3.3	Unsuccessful Operation	109
8.14.3.4	Abnormal Conditions	109
8.14.4	Broadcast Context Modification	110
8.14.4.1	General	110
8.14.4.2	Successful Operation	110
8.14.4.3	Unsuccessful Operation	111
8.14.4.4	Abnormal Conditions	111
8.14.5	Multicast Group Paging	111
8.14.5.1	General	111
8.14.5.2	Successful Operation	112
8.14.5.3	Abnormal Conditions	112
8.14.6	Multicast Context Setup	112
8.14.6.1	General	112
8.14.6.2	Successful Operation	112
8.14.6.3	Unsuccessful Operation	113
8.14.6.4	Abnormal Conditions	113
8.14.7	Multicast Context Release	113
8.14.7.1	General	113
8.14.7.2	Successful Operation	114
8.14.7.3	Unsuccessful Operation	114
8.14.7.4	Abnormal Conditions	114
8.14.8	Multicast Context Release Request	114
8.14.8.1	General	114
8.14.8.2	Successful Operation	114
8.14.8.3	Unsuccessful Operation	115
8.14.8.4	Abnormal Conditions	115
8.14.9	Multicast Context Modification	115
8.14.9.1	General	115
8.14.9.2	Successful Operation	115
8.14.9.3	Unsuccessful Operation	116
8.14.9.4	Abnormal Conditions	116
8.14.10	Multicast Distribution Setup	116
8.14.10.1	General	116
8.14.10.2	Successful Operation	116
8.14.10.3	Unsuccessful Operation	117
8.14.10.4	Abnormal Conditions	117
8.14.11	Multicast Distribution Release	117
8.14.11.1	General	117
8.14.11.2	Successful Operation	117
8.14.11.3	Unsuccessful Operation	118
8.14.11.4	Abnormal Conditions	118
8.15	PDC Measurement Reporting procedures	118
8.15.1	PDC Measurement Initiation	118
8.15.1.1	General	118
8.15.1.2	Successful Operation	118
8.15.1.3	Unsuccessful Operation	119
8.15.2	PDC Measurement Report	119

8.15.2.1	General	119
8.15.2.2	Successful Operation.....	119
8.15.2.3	Unsuccessful Operation	119
8.15.3	PDC Measurement Termination	119
8.15.3.1	General	119
8.15.3.2	Successful Operation.....	120
8.15.3.3	Unsuccessful Operation	120
8.15.3.4	Abnormal Conditions	120
8.15.4	PDC Measurement Failure Indication.....	120
8.15.4.1	General	120
8.15.4.2	Successful Operation.....	120
8.15.4.3	Unsuccessful Operation	120
8.15.4.4	Abnormal Conditions	121
8.16	QMC Procedures	121
8.16.1	QoE Information Transfer	121
8.16.1.1	General	121
8.16.1.2	Successful operation.....	121
8.16.1.3	Abnormal Conditions	121
9	Elements for F1AP Communication	121
9.1	General	121
9.2	Message Functional Definition and Content	122
9.2.1	Interface Management messages	122
9.2.1.1	RESET	122
9.2.1.2	RESET ACKNOWLEDGE	122
9.2.1.3	ERROR INDICATION	123
9.2.1.4	F1 SETUP REQUEST	123
9.2.1.5	F1 SETUP RESPONSE	124
9.2.1.6	F1 SETUP FAILURE	125
9.2.1.7	GNB-DU CONFIGURATION UPDATE	125
9.2.1.8	GNB-DU CONFIGURATION UPDATE ACKNOWLEDGE	127
9.2.1.9	GNB-DU CONFIGURATION UPDATE FAILURE	128
9.2.1.10	GNB-CU CONFIGURATION UPDATE	128
9.2.1.11	GNB-CU CONFIGURATION UPDATE ACKNOWLEDGE	132
9.2.1.12	GNB-CU CONFIGURATION UPDATE FAILURE	133
9.2.1.13	GNB-DU RESOURCE COORDINATION REQUEST	133
9.2.1.14	GNB-DU RESOURCE COORDINATION RESPONSE	134
9.2.1.15	GNB-DU STATUS INDICATION.....	135
9.2.1.16	F1 REMOVAL REQUEST	135
9.2.1.17	F1 REMOVAL RESPONSE.....	135
9.2.1.18	F1 REMOVAL FAILURE	136
9.2.1.19	NETWORK ACCESS RATE REDUCTION	136
9.2.1.20	RESOURCE STATUS REQUEST	136
9.2.1.21	RESOURCE STATUS RESPONSE	138
9.2.1.22	RESOURCE STATUS FAILURE	138
9.2.1.23	RESOURCE STATUS UPDATE	138
9.2.2	UE Context Management messages.....	140
9.2.2.1	UE CONTEXT SETUP REQUEST.....	140
9.2.2.2	UE CONTEXT SETUP RESPONSE.....	147
9.2.2.3	UE CONTEXT SETUP FAILURE	151
9.2.2.4	UE CONTEXT RELEASE REQUEST	152
9.2.2.5	UE CONTEXT RELEASE COMMAND	152
9.2.2.6	UE CONTEXT RELEASE COMPLETE	153
9.2.2.7	UE CONTEXT MODIFICATION REQUEST.....	153
9.2.2.8	UE CONTEXT MODIFICATION RESPONSE.....	166
9.2.2.9	UE CONTEXT MODIFICATION FAILURE	172
9.2.2.10	UE CONTEXT MODIFICATION REQUIRED.....	173
9.2.2.11	UE CONTEXT MODIFICATION CONFIRM	176
9.2.2.11A	UE CONTEXT MODIFICATION REFUSE.....	178
9.2.2.12	UE INACTIVITY NOTIFICATION	178
9.2.2.13	NOTIFY	179
9.2.2.14	ACCESS SUCCESS	179

9.2.3	RRC Message Transfer messages.....	180
9.2.3.1	INITIAL UL RRC MESSAGE TRANSFER.....	180
9.2.3.2	DL RRC MESSAGE TRANSFER	180
9.2.3.3	UL RRC MESSAGE TRANSFER	181
9.2.3.4	RRC DELIVERY REPORT	182
9.2.4	Warning Message Transmission Messages.....	182
9.2.4.1	WRITE-REPLACE WARNING REQUEST	182
9.2.4.2	WRITE-REPLACE WARNING RESPONSE	183
9.2.4.3	PWS CANCEL REQUEST.....	183
9.2.4.4	PWS CANCEL RESPONSE.....	184
9.2.4.5	PWS RESTART INDICATION	185
9.2.4.6	PWS FAILURE INDICATION	185
9.2.5	System Information messages.....	185
9.2.5.1	SYSTEM INFORMATION DELIVERY COMMAND	185
9.2.6	Paging messages	186
9.2.6.1	PAGING	186
9.2.7	Trace Messages.....	187
9.2.7.1	TRACE START	187
9.2.7.2	DEACTIVATE TRACE	187
9.2.7.3	CELL TRAFFIC TRACE	187
9.2.8	Radio Information Transfer messages	188
9.2.8.1	DU-CU RADIO INFORMATION TRANSFER	188
9.2.8.2	CU-DU RADIO INFORMATION TRANSFER	188
9.2.9	IAB messages	189
9.2.9.1	BAP MAPPING CONFIGURATION	189
9.2.9.2	BAP MAPPING CONFIGURATION ACKNOWLEDGE	190
9.2.9.2A	BAP MAPPING CONFIGURATION FAILURE.....	190
9.2.9.3	GNB-DU RESOURCE CONFIGURATION.....	191
9.2.9.4	GNB-DU RESOURCE CONFIGURATION ACKNOWLEDGE.....	195
9.2.9.4A	GNB-DU RESOURCE CONFIGURATION FAILURE.....	195
9.2.9.5	IAB TNL ADDRESS REQUEST	195
9.2.9.6	IAB TNL ADDRESS RESPONSE	196
9.2.9.6A	IAB TNL ADDRESS FAILURE	197
9.2.9.7	IAB UP CONFIGURATION UPDATE REQUEST	197
9.2.9.8	IAB UP CONFIGURATION UPDATE RESPONSE	198
9.2.9.9	IAB UP CONFIGURATION UPDATE FAILURE.....	198
9.2.10	Self Optimisation Support Messages	199
9.2.10.1	ACCESS AND MOBILITY INDICATION	199
9.2.11	Reference Time Information Reporting messages.....	200
9.2.11.1	REFERENCE TIME INFORMATION REPORTING CONTROL	200
9.2.11.2	REFERENCE TIME INFORMATION REPORT	200
9.2.12	Messages for Positioning Procedures	200
9.2.12.1	POSITIONING ASSISTANCE INFORMATION CONTROL	200
9.2.12.2	POSITIONING ASSISTANCE INFORMATION FEEDBACK.....	201
9.2.12.3	POSITIONING MEASUREMENT REQUEST	201
9.2.12.4	POSITIONING MEASUREMENT RESPONSE	203
9.2.12.5	POSITIONING MEASUREMENT FAILURE	204
9.2.12.6	POSITIONING MEASUREMENT REPORT	204
9.2.12.7	POSITIONING MEASUREMENT ABORT.....	204
9.2.12.8	POSITIONING MEASUREMENT FAILURE INDICATION	205
9.2.12.9	POSITIONING MEASUREMENT UPDATE	205
9.2.12.10	TRP INFORMATION REQUEST.....	206
9.2.12.11	TRP INFORMATION RESPONSE.....	206
9.2.12.12	TRP INFORMATION FAILURE.....	206
9.2.12.13	POSITIONING INFORMATION REQUEST.....	207
9.2.12.14	POSITIONING INFORMATION RESPONSE.....	207
9.2.12.15	POSITIONING INFORMATION FAILURE.....	207
9.2.12.16	POSITIONING ACTIVATION REQUEST	208
9.2.12.17	POSITIONING ACTIVATION RESPONSE	208
9.2.12.18	POSITIONING ACTIVATION FAILURE	208
9.2.12.19	POSITIONING DEACTIVATION.....	209
9.2.12.20	E-CID MEASUREMENT INITIATION REQUEST	209

9.2.12.21	E-CID MEASUREMENT INITIATION RESPONSE	210
9.2.12.22	E-CID MEASUREMENT INITIATION FAILURE	211
9.2.12.23	E-CID MEASUREMENT FAILURE INDICATION	211
9.2.12.24	E-CID MEASUREMENT REPORT	211
9.2.12.25	E-CID MEASUREMENT TERMINATION COMMAND	211
9.2.12.26	POSITIONING INFORMATION UPDATE	212
9.2.12.27	PRS CONFIGURATION REQUEST	212
9.2.12.28	PRS CONFIGURATION RESPONSE	212
9.2.12.29	PRS CONFIGURATION FAILURE	213
9.2.12.30	MEASUREMENT PRECONFIGURATION REQUIRED	213
9.2.12.31	MEASUREMENT PRECONFIGURATION CONFIRM	214
9.2.12.32	MEASUREMENT PRECONFIGURATION REFUSE	214
9.2.12.33	MEASUREMENT ACTIVATION	214
9.2.12.34	POSITIONING SYSTEM INFORMATION DELIVERY COMMAND	215
9.2.13	Broadcast Context Management messages	215
9.2.13.1	BROADCAST CONTEXT SETUP REQUEST	215
9.2.13.2	BROADCAST CONTEXT SETUP RESPONSE	216
9.2.13.3	BROADCAST CONTEXT SETUP FAILURE	217
9.2.13.4	BROADCAST CONTEXT RELEASE COMMAND	217
9.2.13.5	BROADCAST CONTEXT RELEASE COMPLETE	217
9.2.13.5a	BROADCAST CONTEXT RELEASE REQUEST	217
9.2.13.6	BROADCAST CONTEXT MODIFICATION REQUEST	218
9.2.13.7	BROADCAST CONTEXT MODIFICATION RESPONSE	219
9.2.13.8	BROADCAST CONTEXT MODIFICATION FAILURE	220
9.2.14	Multicast Context Management messages	220
9.2.14.1	MULTICAST GROUP PAGING	220
9.2.14.2	MULTICAST CONTEXT SETUP REQUEST	221
9.2.14.3	MULTICAST CONTEXT SETUP RESPONSE	222
9.2.14.4	MULTICAST CONTEXT SETUP FAILURE	222
9.2.14.5	MULTICAST CONTEXT RELEASE COMMAND	222
9.2.14.6	MULTICAST CONTEXT RELEASE COMPLETE	223
9.2.14.6a	MULTICAST CONTEXT RELEASE REQUEST	223
9.2.14.7	MULTICAST CONTEXT MODIFICATION REQUEST	223
9.2.14.8	MULTICAST CONTEXT MODIFICATION RESPONSE	224
9.2.14.9	MULTICAST CONTEXT MODIFICATION FAILURE	225
9.2.14.10	MULTICAST DISTRIBUTION SETUP REQUEST	225
9.2.14.11	MULTICAST DISTRIBUTION SETUP RESPONSE	226
9.2.14.12	MULTICAST DISTRIBUTION SETUP FAILURE	226
9.2.14.13	MULTICAST DISTRIBUTION RELEASE COMMAND	227
9.2.14.14	MULTICAST DISTRIBUTION RELEASE COMPLETE	227
9.2.15	PDC Measurement Reporting messages	227
9.2.15.1	PDC MEASUREMENT INITIATION REQUEST	227
9.2.15.2	PDC MEASUREMENT INITIATION RESPONSE	228
9.2.15.3	PDC MEASUREMENT INITIATION FAILURE	228
9.2.15.4	PDC MEASUREMENT REPORT	228
9.2.15.5	PDC MEASUREMENT TERMINATION COMMAND	229
9.2.15.6	PDC MEASUREMENT FAILURE INDICATION	229
9.2.16	QMC messages	229
9.2.16.1	QOE INFORMATION TRANSFER	229
9.3	Information Element Definitions	230
9.3.1	Radio Network Layer Related IEs	230
9.3.1.1	Message Type	230
9.3.1.2	Cause	230
9.3.1.3	Criticality Diagnostics	234
9.3.1.4	gNB-CU UE F1AP ID	235
9.3.1.5	gNB-DU UE F1AP ID	235
9.3.1.6	RRC-Container	235
9.3.1.7	SRB ID	235
9.3.1.8	DRB ID	235
9.3.1.9	gNB-DU ID	235
9.3.1.10	Served Cell Information	236
9.3.1.11	Transmission Action Indicator	240

9.3.1.12	NR CGI	241
9.3.1.13	Time To wait.....	241
9.3.1.14	PLMN Identity	241
9.3.1.15	Transmission Bandwidth.....	241
9.3.1.16	Void.....	242
9.3.1.17	NR Frequency Info.....	242
9.3.1.18	gNB-DU System Information	243
9.3.1.19	E-UTRAN QoS	244
9.3.1.20	Allocation and Retention Priority	244
9.3.1.21	GBR QoS Information	245
9.3.1.22	Bit Rate	245
9.3.1.23	Transaction ID.....	246
9.3.1.24	DRX Cycle.....	246
9.3.1.25	CU to DU RRC Information	246
9.3.1.26	DU to CU RRC Information	248
9.3.1.27	RLC Mode.....	252
9.3.1.28	SUL Information	253
9.3.1.29	5GS TAC	253
9.3.1.29a	Configured EPS TAC.....	253
9.3.1.30	RRC Reconfiguration Complete Indicator	254
9.3.1.31	UL Configuration.....	254
9.3.1.32	C-RNTI	254
9.3.1.33	Cell UL Configured.....	254
9.3.1.34	RAT-Frequency Priority Information	254
9.3.1.35	LCID	255
9.3.1.36	Duplication activation	255
9.3.1.37	Slice Support List.....	255
9.3.1.38	S-NSSAI	255
9.3.1.39	UE Identity Index value	255
9.3.1.40	Paging DRX	256
9.3.1.41	Paging Priority	256
9.3.1.42	gNB-CU System Information.....	256
9.3.1.43	RAN UE Paging identity.....	257
9.3.1.44	CN UE Paging Identity	257
9.3.1.45	QoS Flow Level QoS Parameters.....	257
9.3.1.46	GBR QoS Flow Information	258
9.3.1.47	Dynamic 5QI Descriptor	259
9.3.1.48	NG-RAN Allocation and Retention Priority	260
9.3.1.49	Non Dynamic 5QI Descriptor	261
9.3.1.50	Maximum Packet Loss Rate.....	262
9.3.1.51	Packet Delay Budget	262
9.3.1.52	Packet Error Rate	262
9.3.1.53	Averaging Window	263
9.3.1.54	Maximum Data Burst Volume	263
9.3.1.55	Masked IMEISV	263
9.3.1.56	Notification Control	263
9.3.1.57	RAN Area Code	263
9.3.1.58	PWS System Information.....	263
9.3.1.59	Repetition Period.....	264
9.3.1.60	Number of Broadcasts Requested	264
9.3.1.61	Void.....	264
9.3.1.62	SIType List.....	264
9.3.1.63	QoS Flow Identifier.....	265
9.3.1.64	Served E-UTRA Cell Information	265
9.3.1.65	Available PLMN List.....	265
9.3.1.66	RLC Failure Indication	265
9.3.1.67	Uplink TxDirectCurrentList Information	266
9.3.1.68	Service Status	266
9.3.1.69	RLC Status	266
9.3.1.70	RRC Version.....	266
9.3.1.71	RRC Delivery Status.....	267
9.3.1.72	QoS Flow Mapping Indication.....	267

9.3.1.73	Resource Coordination Transfer Information	267
9.3.1.74	E-UTRA PRACH Configuration	267
9.3.1.75	Resource Coordination E-UTRA Cell Information.....	268
9.3.1.76	Extended Available PLMN List.....	269
9.3.1.77	Associated SCell List	269
9.3.1.78	Cell Direction.....	269
9.3.1.79	Paging Origin	270
9.3.1.80	E-UTRA Transmission Bandwidth	270
9.3.1.81	Message Identifier.....	270
9.3.1.82	Serial Number	270
9.3.1.83	UAC Assistance Information	270
9.3.1.84	UAC Action	271
9.3.1.85	UAC reduction Indication	272
9.3.1.86	Additional SIB Message List	272
9.3.1.87	Cell Type.....	272
9.3.1.87a	Configured TAC Indication	272
9.3.1.88	Trace Activation.....	272
9.3.1.89	Intended TDD DL-UL Configuration	273
9.3.1.90	Additional RRM Policy Index.....	275
9.3.1.91	DU-CU RIM Information	275
9.3.1.92	CU-DU RIM Information	275
9.3.1.93	gNB Set ID.....	275
9.3.1.94	Lower Layer Presence Status Change	276
9.3.1.95	Traffic Mapping Information	276
9.3.1.96	IP-to-layer-2 traffic mapping Information List	276
9.3.1.97	IP Header Information.....	277
9.3.1.98	BAP layer BH RLC channel mapping Information List	277
9.3.1.99	Mapping Information to Remove.....	278
9.3.1.100	Mapping Information Index	278
9.3.1.101	IAB TNL Addresses Requested	278
9.3.1.102	IAB TNL Address	279
9.3.1.103	Uplink BH Non-UP Traffic Mapping	279
9.3.1.104	Non-UP Traffic Type	279
9.3.1.105	IAB Info IAB-donor-CU	280
9.3.1.106	IAB Info IAB-DU	280
9.3.1.107	gNB-DU Cell Resource Configuration	280
9.3.1.108	Multiplexing Info	283
9.3.1.109	IAB STC Info.....	284
9.3.1.110	BAP Routing ID.....	285
9.3.1.111	BAP Address.....	285
9.3.1.112	BAP Path ID.....	285
9.3.1.113	BH RLC Channel ID.....	286
9.3.1.114	BH Information	286
9.3.1.115	Control Plane Traffic Type	287
9.3.1.116	NR V2X Services Authorized	287
9.3.1.117	LTE V2X Services Authorized	287
9.3.1.118	LTE UE Sidelink Aggregate Maximum Bit Rate.....	287
9.3.1.119	NR UE Sidelink Aggregate Maximum Bit Rate	287
9.3.1.120	SL DRB ID.....	288
9.3.1.121	PC5 QoS Flow Identifier.....	288
9.3.1.122	PC5 QoS Parameters	288
9.3.1.123	Alternative QoS Parameters Set Index.....	288
9.3.1.124	Alternative QoS Parameters Set Notify Index.....	289
9.3.1.125	Alternative QoS Parameters Set List.....	289
9.3.1.126	Non Dynamic PQI Descriptor.....	289
9.3.1.127	Dynamic PQI Descriptor	290
9.3.1.128	TNL Capacity Indicator	290
9.3.1.129	Radio Resource Status.....	290
9.3.1.130	Composite Available Capacity Group.....	293
9.3.1.131	Composite Available Capacity.....	293
9.3.1.132	Cell Capacity Class Value.....	293
9.3.1.133	Capacity Value	294