



**SLOVENSKI STANDARD**  
**oSIST ISO/DIS 19101-2:2017**  
**01-maj-2017**

---

**Geografske informacije - Referenčni model - 2. del: Podobe**

Geographic information -- Reference model -- Part 2: Imagery

iTeh STANDARD PREVIEW  
(standards.itih.ai)

Information géographique -- Modèle de référence -- Partie 2: Imagerie

**Ta slovenski standard je istoveten z: ISO/DIS 19101-2**

<https://standards.itih.ai/catalog/standards/sist/4352780f-22ca-4861-899f-19f9f7e5332a/sist-iso-19101-2-2019>

**ICS:**

07.040	Astronomija. Geodezija. Geografija	Astronomy. Geodesy. Geography
35.240.70	Uporabniške rešitve IT v znanosti	IT applications in science

**oSIST ISO/DIS 19101-2:2017**

**en,fr,de**



# DRAFT INTERNATIONAL STANDARD

## ISO/DIS 19101-2

ISO/TC 211

Secretariat: SIS

Voting begins on:  
2017-03-20Voting terminates on:  
2017-06-11

---

---

## Geographic information — Reference model —

### Part 2: Imagery

*Information géographique — Modèle de référence —**Partie 2: Imagerie*

ICS: 35.240.70

iTeh STANDARD PREVIEW  
(standards.iteh.ai)

SIST ISO 19101-2:2019

<https://standards.iteh.ai/catalog/standards/sist/4352780f-22ca-4861-899f-19f9f7e5332a/sist-iso-19101-2-2019>

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

This document is circulated as received from the committee secretariat.



Reference number  
ISO/DIS 19101-2:2017(E)

© ISO 2017

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ISO 19101-2:2019

<https://standards.iteh.ai/catalog/standards/sist/4352780f-22ca-4861-899f-19f9f7e5332a/sist-iso-19101-2-2019>



## **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Ch. de Blandonnet 8 • CP 401  
CH-1214 Vernier, Geneva, Switzerland  
Tel. +41 22 749 01 11  
Fax +41 22 749 09 47  
copyright@iso.org  
www.iso.org

<b>Contents</b>	<b>Page</b>
Foreword.....	v
Introduction.....	vi
<b>1 Scope .....</b>	<b>1</b>
<b>2 Conformance .....</b>	<b>1</b>
2.1 General .....	1
2.2 Enterprise conformance .....	1
2.3 Sensor conformance .....	1
2.4 Imagery data conformance .....	1
2.5 Imagery services conformance.....	1
2.6 Image processing system conformance.....	1
<b>3 Normative references .....</b>	<b>2</b>
<b>4 Terms and definitions.....</b>	<b>2</b>
<b>5 Abbreviated terms and symbols .....</b>	<b>8</b>
5.1 Abbreviated terms .....	8
5.2 Symbols .....	10
<b>6 Notation.....</b>	<b>10</b>
<b>7 Enterprise viewpoint - community objectives and policies .....</b>	<b>11</b>
7.1 General .....	11
7.2 Geographic imagery community objective.....	11
7.3 Geographic imagery scenario.....	11
7.4 Geographic imagery policies .....	12
7.4.1 Introduction to policies .....	12
7.4.2 Policy development guidelines.....	13
7.4.3 Policies.....	13
<b>8 Information Viewpoint - knowledge-based decisions.....</b>	<b>14</b>
8.1 Introduction to Information Viewpoint.....	14
8.1.1 Introduction to types of geographic imagery .....	14
8.1.2 Creating knowledge from imagery.....	16
8.1.3 General Feature Model .....	18
8.1.4 Topics relevant across data, information, and knowledge.....	19
8.2 Sensor data package .....	21
8.2.1 General .....	21
8.2.2 Sensors and platforms .....	21
8.2.3 Optical sensing.....	22
8.2.4 Microwave sensing.....	24
8.2.5 LIDAR sensor .....	27
8.2.6 Sonar sensor .....	30
8.2.7 Digital images from film.....	31
8.2.8 Scanned maps.....	32
8.2.9 Calibration, validation and metrology .....	32
8.2.10 Position and attitude determination.....	33
8.2.11 Image acquisition request.....	34
8.3 Geographic imagery information - processed, located, gridded.....	34
8.3.1 General .....	34
8.3.2 IG_Scene.....	34
8.3.3 Derived imagery.....	38

## ISO/DIS 19101-2:2017(E)

8.3.4	Imagery metadata .....	42
8.3.5	Encoding rules for imagery .....	42
8.3.6	Imagery compression .....	44
8.4	Geographic imagery knowledge – inference and interpretation.....	45
8.4.1	General.....	45
8.4.2	Knowledge from imagery .....	45
8.4.3	Image understanding and classification.....	45
8.4.4	IG_KnowledgeBase.....	48
8.5	Geographic imagery decision support – context-specific applications .....	50
8.5.1	General.....	50
8.5.2	Decision support services .....	50
8.5.3	Geographic portrayal.....	51
8.5.4	Fitness for Use Context.....	54
8.5.5	Decision fusion.....	56
9	Computational Viewpoint – services for imagery .....	57
9.1	Task-oriented computation .....	57
9.2	Computational patterns.....	57
9.3	Geographic imagery services.....	58
9.4	Service chaining for imagery .....	60
9.5	Service metadata .....	61
10	Engineering Viewpoint – deployment approaches .....	61
10.1	General.....	61
10.2	Distributed system for geographic imagery.....	61
10.3	Imagery Collection Node.....	63
10.4	Sensor Processing Node.....	64
10.5	Imagery Archive Node .....	64
10.6	Value Added Processing Node .....	65
10.7	Decision Support Node.....	66
10.8	Channels: networks and DCPS .....	67
10.8.1	Imagery considerations for channels .....	67
10.8.2	Space to ground communications.....	67
Annex A (normative)	Abstract test suite.....	68
A.1	Test module for policies .....	68
A.2	Test module for sensor and associated characteristics .....	68
A.3	Test module for imagery data characteristics.....	68
A.4	Test module for imagery services.....	68
A.5	Test module for image processing system design.....	68
Annex B (informative)	ISO Reference Model for Open Distributed Processing (RM-ODP) .....	70
Annex C (informative)	Imagery use cases .....	71
C.1	Agricultural irrigation use case .....	71
C.2	Vehicle traffic use case .....	72
C.3	Natural resources use case .....	73
C.4	Hurricane evacuation use case.....	73
Annex D (informative)	Principles relating to remote sensing of the Earth from space .....	75
Annex E (informative)	Changes from ISO/TS 19101-2:2008.....	79
Bibliography	.....	80

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

The committee responsible for this document is ISO/TC 211 *Geographic information/Geomatics*.

This second edition cancels and replaces ISO/TS 19101-2:2008.

ISO 19101 consists of the following parts, under the general title *Geographic information — Reference model*:

- *Part 1: Fundamental*
- *Part 2: Imagery*

## ISO/DIS 19101-2:2017(E)

### Introduction

This document provides a reference model for processing of geographic imagery which is frequently done in open distributed manners. The motivating themes addressed in this reference model are given below.

In terms of volume, imagery is the dominant form of geographic information.

- Stored geographic imagery volume will grow to the order of an exabyte.
- National imagery archives are multiple petabytes in size; ingesting a terabyte per day.
- Individual application data centers are archiving hundreds of terabytes of imagery.
- Tens of thousands of datasets have been catalogued and can be accessible online.

Large volumes of geographic imagery will not be portrayed directly by humans. Human attention is the scarce resource, and is insufficient to view petabytes of data. Semantic processing will be required: for example, automatic detection of features; data mining based on geographic concepts.

Information technology allows the sharing of geographic information products through processing of geographic imagery. Standards are needed to increase creation of products. A number of existing standards are used for the exchange of geographic imagery.

Examples of technical, legal, and administrative hurdles to moving imagery online include

- technical issues of accessibility – geocoding, geographic access standards,
- maintenance of intellectual property rights,
- maintenance of individual privacy rights as resolution increases, and
- technical issues of compatibility requiring standards.

Governments have been the predominant suppliers of remotely sensed data in the past. This is changing with the commercialization of remotely sensed data acquisition. Geographic imagery is a key input to decision support for policy makers.

The ultimate challenge is to enable the geographic imagery collected from different sources to become an integrated digital representation of the Earth widely accessible for humanity's critical decisions.

Currently a large number of standards exist that describe imagery data. The processing of imagery across multiple organizations and information technologies (IT) is hampered by the lack of a common abstract architecture. The establishment of a common framework will foster convergence at the framework level. In the future, multiple implementation standards are needed for data format and service interoperability to carry out the architecture defined in this document.

The objective of this document is the coordinated development of standards that allow the benefits of distributed geographic image processing to be realized in an environment of heterogeneous IT resources and multiple organizational domains. An underlying assumption is that uncoordinated standardization activities made without a plan cannot be united under the necessary framework.

This document provides a reference model for the processing of geographic imagery which is frequently done in open distributed manners. The basis for defining an information system in this document is the Reference Model for Open Distributed Processing (RM-ODP) [47]. A brief description of RM-ODP can be



referenced in Annex B. The basis for defining geographic information in this document is the ISO 19100 series of standards.

The RM-ODP <sup>[47]</sup> viewpoints are used in the following fashion:

- Typical users and their business activities, and policies to carry out those activities, are addressed in the Enterprise Viewpoint.
- Data structures and the progressive addition of value to the resulting products are found in the schemas of the Information Viewpoint.
- Individual processing services and the chaining of services are addressed in the Computational Viewpoint.

Approaches to deploy the components of the Information and Computational viewpoints to distributed physical locations are addressed in the Engineering Viewpoint.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ISO 19101-2:2019

<https://standards.iteh.ai/catalog/standards/sist/4352780f-22ca-4861-899f-19f9f7e5332a/sist-iso-19101-2-2019>



# Geographic information — Reference model — Part 2: Imagery

## 1 Scope

This document defines a reference model for standardization in the field of geographic imagery processing. This reference model identifies the scope of the standardization activity being undertaken and the context in which it takes place. The reference model includes gridded data with an emphasis on imagery. Although structured in the context of information technology and information technology standards, this document is independent of any application development method or technology implementation approach.

## 2 Conformance

### 2.1 General

To conform to this document, all of the conditions specified for at least one of the conformance classes described below shall be satisfied.

### 2.2 Enterprise conformance

Any enterprise that claims conformance to this document shall satisfy all of the conditions specified in the test module in A.1.

### 2.3 Sensor conformance

Any sensor for which conformance to this document is claimed shall satisfy all of the conditions specified in the test module in A.2.

### 2.4 Imagery data conformance

Any enterprise for which conformance to this document is claimed shall satisfy all of the conditions specified in the test module in A.3.

### 2.5 Imagery services conformance

Any enterprise for which conformance to this document is claimed shall satisfy all of the conditions specified in the test module in A.4.

### 2.6 Image processing system conformance

Any image processing system for which conformance to this document is claimed shall satisfy all of the conditions specified in the test module in A.5.

## ISO/DIS 19101-2:2017(E)

### 3 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 19115-1:2014, *Geographic information — Metadata — Part 1: Fundamentals*

ISO 19115-2:2009, *Geographic information — Metadata — Part 2: Extensions for imagery and gridded data*

ISO 19119:2016, *Geographic information — Services*

ISO 19123:2005, *Geographic information — Schema for coverage geometry and functions*

ISO 19130-1:—<sup>1)</sup>, *Geographic information — Imagery sensor models for geopositioning*

### 4 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

#### 4.1 band

range of wavelengths of electromagnetic radiation that produce a single response by a sensing device

#### 4.2 calibration

process of quantitatively defining a system's responses to known, controlled signal inputs

[SOURCE: CEOS WGCV] [is.iteh.ai/catalog/standards/sist/4352780f-22ca-4861-899f-19f9f7e5332a/sist-iso-19101-2-2019](https://www.iso.org/obp/ui/#iso:code:37101:19101-2:2019)

#### 4.3 computational viewpoint

*viewpoint* (4.42) on an ODP system and its environment that enables distribution through functional decomposition of the system into objects which interact at *interfaces* (4.16)

[SOURCE: ISO/IEC 10746-3, 4.1.1.3]

#### 4.4 coverage

*feature* (4.9) that acts as a function to return values from its range for any direct position within its spatial, temporal, or spatiotemporal domain

[SOURCE: ISO 19123:2005, 4.1.7]

#### 4.5 digital elevation model

dataset of elevation values that are assigned algorithmically to 2-dimensional coordinates

---

1) To be published.

**4.6****digital number****DN**

integer value representing a *measurement* (4.20) as detected by a *sensor* (4.36)

**4.7****engineering viewpoint**

*viewpoint* (4.42) on an ODP system and its environment that focuses on the mechanisms and functions required to support distributed interaction between objects in the system

[SOURCE: ISO/IEC 10746-3:2009, 4.1.1.4]

**4.8****enterprise viewpoint**

*viewpoint* (4.42) on an ODP system and its environment that focuses on the purpose, scope and policies for that system

[SOURCE: ISO/IEC 10746-3:2009, 4.1.1.1]

**4.9****feature**

abstraction of real world phenomena

[SOURCE: ISO 19101-1:2014, 4.1.11]

**4.10****geographic feature**

representation of real world phenomenon associated with a location relative to the Earth

[SOURCE: ISO 19125-2:2004, 4.2]

**4.11****geographic imagery**

*imagery* (4.14) associated with a location relative to the Earth

**4.12****geographic imagery scene**

*geographic imagery* (4.11) whose data consists of *measurements* (4.20) or simulated measurements of the natural world produced relative to a specified vantage point and at a specified time

Note 1 to entry: A geographic imagery scene is a representation of an environmental landscape; it may correspond to a remotely sensed view of the natural world or to a computer-generated virtual *scene* (4.35) simulating such a view.

**4.13****grid**

network composed of two or more sets of curves in which the members of each set intersect the members of the other sets in an algorithmic way

[SOURCE: ISO 19123:2005, 4.1.23]

**ISO/DIS 19101-2:2017(E)****4.14****imagery**

representation of phenomena as images produced by electronic and/or optical techniques

Note 1 to entry: In this document, it is assumed that the phenomena have been sensed or detected by one or more devices such as radar, cameras, photometers, and infrared and multispectral scanners.

**4.15****information viewpoint**

*viewpoint* (4.42) on an ODP system and its environment that focuses on the semantics of information and information processing

[SOURCE: ISO/IEC 10746-3:2009, 4.1.1.2]

**4.16****interface**

named set of *operations* (4.24) that characterize the behaviour of an entity

[SOURCE: ISO 19119:2016, 4.1.8]

**4.17****interoperability**

capability to communicate, execute programs, or transfer data among various functional units in a manner that requires the user to have little or no knowledge of the unique characteristics of those units

[SOURCE: ISO 2382:2015, 2121317]

**4.18****knowledge base**

data base of knowledge about a particular subject

Note 1 to entry: The data base contains facts, inferences, and procedures needed for problem solution [Webster Computer].

**4.19****measurable quantity**

attribute of a phenomenon, body or substance that may be distinguished qualitatively and determined quantitatively

[SOURCE: VIM:1993, 1.1]

**4.20****measurand**

particular quantity subject to *measurement* (4.20)

EXAMPLE Vapour pressure of a given sample of water at 20 °C.

Note 1 to entry: The specification of a measurand may require statements about quantities such as time, temperature and pressure.

[SOURCE: VIM:1993, 2.6]

**4.21****measurement**

set of *operations* (4.24) having the object of determining the value of a quantity

[SOURCE: VIM:1993, 2.1]

**4.22****metadata**

information about a resource

[SOURCE: ISO 19115-1:2014, 4.10]

**4.23****metric traceability**

property of the result of a *measurement* (4.20) or the value of a standard whereby it can be related to stated references, usually national or international standards, through an unbroken chain of comparisons all having stated uncertainties

[SOURCE: Derived from VIM]

**4.24****operation**

specification of a transformation or query that an object may be called to execute

Note 1 to entry: An operation has a name and a list of parameters.

[SOURCE: ISO 19119:2016, 4.1.10]

**4.25****orthoimage**

image in which by orthogonal projection to a reference surface, displacement of image points due to *sensor* (4.36) orientation and terrain relief has been removed

Note 1 to entry: The amount of displacement depends on the resolution and the level of detail of the elevation information and on the software implementation.

**4.26****picture original**

representation of a two-dimensional hardcopy or softcopy input image in terms of the colour-space coordinates (or an approximation thereof)

Note 1 to entry: Picture originals could be obtained from printed maps, printed pictures of a *geographic imagery scene* (4.12), or drawings of geographic information, etc.

**4.27****picture portrayal**

representations of image data in terms of the colour-space coordinates that are appropriate for, and tightly coupled to, the characteristics of a specified real or virtual output device and viewing

Note 1 to entry: Picture portrayals are geared for visual display whether in hardcopy or softcopy.

**4.28****pixel**

smallest element of a digital image to which attributes are assigned