



# SLOVENSKI STANDARD SIST EN 301 469-9:2001

01-februar-2001

8 [[ ]HUbY]nVc`ýUbYVfYnj fj ] bYhY\_Y\_ca i b]\_UMY'fB 97 HL!'DU\_YtbUfUX]g\_U  
glcf]hYj `8 97 H'fB DF Glz\_b]yb]WUdfYg\_i ýUb] `df]a Yfcj `fH7 @!'- "XY.'nj `Y\_Y\_  
dfYg\_i ýUbY[ UnUdcfYX'UfB HGK!'Ca fYybUd`UghfBK ?K!': ]\_gbUfUX]g\_U  
nU`^f ]hYj `fi HL

Digital Enhanced Cordless Telecommunications (DECT); DECT Packet Radio Service (DPRS) Test Case Library (TCL); Part 9: Abstract Test Suite (ATS) - Network (NWK) layer - Fixed radio Termination (FT)

**ITeH STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 301 469-9:2001](https://standards.iteh.ai/catalog/standards/sist/3de997a3-5ad4-4927-bcff-82b7ba2b39d1/sist-en-301-469-9-2001)

<https://standards.iteh.ai/catalog/standards/sist/3de997a3-5ad4-4927-bcff-82b7ba2b39d1/sist-en-301-469-9-2001>

**Ta slovenski standard je istoveten z: EN 301 469-9 Version 1.1.1**

**ICS:**

33.070.30      Öä ää) ^/ä à[ |za) ^      Digital Enhanced Cordless  
à|^: çicã} ^/ä |^ \ [ { ~ } ä ää)      Telecommunications (DECT)  
ÖÖÖVD

**SIST EN 301 469-9:2001**      en

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 301 469-9:2001](#)

<https://standards.iteh.ai/catalog/standards/sist/3de997a3-5ad4-4927-bcff-82b7ba2b39d1/sist-en-301-469-9-2001>

# ETSI EN 301 469-9 V1.1.1 (2000-10)

*European Standard (Telecommunications series)*

**Digital Enhanced Cordless Telecommunications (DECT);  
DECT Packet Radio Service (DPRS) Test Case Library (TCL);  
Part 9: Abstract Test Suite (ATS) -  
Network (NWK) layer -  
Fixed radio Termination (FT)**

**iTeh STANDARD PREVIEW  
(standards.iteh.ai)**

[SIST EN 301 469-9:2001](https://standards.iteh.ai/catalog/standards/sist/3de997a3-5ad4-4927-bcff-82b7ba2b39d1/sist-en-301-469-9-2001)

<https://standards.iteh.ai/catalog/standards/sist/3de997a3-5ad4-4927-bcff-82b7ba2b39d1/sist-en-301-469-9-2001>



---

**Reference**

DEN/DECT-040047-9

---

**Keywords**ATS, data, DECT, DPRS, network, ATS-GR file,  
ATS-MP file, testing**ETSI**650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh STANDARD PREVIEW  
(standards.iteh.ai)

SIST EN 301 469-9:2001

<https://standards.iteh.ai/catalog/standards/sist/3de997a3-5ad4-4927-bcff-82b7ba2b39d1/sist-en-301-469-9-2001>

---

**Important notice**

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at <http://www.etsi.org/tb/status/>

If you find errors in the present document, send your comment to:  
editor@etsi.fr

---

**Copyright Notification**

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2000.  
All rights reserved.

# Contents

Intellectual Property Rights .....	5
Foreword.....	5
1 Scope .....	6
2 References .....	6
3 Definitions and abbreviations.....	7
3.1 Definitions .....	7
3.2 Abbreviations .....	7
4 Abstract Test Method (ATM).....	8
5 Untestable Test Purposes (TP).....	9
6 ATS Conventions .....	9
6.1 Naming conventions.....	9
6.1.1 Declarations part.....	9
6.1.1.1 Test suite type and structured type definitions .....	9
6.1.1.2 Test suite operations definitions.....	10
6.1.1.3 Test suite parameter declarations .....	10
6.1.1.4 Test case selection expression definitions.....	10
6.1.1.5 Test suite constant declarations.....	10
6.1.1.6 Test suite variable declarations .....	10
6.1.1.7 Test case variable declarations.....	10
6.1.1.8 PCO declarations.....	11
6.1.1.9 Timer declarations.....	11
6.1.1.10 ASP type definitions .....	11
6.1.1.11 PDU type definitions.....	11
6.1.1.12 Alias definitions.....	11
6.1.2 Constraints part.....	12
6.1.3 Dynamic part .....	13
6.1.3.1 Test Case (TC) identifier.....	13
6.1.3.2 Test step identifier.....	13
6.1.3.3 Default identifier .....	14
6.1.3.4 Label identifier .....	14
6.1.3.5 ATS abbreviations.....	14
6.2 Implementation conventions .....	14
6.2.1 Declaration part .....	14
6.2.2 Constraint part .....	15
6.2.3 Dynamic part .....	15
<b>Annex A (normative): Abstract Test Suite (ATS).....</b>	<b>16</b>
A.1 The TTCN Graphical form (TTCN.GR) .....	16
A.2 The TTCN Machine Processable form (TTCN.MP).....	16
<b>Annex B (normative): Partial PIXIT proforma for DPRS NWK FT.....</b>	<b>17</b>
B.1 Identification summary.....	17
B.2 ATS summary .....	17
B.3 Test laboratory.....	17
B.4 Client identification.....	18
B.5 SUT .....	18
B.6 Protocol layer information.....	18
B.6.1 Protocol identification .....	18

B.6.2	IUT information .....	19
B.6.2.1	General configuration .....	19
<b>Annex C (normative): Protocol Conformance Test Report (PCTR) Proforma for DPRS</b>		
	<b>NWK FT .....</b>	<b>24</b>
C.1	Identification summary.....	24
C.1.1	Protocol conformance test report.....	24
C.1.2	IUT identification .....	24
C.1.3	Testing environment.....	25
C.1.4	Limits and reservation .....	25
C.1.5	Comments.....	25
C.2	IUT Conformance status .....	25
C.3	Static conformance summary .....	26
C.4	Dynamic conformance summary.....	26
C.5	Static conformance review report.....	26
C.6	Test campaign report.....	27
C.7	Observations.....	29
	Bibliography .....	30
	History .....	31

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 301 469-9:2001](https://standards.iteh.ai/catalog/standards/sist/3de997a3-5ad4-4927-bcff-82b7ba2b39d1/sist-en-301-469-9-2001)

<https://standards.iteh.ai/catalog/standards/sist/3de997a3-5ad4-4927-bcff-82b7ba2b39d1/sist-en-301-469-9-2001>

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://www.etsi.org/ipr>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Foreword

This European Standard (Telecommunications series) has been produced by ETSI Project Digital Enhanced Cordless Telecommunications (DECT).

The present document is part 9 of a multi-part deliverable covering the Digital Enhanced Cordless Telecommunications (DECT); DECT Packet Radio Service (DPRS) Test Case Library (TCL), as identified below:

- Part 1: "Test Suite Structure (TSS) and Test Purposes (TP) - Medium Access Control (MAC) layer";
- Part 2: "Abstract Test Suite (ATS) - Medium Access Control (MAC) layer - Portable radio Termination (PT)";
- Part 3: "Abstract Test Suite (ATS) - Medium Access Control (MAC) layer - Fixed radio Termination (FT)";
- Part 4: "Test Suite Structure (TSS) and Test Purposes (TP) - Data Link Control (DLC) layer";
- Part 5: "Abstract Test Suite (ATS) - Data Link Control (DLC) layer - Portable radio Termination (PT)";
- Part 6: "Abstract Test Suite (ATS) - Data Link Control (DLC) layer - Fixed radio Termination (FT)";
- Part 7: "Test Suite Structure (TSS) and Test Purposes (TP) - Network (NWK) layer";
- Part 8: "Abstract Test Suite (ATS) - Network (NWK) layer - Portable radio Termination (PT)";
- Part 9: "Abstract Test Suite (ATS) - Network (NWK) layer - Fixed radio Termination (FT)".**

### National transposition dates

Date of adoption of this EN:	13 October 2000
Date of latest announcement of this EN (doa):	31 January 2001
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 July 2001
Date of withdrawal of any conflicting National Standard (dow):	31 July 2001

---

## 1 Scope

The present document contains the Abstract Test Suite (ATS) specification to test the DECT Packet Radio Service (DPRS) Network (NWK) layer at the Fixed radio Termination (FT).

The objective of this test specification is to provide a basis for conformance tests for DECT equipment giving a high probability of air interface inter-operability between different manufacturers' DECT equipment.

The ISO standard for the methodology of conformance testing (ISO/IEC 9646-1 [8] and ISO/IEC 9646-2 [9]) as well as the ETSI rules for conformance testing (ETS 300 406 [7]) are used as a basis for the test methodology.

Annex A provides the Tree and Tabular Combined Notation (TTCN) part of this ATS.

Annex B provides the Partial Protocol Implementation Extra Information for Testing (PIXIT) Proforma of this ATS.

Annex C provides the Protocol Conformance Test Report (PCTR) Proforma of this ATS.

---

## 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.
- A non-specific reference to an ETS shall also be taken to refer to later versions published as an EN with the same number.

- iTeh STANDARD PREVIEW**  
(standards.iteh.ai)
- SIST EN 301 469-9:2001  
<https://standards.iteh.ai/catalog/standards/sist/3de997a3-5ad4-4927-bcff-82b7ba2b39d1/sist-en-301-469-9-2001>
- [1] ETSI EN 300 175-1: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 1: Overview".
  - [2] ETSI EN 300 175-4: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 4: Data Link Control (DLC) layer".
  - [3] ETSI EN 300 175-5: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 5: Network (NWK) layer".
  - [4] ETSI EN 300 175-6: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 6: Identities and addressing".
  - [5] ETSI EN 300 175-7: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 7: Security features".
  - [6] ETSI EN 301 649: "Digital Enhanced Cordless Telecommunications (DECT); DECT Packet Radio Services (DPRS)".
  - [7] ETSI ETS 300 406: "Methods for Testing and Specification (MTS); Protocol and profile conformance testing specifications; Standardization methodology".
  - [8] ISO/IEC 9646-1: "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 1: General concepts". (See also ITU-T Recommendation X.290 (1991)).
  - [9] ISO/IEC 9646-2: "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 2: Abstract test suite specification". (See also ITU-T Recommendation X.291).



- [10] ISO/IEC 9646-3: "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 3: The tree and tabular combined notation". (See also ITU-T Recommendation X.292).
- [11] ISO/IEC 9646-6: "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 6: Protocol profile test specification".
- [12] ISO/IEC 9646-7: "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 7: Implementation conformance statement".

## 3 Definitions and abbreviations

### 3.1 Definitions

For the purposes of the present document, the following terms and definitions apply:

- a) the terms given in ISO/IEC 9646-1 [8], ISO/IEC 9646-2 [9]; and
- b) the definitions given in EN 300 175-1 [1], EN 300 175-5 [3], EN 300 175-6 [4] and EN 300 175-7 [5].

### 3.2 Abbreviations

For the purposes of the present document, the abbreviations given in ISO/IEC 9646-1 [8], ISO/IEC 9646-6 [11], ISO/IEC 9646-7 [12] and EN 300 175-5 [3] apply. In particular, the following abbreviations apply:

AC	Authentication Code
AR	Access Rights
ASP	Abstract Service Primitive
ATM	Abstract Test Method
ATS	Abstract Test Suite
AU	Authentication
BI	Invalid Behaviour
BO	Inopportune Behaviour
BV	Valid Behaviour
CA	Capability tests
CC	Call Control
CH	Ciphering
DLC	Data Link Control
FP	Fixed Part
FT	Fixed radio Termination
ID	Identification
IPEI	International Portable Equipment Identity
IPIU	International Portable User Identity
IUT	Implementation Under Test
IWU	Interworking Unit
KA	Key Allocation
LO	Location
LT	Lower Tester
MAC	Medium Access Control
MM	Mobility Management
NWK	Network
PARK	Portable Access Rights Key
PCO	Point of Control and Observation
PDU	Protocol Data Unit
PICS	Protocol Implementation Conformance Statement
PIXIT	Protocol Implementation Extra Information for Testing
PP	Portable Part
PT	Portable radio Termination
RF	Radio Frequency

RPN	Radio fixed Part Number
SAP	Service Access Point
SUT	System Under Test
TC	Test Case
TP	Test Purposes
TSS	Test Suite Structure
TTCN	Tree and Tabular Combined Notation
UAK	User Authentication Key
UT	Upper Tester

## 4 Abstract Test Method (ATM)

This clause describes the ATM, the Point of Control and Observation (PCO) used to test the NWK layer of the FT.




Figure 1: RS test Method embedded variant

- LT:** a Lower Tester (LT) is located in a remote DECT test system. It controls and observes the behaviour of the IUT.
- DSAP:** a unique Data Link Control (DLC) SAP is defined at the DECT interface and used to exchange service data of the NWK protocol.
- PCO:** the PCO for Network Layer testing is located on the DSAP. All test events at the PCO are specified in terms of DLC Abstract Service Primitives (ASP) and NWK Protocol Data Units (PDUs).
- Notional UT:** no explicit Upper Tester (UT) exists in the test system. However, the System Under Test (SUT) needs to carry out some UT functions to achieve some effects of test co-ordination procedures. Designing ATS, the capability of the Interworking Unit (IWU), such as PSTN, ISDN or GSM IWU might be taken into account. An example of such controls could be to provoke restarting of the IUT through the Q interface.

The DLC primitives are defined according to EN 300 175-4 [2], subclauses 8.3.2 (S-SAP primitives) and 8.3.3 (B-SAP primitives).

## 5 Untestable Test Purposes (TP)

Due to the ATMs chosen for this ATS or other restrictions, the test purposes in table 1 have been identified as being in the untestable category, and therefore have not been derived into final test case:

**Table 1: Untestable TP**

Test purpose	Reason

**ITeH STANDARD PREVIEW**  
(standards.iteh.ai)

SIST EN 301 469-9:2001

## 6 ATS Conventions

<https://standards.iteh.ai/catalog/standards/sist/3de997a3-5ad4-4927-bcff-8207ba2b39d1/sist-en-301-469-9-2001>

This clause describes the conventions applied to define the ATS and gives the naming conventions chosen for the different elements of the ATS.

The ATS conventions are intended to give a better understanding of the ATS but they describe also the conventions made for the development of the ATS, thus for any later maintenance purposes or further development of the ATS the conventions described in this clause shall be considered.

The ATS conventions contain two subclauses, the naming conventions and the implementation conventions. The naming conventions describe the structure of the naming of all ATS elements. The implementation conventions describe the functional structure of the ATS.

To define the ATS, the guidelines of the document ETS 300 406 [7] was considered.

### 6.1 Naming conventions

#### 6.1.1 Declarations part

This subclause describes the naming conventions chosen for the elements of the ATS declarations part.

##### 6.1.1.1 Test suite type and structured type definitions

The test suite type and test suite structured type identifiers describe the information elements, and are written in uppercase:

- EXAMPLE:** PROTOCOL\_DISCRIMINATOR simple type.  
FILLSTRING structured type

### 6.1.1.2 Test suite operations definitions

The test suite operation identifiers are composed of substrings in lowercase letters, except for standard prefix "TSO\_". Each substring is separated by an underscore character ("\_").

EXAMPLE: TSO\_compute\_checksum.

### 6.1.1.3 Test suite parameter declarations

The test suite parameter identifiers are composed of substrings in lowercase letters, except for the standard prefix "TSP\_". Each substring is separated by an underscore character ("\_").

EXAMPLE 1: TSP\_window\_size.

If the test suite parameter references a Protocol Implementation Conformance Statement (PICS) item, the letter "C" is added to the standard prefix.

EXAMPLE 2: TSPC\_pics\_item\_s23.

If the test suite parameter references a PIXIT item, the letter "X" is added to the standard prefix.

EXAMPLE 3: TSPX\_pixit\_item\_2.

**Exception:** If the test suite parameter represents a system parameter or value, only the name defined in the specifications is used (e.g. V\_S = send sequence variable).

Complete names as defined in the specifications are used.

### 6.1.1.4 Test case selection expression definitions

All selection expression names for test groups are to be preceded with the prefix "SENG\_".

All selection expression names for test cases are to be preceded with the prefix "SENC\_".

<https://standards.iteh.ai/catalog/standards/sist/3de997a3-5ad4-4927-bcff-227e1c10-2020/en-301-469-9-2001>

### 6.1.1.5 Test suite constant declarations

The test suite constant identifiers are composed of substrings in lowercase letters, except for the prefix "TSC\_". Each substring is separated by an underscore character ("\_").

EXAMPLE: TSC\_retry.

**Exception:** If the TSC represents a system parameter or value, only the name defined in the specifications is used (e.g. N250).

Complete names as defined in the specifications are used.

### 6.1.1.6 Test suite variable declarations

The test suite variable identifiers are composed of substrings in lowercase letters, except for the prefix "TSV\_". Each substring is separated by an underscore character ("\_").

EXAMPLE: TSV\_count.

Complete names as defined in the specifications are used.

### 6.1.1.7 Test case variable declarations

The test case variable identifiers are composed of substrings in lowercase letters, except for the prefix "TCV\_". Each substring is separated by an underscore character ("\_").

EXAMPLE: TCV\_cr\_value.

Complete names as defined in the specifications are used.