

SLOVENSKI STANDARD **oSIST prEN ISO 27509:2019**

01-september-2019

Industrija za predelavo nafte in zemeljskega plina - Kompaktni prirobnični konektorji s tesnilnim obročem IX (ISO/DIS 27509:2019)

Petroleum and natural gas industries - Compact flanged connections with IX seal ring (ISO/DIS 27509:2019)

Industries du pétrole et du gaz naturel - Raccordements à brides compactes avec bague d'étanchéité IX (ISO/DIS 27509:2019)

Ta slovenski standard je istoveten z: prEN ISO 27509

ICS:

23.040.60 Prirobnice, oglavki in spojni Flanges, couplings and joints

elementi

75.180.01 Oprema za industrijo nafte in Equipment for petroleum and

zemeljskega plina na splošno natural gas industries in

general

oSIST prEN ISO 27509:2019 en,fr,de **oSIST prEN ISO 27509:2019**

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 27509:2021

https://standards.iteh.ai/catalog/standards/sist/86a5b66b-2664-4769-969f-854faac41a04/sist-en-iso-27509-2021

DRAFT INTERNATIONAL STANDARD ISO/DIS 27509

ISO/TC **67**/SC **6**

Secretariat: AFNOR

Voting begins on: **2019-06-14**

Voting terminates on:

2019-09-06

Petroleum and natural gas industries — Compact flanged connections with IX seal ring

Industries du pétrole et du gaz naturel — Raccordements à brides compactes avec bague d'étanchéité IX

ICS: 23.040.60

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 27509:2021

https://standards.iteh.ai/catalog/standards/sist/86a5b66b-2664-4769-969f-854faac41a04/sist-en-iso-27509-2021

This document is circulated as received from the committee secretariat.

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

FAST TRACK PROCEDURE

ISO/CEN PARALLEL PROCESSING



Reference number ISO/DIS 27509:2019(E)

ISO/DIS 27509:2019(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 27509:2021</u> https://standards.iteh.ai/catalog/standards/sist/86a5b66b-2664-4769-969f-



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org Published in Switzerland

Contents

Foreword	Vi
Introduction	viii
1 Scope	1
2 Normative references	
3 Terms and definitions	
4 Abbreviations and symbols4. 4.1 Abbreviated terms	
4.2 Symbols	_
5 Design	6
5.1 General	
5.2 Design principles	
5.3 Assembly requirements5.4 Standard components	
5.5 Units of measurements	
5.6 Rounding	9
5.7 Compliance with piping design codes	
5.8 Compliance to this document	
6 Designation	
6.1 Designation of flanges	
6.2 Designation of seal rings	
7 Materials	
7.1 General <u>SISTERNISA AZSONANAL</u>	
7.3 Bolting materials	
7.4 Seal ring materials	12
8 Strength, pressure/temperature ratings and leak tightness	13
8.1 General	
8.2 Pressure/temperature ratings	
8.3 Pressure testing and leak tightness	
9 Dimensions of flanges	
9.2 Weld neck (WN) dimensions	
9.3 Blind flange (BL) dimensions	
9.4 Integral flange (IF) dimensions	
9.5 Rigid interface (RI) dimensions	
9.0 Difficultions of paddie blanks (PB) and paddie spacers (PS)9.7 Handle and lifting lugs	
9.8 Dimensions of orifice spacers (OS)	
9.9 Dimensions of reducing threaded flanges (RTs)	
9.10 Auxiliary connections	
9.11 Flange tolerances	
10 Marking of flanges 10.1 Flanges other than integral flanges	
10.2 Manufacturer's name or trademark	
10.3 Nominal size	52
10.4 Pressure class designation	52

ISO/DIS 27509:2019(E)

52 52
E 2
52 52
52 52
53
53
56
56
57
57
57
58
58
58
58
59
59
59
62
62
62
62
63
63
64
66
69
72
80
80
80
80
80
80
81

D.7 Preparation before final preloading	81
D.7.1 Clean and check dimensions and surfaces	81
D.7.2 IX seal ring - Installation and check for stand-off	84
D.7.3 Use of lubrication and sealant	84
D.7.4 Lubrication of nuts and bolts	84
D.7.5 Alignment	85
D.7.6 Fitting	85
D.8 Final pre-loading procedure	86
D.8.1 Torque tightening	86
D.8.2 Tightening by hydraulic tensioner	87
D.9 Maintenance	88
D.10 Disassembly	89
D.11 Bolt tensioning qualification procedure	90
D.11.1 General	90
D.11.2 Competence management	90
D.11.3 Torque preloading	
D.11.3.1 Background	90
D.11.3.2 Equipment	91
D.11.3.3 Calibration and qualification	
D.11.3.4 Lubrication procedureSIST.EMISO27500	92
D.11.4 Hydraulic tension preloading	92
D.11.4.1 Background	92
D.11.4.2 Equipment	92
D.11.4.3 Qualification and calibration	93
Annex E (informative) Mass of flanges	94
Annex F (informative) Metric bolting	106
Annex G (informative) Additional information on bibliographical references	108
BibliographyBibliography	110

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 67, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries*, Subcommittee SC 6, *Processing equipment and systems*.

This second edition cancels and replaces the first edition (ISO 27509:2012), which has been technically revised.

The main changes from the previous edition have been made to reduce risk of mistakes and quality issues, which have been the major cause to a limited use of the first edition of this document. The main changes are as follows:

- Annexes B and D (Annex E in previous edition) have become normative annexes, because they contain requirements.
- More stringent quality requirements regarding manufacture of products and assembly instructions have been introduced. These include:
 - ultrasonic testing of products according to new requirements in ASME VIII div. 2 (in Clause 7);
 - the importance of stringent requirements to material strength and machining strictly according to given tolerances for IX seal rings (in Clause 12);
 - new and better coating requirements for IX seal rings (in Clause 13 and Annex D);
 - requirements about quality assurance and control and conformance of products according to EN 10204.3.1 (in Clause 15);

- excluding use of IX seal rings to assist alignment by transfer of significant shear load during assembly (in Annex D)
- more comprehensive and detailed guidelines on the evaluation of damages to products and the repair of such damages (in Annex D);
- more comprehensive requirements to qualification of bolt tensioning procedures (in Annex D).
- The elastoplastic deformation of flanges by first assembly has been better explained in 5.3 and in Annex D, in order to prevent unnecessary re-machining or rejection when flange bevel angles have changed.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 27509:2021</u> https://standards.iteh.ai/catalog/standards/sist/86a5b66b-2664-4769-969f 854faac41a04/sist-en-iso-27509-2021

Introduction

This document, which is originally based on NORSOK L-005, has been developed to provide a standard for compact flanged connections (CFCs) that constitutes an alternative to conventional flanges as specified in ASME standards, European Standards and other International Standards, with reduced mass and smaller overall dimensions, as well as increased reliability in leak tightness by means of its inherent design features and make up procedures. CFCs can also provide an alternative to other types of clamp and hub type mechanical connectors.

The use of load carrying sealing elements, traditionally referred to as "gaskets", does not comply with the fundamental requirements of this document.

This document has been developed for use in process piping systems, which are designed according to codes for pressure piping, e.g. ASME B31.3. See 5.7 for more details.

The flange designs have been selected to achieve a minimum safety factor of 2,0 when subjected to a design pressure equal to ASME B16.5 pressure temperature ratings within the temperature limits of this document.

The main body of this document contains all necessary information on how to manufacture and supply flange and seal ring materials, such as:

- flange dimensions and material requirements;
- seal ring dimensions and material requirements;
- bolting dimensions and material requirements;
- requirements to tolerances and surface finish;
- requirements to designation and marking of finished products.

The normative annexes A, B, C and D cover the following topics:

- structural capacity equations for flange assemblies;
- how to apply the flanges to special geometries of valves and equipment nozzles;
- bolt dimensions and masses;
- installation and assembly instructions, and guidelines on how to repair damage and irregularities on sealing surfaces.

The informative annexes E, F and G cover the following topics:

- masses of all standard components:
- suitable dimensions of alternative metric bolting;
- additional information on bibliographical references.

For the purposes of this document, the following verbal forms apply:

- "shall" indicates a requirement strictly to be followed in order to conform to this document and from which no deviation is permitted, unless accepted by all involved parties;
- "should" indicates that among several possibilities one is recommended as particularly suitable, without mentioning or excluding others, or that a certain course of action is preferred but not necessarily required;
- "may" indicates a course of action permissible within the limits of this document;
- "can" is used for statements of possibility and capability, whether material, physical or casual.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 27509:2021</u> https://standards.iteh.ai/catalog/standards/sist/86a5b66b-2664-4769-969f 854faac41a04/sist-en-iso-27509-2021 oSIST prEN ISO 27509:2019

ISO/DIS 27509:2019(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 27509:2021</u> https://standards.iteh.ai/catalog/standards/sist/86a5b66b-2664-4769-969f-

Petroleum and natural gas industries — Compact flanged connections with IX seal ring

1 Scope

This document specifies detailed manufacturing requirements for circular steel and nickel alloy compact flanged connections and associated seal rings, for designated pressures and temperatures in class designations CL 150 (PN 20) to CL 1500 (PN 260) for nominal sizes from DN 15 (NPS $\frac{1}{2}$) to DN 1200 (NPS 48), and for CL 2500 (PN 420) for nominal sizes from DN 15 (NPS $\frac{1}{2}$) to DN 600 (NPS 24).

NOTE NPS is in accordance with ASME B36.10M and ASME B36.19M.

This document is applicable to welding neck flanges, blind flanges, paddle spacers and spacer blinds (paddle blanks), valve/equipment integral flanges, orifice spacers, reducing threaded flanges and rigid interfaces for use in process piping for the petroleum, petrochemical and natural gas industries.

This document is applicable within a temperature range from −196 °C to +250 °C.

This document is not applicable for external pressure.

2 Normative references TANDARD PREVIEW

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 2768-1, General tolerances — Part 1: Tolerances for linear and angular dimensions without individual tolerance indications

ISO 4287, Geometrical product specification (GPS) — Surface texture: Profile method — Terms, definitions and surface texture parameters

ISO 4288, Geometric Product Specifications (GPS) — Surface texture: Profile method — Rules and procedures for the assessment of surface texture

ISO 5167-1, Measurement of fluid flow by means of pressure differential devices inserted in circular cross-section conduits running full — Part 1: General principles and requirements

ISO 5167-2:2003, Measurement of fluid flow by means of pressure differential devices inserted in circular cross-section conduits running full — Part 2: Orifice plates

ISO 14313, Petroleum and natural gas industries — Pipeline transportation systems — Pipeline valves

ISO 80000-1:2009, Quantities and units — Part 1: General

EN 1092-1, Flanges and their joints — Circular flanges for pipes, valves, fittings and accessories, PN designated — Part 1: Steel flanges

EN 1591-4, Flanges and their joints — Part 4: Qualification of personnel competency in the assembly of the bolted connections of critical service pressurized systems

EN 1779, Non-destructive testing — Leak testing — Criteria for method and technique selection

ISO/DIS 27509:2019(E)

EN 10204, Metallic products — Types of inspection documents

ASME B16.5, Pipe Flanges and Flanged Fittings: NPS 1/2 through NPS 24 Metric/Inch Standard

ASME B16.34, Valves — Flanged, Threaded and Welding End

ASME B1.20.1, Pipe Threads, General Purpose (Inch)

ASME B31.3, Process Piping

ASTM B568, Standard Test Method for Measurement of Coating Thickness by X-Ray Spectrometry

ASTM B571, Standard Practice for Qualitative Adhesion Testing of Metallic Coatings

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/

3.1

class

ASME pressure class in accordance with ASME B16.5 and ASME B16.34

3.2

compact flanged connection

non-gasketed bolted static pipe connection including two flanges and where the bolt loads are transferred through metal to metal contact between the flange faces

3.3

gasket

barrier to prevent the passage of fluids, but which does transmit all loads between flanges

3.4

purchaser

individual or organization that buys the pipe connection on behalf of the user and/or operator or for its own use

3.5

seal

component providing a barrier to prevent the passage of fluids, transmitting no significant loads between the flanges

3.6

supplier

individual or organization that takes the responsibility for the supply of the pipe connection and its conformance with this document

4 Abbreviations and symbols

4.1 Abbreviated terms

BL blind flange

CFC compact flanged connection

CL class

DN nominal pipe diameter (expressed in millimetres)

ID internal diameter

IF integral flange (as part of some other equipment or component)

IX special metallic seal ring applied in this document

LB line blinds (including PS and PB)

NPS nominal pipe size (expressed in inches)

OD outer diameter

OS orifice spacer STANDARD PREVIEW

PB paddle blank (Standards.iteh.ai)

PN nominal pressure (expressed in bar)

PS paddle spacer paddle spacer

854faac41a04/sist-en-iso-27509-2021

PTFE polytetrafluoroethylene

RI rigid interface

RT reducing threaded flange

WN weld neck

4.2 Symbols

A outside diameter of neck

A_{max} maximum outer diameter to accommodate standard tools

 A_{min} minimum neck outer diameter listed in Table 7 to Table 12

Area₀₁₅ cross-sectional area of the neck/pipe calculated from t_{015}

Area_{eqv} cross-sectional area of a special flange neck geometry calculated from Formula (B.5)

A_b total cross-sectional area of bolting, based on root area

B bore diameter, where the bore should not exceed the maximum listed bore in this document