



SLOVENSKI STANDARD
oSIST prEN ISO 12006-2:2019

01-oktober-2019

Gradnja objektov - Organizacija informacij v gradbeništvu - 2. del: Okviri za klasifikacijo (ISO 12006-2:2015)

Building construction - Organization of information about construction works - Part 2: Framework for classification (ISO 12006-2:2015)

Hochbau - Organisation des Austausches von Informationen über die Durchführung von Hoch- und Tiefbauten - Teil 2: Struktur für die Klassifizierung (ISO 12006-2:2015)

Construction immobilière - Organisation de l'information des travaux de construction - Partie 2: Plan type pour la classification (ISO 12006-2:2015)

Ta slovenski standard je istoveten z: prEN ISO 12006-2

ICS:

35.240.67	Uporabniške rešitve IT v gradbeništvu	IT applications in building and construction industry
91.010.01	Gradbenišтво na splošno	Construction industry in general

oSIST prEN ISO 12006-2:2019

en,fr,de

INTERNATIONAL STANDARD

ISO 12006-2

Second edition
2015-05-01

Building construction — Organization of information about construction works —

Part 2: Framework for classification

*iTeh STANDARD PREVIEW
(standards.iteh.ai)*
*Construction immobilière — Organisation de l'information des
travaux de construction —
Partie 2: Plan type pour la classification*

SIST EN ISO 12006-2:2020

<https://standards.iteh.ai/catalog/standards/sist/3df567d8-d252-4f09-aac3-4b2a8b34d355/sist-en-iso-12006-2-2020>



Reference number
ISO 12006-2:2015(E)

© ISO 2015

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 12006-2:2020

<https://standards.iteh.ai/catalog/standards/sist/3df567d8-d252-4f09-aac3-4b2a8b34d355/sist-en-iso-12006-2-2020>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
3.1 General.....	1
3.2 Construction resource.....	2
3.3 Construction process.....	3
3.4 Construction result.....	4
3.5 Construction property.....	5
4 Basic principles	6
4.1 Object and process model.....	6
4.2 Classification and composition.....	7
4.3 Classification (type-of).....	8
4.4 Systems and compositional structuring (part-of).....	9
4.5 Other classification tables.....	9
4.6 Properties.....	9
5 Recommended classification tables	10
Annex A (informative) Classification table titles and examples	11
Annex B (informative) Classification concepts	20
Bibliography	23

SIST EN ISO 12006-2:2020

<https://standards.iteh.ai/catalog/standards/sist/3df567d8-d252-4f09-aac3-4b2a8b34d355/sist-en-iso-12006-2-2020>

ISO 12006-2:2015(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT), see the following URL: [Foreword — Supplementary information](#).

The committee responsible for this document is ISO/TC 59, *Buildings and civil engineering works*, Subcommittee SC 13, *Organization of information about construction works*.

This second edition cancels and replaces the first edition (ISO 12006-2:2001), which has been technically revised.

ISO 12006 consists of the following parts, under the general title *Building construction — Organization of information about construction works*:

- *Part 2: Framework for classification*
- *Part 3: Framework for object-oriented information*

[Annexes A](#) and [B](#) of this part of ISO 12006 are for information only.

Introduction

0.1 Background

This part of ISO 12006 was first produced when there was little international standardization of classification systems for construction. Now, several national classification systems have been developed, for example, in North America, Scandinavia, and the UK, that implement the 2001 edition. Lessons learned in these implementations have been applied in this second edition.

This part of ISO 12006 has also been revised to take into account developments in information technology (notably building information modelling) and construction procurement (for example, design-build and design-build-operate). It has been extended and definitions have been refined to better serve all construction sectors, including building, civil engineering, and even process engineering. However, it continues to serve traditional information technologies and procurement methods.

A survey conducted as part of the work towards this edition showed that the most widely used classifications remain work results (mainly for specifications) and elements (mainly for cost analysis). They are also the most widely varied classification tables not only in their itemization and structure but also in the range of purposes to which they are put. There are other classifications, potentially just as important, which are used to a lesser degree, e.g. for construction products and properties.

0.2 The need for standardization

Building information modelling and modern forms of procurement require all these construction object classes to be used, along with many others. Building information modelling, in particular, is about exchange of information of all types along the project time line and between participants and applications. This is also the case for cooperative forms of procurement. For this exchange to be successful, a complete and consistent approach to construction object classification is required within the project, and between projects. This part of ISO 12006 is intended to facilitate this exchange.

Information types include geometrical data, functional and technical data, and cost data and maintenance data. The project timeline runs from inception to eventual demolition. Participants include clients, designers, authorities, constructors, end users, and operators. Applications include modelling, specification, product information, and cost information systems. Even now, there is still pressure for each of these to retain, or even develop, its own classification silo. This is not sustainable.

While national classifications that implement this part are still likely to differ in their detail (for example, due to differences in construction culture and legislation), mapping between them should be fairly straightforward. This is because they will be using the same overarching classification framework and construction object class definitions. This, in turn, will help with international construction project work (with participants from many countries), and with development of applications intended to be used internationally.

0.3 The content of this part

This part of ISO 12006 defines a framework for construction-sector classification systems and identifies a set of recommended classification tables and their titles for a range of construction object classes according to particular views, supported by definitions.

Building construction — Organization of information about construction works —

Part 2: Framework for classification

1 Scope

This part of ISO 12006 defines a framework for the development of built environment classification systems. It identifies a set of recommended classification table titles for a range of information object classes according to particular views, e.g. by form or function, supported by definitions. It shows how the object classes classified in each table are related, as a series of systems and sub-systems, e.g. in a building information model.

This part of ISO 12006 does not provide a complete operational classification system, nor does it provide the content of the tables, though it does give examples. It is intended for use by organizations which develop and publish such classification systems and tables, which may vary in detail to suit local needs. However, if this part of ISO 12006 is applied in the development of local classification systems and tables, then harmonization between them will be facilitated.

This part of ISO 12006 applies to the complete life cycle of construction works, including briefing, design, documentation, construction, operation and maintenance, and demolition. It applies to both building and civil engineering works, including associated engineering services and landscaping.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 22274, *Systems to manage terminology, knowledge and content — Concept-related aspects for developing and internationalizing classification systems*

3 Terms and definitions

3.1 General

For the purposes of this document, the following terms and definitions apply.

NOTE 1 The definitions are arranged in the following order: construction resource, construction process, construction result, and construction properties.

NOTE 2 In the definitions, terms that are defined elsewhere within this clause are shown in *italics*.

NOTE 3 Examples are given in [Annex A](#).

3.1.1 object

any part of the perceivable or conceivable world

Note 1 to entry: An object is something abstract or physical toward which thought, feeling, or action is directed.

ISO 12006-2:2015(E)

3.1.2

construction object

object (3.1.1) of interest in the context of a *construction process* (3.3.2)

3.1.3

construction system

interacting *construction objects* (3.1.2) organized to achieve one or more purposes

Note 1 to entry: Construction systems can be classified in accordance with this International Standard.

[SOURCE: ISO/IEC 15288:2008, modified]

3.1.4

type-of relation

relation between two concepts where the intention of one of the concepts includes that of the other concept and at least one additional delimiting characteristic

Note 1 to entry: Type-of relation is also known as generic relation.

[SOURCE: ISO 1087-1:2000, 3.2.21]

3.1.5

part-of relation

relation between two construction objects where one object constitutes the whole and the other a part of that whole

Note 1 to entry: Part-of relation is also known as partitive relation, part-whole relation, or whole-part relation.

Note 2 to entry: See also ISO/IEC 81346-1.

[SOURCE: ISO 1087-1:2000, 3.2.22, modified]

3.1.6

natural environment

non-artificial environment of any physical *construction object* (3.1.2)

3.1.7

built environment

physical *construction result* (3.4.6) intended to serve a function or user activity

Note 1 to entry: The built environment may be viewed as a system of either built space or built structure.

3.1.8

space

limited three-dimensional extent defined physically or notionally

3.1.9

activity space

space (3.1.8) defined by the spatial extension of an activity

Note 1 to entry: A spatial extension of an activity, for example, a table or a bed, and the activity space around them.

3.2 Construction resource

3.2.1

construction agent

human *construction resource* (3.2.5) carrying out a *construction process* (3.3.2)

3.2.2**construction aid**

construction resource (3.2.5) intended to assist in carrying out a *construction process* (3.3.2)

Note 1 to entry: A construction aid is generally not intended for incorporation in a permanent manner in a construction entity.

3.2.3**construction information**

information of interest in a *construction process* (3.3.2)

Note 1 to entry: Construction information may be seen both as a construction resource and as a construction result.

3.2.4**construction product**

product intended to be used as a *construction resource* (3.2.5)

Note 1 to entry: Construction products have different complexity and can, by themselves or together with others, make up the parts in any level of assembly of construction entities.

3.2.5**construction resource**

construction object (3.1.2) used in a *construction process* (3.3.2) to achieve a *construction result* (3.4.6)

3.3 Construction process**3.3.1****construction activity**

component process of construction process

3.3.2**construction process**

process which uses *construction resources* (3.2.5) to achieve *construction results* (3.4.6)

Note 1 to entry: Each construction process may be split up into its component processes.

Note 2 to entry: See also ISO 22263:2008.

3.3.3**construction process lifecycle**

sequence of stages from the start to the end of the *construction process* (3.3.2)

3.3.4**pre-design process**

construction process (3.3.2) determining *construction properties* (3.5.1) for the *built environment* (3.1.7) before it is designed

3.3.5**design process**

construction process (3.3.2) determining *construction properties* (3.5.1) for the *built environment* (3.1.7) before it is made physical

3.3.6**production process**

construction process (3.3.2) resulting in *built environment* (3.1.7)

Note 1 to entry: Production process includes demolition and recycling process.

3.3.7**maintenance process**

construction process (3.3.2) preserving the function of, or operating, the *built environment* (3.1.7)

ISO 12006-2:2015(E)

3.3.8

management

control activity in a *construction process* (3.3.2) by one or more *construction agents*

3.4 Construction result

3.4.1

construction complex

aggregate of one or more *construction entities* (3.4.2) intended to serve at least one function or user activity

Note 1 to entry: A construction complex can be analysed and the construction entities that go to make it up, can be identified; e.g. an airport typically is composed of the construction entities runway, control tower, terminal building, aircraft hangar, etc. A business park typically is composed of a number of buildings, access roads, and landscaping (each a construction entity in its own right). A motorway from A to B typically is composed of service stations, the motorway pavement, bridges, embankments, landscaping, etc.

3.4.2

construction entity

independent unit of the *built environment* (3.1.7) with a characteristic form and spatial structure, intended to serve at least one function or user activity

Note 1 to entry: A construction entity is the basic unit of the built environment. It is recognizable as a physically independent construction even though a number of construction entities might be seen as parts of a particular construction complex. Ancillary works such as access roads, landscaping, service connections, may be regarded as part of a construction entity. Conversely, when ancillary works are of sufficient scale, they may be regarded as construction entities in their own right.

3.4.3

construction element

constituent of a *construction entity* (3.4.2) with a characteristic function, form, or position

Note 1 to entry: For practical purposes, such as when carrying out a cost analysis of a construction entity, it is vital that construction elements are mutually exclusive, in order to ensure that each part is counted once and only once.

3.4.4

built space

space (3.1.8) defined by *built* (3.1.7) or *natural environment* (3.1.6) or both, intended for user activity or equipment

Note 1 to entry: A built space is, for example, a room defined by floor, ceiling, and wall, or a footpath, or power-line corridor defined by a natural forest.

Note 2 to entry: Spaces occupied by construction elements are known as construction spaces, and are handled as properties of construction elements themselves.

3.4.5

zone

space (3.1.8) or spaces with a particular function

Note 1 to entry: Zones may be defined by physical or notional properties, e.g. fire safety zone, climate zone, smoking area, and quiet zone.

3.4.6

construction result

construction object (3.1.2) which is formed or changed in state as the result of one or more *construction processes* (3.3.2) using one or more *construction resources* (3.2.5)

3.4.7

construction result lifecycle

period of time from inception to the demolition of a *construction result* (3.4.6)