



SLOVENSKI STANDARD SIST EN ISO 21857:2021

01-december-2021

Petrokemična industrija ter industrija za predelavo nafte in zemeljskega plina - Preprečevanje korozije na cevovodnih sistemih zaradi blodečih tokov (ISO 21857:2021)

Petroleum, petrochemical and natural gas industries - Prevention of corrosion on pipeline systems influenced by stray currents (ISO 21857:2021)

Erdöl-, petrochemische und Erdgasindustrie - Vermeidung von durch Streuströme beeinflusster Korrosion an Rohrleitungssystemen (ISO 21857:2021)

Industries du pétrole, de la pétrochimie et du gaz naturel - Prévention de la corrosion sur les systèmes de conduites soumis à l'influence de courants vagabonds (ISO 21857:2021)

Ta slovenski standard je istoveten z: EN ISO 21857:2021

ICS:

| | | |
|--------|---|---|
| 75.200 | Oprema za skladiščenje nafte, naftnih proizvodov in zemeljskega plina | Petroleum products and natural gas handling equipment |
| 77.060 | Korozija kovin | Corrosion of metals |

SIST EN ISO 21857:2021

en,fr,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 21857:2021](#)

<https://standards.iteh.ai/catalog/standards/sist/7f83ad22-15de-4f73-8158-62fdc292f3f2/sist-en-iso-21857-2021>

EUROPEAN STANDARD

EN ISO 21857

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2021

ICS 75.200

English Version

Petroleum, petrochemical and natural gas industries -
Prevention of corrosion on pipeline systems influenced by
stray currents (ISO 21857:2021)

Industries du pétrole, de la pétrochimie et du gaz
naturel - Prévention de la corrosion sur les systèmes
de conduites soumis à l'influence de courants
vagabonds (ISO 21857:2021)

Erdöl-, petrochemische und Erdgasindustrie -
Vermeidung von durch Streuströme beeinflusster
Korrosion an Rohrleitungssystemen (ISO 21857:2021)

This European Standard was approved by CEN on 3 October 2021.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

| Contents | Page |
|-------------------------------|-------------|
| European foreword..... | 3 |

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 21857:2021](https://standards.iteh.ai/catalog/standards/sist/7f83ad22-15de-4f73-8158-62fdc292f3f2/sist-en-iso-21857-2021)
<https://standards.iteh.ai/catalog/standards/sist/7f83ad22-15de-4f73-8158-62fdc292f3f2/sist-en-iso-21857-2021>

European foreword

The text of ISO 21857:2021 has been prepared by Technical Committee ISO/TC 67 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 21857:2021 by Technical Committee CEN/TC 219 "Cathodic protection" the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2022, and conflicting national standards shall be withdrawn at the latest by April 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

(standards.iteh.ai)

Endorsement notice

SIST EN ISO 21857:2021

The text of ISO 21857:2021 has been approved by CEN as EN ISO 21857:2021 without any modification.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 21857:2021](#)

<https://standards.iteh.ai/catalog/standards/sist/7f83ad22-15de-4f73-8158-62fdc292f3f2/sist-en-iso-21857-2021>

INTERNATIONAL
STANDARD

ISO
21857

First edition
2021-03

**Petroleum, petrochemical and
natural gas industries — Prevention
of corrosion on pipeline systems
influenced by stray currents**

*Industries du pétrole, de la pétrochimie et du gaz naturel —
Prévention de la corrosion sur les systèmes de conduites soumis à
l'influence de courants vagabonds*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 21857:2021

<https://standards.iteh.ai/catalog/standards/sist/7f83ad22-15de-4f73-8158-62fdc292f3f2/sist-en-iso-21857-2021>



Reference number
ISO 21857:2021(E)

© ISO 2021

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 21857:2021

<https://standards.iteh.ai/catalog/standards/sist/7f83ad22-15de-4f73-8158-62fdc292f3f2/sist-en-iso-21857-2021>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

| | Page |
|---|-----------|
| Foreword | v |
| Introduction | vi |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Terms and definitions | 2 |
| 4 Abbreviations and symbols | 3 |
| 4.1 Abbreviations..... | 3 |
| 4.2 Symbols..... | 4 |
| 5 Information exchange and co-operation | 5 |
| 6 Common sources of interference that can affect corrosion | 6 |
| 6.1 General..... | 6 |
| 6.2 Direct current..... | 7 |
| 6.2.1 General..... | 7 |
| 6.2.2 Traction systems..... | 7 |
| 6.2.3 Industrial systems..... | 7 |
| 6.3 Alternating current..... | 7 |
| 6.3.1 General..... | 7 |
| 6.3.2 Overhead and buried power lines..... | 8 |
| 6.4 High-voltage direct current transmission systems..... | 8 |
| 6.5 Natural interference..... | 8 |
| 6.5.1 General..... | 8 |
| 6.5.2 Geomagnetic (telluric) interference..... | 8 |
| 6.5.3 Tidal interference effects..... | 9 |
| 7 Identification and measurement of stray current interference | 9 |
| 7.1 Principle..... | 9 |
| 7.2 Stray Current interference..... | 10 |
| 7.2.1 Inductive and conductive coupling from remote sources..... | 10 |
| 7.2.2 Conductive coupling from nearby sources..... | 10 |
| 7.3 Measurement of electrical parameters..... | 10 |
| 7.3.1 Data acquisition systems..... | 10 |
| 7.3.2 Possible errors in AC measurements..... | 11 |
| 7.3.3 Potential measurement..... | 11 |
| 7.3.4 Current measurement on probes..... | 11 |
| 7.3.5 IR-free potential measurement on coupons or probes..... | 11 |
| 7.3.6 Duration of the measurement..... | 11 |
| 7.3.7 Specific requirements for coupons or probes..... | 12 |
| 7.4 Corrosion rate measurement..... | 12 |
| 8 Acceptance criteria for DC interference | 12 |
| 8.1 Overview of criteria..... | 12 |
| 8.2 Corrosion rate..... | 13 |
| 8.3 Criteria for steel and cast iron..... | 14 |
| 8.3.1 Time constant interference..... | 14 |
| 8.3.2 Time variant interference..... | 15 |
| 8.4 Criteria for steel pipes in concrete based on potential measurements without cathodic protection..... | 16 |
| 8.4.1 Time constant anodic interference..... | 16 |
| 8.4.2 Time variant interference..... | 16 |
| 9 Reduction of DC stray current interference | 16 |
| 9.1 General..... | 16 |
| 9.2 Modifications to the source of interference..... | 17 |
| 9.2.1 Principles..... | 17 |

ISO 21857:2021(E)

| | | |
|---------------------|---|-----------|
| 9.2.2 | Direct current systems at industrial sites | 17 |
| 9.2.3 | Direct current systems at ports..... | 17 |
| 9.2.4 | Direct current traction systems..... | 17 |
| 9.2.5 | Cathodic protection systems..... | 18 |
| 9.2.6 | Telluric interference..... | 19 |
| 9.2.7 | Direct current communication systems..... | 19 |
| 10 | Modifications to the interfered structure | 19 |
| 10.1 | General..... | 19 |
| 10.2 | Design prerequisites..... | 20 |
| 10.2.1 | Coatings..... | 20 |
| 10.2.2 | Isolation from other structures..... | 20 |
| 10.2.3 | Distance to be maximized..... | 20 |
| 10.2.4 | Installation of mitigation devices..... | 20 |
| 10.2.5 | Modifying the electrical continuity of the interfered structure..... | 21 |
| 11 | Inspection and maintenance..... | 22 |
| Annex A | (informative) Use of current probes to evaluate fluctuating stray current interference on cathodically protected structures..... | 23 |
| Annex B | (informative) Determining the relevant position for placing reference electrodes, coupons and probes in case of any conductive coupling caused by stray currents | 26 |
| Annex C | (informative) Operating principles of electrical resistance probes..... | 33 |
| Annex D | (informative) Geomagnetic interference..... | 34 |
| Annex E | (informative) High voltage direct current interference..... | 43 |
| Annex F | (informative) Alternating Current Interference..... | 45 |
| Annex G | (informative) Tidal Effects..... | 50 |
| Annex H | (informative) Photovoltaic interference..... | 51 |
| Annex I | (informative) Modelling the effects of stray current interference on cathodically protected pipelines..... | 54 |
| Annex J | (informative) Assessment of the corrosion risk for steel in concrete or for cathodically protected structures under time variant interference conditions..... | 58 |
| Annex K | (informative) Principles of anodic and cathodic interference..... | 63 |
| Bibliography | | 66 |

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 67, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries*, Subcommittee SC 2, *Pipeline transportation systems*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 219, *Cathodic protection*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

ISO 21857:2021(E)**Introduction**

This document provides guidance for the prevention of external corrosion when a pipeline is influenced by electrical interference. Electrical interference can be from stray currents (defined in ISO 8044) and from naturally occurring interference caused by geomagnetic or tidal activity.

International Standards on cathodic protection (e.g. ISO 15589-1 and ISO 15589-2) refer to a structure-to-electrolyte potential value that is considered to indicate that cathodic protection is effective. When the potential is influenced by stray currents, however, it is not always possible to obtain a meaningful structure-to-electrolyte potential and other methods of assessment are needed. These other methods can include mathematical analysis of the potentials and/or direct assessment of the corrosion rate using electrical resistance probes.

An affected structure carrying stray currents, e.g. a pipeline or cable can itself affect other nearby structures.

This document is not intended to inhibit the use of alternative equipment or engineering solutions for individual applications. Where an alternative is offered, it is intended that any variations from this document be identified and documented.

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[SIST EN ISO 21857:2021](https://standards.iteh.ai/catalog/standards/sist/7f83ad22-15de-4f73-8158-62fdc292f3f2/sist-en-iso-21857-2021)

<https://standards.iteh.ai/catalog/standards/sist/7f83ad22-15de-4f73-8158-62fdc292f3f2/sist-en-iso-21857-2021>

Petroleum, petrochemical and natural gas industries — Prevention of corrosion on pipeline systems influenced by stray currents

1 Scope

This document establishes the general principles for the evaluation and minimization of the effects of stray current corrosion on external surfaces of buried or immersed pipeline systems caused by AC and DC electrical interference.

Other stray current effects such as overheating, and interference with welding operations are not covered in this document.

A brief description of AC effects, general principles and some guidelines, are provided.

NOTE 1 See ISO 18086 for the effects of alternating current on buried or immersed pipelines.

Systems that can also be affected by stray currents include buried or immersed metal structures such as the following:

- a) pipeline systems;
- b) metal sheathed cables;
- c) tanks and vessels;
- d) earthing systems;
- e) steel reinforcement in concrete;
- f) sheet steel piling.

This document gives guidelines for

- the design of cathodic protection systems that might produce stray currents,
- the design of pipeline systems, or elements of pipeline systems, which are buried or immersed, and which can be subject to stray current corrosion, and
- the selection of appropriate protection or mitigation measures.

Internal corrosion risks from stray currents are not dealt with in detail in this document but principles and measures described here can be applicable for minimizing the interference effects.

NOTE 2 The impact of electromagnetic interference on above-ground appurtenances of pipeline systems is covered in EN 50443, IEC 61140, IEC 60364-4-41, IEC 60479-1, IEC 60364-5-52, IEC/TS 61201 and IEC/TR 60479-5.

This document can also be used for pipeline systems outside of the petrochemical and natural gas industries and other buried or immersed structures.

NOTE 3 EN 50162 provides guidance for railway related structures.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 21857:2021(E)

IEC 62128-2:2013, *Railway applications - Fixed installations - Electrical safety, earthing and the return circuit - Part 2: Provisions against the effects of stray currents caused by d.c. traction systems*

ISO 15589-1, *Petroleum, petrochemical and natural gas industries — Cathodic protection of pipeline systems — Part 1: On-land pipelines*

ISO 8044, *Corrosion of metals and alloys — Vocabulary*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 15589-1, IEC 62128-2:2013, ISO 8044 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1 coating

electrically insulating covering bonded to a metal surface for protection against corrosion by preventing contact between the electrolyte and the metal surface

3.2 remote earth

theoretical concept that refers to a ground electrode of zero impedance placed an infinite distance away from the ground under test

Note 1 to entry: In practice, remote earth is approached when the mutual resistance between the ground under test and the test electrode becomes negligible. Remote earth is normally considered to be at zero potential.

[SOURCE: IEEE Std 81-2012^[1]

3.3 conductive coupling

transfer of energy occurring when a part of the current belonging to the interfering system returns to the system earth via the interfered system

Note 1 to entry: Also, when the voltage to the reference earth of the ground in the vicinity of the influenced object rises because of a fault in the interfering system, and the results of which are conductive voltages and currents.

3.4 drainage electrical drainage

transfer of stray current from an affected structure to the current source by means of a deliberate bond

Note 1 to entry: For drainage devices see *direct drainage bond* (3.5), *unidirectional drainage bond* (3.7) and *forced drainage bond* (3.6).

3.5 direct drainage bond

device that provides *electrical drainage* (3.4) by means of a bi-directional, metallic bond between an affected structure and the stray current source

Note 1 to entry: The bond can include a series resistor to reduce the current.

3.6**forced drainage bond**

device that provides *electrical drainage* (3.4) by means of a bond between an affected structure and the stray current source

Note 1 to entry: The bond includes a separate source of DC power to augment the transfer of current.

3.7**unidirectional drainage bond**

device that provides *electrical drainage* (3.4) by means of a unidirectional bond between the affected structure and the stray current source

Note 1 to entry: The bond includes a device such as a diode to ensure that current can only flow in one direction.

3.8**telluric interference**

voltages generated by geomagnetic field variations that cause variations in the observed pipe-to-soil potentials

3.9**electrical resistance probe****ER probe**

device that measures metal loss by comparison of the calibrated resistance value of a piece of metal with known physical characteristics

3.10**sampling rate**

measuring interval set by the operator

3.11**alternating current interference** SIST EN ISO 21857:2021**AC interference** <https://standards.iteh.ai/catalog/standards/sist/7f83ad22-15de-4f73-8158->

electrical disturbance generated by AC systems that affects buried or immersed pipelines by conduction and/or induction

Note 1 to entry: Powerlines, railway traction systems.

3.12**direct current interference****DC interference**

disturbance, generated by DC systems, that affects buried or immersed metallic structures primarily by conduction

4 Abbreviations and symbols**4.1 Abbreviations**

| | |
|------|--------------------------------------|
| AC | Alternating current |
| ACVG | Alternating current voltage gradient |
| CP | Cathodic protection |
| DC | Direct current |
| DCVG | Direct current voltage gradient |
| emf | Electromotive force |