



## DRAFT INTERNATIONAL STANDARD ISO/IEC 20922

Attributed to ISO/IEC JTC 1 by the Central Secretariat (see page iii)

Voting begins on  
**2015-10-07**

Voting terminates on  
**2016-01-07**

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION  
INTERNATIONAL ELECTROTECHNICAL COMMISSION • МЕЖДУНАРОДНАЯ ЭЛЕКТРОТЕХНИЧЕСКАЯ КОММИСИЯ • COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

PUBLICLY AVAILABLE SPECIFICATION PROCEDURE

## Information technology — Message Queuing Telemetry Transport (MQTT) v3.1.1

ICS 35.100.70

**ITeH STANDARD PREVIEW**  
(standards.iteh.ai)  
Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/4e49f5c8-6739-4054-a4b5-07aa0087b0a7/iso-iec-20922-2016>

**This Publicly Available Specification (PAS) is being submitted for Fast-track processing in accordance with the provisions of ISO/IEC JTC 1 Directives.**

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

**iTeh STANDARD PREVIEW**  
(standards.iteh.ai)

Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/4e49f5c8-6739-4054-a4b5-07aa087b0a7/iso-iec-20922-2016>



**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2015

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## NOTE FROM ITTF

The ballot on the transposition of a PAS into an International Standard follows the JTC 1 PAS procedures contained in the JTC 1 Supplement, F.3.

Reflecting the importance of the PAS process, the JTC 1 secretariat shall also inform JTC 1 national bodies and Liaison Organisations, and those organisations authorized to be PAS submitters, of the initiation of any PAS ballot, the results of the ballot, and the identity of the JTC 1 subcommittee which will be responsible for any future work.

For ballot, JTC 1 National Bodies and the PAS Submitter shall receive both the PAS to be transposed and the accompanying Explanatory Report. During the ballot JTC 1 members may propose changes to the PAS. These can be resolved with the PAS Submitter after completion of the ballot.

The period for combined DIS voting shall be five months. In order to be accepted the DIS must be supported by 75 % of the votes cast (abstention is not counted as a vote) and by two-thirds of the P-members voting of JTC 1.

In the case of a failure of the ballot, JTC 1 shall make known to the Submitter the reasons which have led to the negative result. Based on this information, the Submitter may choose to re-submit a modified specification as a new PAS submission.

Once the Draft International Standard has been approved by JTC 1, it shall progress to the approval stage (FDIS).

**iTeh STANDARD PREVIEW**  
(standards.iteh.ai)  
Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/4e30f5c8-6739-4054-a4b5-07aa0087b0a7/iso-iec-20922-2015>

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/4e49f5c8-6739-4054-a4b5-07aa0087b0a7/iso-iec-20922-2016>

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/4e49f5c8-6739-4054-a4b5-07aa0087b0a7/iso-iec-20922-2016>



# MQTT Version 3.1.1

## OASIS Standard

29 October 2014

### Specification URIs

#### This version:

<http://docs.oasis-open.org/mqtt/mqtt/v3.1.1/os/mqtt-v3.1.1-os.doc> (Authoritative)  
<http://docs.oasis-open.org/mqtt/mqtt/v3.1.1/os/mqtt-v3.1.1-os.html>  
<http://docs.oasis-open.org/mqtt/mqtt/v3.1.1/os/mqtt-v3.1.1-os.pdf>

#### Previous version:

<http://docs.oasis-open.org/mqtt/mqtt/v3.1.1/cos01/mqtt-v3.1.1-cos01.doc> (Authoritative)  
<http://docs.oasis-open.org/mqtt/mqtt/v3.1.1/cos01/mqtt-v3.1.1-cos01.html>  
<http://docs.oasis-open.org/mqtt/mqtt/v3.1.1/cos01/mqtt-v3.1.1-cos01.pdf>

#### Latest version:

<http://docs.oasis-open.org/mqtt/mqtt/v3.1.1/mqtt-v3.1.1.doc> (Authoritative)  
<http://docs.oasis-open.org/mqtt/mqtt/v3.1.1/mqtt-v3.1.1.html>  
<http://docs.oasis-open.org/mqtt/mqtt/v3.1.1/mqtt-v3.1.1.pdf>

#### Technical Committee:

OASIS Message Queuing Telemetry Transport (MQTT) TC

#### Chairs:

Raphael J Cohn ([raphael.cohn@stormmq.com](mailto:raphael.cohn@stormmq.com)), Individual  
Richard J Coppen ([coppen@uk.ibm.com](mailto:coppen@uk.ibm.com)), IBM

#### Editors:

Andrew Banks ([Andrew\\_Banks@uk.ibm.com](mailto:Andrew_Banks@uk.ibm.com)), IBM  
Rahul Gupta ([rahul.gupta@us.ibm.com](mailto:rahul.gupta@us.ibm.com)), IBM

#### Related work:

This specification is related to:

- *MQTT and the NIST Cybersecurity Framework Version 1.0*. Edited by Geoff Brown and Louis-Philippe Lamoureux. Latest version: <http://docs.oasis-open.org/mqtt/mqtt-nist-cybersecurity/v1.0/mqtt-nist-cybersecurity-v1.0.html>.

#### Abstract:

MQTT is a Client Server publish/subscribe messaging transport protocol. It is light weight, open, simple, and designed so as to be easy to implement. These characteristics make it ideal for use in many situations, including constrained environments such as for communication in Machine to Machine (M2M) and Internet of Things (IoT) contexts where a small code footprint is required and/or network bandwidth is at a premium.

The protocol runs over TCP/IP, or over other network protocols that provide ordered, lossless, bi-directional connections. Its features include:

- Use of the publish/subscribe message pattern which provides one-to-many message distribution and decoupling of applications.
- A messaging transport that is agnostic to the content of the payload.
- Three qualities of service for message delivery:

- "At most once", where messages are delivered according to the best efforts of the operating environment. Message loss can occur. This level could be used, for example, with ambient sensor data where it does not matter if an individual reading is lost as the next one will be published soon after.
- "At least once", where messages are assured to arrive but duplicates can occur.
- "Exactly once", where message are assured to arrive exactly once. This level could be used, for example, with billing systems where duplicate or lost messages could lead to incorrect charges being applied.
- A small transport overhead and protocol exchanges minimized to reduce network traffic.
- A mechanism to notify interested parties when an abnormal disconnection occurs.

**Status:**

This document was last revised or approved by the membership of OASIS on the above date. The level of approval is also listed above. Check the "Latest version" location noted above for possible later revisions of this document. Any other numbered Versions and other technical work produced by the Technical Committee (TC) are listed at [https://www.oasis-open.org/committees/tc\\_home.php?wg\\_abbrev=mqtt#technical](https://www.oasis-open.org/committees/tc_home.php?wg_abbrev=mqtt#technical).

TC members should send comments on this specification to the TC's email list. Others should send comments to the TC's public comment list, after subscribing to it by following the instructions at the "Send A Comment" button on the TC's web page at <https://www.oasis-open.org/committees/mqtt/>.

For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the Technical Committee web page (<https://www.oasis-open.org/committees/mqtt/ipr.php>).

**Citation format:**

When referencing this specification the following citation format should be used:

**[mqtt-v3.1.1]**

*MQTT Version 3.1.1*. Edited by Andrew Banks and Rahul Gupta. 29 October 2014. OASIS Standard. <http://docs.oasis-open.org/mqtt/mqtt/v3.1.1/os/mqtt-v3.1.1-os.html>. Latest version: <http://docs.oasis-open.org/mqtt/mqtt/v3.1.1/mqtt-v3.1.1.html>.

---

## Notices

Copyright © OASIS Open 2014. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full [Policy](#) may be found at the OASIS website.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Committee Specification or OASIS Standard, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification.

OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this specification by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification. OASIS may include such claims on its website, but disclaims any obligation to do so.

OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Committee Specification or OASIS Standard, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.

The name "OASIS" is a trademark of [OASIS](#), the owner and developer of this specification, and should be used only to refer to the organization and its official outputs. OASIS welcomes reference to, and implementation and use of, specifications, while reserving the right to enforce its marks against misleading uses. Please see <https://www.oasis-open.org/policies-guidelines/trademark> for above guidance.



# Table of Contents

1	Introduction .....	9
1.1	Organization of MQTT .....	9
1.2	Terminology .....	9
1.3	Normative references .....	10
1.4	Non normative references .....	11
1.5	Data representations .....	13
1.5.1	Bits .....	13
1.5.2	Integer data values .....	13
1.5.3	UTF-8 encoded strings .....	13
1.6	Editing conventions .....	15
2	MQTT Control Packet format .....	16
2.1	Structure of an MQTT Control Packet .....	16
2.2	Fixed header .....	16
2.2.1	MQTT Control Packet type .....	16
2.2.2	Flags .....	17
2.2.3	Remaining Length .....	18
2.3	Variable header .....	19
2.3.1	Packet Identifier .....	20
2.4	Payload .....	21
3	MQTT Control Packets .....	23
3.1	CONNECT – Client requests a connection to a Server .....	23
3.1.1	Fixed header .....	23
3.1.2	Variable header .....	23
3.1.3	Payload .....	29
3.1.4	Response .....	30
3.2	CONNACK – Acknowledge connection request .....	31
3.2.1	Fixed header .....	31
3.2.2	Variable header .....	31
3.2.3	Payload .....	33
3.3	PUBLISH – Publish message .....	33
3.3.1	Fixed header .....	33
3.3.2	Variable header .....	35
3.3.3	Payload .....	36
3.3.4	Response .....	36
3.3.5	Actions .....	36
3.4	PUBACK – Publish acknowledgement .....	37
3.4.1	Fixed header .....	37
3.4.2	Variable header .....	37
3.4.3	Payload .....	37
3.4.4	Actions .....	37
3.5	PUBREC – Publish received (QoS 2 publish received, part 1) .....	37
3.5.1	Fixed header .....	38
3.5.2	Variable header .....	38

3.5.3 Payload.....	38
3.5.4 Actions.....	38
3.6 PUBREL – Publish release (QoS 2 publish received, part 2).....	38
3.6.1 Fixed header.....	38
3.6.2 Variable header.....	39
3.6.3 Payload.....	39
3.6.4 Actions.....	39
3.7 PUBCOMP – Publish complete (QoS 2 publish received, part 3).....	39
3.7.1 Fixed header.....	39
3.7.2 Variable header.....	40
3.7.3 Payload.....	40
3.7.4 Actions.....	40
3.8 SUBSCRIBE - Subscribe to topics.....	40
3.8.1 Fixed header.....	40
3.8.2 Variable header.....	40
3.8.3 Payload.....	41
3.8.4 Response.....	42
3.9 SUBACK – Subscribe acknowledgement.....	43
3.9.1 Fixed header.....	44
3.9.2 Variable header.....	44
3.9.3 Payload.....	44
3.10 UNSUBSCRIBE – Unsubscribe from topics.....	45
3.10.1 Fixed header.....	45
3.10.2 Variable header.....	45
3.10.3 Payload.....	46
3.10.4 Response.....	46
3.11 UNSUBACK – Unsubscribe acknowledgement.....	47
3.11.1 Fixed header.....	47
3.11.2 Variable header.....	47
3.11.3 Payload.....	48
3.12 PINGREQ – PING request.....	48
3.12.1 Fixed header.....	48
3.12.2 Variable header.....	48
3.12.3 Payload.....	48
3.12.4 Response.....	48
3.13 PINGRESP – PING response.....	48
3.13.1 Fixed header.....	48
3.13.2 Variable header.....	49
3.13.3 Payload.....	49
3.14 DISCONNECT – Disconnect notification.....	49
3.14.1 Fixed header.....	49
3.14.2 Variable header.....	49
3.14.3 Payload.....	49
3.14.4 Response.....	49
4 Operational behavior.....	51

4.1	Storing state	51
4.1.1	Non normative example	51
4.2	Network Connections	52
4.3	Quality of Service levels and protocol flows	52
4.3.1	QoS 0: At most once delivery	52
4.3.2	QoS 1: At least once delivery	53
4.3.3	QoS 2: Exactly once delivery	54
4.4	Message delivery retry	55
4.5	Message receipt	56
4.6	Message ordering	56
4.7	Topic Names and Topic Filters	57
4.7.1	Topic wildcards	57
4.7.2	Topics beginning with \$	58
4.7.3	Topic semantic and usage	58
4.8	Handling errors	59
5	Security	60
5.1	Introduction	60
5.2	MQTT solutions: security and certification	60
5.3	Lightweight cryptography and constrained devices	61
5.4	Implementation notes	61
5.4.1	Authentication of Clients by the Server	61
5.4.2	Authorization of Clients by the Server	61
5.4.3	Authentication of the Server by the Client	61
5.4.4	Integrity of Application Messages and Control Packets	62
5.4.5	Privacy of Application Messages and Control Packets	62
5.4.6	Non-repudiation of message transmission	62
5.4.7	Detecting compromise of Clients and Servers	62
5.4.8	Detecting abnormal behaviors	63
5.4.9	Other security considerations	63
5.4.10	Use of SOCKS	64
5.4.11	Security profiles	64
6	Using WebSocket as a network transport	65
6.1	IANA Considerations	65
7	Conformance	66
7.1	Conformance Targets	66
7.1.1	MQTT Server	66
7.1.2	MQTT Client	66
Appendix A.	Acknowledgements (non normative)	68
Appendix B.	Mandatory normative statements (non normative)	70
Appendix C.	Revision history (non normative)	80

# Table of Figures and Tables

Figure 1.1 Structure of UTF-8 encoded strings .....	13
Figure 1.2 UTF-8 encoded string non normative example.....	14
Figure 2.1 – Structure of an MQTT Control Packet .....	16
Figure 2.2 - Fixed header format.....	16
Table 2.1 - Control packet types .....	16
Table 2.2 - Flag Bits .....	17
Table 2.4 Size of Remaining Length field.....	18
Figure 2.3 - Packet Identifier bytes.....	20
Table 2.5 - Control Packets that contain a Packet Identifier.....	20
Table 2.6 - Control Packets that contain a Payload .....	21
Figure 3.1 – CONNECT Packet fixed header.....	23
Figure 3.2 - Protocol Name bytes.....	23
Figure 3.3 - Protocol Level byte .....	24
Figure 3.4 - Connect Flag bits .....	24
Figure 3.5 Keep Alive bytes .....	27
Figure 3.6 - Variable header non normative example .....	28
Figure 3.7 - Password bytes .....	30
Figure 3.8 – CONNACK Packet fixed header .....	31
Figure 3.9 – CONNACK Packet variable header.....	31
Table 3.1 – Connect Return code values.....	32
Figure 3.10 – PUBLISH Packet fixed header .....	33
Table 3.2 - QoS definitions.....	34
Table 3.3 - Publish Packet non normative example .....	35
Figure 3.11 - Publish Packet variable header non normative example .....	35
Table 3.4 - Expected Publish Packet response.....	36
Figure 3.12 - PUBACK Packet fixed header .....	37
Figure 3.13 – PUBACK Packet variable header.....	37
Figure 3.14 – PUBREC Packet fixed header.....	38
Figure 3.15 – PUBREC Packet variable header .....	38
Figure 3.16 – PUBREL Packet fixed header .....	38
Figure 3.17 – PUBREL Packet variable header .....	39
Figure 3.18 – PUBCOMP Packet fixed header .....	39
Figure 3.19 – PUBCOMP Packet variable header .....	40
Figure 3.20 – SUBSCRIBE Packet fixed header.....	40
Figure 3.21 - Variable header with a Packet Identifier of 10, Non normative example .....	41
Figure 3.22 – SUBSCRIBE Packet payload format.....	41
Table 3.5 - Payload non normative example.....	42
Figure 3.23 - Payload byte format non normative example.....	42
Figure 3.24 – SUBACK Packet fixed header.....	44
Figure 3.25 – SUBACK Packet variable header.....	44
Figure 3.26 – SUBACK Packet payload format.....	44
Table 3.6 - Payload non normative example.....	45
Figure 3.27 - Payload byte format non normative example.....	45
Figure 3.28 – UNSUBSCRIBE Packet Fixed header .....	45
Figure 3.29 – UNSUBSCRIBE Packet variable header.....	45
Table 3.7 - Payload non normative example.....	46
Figure 3.30 - Payload byte format non normative example.....	46

Figure 3.31 – UNSUBACK Packet fixed header.....	47
Figure 3.32 – UNSUBACK Packet variable header.....	47
Figure 3.33 – PINGREQ Packet fixed header.....	48
Figure 3.34 – PINGRESP Packet fixed header.....	48
Figure 3.35 – DISCONNECT Packet fixed header.....	49
Figure 4.1 – QoS 0 protocol flow diagram, non normative example.....	52
Figure 4.2 – QoS 1 protocol flow diagram, non normative example.....	53
Figure 4.3 – QoS 2 protocol flow diagram, non normative example.....	54
Figure 6.1 - IANA WebSocket Identifier .....	65

**iTeh STANDARD PREVIEW**  
 (standards.iteh.ai)  
 Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/4e49f5c8-6739-4054-a4b5-07aa0087b0a7/iso-iec-20922-2016>