



SLOVENSKI STANDARD

SIST EN IEC 61784-3-2:2021

01-oktober-2021

Nadomešča:
SIST EN 61784-3-2:2018

Industrijska komunikacijska omrežja - Profili - 3-2. del: Funkcijska varnost procesnih vodil - Dodatne specifikacije za CPF 2 (IEC 61784-3-2:2021)

Industrial communication networks - Profiles - Part 3-2: Functional safety fieldbuses - Additional specifications for CPF 2 (IEC 61784-3-2:2021)

Industrielle Kommunikationsnetze - Profile - Teil 3-2: Funktional sichere Übertragung bei Feldbussen - Zusätzliche Festlegungen für die Kommunikationsprofilfamilie 2 (IEC 61784-3-2:2021)

Réseaux de communication industriels - Profils - Partie 3-2: Bus de terrain de sécurité fonctionnelle - Spécifications supplémentaires pour CPF X (IEC 61784-3-2:2021)

Ta slovenski standard je istoveten z: EN IEC 61784-3-2:2021

ICS:

25.040.40	Merjenje in krmiljenje industrijskih postopkov	Industrial process measurement and control
35.100.05	Večslojne uporabniške rešitve	Multilayer applications

SIST EN IEC 61784-3-2:2021

en,fr,de

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN IEC 61784-3-2:2021](#)

<https://standards.iteh.ai/catalog/standards/sist/998adc56-441a-4357-a967-3649dfc7d712/sist-en-iec-61784-3-2-2021>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN IEC 61784-3-2

June 2021

ICS 25.040.40; 35.100.05

Supersedes EN 61784-3-2:2017 and all of its
amendments and corrigenda (if any)

English Version

**Industrial communication networks - Profiles - Part 3-2:
Functional safety fieldbuses - Additional specifications for CPF 2
(IEC 61784-3-2:2021)**

Réseaux de communication industriels - Profils - Partie 3-2:
Bus de terrain de sécurité fonctionnelle - Spécifications
supplémentaires pour CPF 2
(IEC 61784-3-2:2021)

Industrielle Kommunikationsnetze - Profile - Teil 3-2:
Funktional sichere Übertragung bei Feldbussen -
Zusätzliche Festlegungen für die
Kommunikationsprofilfamilie 2
(IEC 61784-3-2:2021)

This European Standard was approved by CENELEC on 2021-06-23. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

iTeh STANDARD PREVIEW

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.
[\(standards.iteh.ai\)](https://standards.iteh.ai)

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member [into its own language and notified](#) to the CEN-CENELEC Management Centre has the same status as the official versions.

<https://standards.iteh.ai/catalog/standards/sist/998adc56-441a-4357-a967-3649dfe7d712/sist-en-iec-61784-3-2-2021>

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 61784-3-2:2021 (E)**European foreword**

The text of document 65C/1083/FDIS, future edition 4 of IEC 61784-3-2, prepared by SC 65C "Industrial networks" of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61784-3-2:2021.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2022-03-23
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2024-06-23

This document supersedes EN 61784-3-2:2017 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61784-3-2:2021 was approved by CENELEC as a European Standard without any modification.
(standards.iteh.ai)

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

[SIST EN IEC 61784-3-2:2021](#)

https://standards.iteh.ai/catalog/standards/sist/998adc56-441a-4357-a967-3603117d714?item_id=61784-3-2:2021

IEC 61000-1-2	NOTE	Harmonized as EN 61000-1-2
IEC 61000-6-7	NOTE	Harmonized as EN 61000-6-7
IEC 61010-2-201	NOTE	Harmonized as EN IEC 61010-2-201
IEC 61131-6	NOTE	Harmonized as EN 61131-6
IEC 61158 (series)	NOTE	Harmonized as EN 61158 (series)
IEC 61158-5 (series)	NOTE	Harmonized as EN 61158-5 (series)
IEC 61496 (series)	NOTE	Harmonized as EN IEC 61496 (series)
IEC 61508-1:2010	NOTE	Harmonized as EN 61508-1:2010 (not modified)
IEC 61508-4:2010	NOTE	Harmonized as EN 61508-4:2010 (not modified)
IEC 61508-5:2010	NOTE	Harmonized as EN 61508-5:2010 (not modified)
IEC 61511 (series)	NOTE	Harmonized as EN 61511 (series)
IEC 61784-3 (series)	NOTE	Harmonized as EN 61784-3 (series)
IEC 61784-5 (series)	NOTE	Harmonized as EN IEC 61784-5 (series)
IEC 61800-5-2	NOTE	Harmonized as EN 61800-5-2
IEC 62061	NOTE	Harmonized as EN 62061
IEC 62443 (series)	NOTE	Harmonized as EN IEC 62443 (series)
ISO 10218-1	NOTE	Harmonized as EN ISO 10218-1
ISO 13849 (series)	NOTE	Harmonized as EN ISO 13849 (series)

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61131-2	-	Industrial-process measurement and control - Programmable controllers - Part 2: Equipment requirements and tests	-	-
IEC 61131-3	-	Programmable controllers - Part 3: Programming languages	EN 61131-3	-
IEC 61158-2	2014	Industrial communication networks - Fieldbus specifications - Part 2: Physical layer specification and service definition	EN 61158-2	2014
IEC 61158-3-2	https://standards.iec.ch/catalogue/11000/11000-100/11000-100-11000-100-3-2	Industrial communication networks - Fieldbus specifications - Part 3-2: Data-link layer service definition - Type 2 elements	EN 61158-3-2	-
IEC 61158-3-19	-	Industrial communication networks - Fieldbus specifications - Part 3-19: Data-link layer service definition - Type 19 elements	EN IEC 61158-3-19	-
IEC 61158-4-2	2019	Industrial communication networks - Fieldbus specifications - Part 4-2: Data-link layer protocol specification - Type 2 elements	EN IEC 61158-4-2	2019
IEC 61158-4-19	-	Industrial communication networks - Fieldbus specifications - Part 4-19: Data-link layer protocol specification - Type 19 elements	EN IEC 61158-4-19	-
IEC 61158-5-2	-	Industrial communication networks - Fieldbus specifications - Part 5-2: Application layer service definition - Type 2 elements	EN IEC 61158-5-2	-
IEC 61158-5-19	-	Industrial communication networks - Fieldbus specifications - Part 5-19: Application layer service definition - Type 19 elements	EN IEC 61158-5-19	-

EN IEC 61784-3-2:2021 (E)

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61158-6-2	-	Industrial communication networks - Fieldbus specifications - Part 6-2: Application layer protocol specification - Type 2 elements	EN IEC 61158-6-2	-
IEC 61158-6-19	-	Industrial communication networks - Fieldbus specifications - Part 6-19: Application layer protocol specification - Type 19 elements	EN IEC 61158-6-19	-
IEC 61326-3-1	-	Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 3-1: Immunity requirements for safety-related systems and for equipment intended to perform safety-related functions (functional safety) & General industrial applications	EN 61326-3-1	-
IEC 61326-3-2	-	Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 3-2: Immunity requirements for safety-related systems and for equipment intended to perform safety-related functions (functional safety) - Industrial applications with specified electromagnetic environment	EN IEC 61326-3-2	-
IEC 61508	series	Functional safety of electrical/electronic/programmable electronic safety-related systems <i>iTech STANDARD PREVIEW Standard.iteh.ai)</i>	of EN 61508	series
IEC 61784-1	-	Industrial communication networks - Profiles Part 1: Fieldbus profiles	EN IEC 61784-1	-
IEC 61784-2	-	Industrial communication networks - Profiles - Part 2: Additional fieldbus profiles for real-time networks based on ISO/IEC/IEEE 8802-3	EN IEC 61784-2	-
IEC 61784-3	2021	Industrial communication networks - Profiles - Part 3: Functional safety fieldbuses - General rules and profile definitions	EN IEC 61784-3	2021
IEC 61784-5-2	-	Industrial communication networks - Profiles - Part 5-2: Installation of fieldbuses - Installation profiles for CPF 2	EN IEC 61784-5-2	-
IEC 61918	-	Industrial communication networks - Installation of communication networks in industrial premises	EN IEC 61918	-
IEC 62026-3	-	Low-voltage switchgear and controlgear - Controller-device interfaces (CDIs) - Part 3: DeviceNet	-	-
ISO 13849-1	2015	Safety of machinery - Safety-related parts of control systems - Part 1: General principles for design	EN ISO 13849-1	2015

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
ISO 15745-2	2003	Industrial automation systems and integration -- Open systems application integration framework -- Part 2: Reference description for ISO 11898-based control systems	-	-
ISO 15745-3	2003	Industrial automation systems and integration - Open systems application integration framework -- Part 3: Reference description for IEC 61158 based control systems	-	-
ISO 15745-4	2003	Industrial automation systems and integration - Open systems application integration framework - Part 4: Reference description for Ethernet-based control systems	-	-

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN IEC 61784-3-2:2021](#)

<https://standards.iteh.ai/catalog/standards/sist/998adc56-441a-4357-a967-3649df87d712/sist-en-iec-61784-3-2-2021>

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN IEC 61784-3-2:2021](#)

<https://standards.iteh.ai/catalog/standards/sist/998adc56-441a-4357-a967-3649dfc7d712/sist-en-iec-61784-3-2-2021>



INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Industrial communication networks – Profiles –
Part 3-2: Functional safety fieldbuses – Additional specifications for CPF 2
(standards.iec.ai)**

Réseaux de communication industriels – Profils –
Partie 3-2: Bus de terrain de sécurité fonctionnelle – Spécifications
supplémentaires pour CPF 2

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.040.40; 35.100.05

ISBN 978-2-8322-9747-6

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD	12
0 Introduction	14
0.1 General.....	14
0.2 Patent declaration.....	15
1 Scope	17
2 Normative references	17
3 Terms, definitions, symbols, abbreviated terms and conventions	19
3.1 Terms and definitions.....	19
3.1.1 Common terms and definitions.....	19
3.1.2 CPF 2: Additional terms and definitions	24
3.2 Symbols and abbreviated terms	25
3.2.1 Common symbols and abbreviated terms.....	25
3.2.2 CPF 2: Additional symbols and abbreviated terms	26
3.3 Conventions.....	27
4 Overview of FSCP 2/1 (CIP Safety™)	27
4.1 General.....	27
4.2 FSCP 2/1	27
5 General	28
5.1 External documents providing specifications for the profile	28
5.2 Safety functional requirements	29
5.3 Safety measures	29
5.4 Safety communication layer structure https://standards.iec.ch/standards/iec61784-3-2-2021	30
5.5 Relationships with FAL (and DLL, PhL) https://standards.iec.ch/standards/iec61784-3-2-2021	30
5.5.1 General	30
5.5.2 Data types	30
6 Safety communication layer services	31
6.1 General.....	31
6.2 Connection object	31
6.2.1 General	31
6.2.2 Class attribute extensions.....	31
6.2.3 Service extensions	32
6.2.4 Explicit message response format for SafetyOpen and SafetyClose.....	32
6.3 Connection Manager object.....	33
6.3.1 General	33
6.3.2 ForwardOpen for safety	33
6.3.3 Safety network segment	35
6.3.4 Originator rules for calculating the connection parameter CRC	38
6.3.5 SafetyOpen processing flowcharts	38
6.3.6 Checks required by Multipoint producers with existing connections.....	41
6.3.7 Electronic key usage for safety	42
6.3.8 RPI vs. API in safety connections	42
6.3.9 Application path construction rules for safety connections	42
6.3.10 Safety Validator connection types	44
6.3.11 Application reply data in a successful SafetyOpen response.....	48
6.3.12 Unsuccessful SafetyOpen response.....	50
6.3.13 ForwardClose for safety	52

6.4	Identity object	52
6.4.1	General	52
6.4.2	Changes to common services	53
6.4.3	Extensions for CP 16/3 devices	53
6.5	Link objects	53
6.5.1	DeviceNet object changes	53
6.5.2	TCP/IP Interface object changes.....	54
6.5.3	SERCOS III Link object.....	54
6.6	Safety Supervisor object	56
6.6.1	General	56
6.6.2	Safety Supervisor class attributes.....	56
6.6.3	Subclasses	57
6.6.4	Safety Supervisor instance attributes.....	57
6.6.5	Semantics.....	61
6.6.6	Subclasses	67
6.6.7	Safety Supervisor common services	68
6.6.8	Safety Supervisor behavior	80
6.7	Safety Validator object	87
6.7.1	General	87
6.7.2	Class attributes	87
6.7.3	Instance attributes	88
6.7.4	Class services	94
6.7.5	Instance services.....	94
6.7.6	Object behavior	95
6.8	Connection Configuration Object	98
6.8.1	General	98
6.8.2	Class attribute extensions.....	98
6.8.3	Instance attributes, additions and extensions.....	98
6.8.4	Instance attribute semantics extensions or restrictions for safety	101
6.8.5	Special Safety Related Parameters – (Attribute 13)	106
6.8.6	Object-specific services	112
6.8.7	Common service extensions for safety.....	112
6.8.8	Object behavior	114
7	Safety communication layer protocol	115
7.1	Safety PDU format.....	115
7.1.1	Safety PDU encoding.....	115
7.1.2	Safety CRC	127
7.2	Communication protocol behavior	128
7.2.1	Sequence of safety checks	128
7.2.2	Connection termination	128
7.2.3	Cross checking error.....	129
7.3	Time stamp operation	129
7.4	Rollover counts in the EF	130
7.5	Protocol sequence diagrams	130
7.5.1	General	130
7.5.2	Normal safety transmission.....	130
7.5.3	Lost, corrupted and delayed message transmission	132
7.5.4	Lost, corrupted or delayed message transmission with production repeated	134

7.5.5	Point-to-point ping	136
7.5.6	Multipoint ping on CP 2/3 Safety.....	137
7.5.7	Multipoint ping on CP 2/2 safety networks	139
7.5.8	Multipoint ping – retry with success	139
7.5.9	Multipoint ping – retry with timeout	140
7.6	Safety protocol definition	141
7.6.1	General	141
7.6.2	High level view of a safety device	141
7.6.3	Safety Validator object.....	142
7.6.4	Relationship between SafetyValidatorServer and SafetyValidatorClient	142
7.6.5	Extended Format time stamp rollover handling	143
7.6.6	SafetyValidatorClient function definition.....	149
7.6.7	SafetyValidatorServer function definition	157
7.7	Safety message and protocol data specifications	170
7.7.1	Mode octet	170
7.7.2	Time Stamp Section	171
7.7.3	Time Coordination Message	171
7.7.4	Time correction message.....	172
7.7.5	Safety data production.....	172
7.7.6	Producer dynamic variables.....	180
7.7.7	Producer consumer dynamic variables.....	182
7.7.8	Consumer data variables	183
7.7.9	Consumer input static variables	185
7.7.10	Consumer dynamic variables.....	186
8	Safety communication layer management <small>https://standards.iteh.ai/catalog/standards/sist/998adc56-441a-4357-a967</small>	188
8.1	Overview.....	188
8.2	Definition of the measures used during connection establishment.....	188
8.3	Originator-Target relationship validation.....	192
8.4	Detection of mis-routed connection requests.....	193
8.5	SafetyOpen processing	193
8.6	Ownership management	193
8.7	Bridging different physical layers	194
8.8	Safety connection establishment.....	196
8.8.1	Overview	196
8.8.2	Basic facts for connection establishment	196
8.8.3	Configuring safety connections	197
8.8.4	Network time expectation multiplier	198
8.8.5	Establishing connections	200
8.8.6	Recommendations for consumer number allocation	203
8.8.7	Recommendations for connection establishment.....	203
8.8.8	Ownership establishment.....	204
8.8.9	Ownership use cases.....	204
8.8.10	PID/CID usage and establishment	207
8.8.11	Proper PID/CID usage in multipoint and point-to-point connections.....	208
8.8.12	Network supported services.....	210
8.8.13	FSCP 2/1 safety device type.....	211
8.9	Safety configuration process	215
8.9.1	Introduction to safety configuration	215
8.9.2	Configuration goals.....	215

8.9.3	Configuration overview	216
8.9.4	User configuration guidelines.....	217
8.9.5	Configuration process justification	218
8.9.6	Device functions for tool configuration	219
8.9.7	Password security	219
8.9.8	SNCT interface services	219
8.9.9	Configuration lock.....	220
8.9.10	Effect of configuration lock on device behavior	220
8.9.11	Configuration ownership	222
8.9.12	Configuration mode	222
8.9.13	Measures used to ensure integrity of configuration process	222
8.9.14	Download process	224
8.9.15	Verification process	227
8.9.16	Configuration error analysis	230
8.10	Electronic Data Sheets extensions for safety	234
8.10.1	General rules for EDS based safety devices	234
8.10.2	EDS extensions for safety.....	235
8.11	Requirements for CP 2/2.....	240
8.11.1	EPI rules for safety messages that travel over CP 2/2	240
8.11.2	Default safety I/O service	240
8.11.3	Duplicate IP detection.....	241
8.11.4	Priority for safety connections.....	241
8.12	Requirements for CP 2/3.....	241
8.12.1	Allocation of CP 2/3 identifiers.....	241
8.12.2	Additional requirements.....	244
8.13	CP 16/3 requirements.....	244
8.13.1	General architecture for CPF 2 on CP 16/3	244
8.13.2	Baseline FSCP 2/1 on CP 16/3 device	244
8.13.3	Supported objects and services in CP 16/3 devices	245
8.13.4	Transport layer requirements	246
8.13.5	FSCP 2/1 and the CP 16/3 device model	248
8.13.6	UNID assignment on CP 16/3	249
9	System requirements	252
9.1	Indicators and switches.....	252
9.1.1	General indicator requirements.....	252
9.1.2	LED indications for setting the device UNID.....	252
9.1.3	Module Status LED.....	252
9.1.4	Indicator warning	253
9.1.5	Network Status LED	253
9.1.6	Switches	254
9.2	Installation guidelines	256
9.3	Safety function response time	257
9.3.1	Overview	257
9.3.2	Network time expectation.....	257
9.3.3	Equations for calculating network reaction times.....	258
9.4	Duration of demands.....	260
9.5	Constraints for calculation of system characteristics	260
9.5.1	Number of nodes	260
9.5.2	Network PFH of Extended Format.....	260

9.5.3 Bit Error Rate (BER)	261
9.6 Maintenance	262
9.7 Safety manual.....	262
10 Assessment.....	262
Annex A (informative) Additional information for functional safety communication profiles of CPF 2.....	263
A.1 Hash function example code	263
A.2 Void	277
Annex B (informative) Information for assessment of the functional safety communication profiles of CPF 2.....	278
Bibliography.....	279
 Figure 1 – Relationships of IEC 61784-3 with other standards (machinery)	14
Figure 2 – Relationships of IEC 61784-3 with other standards (process)	15
Figure 3 – Relationship of Safety Validators.....	28
Figure 4 – Communication layers.....	30
Figure 5 – ForwardOpen with safety network segment	34
Figure 6 – Safety network target format	36
Figure 7 – Target Processing SafetyOpen with no configuration data (Type 2 SafetyOpen)	39
Figure 8 – Target Processing for SafetyOpen with configuration data (Type 1 SafetyOpen)	40
Figure 9 – Originator logic to determine which format to use.....	41
Figure 10 – Applying device configuration.....	72
Figure 11 – Configure and Validate processing flowcharts.....	73
Figure 12 – UNID handling during "Waiting for TUNID"	79
Figure 13 – Safety Supervisor state diagram.....	81
Figure 14 – Configuration, testing and locked relationships.....	85
Figure 15 – Safety connection types	92
Figure 16 – Safety Validator state transition diagram	96
Figure 17 – Logic for Auto-detecting format type	111
Figure 18 – Connection Configuration Object state diagram.....	114
Figure 19 – Connection Configuration Object data flow	115
Figure 20 – Format of the mode octet	117
Figure 21 – 1 or 2 octet data section, Base Format	117
Figure 22 – 1 or 2 octet data section, Extended Format	118
Figure 23 – 3 to 250 octet data section format, Base Format	118
Figure 24 – 3 to 250 octet data section format, Extended Format.....	119
Figure 25 – Time Stamp section format, Base Format.....	120
Figure 26 – BF Time Coordination message encoding	121
Figure 27 – EF Time Coordination message encoding	121
Figure 28 – BF Time Correction message encoding	122
Figure 29 – EF Time Correction message encoding	122
Figure 30 – 1 or 2 octet point-to-point PDU encoding.....	124
Figure 31 – 1 or 2 Octet multipoint PDU encoding.....	124

Figure 32 – 1 or 2 Octet, multipoint, Format 2 safety connection format	125
Figure 33 – 3 to 250 Octet Point-to-point PDU encoding	125
Figure 34 – 3 to 248 Octet Multipoint PDU encoding	126
Figure 35 – 3 to 248 Octet, Multipoint, safety connection format	126
Figure 36 – CRC Calculation order for Extended Format messages	127
Figure 37 – Time stamp sequence	129
Figure 38 – Sequence diagram of a normal producer/consumer safety sequence.....	130
Figure 39 – Sequence diagram of a normal producer/consumer safety sequence (production repeated)	131
Figure 40 – Sequence diagram of a corrupted producer to consumer message	132
Figure 41 – Sequence diagram of a lost producer to consumer message	133
Figure 42 – Sequence diagram of a delayed message	134
Figure 43 – Sequence diagram of a corrupted producer to consumer message with production repeated.....	135
Figure 44 – Sequence diagram of a connection terminated due to delays	135
Figure 45 – Sequence diagram of a failure of safety CRC check.....	136
Figure 46 – Sequence diagram of a point-to-point ping – normal response	136
Figure 47 – Sequence diagram of a successful multipoint ping, CP 2/3 safety.....	138
Figure 48 – Sequence diagram of a successful multipoint ping, CP 2/2 safety.....	139
Figure 49 – Sequence diagram of a multipoint ping retry.....	140
Figure 50 – Sequence diagram of a multipoint ping timeout	140
Figure 51 – Possible safety architectures for FSCP 2/1.....	141
Figure 52 – Safety device reference/model entity relation diagram.....	142
Figure 53 – Two devices interchanging safety data via a SafetyValidatorClient and a SafetyValidatorServer	143
Figure 54 – Point-to-point, originating consumer. target producer	144
Figure 55 – Point-to-point, originator producer, target consumer	146
Figure 56 – Multi-point, originator consumer, target producer	147
Figure 57 – Safety production data flow	149
Figure 58 – Consumer safety data monitoring	158
Figure 59 – SafetyValidatorServer – application triggered	159
Figure 60 – Target ownership	192
Figure 61 – SafetyOpen forms	193
Figure 62 – Connection ownership state chart.....	194
Figure 63 – SafetyOpen UNID mapping	194
Figure 64 – Common CPF 2 application layer	195
Figure 65 – End-to-End routing example	195
Figure 66 – Sources for safety related connection parameters	199
Figure 67 – Parameter mapping between originator and target	200
Figure 68 – CP 2/3 Safety connection establishment in targets for Type 2a SafetyOpen	202
Figure 69 – General sequence to detect configuration is required	202
Figure 70 – PID/CID exchanges for two originator scenarios	208
Figure 71 – Seed generation for multipoint connections	209
Figure 72 – PID/CID runtime handling.....	210