



**SLOVENSKI STANDARD**  
**SIST ES 204 079 V1.1.1:2024**

**01-december-2024**

---

**Okoljski inženiring (EE) - Metoda za ocenjevanje okoljskih lastnosti pametnih telefonov**

Environmental Engineering (EE) - Method for environmental performance scoring of smartphones

iTeh Standards  
(<https://standards.iteh.ai>)

**Ta slovenski standard je istoveten z: ETSI ES 204 079 V1.1.1 (2024-09)**

---

[SIST ES 204 079 V1.1.1:2024](https://standards.iteh.ai/catalog/standards/sist/ee1c91d0-db1f-424e-9acf-b532fd52fcda/sist-es-204-079-v1-1-1-2024)

<https://standards.iteh.ai/catalog/standards/sist/ee1c91d0-db1f-424e-9acf-b532fd52fcda/sist-es-204-079-v1-1-1-2024>

**ICS:**

19.040	Preskušanje v zvezi z okoljem	Environmental testing
33.050.10	Telefonska oprema	Telephone equipment

**SIST ES 204 079 V1.1.1:2024** en



# ETSI ES 204 079 V1.1.1 (2024-09)



## **Environmental Engineering (EE); Method for environmental performance scoring of smartphones**

(<https://standards.iteh.ai>)

Document Preview

[SIST ES 204 079 V1.1.1:2024](https://standards.iteh.ai/catalog/standards/sist/ee1c91d0-db1f-424e-9acf-b532fd52fcda/sist-es-204-079-v1-1-1-2024)

<https://standards.iteh.ai/catalog/standards/sist/ee1c91d0-db1f-424e-9acf-b532fd52fcda/sist-es-204-079-v1-1-1-2024>

---

**Reference**

DES/EE-MICT4

---

**Keywords**energy consumption, environmental impact,  
greenhouse gas emission, ICT, LCA, smartphone**ETSI**650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° w061004871

---

**Important notice**

The present document can be downloaded from the  
ETSI [Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#).

Users should be aware that the present document may be revised or have its status changed,  
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to  
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our  
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

---

**Notice of disclaimer & limitation of liability**

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2024.  
All rights reserved.

# Contents

Intellectual Property Rights .....	4
Foreword.....	4
Modal verbs terminology.....	4
Introduction .....	4
1 Scope .....	6
2 References .....	6
2.1 Normative references .....	6
2.2 Informative references.....	7
3 Definition of terms, symbols and abbreviations.....	8
3.1 Terms.....	8
3.2 Symbols.....	8
3.3 Abbreviations .....	8
4 Methodology .....	9
5 Conformance with regulations .....	10
6 Material efficiency and environmental impact aspects .....	10
6.1 Durability .....	10
6.2 Reparability, Reusability and Upgradeability.....	12
6.3 Material impacts .....	16
6.3.1 Recyclability and Recoverability.....	16
6.3.2 Use of hazardous and restricted substances .....	16
6.3.3 Use of recycled materials.....	17
6.3.4 Packaging and Accessories.....	18
6.3.5 Environmental impact.....	18
7 Documentation .....	19
<b>Annex A (informative): Legal requirements in the EU.....</b>	<b>20</b>
<b>Annex B (informative): Scoring tables .....</b>	<b>25</b>
<b>Annex C (informative): Scoring spreadsheet.....</b>	<b>26</b>
<b>Annex D (informative): Bibliography.....</b>	<b>27</b>
History .....	28

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

# Foreword

This ETSI Standard (ES) has been produced by ETSI Technical Committee Environmental Engineering (EE).

---

# Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

---

# Introduction

In 2019, ITU-T Study Group 5 Question 7 (Q7) published Recommendation ITU-T L.1015 [i.1] "Criteria for evaluation of the environmental impact of mobile phones". Recommendation ITU-T L.1015 contains many relevant indicators related to the environmental impacts of mobile phones, but no standardised scoring methodology. Additional documents of relevance produced by Q7 include scoring methods for environmental health and safety performance of true wireless stereo headphones (Recommendation ITU-T L.1016 [i.3]) and circularity performance scoring for ICT goods (Recommendation ITU-T L.1023 [i.2] in 2020 and just recently an update in 2023).

ETSI TC EE Working Group M-ICT "Environmental matters associated with Mobile ICT Devices" is dedicated exactly to the intended scope and purpose of these kinds of scoring methods.

European and international markets are in need of a standardized scoring method for the environmental performance of smartphones which goes beyond just reparability criteria and can provide a more robust foundation for non-LCA based Green Claims. Features of such a method include:

- Additional indicators to differentiate best performing products that reach beyond regulatory requirements.

- Definition of weightings to combine all indicators into a single score.

Environmental impact calculations for smartphones - e.g. using Life Cycle Assessment (LCA) - are made in different ways and therefore absolute numbers (e.g. kg CO<sub>2</sub>e) calculated in different ways cannot currently be compared. Still, the ability to use LCA is very important in order to identify and reduce the environmental impact footprint of individual products.

The present document was developed jointly by the European Telecommunications Standards Institute Technical Committee Environmental Engineering (ETSI TC EE) and ITU-T Study Group 5. It is published as Recommendation ITU-T L.1017 [i.15] and ETSI ES 204 079 (the present document), which are technically equivalent, by ITU and ETSI, respectively.

## iTeh Standards (<https://standards.iteh.ai>) Document Preview

[SIST ES 204 079 V1.1.1:2024](https://standards.iteh.ai/catalog/standards/sist/ee1c91d0-db1f-424e-9acf-b532fd52fcd5/sist-es-204-079-v1-1-1-2024)

<https://standards.iteh.ai/catalog/standards/sist/ee1c91d0-db1f-424e-9acf-b532fd52fcd5/sist-es-204-079-v1-1-1-2024>

---

# 1 Scope

The objective of the present document is to provide a standardized method to assess the environmental performance of smartphones. A method to arrive at an aggregate score reflecting the overall environmental performance is defined which takes into account material efficiency and Life Cycle Assessment (LCA) aspects. The following attributes of a smartphone are evaluated:

- Durability.
- Reparability, reusability and upgradeability.
- Recyclability and recoverability.
- Use of hazardous or restricted substances.
- Use of recycled materials.
- Packaging and Accessories.
- Environmental impacts.

---

## 2 References

### 2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference/>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] [IEC 60529 :1989+AMD1:1999+AMD2:2013 CSV Consolidated version](#): "Degrees of protection provided by enclosures (IP Code)".
- [2] [IEC 60068-2-31:2008](#): "Environmental testing - Part 2-31: Tests - Test Ec: Rough handling shocks, primarily for equipment-type specimens".
- [3] [IEC 61960-3:2017](#): "Secondary cells and batteries containing alkaline or other non-acid electrolytes - Secondary lithium cells and batteries for portable applications - Part 3: Prismatic and cylindrical lithium secondary cells and batteries made from them".
- [4] [EN ISO 6769:2022](#): "Metallic and other inorganic coatings, including for corrosion protection and corrosion testing of metals and alloys" (produced by CEN).
- [5] [EN 45554:2020](#): "Material efficiency aspects for products in scope of Ecodesign legislation" (produced by CEN).
- [6] [EN 45557:2020](#): "General method for assessing the proportion of recycled material content in energy-related products" (produced by CEN).
- [7] [ISO 14040](#): "Environmental management -- Life cycle assessment -- Principles and framework".
- [8] [ETSI ES 203 199 \(V1.3.1\) \(02-2015\)](#): "Environmental Engineering (EE); Methodology for environmental Life Cycle Assessment (LCA) of Information and Communication Technology (ICT) goods, networks and services".



## 2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] Recommendation ITU-T L.1015 (2019): "Criteria for evaluation of the environmental impact of mobile phones".
- [i.2] Recommendation ITU-T L.1023 (2023): "Assessment method for circularity performance scoring".
- [i.3] Recommendation ITU-T L.1016 (2022): "Method for evaluation of the environmental health and safety performance of true wireless stereo headphones".
- [i.4] [Commission Regulation \(EU\) 2023/1670 of 16 June 2023](#) laying down ecodesign requirements for smartphones, mobile phones other than smartphones, cordless phones and slate tablets pursuant to Directive 2009/125/EC of the European Parliament and of the Council and amending Commission Regulation (EU) 2023/826.
- [i.5] [Directive 2012/19/EU of the European Parliament and of the Council of 4 July 2012](#) on waste electrical and electronic equipment (WEEE).
- [i.6] [Directive 2011/65/EU of the European Parliament and of the Council of 8 June 2011](#) on the restriction of the use of certain hazardous substances in electrical and electronic equipment.
- [i.7] [Regulation \(EC\) No 1907/2006 of the European Parliament and of the Council of 18 December 2006](#) concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
- [i.8] [Regulation \(EU\) 2023/1542 of the European Parliament and of the Council of 12 July 2023](#) concerning batteries and waste batteries, amending Directive 2008/98/EC and Regulation (EU) 2019/1020 and repealing Directive 2006/66/EC.
- [i.9] [Directive 2006/66/EC of the European Parliament and of the Council of 6 September 2006](#) on batteries and accumulators and waste batteries and accumulators and repealing Directive 91/157/EEC.
- [i.10] Globally harmonized system of classification and labelling of chemicals (GHS) - United Nations.
- [i.11] [IEC 61249-2-21:2003](#): "Materials for printed boards and other interconnecting structures - Part 2-21: Reinforced base materials, clad and unclad - Non-halogenated epoxide woven E-glass reinforced laminated sheets of defined flammability (vertical burning test), copper-clad".
- [i.12] Compatibility of polymers for recycling are described in Pahl, G., Beitz, W., Engineering design: A systematic Approach. Great Britain: Springer-Verlag London Limited, 1996.
- [i.13] [2019/771/EU](#): "Directive (EU) 2019/771 of the European Parliament and of the Council of 20 May 2019 on certain aspects concerning contracts for the sale of goods, amending Regulation (EU) 2017/2394 and Directive 2009/22/EC, and repealing Directive 1999/44/EC".
- [i.14] [NIST Special Publication 800-88](#): " Guidelines for Media Sanitization".
- [i.15] Recommendation ITU-T L.1017: "Method for environmental performance scoring of smartphones".

## 3 Definition of terms, symbols and abbreviations

### 3.1 Terms

For the purposes of the present document, the following terms apply:

**environmental aspect:** element of an organization's activities or solutions that determines the environmental impact

NOTE: The Durability, 3RU and Use of hazardous and restricted substances outlined in this Recommendation are examples of environmental aspects.

**environmental assessment:** evaluation and interpretation of results and impacts from an environmental measurement

**environmental indicator:** metric used to measure one or more environmental aspects

NOTE: The  $D_n$ ,  $3RU_n$  and  $HR_n$  outlined in this Recommendation (e.g. D1) are examples of environmental indicators.

**environmental measurement:** process to help determine the environmental performance through collection, calculation or compilation of data or information

**environmental performance:** degree to which a set of environmental aspects align with the principles for a circular economy and low environmental impact

NOTE: The Environmental Performance Scores obtained by the framework outlined in this Recommendation are examples of environmental performance.

### 3.2 Symbols

Void.

### 3.3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

BAT	Battery
BC	Back Cover
BUT	mechanical Button
DA	Display Assembly
EC	External Charging port
EIE	Environment Impact Evaluation
FFC	Front Facing Camera
FM	Folding Mechanism
FSC	Forest Stewardship Council®
IPxx	Ingress Protection
LCA	Life Cycle Assessment
MIC	Microphone
PA	Packaging and Accessories
PEFC	Programme for the Endorsement of Forest Certification schemes
RCM	Recycled Materials
RFC	Rear Facing Camera
RoHs	Restriction of Hazardous substances
RR	Recyclability and Recoverability
RRU	Repairability, Reusability, Upgradeability
SPK	Speaker
TS	Total environment performance Score

## 4 Methodology

The environmental performance of smartphones can be evaluated by addressing material efficiency and through consideration of life cycle assessment of environmental impacts.

The environmental performance of smartphones in terms of material efficiency can be evaluated by analysing three impact groups: durability (clause 6.1), repairability, reusability, upgradeability (clause 6.2) and material impacts (clause 6.3). The material impacts impact group consists of five aspects:

- i) recyclability and recoverability;
- ii) use of hazardous or restricted substances;
- iii) use of recycled materials;
- iv) packaging and accessories; and
- v) environmental impact.

The total environmental performance score is calculated as follows:

$$TS_x = \frac{D+RRU+M}{3} \quad (1)$$

where:

- $TS$  = Total Environmental Performance Score
- $x$  = Smartphone model
- $D$  = Aggregated score for the aspect Durability (see clause 6.1)
- $RRU$  = Aggregated Score for the aspect Repairability, Reusability, Upgradeability (see clause 6.2)
- $M$  = Aggregated Score for the aspect Material impacts (see clause 6.3)

The aggregated score for Durability is calculated as an average of the maximum possible durability indicators as follows:

$$D = \frac{\sum_i D_i}{5_i} \quad (2)$$

where:

- $D$  = Aggregated score for the aspect Durability (see clause 6.1)
- $D_i$  = Score for Durability indicator  $i$
- $i$  = number of included Durability indicators

The aggregated score for Repairability, Reusability, Upgradeability is calculated an average of the maximum possible indicators as follows:

$$RRU = \frac{\sum_i RRU_i}{5_i} \quad (3)$$

where:

- $RRU$  = Aggregated score for the aspect Repairability, Reusability, Upgradeability (see clause 6.2)
- $RRU_i$  = Score for Repairability, Reusability, Upgradeability indicator  $i$
- $i$  = number of included Repairability, Reusability, Upgradeability indicators

The aggregated score for Material impacts is calculated as an average of the maximum possible indicators as follows:

$$M = \frac{\sum_i RR_i + \sum_i HR_i + \sum_i RCM_i + \sum_i PA_i + \sum_i EIE_i}{5_i} \quad (4)$$