



# SLOVENSKI STANDARD

## SIST EN 13445-5:2021

01-september-2021

Nadomešča:

SIST EN 13445-5:2014

SIST EN 13445-5:2014/A1:2018

---

### Nekurjene tlačne posode - 5. del: Pregled in preskušanje

Unfired pressure vessels - Part 5: Inspection and testing

Unbefeuerte Druckbehälter - Teil 5: Inspektion und Prüfung

Réipients sous pression non soumis à la flamme - Partie 5: Inspection et contrôle

Ta slovenski standard je istoveten z: **EN 13445-5:2021**

#### ICS:

23.020.32 Tlačne posode

Pressure vessels

**SIST EN 13445-5:2021**

**en,fr,de**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 13445-5:2021](#)

<https://standards.iteh.ai/catalog/standards/sist/4fa16db-2e7d-4cc7-ae7b-b13485b3f04e/sist-en-13445-5-2021>

EUROPEAN STANDARD

EN 13445-5

NORME EUROPÉENNE

EUROPÄISCHE NORM

May 2021

ICS 23.020.30

Supersedes EN 13445-5:2014

English Version

## Unfired pressure vessels - Part 5: Inspection and testing

Réceptifs sous pression non soumis à la flamme -  
Partie 5: Inspection et contrôle

Unbefeuerte Druckbehälter - Teil 5: Inspektion und  
Prüfung

This European Standard was approved by CEN on 24 February 2021.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

SIST EN 13445-5:2021

<https://standards.iteh.ai/catalog/standards/sist/4fa16db-2e7d-4cc7-ae7b-b13485b3f04e/sist-en-13445-5-2021>



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

## Contents

	Page
1	Scope..... 7
2	Normative references..... 7
3	Terms and definitions ..... 8
4	Performance of inspection and testing ..... 10
4.1	General..... 10
4.2	Inspection ..... 10
4.3	Non-destructive testing (NDT) ..... 10
5	Technical documents..... 10
5.1	General..... 10
5.2	Information to be contained in the technical documents ..... 10
5.2.1	General..... 10
5.2.2	General description of the pressure vessel ..... 10
5.2.3	Design and construction drawings ..... 11
5.2.4	Descriptions and explanations necessary for an understanding of the drawings and diagrams and the operation of the pressure vessel..... 11
5.2.5	Results of design calculations and examinations carried out..... 11
5.2.6	Test reports..... 13
5.2.7	Technical/manufacturing schedule ..... 13
5.3	Design review ..... 14
5.3.1	General..... 14
5.3.2	Design review ..... 14
6	Inspection and testing during fabrication ..... 15
6.1	General..... 15
6.2	Manufacturing procedures and construction drawings ..... 15
6.3	Material traceability ..... 15
6.3.1	General..... 15
6.3.2	Special Conditions - Material marking ..... 15
6.4	Preparation for manufacturing processes..... 15
6.4.1	General..... 15
6.4.2	Joint preparation testing..... 16
6.4.3	Inspection of vessel supports ..... 16
6.4.4	Inspection associated with forming ..... 16
6.4.5	Testing of areas subject to significant through thickness tensile stress..... 16
6.5	Welding..... 16
6.5.1	General..... 16
6.5.2	Verification of welder and welding operator qualification and procedures qualification ..... 17
6.5.3	Inspection of repairs..... 17
6.6	Non-destructive testing of welded joints..... 17
6.6.1	Extent of non-destructive testing ..... 17
6.6.2	Determination of extent of non-destructive testing..... 21
6.6.3	Performing non-destructive testing..... 29
6.6.4	Description and acceptance level of imperfections..... 30

6.6.5	Stage of performance .....	30
6.6.6	Procedure for non-destructive retesting .....	30
6.6.7	Non-destructive testing documentation .....	31
6.7	Destructive testing .....	31
6.7.1	Extent of destructive testing .....	31
6.7.2	Schedule for destructive testing .....	31
6.7.3	Verification of destructive tests .....	31
6.7.4	Records .....	31
6.8	Heat-treatment .....	31
7	Subcontracted items .....	32
7.1	General .....	32
7.2	Subcontracted welding related activities .....	32
7.3	Subcontracted non-destructive testing activities .....	32
7.3.1	Use of contract NDT personnel at the premises of the vessel manufacturer .....	32
7.3.2	Subcontracting of NDT at a subcontractors premises .....	33
8	Miscellaneous tests .....	33
9	Calibration .....	33
9.1	General .....	33
9.2	Calibration procedure .....	34
9.2.1	General .....	34
9.2.2	Calibration .....	34
9.2.3	Frequency .....	35
9.3	Identification .....	35
9.4	Registration .....	35
10	Final assessment .....	35
10.1	General .....	35
10.2	Extent of final assessment .....	36
10.2.1	Visual and dimensional inspection .....	36
10.2.2	Review of documentation .....	37
10.2.3	Proof test .....	37
10.2.4	Post pressure test inspection .....	48
10.2.5	Inspection of safety accessories .....	48
11	Marking and declaration of compliance with the standard .....	48
11.1	General .....	48
11.2	Marking method .....	48
11.2.1	General .....	48
11.2.2	Direct stamping .....	49
11.2.3	Nameplate .....	49
11.3	Marking units .....	49
11.4	Marking contents .....	49
11.5	Declaration of compliance with the standard .....	50
12	Documents .....	51
12.1	Type of documents .....	51
12.2	Control and access of documents .....	52
12.3	Retention of documents .....	52
Annex A	(normative) Inspection and testing of serially produced pressure vessels .....	53
A.1	Introduction .....	53
A.2	Limitations for vessels permitted to be classified as serially produced .....	53
A.3	Limitations for model .....	53

EN 13445-5:2021 (E)  
Issue 1 (2021-05)

A.4	Prototype test .....	54
A.5	Model acceptance .....	54
A.6	Quality or manufacturing plan .....	54
A.7	Inspection, non-destructive testing and pressure testing .....	55
A.7.1	Introduction .....	55
A.7.2	General NDT procedure for serially produced pressure vessels .....	55
A.7.3	Pressure test for serially produced pressure vessels .....	55
A.8	Marking .....	55
A.9	Documentation / Certification .....	56
Annex B (normative) Detailed dimensional requirements for pressure vessels .....		57
Annex C (normative) Access and inspection openings, closing mechanisms and special locking elements .....		59
C.1	General .....	59
C.2	Types and dimensions of access and inspection openings .....	59
C.2.1	Sightholes .....	59
C.2.2	Handholes .....	59
C.2.3	Headholes .....	59
C.2.4	Manholes .....	60
C.2.5	Rescue holes .....	60
C.3	Types, location and minimum number of access and inspection openings .....	60
C.4	Alternative requirements for sightholes openings on small vessels .....	62
C.5	Closing mechanisms and special locking elements .....	62
C.5.1	Purpose .....	62
C.5.2	Definitions .....	62
C.5.3	Materials of construction, design .....	62
C.5.4	Screw clamps .....	63
C.5.5	Hinged bolts .....	64
C.5.6	Yoke-type closures .....	65
C.5.7	Quick opening and closing devices .....	66
Annex D (informative) Leak Testing .....		73
D.1	General .....	73
D.2	Leak testing personnel .....	73
Annex E (informative) Acoustic emission .....		74
E.1	General .....	74
E.2	Useful standards .....	74
E.3	Acoustic emission personnel .....	74
E.4	Additional requirements .....	74
Annex F (normative) Inspection and testing of pressure vessels or parts subject to creep .....		75
F.1	General .....	75
F.2	Extent of inspection and testing .....	75
F.3	Performance of NDT and acceptance criteria .....	77
F.4	Documents .....	77
Annex G (normative) Inspection and testing of pressure vessels subject to cyclic loads .....		78
G.1	General .....	78
G.2	Extent of inspection and testing .....	78
G.3	Performance and acceptance criteria .....	78
G.4	Technical documentation, additional requirements .....	79
Annex H (informative) Declaration of compliance with this standard .....		80

<b>Annex I (informative) Specific tests during construction to assist in-service inspection</b> .....	<b>82</b>
<b>I.1 General</b> .....	<b>82</b>
<b>I.2 Metallographic investigation</b> .....	<b>82</b>
<b>I.3 Hardness measurements</b> .....	<b>82</b>
<b>I.4 Dimensional measurements</b> .....	<b>83</b>
<b>Annex Y (informative) History of EN 13445-5</b> .....	<b>84</b>
<b>Y.1 Differences between EN 13445-5:2014 and EN 13445-5:2021</b> .....	<b>84</b>
<b>Annex ZA (informative) Relationship between this European Standard and the essential requirements of Directive 2014/68/EU aimed to be covered</b> .....	<b>85</b>
<b>Bibliography</b> .....	<b>87</b>

## **iTeh STANDARD PREVIEW** **(standards.iteh.ai)**

[SIST EN 13445-5:2021](https://standards.iteh.ai/catalog/standards/sist/4fa16df3-2e7d-4cc7-ae7b-b13485b3f04e/sist-en-13445-5-2021)

<https://standards.iteh.ai/catalog/standards/sist/4fa16df3-2e7d-4cc7-ae7b-b13485b3f04e/sist-en-13445-5-2021>

**EN 13445-5:2021 (E)**  
**Issue 1 (2021-05)****European foreword**

This document (EN 13445-5:2021) has been prepared by Technical Committee CEN/TC 54 “Unfired pressure vessels”, the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2021, and conflicting national standards shall be withdrawn at the latest by November 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a standardization request given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

list of all parts in the EN 13445 series can be found on the CEN website.

Although these Parts may be obtained separately, it should be recognised that the Parts are inter-dependant. As such the manufacture of unfired pressure vessels requires the application of all the relevant Parts in order for the requirements of the Standard to be satisfactorily fulfilled.

Corrections to the standard interpretations where several options seem possible are conducted through the Migration Help Desk (MHD). Information related to the Help Desk can be found at <http://www.unm.fr> ([en13445@unm.fr](mailto:en13445@unm.fr)). A form for submitting questions can be downloaded from the link to the MHD website. After subject experts have agreed an answer, the answer will be communicated to the questioner. Corrected pages will be given specific issue number and issued by CEN according to CEN Rules. Interpretation sheets will be posted on the website of the MHD.

This document supersedes EN 13445-5:2014. This new edition incorporates the Amendments which have been approved previously by CEN members, and the corrected pages up to Issue 5 without any further technical change. Annex Y provides details of significant technical changes between this European Standard and the previous edition.

Amendments to this new edition may be issued from time to time and then used immediately as alternatives to rules contained herein. It is intended to deliver a new Issue of EN 13445:2021 each year, starting with the precedent as Issue 1, consolidating these Amendments and including other identified corrections.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



## 1 Scope

This Part of this document specifies the inspection and testing of individual and serially produced pressure vessels made of steels in accordance with EN 13445-2:2021.

Special provisions for cyclic operation are given in Annex G of this Part.

Special provisions for vessels or vessel parts working in the creep range are given in Annex F and Annex I of this Part.

NOTE The responsibilities of parties involved in the conformity assessment procedures are given in Directive 2014/68/EU. Guidance on this can be found in CR 13445-7.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

CEN/TR 764-6:2012, *Pressure equipment — Part 6: Structure and content of operating instructions*

EN 1779:1999, EN 1779:1999/A1:2003, *Non-destructive testing — Leak testing — Criteria for method and technique selection*

EN 13445-1:2021, *Unfired pressure vessels — Part 1: General*

EN 13445-2:2021, *Unfired pressure vessels — Part 2: Materials*

EN 13445-3:2021, *Unfired pressure vessels — Part 3: Design*

EN 13445-4:2021, *Unfired pressure vessels — Part 4: Fabrication*

EN ISO 5817:2014, *Welding — Fusion-welded joints in steel, nickel, titanium and their alloys (beam welding excluded) – Quality levels for imperfections (ISO 5817:2014)*

EN ISO 6520-1:2007, *Welding and allied processes — Classification of geometric imperfections in metallic materials — Part 1: Fusion welding (ISO 6520-1:2007)*

EN ISO 9606-1:2017, *Qualification testing of welders - Fusion welding - Part 1: Steels (ISO 9606-1:2012 including Cor 1:2012 and Cor 2:2013)*

EN ISO 9712:2012, *Non-destructive testing — Qualification and certification of NDT personnel (ISO 9712:2012)*

EN ISO 14732:2013, *Welding personnel — Qualification testing of welding operators and weld setters for mechanized and automatic welding of metallic materials (ISO 14732:2013)*

EN ISO 17635:2016, *Non-destructive testing of welds — General rules for metallic materials (ISO 17635:2016)*

**EN 13445-5:2021 (E)**  
**Issue 1 (2021-05)****3 Terms and definitions**

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

**3.1**  
**design review**  
procedure by which a manufacturer ascertains and declares that the design meets the requirements of this standard

**3.2**  
**design approval**  
procedure by which a responsible authority ascertains that the design meets the requirements of this standard

**3.3**  
**testing group**  
grouping which determines the appropriate level of non-destructive testing (NDT) on a welded joint

Note 1 to entry: There are four testing groups.

**3.4**  
**inspection**  
survey activity which assesses the compliance of the pressure vessel to the technical specification

Note 1 to entry: It is a major activity, undertaken mainly by the manufacturer during design, manufacture and testing of equipment. It can be complemented by inspection by other parties. Inspection includes the assessment of testing activities.

**3.5**  
**testing**  
procedure used to verify vessel compliance with the technical requirements of this standard by one or more tests

**3.6**  
**technical specification**  
document stating requirements for a product or a procedure

**3.7**  
**repair**  
action or series of actions of rectifying a condition in either base material or weld to establish compliance with this standard

**3.8****serial production**

manufacture of identical vessels or parts which subsequently are joined to form a complete vessel and which are manufactured to a single model acceptance, using the same manufacturing procedure involving a continuous fabrication process

Note 1 to entry: The definitions 3.8 to 3.13 relate to serially produced pressure vessels as described in Annex A.

**3.9****continuous fabrication process**

process where the welding of the main seams and branch welds is essentially continuous, that means there are no stoppages or fabrication break-downs requiring resetting of the welding machine and/or NDT equipment

Note 1 to entry: Adjustments to the welding machine within the welding procedure limitations do not qualify as resetting the welding machine.

Note 2 to entry: The definitions 3.8 to 3.13 relate to serially produced pressure vessels as described in Annex A.

**3.10****model acceptance**

procedure which ascertains that a representative sample of the production (a prototype vessel/part) meets the requirements of this standard in respect of design, manufacturing and testing

Note 1 to entry: Model acceptance is conducted by the manufacturer or the responsible authority depending on the conformity assessment module chosen.

Note 2 to entry: The definitions 3.8 to 3.13 relate to serially produced pressure vessels as described in Annex A.

**3.11****prototype vessel/part**

first or representative sample of a series of pressure vessels/parts covered by a single model acceptance

Note 1 to entry: The definitions 3.8 to 3.13 relate to serially produced pressure vessels as described in Annex A.

**3.12****batch of vessels**

part of a series where the welding of the main weld joints and branch welds has been essentially continuously produced by the same welding procedures

Note 1 to entry: The definitions 3.8 to 3.13 relate to serially produced pressure vessels as described in Annex A.

**3.13****shift**

period of time per day during which the welders and welding operators remain the same

Note 1 to entry: The definitions 3.8 to 3.13 relate to serially produced pressure vessels as described in Annex A.

**3.14****joint batch**

several joints made by the same welder or welding operator using a single welding procedure specification

## **4 Performance of inspection and testing**

### **4.1 General**

Each individual vessel shall be inspected during construction and upon completion. Inspections shall be made to ensure that in all respects the design, materials, manufacturing, and testing comply with the requirements of this standard. Documented evidence shall be prepared to verify implementation of this requirement.

### **4.2 Inspection**

Inspection shall be carried out by the manufacturer to verify that all requirements of this standard have been met. The level of non-destructive testing (NDT) shall be dependent on the testing group as described in 4.3.

All inspections shall be carried out by qualified personnel.

### **4.3 Non-destructive testing (NDT)**

The type and amount of non-destructive testing of a pressure vessel shall be based upon the testing group or combination of testing groups when permitted in 6.6.1.2 (see Table 6.6.1-1: testing groups for steel pressure vessels and Table 6.6.2-1: extent of non-destructive testing).

## **5 Technical documents**

### **5.1 General**

The vessel manufacturer shall document those items listed in 5.2, which shall be reviewed in accordance with 5.3, prior to manufacture commencing.

The manufacturer shall state which vessels are covered by the same design.

### **5.2 Information to be contained in the technical documents**

#### **5.2.1 General**

For the purposes of this standard the following types of documents shall be considered necessary as technical documents.

#### **5.2.2 General description of the pressure vessel**

- a) Name of vessel manufacturer and subcontractors, if applicable;
- b) Location/s of vessel manufacturer and sub-contractors, if applicable;
- c) Document describing design data and special consideration which covers:
  - 1) maximum and minimum allowable pressures, design pressures and test pressures in bar for each compartment (vacuum with minus sign);
  - 2) capacity in litres for each compartment;
  - 3) maximum and minimum design temperatures;

- 4) nature and location of marking of the pressure vessel, nameplate or stamp;
- 5) the fluid group.
- 6) if the vessel is designed for cyclic operation the allowed numbers of cycles, the range of action (as defined in EN 13445-3:2021, 5.3.1) during the cycle and the locations where the cumulative fatigue damage index D (as defined in EN 13445-3:2021, Clauses 17 and 18) is greater than 0,8. The maximum permissible peaking shall also be given.
- 7) If the vessel is working in the creep range, the following additional information:
  - the design life (e.g. 100 000 h) and expected life for each load case
  - the parts of the vessel which are subjected to creep
  - the value of the weld creep strength reduction factor which has been used for each weld joint subjected to creep
  - whether lifetime monitoring, as defined in Clause 19 of EN 13445-3:2021, is being applied or not.

### 5.2.3 Design and construction drawings

The manufacturer analysis of hazards identifying those which apply to the pressure vessel on account of action (as defined in EN 13445-3:2021, 5.3.1) shall be documented and be of sufficient detail.

Details of the design including the design methods adopted, performance criteria and construction drawings shall be provided. Guidance about the detailed dimensional information that shall be provided is given in Annex B. Process diagrams, sub-assemblies or other data relevant to design shall also be maintained.

### 5.2.4 Descriptions and explanations necessary for an understanding of the drawings and diagrams and the operation of the pressure vessel

- a) operating instructions;
- b) special checks to be carried out e.g. tests envisaged on closures, bellows, clamping bolts, etc.
- c) operational position if this is significant with regard to the safety evaluation.

### 5.2.5 Results of design calculations and examinations carried out

**5.2.5.1** Design calculations shall be provided by the vessel manufacturer to the extent necessary to demonstrate compliance to this standard.

Supporting detailed drawings shall be prepared with all dimension notations marked. At least on the pressure vessel general arrangement drawing, the testing group(s) shall be clearly identified.

**5.2.5.2** If calculations are made with the aid of a computer software in order to comply with this standard, then at least the following data shall be presented:

**EN 13445-5:2021 (E)**  
**Issue 1 (2021-05)**

- a) explanation of notations;
- b) input values;
- c) reference number of the standard including edition and reference number of the formula;
- d) results of intermediate formulae;
- e) calculated minimum thickness without additions or the calculated stress and its comparison to the allowable stress;
- f) wastage (corrosion) allowance;
- g) thickness tolerance (negative thickness tolerance);
- h) the chosen thickness.

**5.2.5.3** In the event that stress analysis is carried out with the finite element method or other equivalent design methods they shall be documented as follows:

- a) input data;
- b) graphs which show;
  - 1) the element subdivision (mesh size);
  - 2) the stresses, e.g. as line or arrow figures or equal stress curves; stress curves of surfaces;
  - 3) the displacements;
- c) boundary conditions;
- d) the stresses in the most critical areas;
- e) where appropriate, the dividing and classifying of the stresses into different stress categories;
- f) the comparison of stress intensities and the allowable stress values.

**5.2.5.4** In specific cases the following information shall be given:

- a) type of post weld heat treatment and, where necessary, type and extent of associated material tests;
- b) construction sequence schedule if the testing is to be carried out in several steps;
- c) fluid(s) being contained and its (their) specific gravity, if this is required for the design of the vessel;
- d) pressure testing medium, if the initial or the periodic pressure tests are to be carried out with a medium other than water, the test minimum metal temperature for proof tests (both hydrostatic and pneumatic);

- e) position of the vessel in the pressure tests (e.g. horizontal or vertical), if this is significant with regard to the safety evaluation;
- f) maximum and minimum liquid levels, if these are required with regard to the safety evaluation;
- g) static supplementary forces, e.g. bearing forces, wind and snow loads. An extra calculation shall be presented if the supplementary forces essentially affect the design of the pressure vessel;
- h) cyclic and dynamic loading, including seismic loading, where applicable;
- i) additional requirements based on other regulations;
- j) purchaser's requirements based on the vessel operating conditions in addition to the requirements of this standard;
- k) possible corrosion attack, especially in crevices, which shall be taken into account;
- l) joint coefficient.

### 5.2.6 Test reports

These shall consist, as a minimum, of the following:

- a) welding procedure qualification records, certificates of qualification of welding personnel;
- b) material certificates;
- c) the content of the manufacturing records, including measurement of peaking for vessels subject to cyclic loads;

### 5.2.7 Technical/manufacturing schedule

This shall consist of the following information:

- a) the welding processes to be used for the pressure containing parts and welding of any temporary or other attachments to pressure containing parts. The following data are required for the testing:
  - 1) weld location, shape and preparation and where necessary build up of the layers and treatment of welds;
  - 2) welding process (in the case of multiple processes, identification of the process against the weld joint);
  - 3) welding consumables (classification according to the relevant European Standards or trade names);
  - 4) type and extent of production test, number of test plates, non-destructive tests;

If some of the data listed before are not available for the design review, then these shall be completed before finishing the manufacture.

- b) special checks to be carried out e.g. the tests envisaged on closures, bellows, clamping, bolts;