

FINAL
DRAFT

INTERNATIONAL
STANDARD

ISO/FDIS
12643-2

ISO/TC 130

Secretariat: SAC

Voting begins on:
2020-10-22

Voting terminates on:
2020-12-17

Graphic technology — Safety requirements for graphic technology equipment and systems —

Part 2: Prepress and press equipment and systems

iTeh STANDARD PREVIEW

(standards.iteh.ai)
Technologie graphique — Exigences de sécurité pour les systèmes et l'équipement de technologie graphique —

Partie 2: Systèmes et équipement pour la préimpression et la presse

<https://standards.iteh.ai/catalog/standards/sist/a9a5799d-dd74-4e3c-8c3c-83399bc6d433/iso-fdis-12643-2>

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

ISO/CEN PARALLEL PROCESSING



Reference number
ISO/FDIS 12643-2:2020(E)

© ISO 2020

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/FDIS 12643-2](https://standards.iteh.ai/catalog/standards/sist/a9a5799d-dd74-4e3c-8c3c-83399bc6d433/iso-fdis-12643-2)
<https://standards.iteh.ai/catalog/standards/sist/a9a5799d-dd74-4e3c-8c3c-83399bc6d433/iso-fdis-12643-2>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	vi
Introduction	viii
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Significant hazards	5
5 Equipment subject to requirements	5
5.1 General.....	5
5.2 Prepress equipment.....	5
5.3 Printing presses and coating/varnishing machines.....	5
5.4 Other equipment covered by this document.....	6
6 Safety requirements and/or protective measures	7
6.1 General.....	7
6.2 Guarding of significant hazards.....	7
6.2.1 General.....	7
6.2.2 Guard openings.....	7
6.2.3 Guarding in-running nips.....	7
6.3 Interlocks.....	10
6.3.1 Interlocking with guard locking.....	10
6.3.2 Continuous motion at crawl speed with an interlocking guard open.....	11
6.3.3 Closing an interlocking guard on dampening, flexo or inking devices.....	12
6.3.4 Closing an interlocking guard on inkjet printing devices.....	12
6.4 Hold-to-run controls.....	12
6.4.1 Specific requirements for sheet-fed presses.....	12
6.4.2 Specific requirements for forms printing presses and leporello printing presses.....	12
6.5 Automatic format-setting operations.....	13
6.6 Additional safeguarding methods for machine devices and components.....	13
6.6.1 Delivery units (pile lifting and lowering devices).....	13
6.6.2 Transport carriages.....	22
6.6.3 Guarding plate-clamping devices.....	23
6.6.4 Continuous-flow drying devices on web presses.....	23
6.6.5 Folders for web presses.....	23
6.6.6 Safety distances for web feed on web-fed presses.....	25
6.6.7 Screen printing presses.....	25
7 Changing of printing plates	26
7.1 General.....	26
7.2 Automatic printing plate changes.....	26
7.3 Semi-automatic printing plate changes.....	26
8 Requirements for protection against other hazards	27
8.1 General.....	27
8.2 Protection against fire and explosion in continuous-flow drying devices.....	27
8.2.1 General.....	27
8.2.2 Interface with automatic cylinder and roller washing devices.....	28
8.2.3 Ignition of substrate.....	29
8.2.4 Exhaust systems of drying devices.....	29
8.3 Explosion protection exceptions.....	29
8.3.1 General.....	29
8.3.2 Exceptions for screen printing presses.....	29
8.3.3 Exceptions for automatic washing devices.....	30
8.4 Spillage from washing devices.....	30

8.5	Working platforms, access stairs, passageways and raised workplaces.....	30
8.5.1	General.....	30
8.5.2	Exception for sheet-fed presses.....	30
8.6	Electrostatic toner dust.....	30
8.7	Washing equipment for printing plates, rollers and doctor blades.....	31
8.7.1	Hazards due to emission of washing agents.....	31
8.7.2	Grounding of washing equipment.....	31
8.7.3	Unintended escape of solvents.....	31
8.8	Alcohol dosing devices.....	31
8.8.1	Concentration.....	31
8.8.2	Prevention of leakage and overflow.....	32
8.9	Refrigerating devices in ink and dampening units.....	32
8.10	Powder-spraying devices.....	32
8.11	Hazardous emissions of sheet-fed presses.....	32
8.12	Large-format inkjet digital printing machines (wide-format inkjet digital printing machines).....	32
8.13	Dust protection requirements on web offset printing presses.....	35
8.14	Emergency stop devices and stop/safe pushbuttons at stationary control stands of web offset printing presses.....	35
9	Additional requirements for functions, operations, colours and mechanical specifications of manual control devices.....	35
9.1	General.....	35
9.2	Emergency stop device and ink, dampening, metering, flexo or fountain rollers.....	35
9.3	Emergency stop devices on auxiliary draw nips.....	35
9.4	Emergency stop device and inkjet printing heads.....	36
9.5	Ready pushbutton.....	36
9.6	Plate position control.....	36
10	Control systems for screen printing presses.....	36
11	Safety requirements for prepress equipment.....	37
11.1	Electrical equipment of prepress machinery.....	37
11.2	Electric/electronic control systems of prepress machinery.....	37
11.3	Exposing equipment.....	37
11.4	Safeguarding the discharge of liquids.....	37
11.5	Safeguarding in-running nips on engraving machines.....	37
11.6	Safeguarding against copper swarf hazard.....	37
11.7	Safeguarding bending unit on printing plate bending machines.....	38
11.8	Safeguarding printing plate punching devices.....	38
12	Signals and warning devices for automatic machine mode with double-push sequence.....	38
13	Control zones for web presses having multiple folders.....	39
14	Verification of safety requirements and/or protective /risk reduction measures.....	39
15	Contents of instruction handbook.....	42
15.1	General.....	42
15.2	Sheet-fed printing press systems.....	42
15.2.1	Residual risk from ink ducts.....	42
15.2.2	Residual risks in sheet delivery area.....	42
15.2.3	Sheet-fed presses used for printing on board or metal sheet.....	42
15.2.4	Rollers.....	42
15.2.5	Powders (anti-setoff powders).....	43
15.3	Web-fed printing press systems.....	43
15.3.1	Rollers.....	43
15.3.2	In-running nips.....	43
15.3.3	Operation by two-hand control with guard open.....	43
15.4	Screen printing presses.....	43
15.4.1	Ventilation and admissible liquids.....	43
15.4.2	Access between screen printing frame and machine frame.....	43

15.4.3	Use of different size screens.....	43
15.4.4	Crushing point between doctor blade and screen or machine table.....	43
15.4.5	Residual risks related to doctor blade.....	44
15.5	Automatic cylinder and roller washing device.....	44
15.6	Continuous-flow drying devices.....	44
15.6.1	Inks and coatings.....	44
15.6.2	Solvents.....	44
15.6.3	Mist of UV inks and UV coatings.....	44
15.6.4	Solvents for manual washing.....	44
15.7	Oxidizers, incinerators and thermal cleaning plants.....	45
15.8	Alcohol dosing devices.....	45
15.9	Washing equipment for printing plates.....	45
15.10	Prepress machinery.....	45
15.11	Large-format inkjet digital printing machines.....	45
Annex A (informative) List of significant hazards.....		46
Annex B (informative) Emission levels of sheet-fed presses resulting from tests conducted in Europe.....		52
Annex ZA (informative) Relationship between this European Standard and the essential requirements of Directive 2006/42/EC aimed to be covered.....		58
Annex ZB (informative) Relationship between this European Standard and the essential requirements of Directive 2014/34/EU aimed to be covered.....		60
Bibliography.....		64

ITeH STANDARD PREVIEW
(standards.iteh.ai)

[ISO/FDIS 12643-2](https://standards.iteh.ai/catalog/standards/sist/a9a5799d-dd74-4e3c-8c3c-83399bc6d433/iso-fdis-12643-2)

<https://standards.iteh.ai/catalog/standards/sist/a9a5799d-dd74-4e3c-8c3c-83399bc6d433/iso-fdis-12643-2>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 130, *Graphic technology*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 198, *Printing and paper machinery — Safety*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This third edition cancels and replaces second edition (ISO-12643-2:2010), which has been technically revised. The main changes compared to the previous edition are as follows:

- in [3.13](#), a definition for large-format inkjet digital printing machines has been added;
- in [6.2.2](#), the exemption for the maximum height of the feed opening has been deleted;
- in [6.2.3](#), new requirements in relation with in-running nips on anilox rollers ([6.2.3.5](#)) and cylinders/rollers in gravure printing presses ([6.2.3.6](#)) have been added;
- in [6.3](#), requirements for interlocks have been added;
- in [6.3](#), requirements for the movement of the inkjet heads when closing a protective device ([6.3.4](#)) have been added;
- in [6.6.1.3](#), the requirements for securing whole body access on deliveries have been adapted from the new requirements in ISO 12643-4;
- in [6.6](#), the requirements for the protection of the pile carrier for heights above 800 mm have been deleted and newly regulated in ISO 12643-1);
- in [Clause 7](#), requirements for automatic and semi-automatic printing plate changing have been revised;
- in [8.3.2](#), [8.3.3](#), [8.7.2](#), [8.7.3](#), [15.9](#) and [B.6.2.2.2](#), flash point to Globally Harmonised System (GHS, flammable liquids 60 °C) have been adapted;

- addition of [8.12](#) and [15.11](#) with requirements for large-format inkjet digital printing machines (wide-format inkjet digital printing machines)
- a new subclause [8.13](#) on dust protection requirements for web offset printing presses has been added;
- a new subclause [8.14](#) on Emergency stop devices and stop/safe pushbuttons at stationary control stands of web offset printing presses has been added;
- the clause on alternative controls for stop/safe function on sheet-fed presses has been deleted;
- in [9.4](#), a requirement for inkjet printing systems in connection with emergency stop has been added;
- the clause on colors for manual controls has been deleted;
- the list of significant hazards has been moved to an informative [Annex A](#);
- the annex on protection zones against explosion has been moved to ISO 12643-1;
- in [Annex B](#), the following have been adapted:
 - selected measurement locations for the measurement of emissions of ink mist, varnish mist, ammonia, VOC IPA, VOC hydrocarbon compounds;
 - the limit value for ammonia at measurement location 2;
 - the measurement conditions for VOC IPA (6% IPA in dampening water), VOC hydrocarbon compounds (measurement during entire washing program).

A list of all parts in the ISO 12643 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

<https://standards.iteh.ai/catalog/standards/sist/a9a5799d-dd74-4e3c-8c3c-83399bc6d433/iso-fdis-12643-2>

Introduction

This document is a type-C standard as stated in ISO 12100.

This document is of relevance, in particular, for the following stakeholder groups representing the market players with regard to machinery safety:

- machine manufacturers (small, medium and large enterprises);
- health and safety bodies (regulators, accident prevention organisations, market surveillance, etc.)

Others can be affected by the level of machinery safety achieved with the means of the document by the above-mentioned stakeholder groups:

- machine users/employers (small, medium and large enterprises);
- machine users/employees (e.g. trade unions, organizations for people with special needs);
- service providers, e. g. for maintenance (small, medium and large enterprises);
- consumers (in case of machinery intended for use by consumers).

The above-mentioned stakeholder groups have been given the possibility to participate at the drafting process of this document.

The machinery concerned and the extent to which hazards, hazardous situations or hazardous events are covered are indicated in the Scope and [Clause 5](#) of this document.

When requirements of this type-C standard are different from those which are stated in type-A or type-B standards, the requirements of this type-C standard take precedence over the requirements of the other standards for machines that have been designed and built according to the requirements of this type-C standard.

During the development of this document, existing relevant standards of other countries were taken into consideration. An effort has been made to harmonize the requirements of all countries, recognizing that national standards or laws may dictate national requirements. In cases where it was known that there is a national requirement that differs from this document, that has been noted.

Graphic technology — Safety requirements for graphic technology equipment and systems —

Part 2: Prepress and press equipment and systems

1 Scope

This document provides safety requirements specific to prepress and press equipment and systems. This document is intended to be used in conjunction with ISO 12643-1:2021.

This document provides additional safety requirements for the design and construction of new prepress and press equipment, and the auxiliary equipment integrated into the press control system.

This document is not applicable to prepress and press equipment and systems manufactured before the date of its publication.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 5149-1:2014, *Refrigerating systems and heat pumps — Safety and environmental requirements — Part 1: Definitions, classification and selection criteria*

ISO 12100:2010, *Safety of machinery — General principles for design — Risk assessment and risk reduction*

ISO 12643-1:2021, *Graphic technology — Safety requirements for graphic technology equipment and systems — Part 1: General requirements*

ISO 13732-1:2006, *Ergonomics of the thermal environment — Methods for the assessment of human responses to contact with surfaces — Part 1: Hot surfaces*

ISO 13849-1:2015, *Safety of machinery — Safety-related parts of control systems — Part 1: General principles for design*

ISO 13855:2010, *Safety of machinery — Positioning of safeguards with respect to the approach speeds of parts of the human body*

ISO 13857:2019, *Safety of machinery — Safety distances to prevent hazard zones being reached by upper and lower limbs*

IEC 60079-32-1:2019, *Explosive atmospheres — Part 32-1: Electrostatic hazards— guidance*

IEC 60529:1989¹⁾, *Degrees of protection provided by enclosures (IP Code)*

IEC 60825-1:2014, *Safety of laser products — Part 1: Equipment classification and requirements*

IEC 62061:2005²⁾, *Safety of machinery — Functional safety of safety-related electrical, electronic and programmable electronic control systems*

1) This document is impacted by the amendments IEC 60529:1989/A1:1999 and IEC 60529:1989/A2:2013

2) This document is impacted by the amendments IEC 62061:2005/A1:2012 and IEC 62061:2005/A2:2015

IEC 62368-1:2018, *Audio/video, information and communication technology equipment — Part 1: Safety requirements*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 12643-1, ISO 13849-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1 access height

(sheet-fed press delivery zone) dimension of the maximum opening into the area below the sheet gripper, measured between the access level and the lower edge of fixed machine

Note 1 to entry: Examples for the access level are floor, fixed platform or footboard.

Note 2 to entry: Examples for fixed machine parts are fixed guard, fixed cover or fixed parts such as a sheet stop.

Note 3 to entry: See [Figure 3](#).

3.2 alcohol dosing device

mechanism used to regulate the amount of alcohol in the dampening water of offset printing presses

3.3 automatic plate-clamping device

mechanism used to secure a printing plate during the automatic or semi-automatic changing of the plates

3.4 coating unit coater

machine that applies a predetermined thickness of a liquid substance on substrates made of paper or a similar material

Note 1 to entry: Examples for liquid substances are glue, varnish or ink.

3.5 continuous-flow drying device

mechanism built into printing presses to dry and cure inks and coatings that have been applied to substrates

EXAMPLE Hot air, IR or UV radiation.

3.6 crawl speed

continuous movement at a steady slow speed, and initiated by a momentary contact control

3.7 cylinder screen printing press

sheet-fed machine in which the substrate to be printed is pressed against the screen by an impression cylinder

Note 1 to entry: The substrate can be a paper sheet, for example.

3.8**digital printing machine**

machine used in commercial applications where the printing image is produced in the machine from data stored in digital form and transferred to the substrate without the use of a printing plate

Note 1 to entry: This includes digital printing presses and wide-format inkjet printing machines.

3.9**draw roller**

power-driven roller that pulls a substrate

3.10**enabling device**

mechanism that needs to be in a specified state or condition in order for a second actuator or device to start a machine under hold-to-run control, and which will stop machine movement as soon as one of the hold-to-run controls is released or the status of the mechanism changes

3.11**forms printing press****leporello printing press**

machine for the production of continuous forms where paper webs printed with one or more colours are accordion-folded or wound onto a reel

Note 1 to entry: In addition to the printing section, the machine consists of devices for punching, remaliners (sprocket punching), cross-perforation, longitudinal perforation and leporello (zig-zag) folding.

3.12**gravure printing machine**

machine consisting of a printing cylinder, an inking system, in which ink is applied to the printing cylinder by an ink roll or spray and the excess is removed by a doctor blade, and an impression cylinder covered with a rubber composition, which presses the substrate into contact with the ink in the cells of the printing cylinder

3.13**large-format inkjet digital printing machine****wide-format inkjet digital printing machine**

digital printing machine for the production of large-format print products of different materials, such as paper, plastic films or foils, fabrics and flat structures in which an inkjet printing head arranged across the transport of the product produces print on the printing substrate line by line

Note 1 to entry: The substrate to be printed on can be sheets or webs.

Note 2 to entry: Generally, these machines have an image area wider than 600 mm.

3.14**pile turner**

device provided in the vicinity of sheet-fed printing presses and used to turn piles of printed paper for further processing, such as back-printing on a second run

3.15**powder-spraying device**

equipment used to spray powder onto the printed material on the delivery side of sheet-fed printing presses

3.16**prepress equipment**

machines used in the first stage of the graphic technology workflow, prior to printing, that include all the operations necessary for the preparation of images and image carriers

[SOURCE: ISO 12637-1:2006, 58, modified — The original term was "prepress" and "machines used in the" has been added in the definition.]

3.17

press system

printing press and a series of machines that supply substrate into and through the printing press and guide or direct the substrate to a cutting, folding or delivery device that delivers the product to the last working station integrated with the printing press control system

3.18

printing plate

base material that stores the image to be printed and transfers ink onto a substrate, thus printing the image

Note 1 to entry: The printed image can include pictures, artwork and text.

3.19

printing table

supportive surface to hold the substrate to be printed during the printing process

EXAMPLE Printing tables can be found on certain types of screen printing presses, for example.

3.20

proofing press

machine with manual feeding and delivery used for printing a small number of copies for assessing print quality

Note 1 to entry: Proofing presses are generally used for assessing print quality before the *printing plate* (3.18) is mounted in the production machine

iteh STANDARD PREVIEW
(standards.iteh.ai)

3.21

reel turner

device used to turn reels of substrate for easier handling, for example for correct positioning of the reel when feeding webs to printing presses

[ISO/FDIS 12643-2](#)

<https://standards.iteh.ai/catalog/standards/sist/a9a5799d-dd74-4e3c-8c3c-83399bc6d433/iso-fdis-12643-2>

3.22

screen frame

device for taking up the printing screen

3.23

screen printing press

printing press using semi-permeable printing forms consisting of fabric or steel mesh stretched over frames on which stencils are applied and through which ink or varnish is pressed to reproduce corresponding image areas onto a substrate

3.24

sheet-fed press

machine for printing sheet-size substrates, including proofing presses, in which sheets can be fed by automatic or manual feeders, or from sheeters attached to unwinding units

3.25

washing device

equipment integrated into the printing press for washing cylinders and rollers such as ink rollers, blanket cylinders, printing cylinders, plate cylinders, etc.

3.26

washing equipment for printing plates

machines for washing *printing plates* (3.18) outside the printing press

EXAMPLE Screen washing equipment.

3.27

web-fed press

press in which a substrate passes through the printing couple(s) in a continuous form, as fed from a roll

3.28**web material**

web of paper, board, foil or similar material that is to be handled or processed

4 Significant hazards

For the list of significant hazards covered by this document, see [Annex A](#).

5 Equipment subject to requirements**5.1 General**

This document is applicable to the equipment listed in [5.2](#) to [5.4](#). This equipment can be used in a stand-alone configuration or in combination with other machines affected by an integrated control system. This can include combinations of the machines noted below.

NOTE This document is intended to include the wide range of equipment used in the printing process. The equipment listed in [5.2](#) to [5.4](#) provides examples of the more typical equipment covered by this document but is not all-inclusive.

5.2 Prepress equipment

The following prepress equipment are covered by this document:

- exposure equipment for the production of films and printing formes;
- equipment for developing films and printing formes;
- washing machines for printing formes;
- machines for bending printing formes;
- punching machines for film and printing plates;
- cutting machines for film and printing formes;
- machines for the production of gravure printing formes;
- scanners.

5.3 Printing presses and coating/varnishing machines

The following are machines used for printing by various processes and are covered by this document:

- relief (letterpress, flexographic);
- offset (lithographic);
- sheet-fed printing presses, including coating/varnishing machines;
- web-fed rotary presses, including coating/varnishing machines and similar machinery;
- gravure (rotogravure, intaglio);
- screen printing;
- digital printing machines (electrostatic, inkjet, thermal, airbrush, etc.), including sheet-fed digital printing machines, web-fed digital printing machines, wide-format inkjet machines and similar machinery;

- proofing presses;
- combination presses (e.g. offset/flexo/screen).

5.4 Other equipment covered by this document

In addition to the equipment listed in 5.2, the following equipment are also covered by this document:

- washing equipment for cylinders and rollers;
- washing equipment for printing plates and scrapers;
- varnishing equipment;
- powder-spraying devices;
- alcohol dosing devices;
- imprinting/addressing/numbering equipment;
- automatic plate-clamping devices;
- automatic pile-handling equipment;
- washing equipment;
- inserting machines;
- pile turners, reel turners, elevators;
- dryers/pollution control, including continuous-flow drying devices, ultraviolet curing, infrared drying, electron beam, hot air, etc.;
- radiation equipment;
- in-line processing and finishing equipment;
- stackers;
- palletizers;
- bundlers;
- coaters;
- chilling systems;
- electrostatic equipment;
- humidifiers;
- accumulating or piling-off devices;
- conveyors;
- unwinding, rewinding, reel transport devices;
- measuring and control devices;
- auxiliary devices on inking and dampening units.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/FDIS 12643-2](https://standards.iteh.ai/catalog/standards/sist/a9a5799d-dd74-4e3c-8c3c-83399bc6d433/iso-fdis-12643-2)

<https://standards.iteh.ai/catalog/standards/sist/a9a5799d-dd74-4e3c-8c3c-83399bc6d433/iso-fdis-12643-2>

6 Safety requirements and/or protective measures

6.1 General

Machinery shall be in accordance with the safety requirements and/or protective measures of this subclause. In addition, machinery shall be designed according to the principles of ISO 12100 for relevant but not significant hazards that are not dealt with by this document.

6.2 Guarding of significant hazards

6.2.1 General

Guarding, consistent with operation of the machine, shall be provided in those areas where it is recognized that operators are exposed to significant hazards. The guarding requirements of ISO 12643-1:2021, 5.3 and this document apply.

6.2.2 Guard openings

On sheet-fed flexographic printing presses, the feed opening between the side lays and the sides of the machine shall be guarded by means of adjustable or self-adjusting guards.

The hazard points outside the side lays on sheet-fed flexographic printing presses shall be safeguarded for every format size used.

NOTE This safeguarding can be achieved, for example, by using accordion-type bellows or by the use of additional guards.

For hazard points within side lays, residual pile monitoring that is also used as a safety device shall be in accordance with at least PL d of ISO 13849-1 or SIL 2 according to IEC 62061.

<https://standards.iteh.ai/catalog/standards/sist/a9a5799d-dd74-4e3c-8c3c-33399bc6d433/iso-fdis-12643-2>

6.2.3 Guarding in-running nips

6.2.3.1 Guarding in-running nips on sheet-fed presses

If technically feasible, trip nip bars in accordance with ISO 12643-1, shall be used where frequent access is required to the area during machine motion, and cylinders are directly accessible after the interlocking guard has been opened.

If it is not possible to use trip nip bars as described above, hold-to-run control speed limitations defined in ISO 12643-1:2021, 5.3.6 apply.

NOTE Use of trip nip bars is not possible, for example, on small-size offset presses where trip nip bars would impede access to the cylinder for activities such as plate changing.

Where cylinders have gaps that exceed those defined for smooth cylinders (see ISO 12643-1:2021, 3.69), trip nip bars in accordance with ISO 12643-1:2021, 5.7.7 should be used. Nip guards shall not be used with these cylinders. For such trip nip guards, the requirements of PL d of ISO 13849-1:2015 or SIL 2 of IEC 62061:2005 shall be satisfied and the interlocking system shall be designed such that the requirements for stopping paths defined in ISO 12643-1:2021, 5.7.7 are satisfied. Trip nip bars and cylinder gaps shall be designed such that cylinder gaps cannot be accessed behind trip nip bars, causing a hazard.

6.2.3.2 Guarding in-running nips on web-fed presses

In-running nips that are not in the operator's view from the position where the hold-to-run control or enabling device is operated shall be safeguarded by additional measures.

NOTE For example, such measures include: