
**Space systems — Calibration
requirements for satellite-based
passive microwave sensors**

*Systèmes spatiaux — Exigences d'étalonnage des capteurs passifs
d'hyperfréquences satellitaires*

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO 20930:2018](https://standards.iteh.ai/catalog/standards/iso/76309fdc-eec8-4902-aff5-053167b61e21/iso-20930-2018)

<https://standards.iteh.ai/catalog/standards/iso/76309fdc-eec8-4902-aff5-053167b61e21/iso-20930-2018>



iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO 20930:2018

<https://standards.iteh.ai/catalog/standards/iso/76309fdc-eec8-4902-aff5-053167b61e21/iso-20930-2018>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Abbreviated terms	2
5 Space based passive microwave sensor calibration overview	2
5.1 Mission and system overview.....	2
5.2 Types of passive microwave sensors.....	3
5.3 Concept of calibration and scope.....	4
6 Requirements for pre-launch phase	6
6.1 General.....	6
6.2 Requirements for design and manufacturing.....	6
6.2.1 Requirements for sensor instrument.....	6
6.2.2 Requirements for spacecraft bus.....	8
6.2.3 Requirements for ground processing system.....	9
6.3 Ground test and requirements verification.....	10
6.3.1 Requirements for the sensor instrument.....	10
6.3.2 Requirements for spacecraft bus.....	12
6.3.3 Requirements for ground processing system.....	12
7 Requirements for on-orbit phase	12
7.1 General.....	12
7.2 Requirements for sensor instrument self-calibration.....	12
7.2.1 Resolution of antenna temperature.....	12
7.2.2 Elimination of bias.....	12
7.2.3 Characterization.....	13
7.2.4 Deep space manoeuvre.....	13
Annex A (informative) Nonlinearity correction (example)	14
Annex B (informative) Validation by SRT (Standard Reference Target)	18
Annex C (informative) Ground-based information required for sensor calibration	19
Annex D (informative) Examples of design requirements	23
Bibliography	25

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 20, *Aircraft and space vehicles*, Subcommittee SC 14, *Space systems and operations*.

ISO 20930:2018

<https://standards.iteh.ai/catalog/standards/iso/76309fdc-eec8-4902-aff5-053167b61e21/iso-20930-2018>

Introduction

Water is one of the key elements for survival of all creatures on earth. Water brings us the blessings of food thanks to agriculture, but water is also responsible for providing forest products and fish, which are essential for our lives. However, too much or too little water can lead to environmental disasters such as hurricanes, heavy rains, floods, droughts and wild fires.

Many satellite sensors are launched through international cooperation ventures with the aim of monitoring the behaviour of the water cycle and estimating some of the parameters related to it, e.g. soil moisture, vegetation biomass, snow cover, sea ice, and so on. A systematic and timely monitoring of land surface parameters that affect the hydrological cycle at local and global scales are of primary importance in obtaining a better understanding of geophysical processes and in order to manage environmental resources and mitigate for natural disasters.

At present, some applications to assist our human activities are provided, such as weather forecasts and predictions of climate change. Nowadays, the observation data acquired by passive microwave sensors are used for weather forecasts, fishery services, drought monitoring on a daily basis, and for predicting climate change in the future. However, errors due to bias, gain, and sensitivity among passive microwave sensors can degrade accuracy of applications and users could waste effort and time for compensation by on-orbit operation.

This document standardizes calibration methods (requirements and verification methods) to minimize errors of observation data among passive microwave sensors. It is expected that this document can improve the accuracy of weather forecasts, sea surface temperatures for fishery services, soil moisture monitoring to decrease water waste for farmers, snow cover and depth for water storage. Moreover, these observations can provide useful information for climate change prediction that is relevant to our daily lives.

<https://standards.iteh.ai>
Document Preview

[ISO 20930:2018](https://standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/iso/76309fdc-eec8-4902-aff5-053167b61e21/iso-20930-2018>

Space systems — Calibration requirements for satellite-based passive microwave sensors

1 Scope

This document defines the requirements and verification methods from design to on-orbit operation for Satellite Based Passive Microwave Sensors.

This document covers the requirements for, design, analysis, manufacturing, ground tests and on-orbit self-sensor calibration and validation. In addition, this document includes the conditions considered for on-orbit inter-comparison among sensors as preparation for cross-calibration. This document includes some examples on how to apply the development of passive microwave sensors as shown in [Annex A](#) through [D](#).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 10795:2011, *Space systems — Programme management and quality — Vocabulary*

ISO 14302, *Space systems — Electromagnetic compatibility requirements*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 10795:2011 and the following apply. ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

3.1 calibration

set of operations that establish, under specified conditions, the relationship between sets of values of quantities indicated by a measuring instrument or measuring system and the corresponding values realized by standards

3.2 validation

process of assessing by independent means the quality of the data products derived from the system outputs

3.3 level one processing

type of processing where the antenna brightness temperature of the sensor instrument is calculated and compensated radiometrically and geometrically based on evaluation results of ground test and on-orbit calibration

4 Abbreviated terms

ANT	Antenna sub-system
BTE	Bench Test Equipment
CCT	Cold Calibration Target
DT	Data Processor
EIA	Earth Incident Angle
FOV	Field Of View
GCP	Ground Control Point
GPS	Global Positioning System
ICS	Interface Control Specification
IF	Intermediate Frequency
LO	Local Oscillator
LCT	Low Calibration Target
MR	Main Reflector
NCS	Noise Calibration Source
RE	Radiated Emission
RF	Radio Frequency
RS	Radiated Susceptibility
RTT	Radiative Transfer Theory
Rx	Receiver
SRT	Standard Reference Target
VTs	Variable Temperature Source
WCT	Warm Calibration Target

5 Space based passive microwave sensor calibration overview

5.1 Mission and system overview

Satellite based passive microwave sensors observe weak microwave energy emitted from various components of the Earth's surface (rain, water vapour, clouds, snow, sea ice, soil, vegetation, etc.) using a variety of frequency bands from about 1 GHz to 200 GHz.

Each space-based passive microwave sensor design is tailored to meet its specific observation purpose. Observation data are collected at defined intervals and over defined integration periods. These data are downlinked through the spacecraft. Following Level One processing to perform radiometric and geometric compensation, the data are delivered to information providers.

[Figure 1](#) shows the general operational concept view of space-based passive microwave sensor system integration. Space-based passive microwave sensors, to which this document applies, include the following components:

- a) Cold Calibration Target (CCT) to determine deep-space limit or equivalent;
- b) Warm Calibration Target (WCT) to monitor ambient temperature;
- c) Main Reflector (MR) to capture the power of microwave emission from the earth; and
- d) Receiver (Rx) sub-system to amplify the tiny power of the microwave emission.

Self-calibration is performed at specific time intervals using the WCT and the CCT.

Information providers process antenna brightness temperature to derive physical information and deliver that information to end users.

5.2 Types of passive microwave sensors

Satellite based passive microwave sensors are generally categorized as follows. This document covers the requirements for the following two types.

- a) Microwave radiometer (or Microwave Imager)

To mainly measure energy emitted from water related substances at sub-millimetre-to-centimetre wavelengths.

- b) Microwave sounder

To mainly measure the vertical profile of atmospheric temperature and moisture for operational weather and climate applications at sub-millimetre-to-centimetre wavelengths.

[ISO 20930:2018](#)

<https://standards.iteh.ai/catalog/standards/iso/76309fdc-eec8-4902-aff5-053167b61e21/iso-20930-2018>




Figure 1 — Concept diagram of space based passive microwave sensor system

5.3 Concept of calibration and scope

Satellite based passive microwave sensors receive weak microwave emission from the earth. Errors among the sensors would cause or degradation of observation data quality (e.g. 0,1 K or around for sea surface temperature of climate change monitoring).

Therefore, it is necessary to understand the sensor characteristics in both pre-launch phase (design, manufacturing and ground test before launch campaign) and on-orbit phase (On-orbit activity for calibration).

This document covers not only requirements for the sensor itself but also those for the spacecraft bus and ground system because interfaces between the spacecraft bus and the ground system affect sensor performance.

Figure 2 shows the concept of calibration process and scope of this document.




Figure 2 — Concept of calibration process