



## **Lawful Interception (LI); ASN.1 Object Identifiers in Lawful Interception and Retained data handling Specifications**

Document Preview

[ETSI TR 102 503 V1.17.1 \(2024-01\)](https://standards.iteh.ai/catalog/standards/etsi/01c5f4a8-c82e-4084-90a6-b0385655ac84/etsi-tr-102-503-v1-17-1-2024-01)

<https://standards.iteh.ai/catalog/standards/etsi/01c5f4a8-c82e-4084-90a6-b0385655ac84/etsi-tr-102-503-v1-17-1-2024-01>

---

**Reference**

RTR/LI-00249

---

**Keywords**

ASN.1, object identifier

**ETSI**

---

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° w061004871

---

**Important notice**

The present document can be downloaded from:  
<https://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at [www.etsi.org/deliver](http://www.etsi.org/deliver).

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at <https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:  
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

If you find a security vulnerability in the present document, please report it through our  
Coordinated Vulnerability Disclosure Program:  
<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

---

**Notice of disclaimer & limitation of liability**

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.  
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2024.  
All rights reserved.

# Contents

Intellectual Property Rights .....	4
Foreword.....	4
Modal verbs terminology.....	4
1 Scope .....	5
2 References .....	5
2.1 Normative references .....	5
2.2 Informative references.....	5
3 Definition of terms, symbols and abbreviations.....	6
3.1 Terms.....	6
3.2 Symbols.....	7
3.3 Abbreviations .....	7
4 Structure of the ETSI domain.....	7
4.1 Tree structure.....	7
4.2 Description of the ETSI domain.....	7
<b>Annex A: Bibliography .....</b>	<b>23</b>
<b>Annex B: Change Request history.....</b>	<b>24</b>
History .....	26

iTech Standards  
(<https://standards.iteh.ai>)  
Document Preview

[ETSI TR 102 503 V1.17.1 \(2024-01\)](#)

<https://standards.iteh.ai/catalog/standards/etsi/01c5f4a8-c82e-4084-90a6-b0385655ac84/etsi-tr-102-503-v1-17-1-2024-01>

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

# Foreword

This Technical Report (TR) has been produced by ETSI Technical Committee Lawful Interception (LI).

---

# Modal verbs terminology

In the present document "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# 1 Scope

The present document gives an overview over the relevant Object Identifiers (OIDs) used in Lawful Interception and Retained data handling specifications of ETSI and other specifications from ITU-T and ISO.

## 2 References

### 2.1 Normative references

Normative references are not applicable in the present document.

### 2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] Void.
- [i.2] ETSI ES 201 671: "Lawful Interception (LI); Handover interface for the lawful interception of telecommunications traffic".
- [i.3] ETSI TS 101 671: "Lawful Interception (LI); Handover Interface for the lawful interception of telecommunications traffic".

NOTE: ETSI TS 101 671 (V3.15.1) (06-2018) and ETSI ES 201 671 (V3.2.1) (05-2018) are referred as latest published documents now made historical.

- [i.4] ETSI TS 133 108: "Universal Mobile Telecommunications System (UMTS); LTE; Digital cellular telecommunications system (Phase 2+) (GSM); 3G security; Handover interface for Lawful Interception (LI) (3GPP TS 33.108)".

NOTE: Some versions of ETSI TS 133 108 are published by 3GPP only and available at [https://www.3gpp.org/ftp/Specs/archive/33\\_series/33.108/](https://www.3gpp.org/ftp/Specs/archive/33_series/33.108/). 3GPP TS 33.108 versions are used as references when not yet published as ETSI TS 133 108.

- [i.5] ETSI TS 102 232: "Lawful Interception (LI); Handover specification for IP delivery".

NOTE: ETSI TS 102 232 is replaced by ETSI TS 102 232-1 [i.13].

- [i.6] ETSI TS 102 233: "Lawful Interception (LI); Service specific details for E-mail services".

NOTE: ETSI TS 102 233 is replaced by ETSI TS 102 232-2 [i.14].

- [i.7] ETSI TS 102 234: "Lawful Interception (LI); Service-specific details for internet access services".

NOTE: ETSI TS 102 234 is replaced by ETSI TS 102 232-3 [i.15].

- [i.8] ETSI TS 102 815: "Lawful Interception (LI); Service-specific details for Layer 2 Lawful Interception".

NOTE: ETSI TS 102 815 is replaced by ETSI TS 102 232-4 [i.16].

- [i.9] Recommendation ITU-T X.880: "Information technology - Remote Operations: Concepts, model and notation".
- [i.10] ETSI TS 101 909-20-1: "Digital Broadband Cable Access to the Public Telecommunications Network; IP Multimedia Time Critical Services; Part 20: Lawful Interception; Sub-part 1: CMS based Voice Telephony Services".
- [i.11] ETSI TS 101 909-20-2: "Digital Broadband Cable Access to the Public Telecommunications Network; IP Multimedia Time Critical Services; Part 20: Lawful Interception; Sub-part 2: Streamed multimedia services".
- [i.12] ETSI EN 301 040: "Terrestrial Trunked Radio (TETRA); Security; Lawful Interception (LI) interface".
- [i.13] ETSI TS 102 232-1: "Lawful Interception (LI); Handover Interface and Service-Specific Details (SSD) for IP delivery; Part 1: Handover specification for IP delivery".
- [i.14] ETSI TS 102 232-2: "Lawful Interception (LI); Handover Interface and Service-Specific Details (SSD) for IP delivery; Part 2: Service-specific details for messaging services".
- [i.15] ETSI TS 102 232-3: "Lawful Interception (LI); Handover Interface and Service-Specific Details (SSD) for IP delivery; Part 3: Service-specific details for internet access services".
- [i.16] ETSI TS 102 232-4: "Lawful Interception (LI); Handover Interface and Service-Specific Details (SSD) for IP delivery; Part 4: Service-specific details for Layer 2 services".
- [i.17] ETSI TS 102 232-5: "Lawful Interception (LI); Handover Interface and Service-Specific Details (SSD) for IP delivery; Part 5: Service-specific details for IP Multimedia Services".
- [i.18] ETSI TS 102 232-6: "Lawful Interception (LI); Handover Interface and Service-Specific Details (SSD) for IP delivery; Part 6: Service-specific details for PSTN/ISDN services".
- [i.19] ETSI TS 102 657: "Lawful Interception (LI); Retained data handling; Handover Interface for the request and delivery of retained data".
- [i.20] ETSI TS 103 462: "Lawful Interception (LI); Inter LEMF Handover Interface".
- [i.21] ETSI TS 133 128: "LTE; 5G; Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); Security; Protocol and procedures for Lawful Interception (LI); Stage 3 (3GPP TS 33.128)".

NOTE: Some versions of ETSI TS 133 128 are published by 3GPP only and available at [https://www.3gpp.org/ftp/Specs/archive/33\\_series/33.128/](https://www.3gpp.org/ftp/Specs/archive/33_series/33.128/). 3GPP TS 33.128 versions are used as references when not yet published as ETSI TS 133 128.

---

## 3 Definition of terms, symbols and abbreviations

### 3.1 Terms

For the purposes of the present document, the following terms apply:

**common domain:** set of objects, which are part of the definition of a protocol or a set of related protocols

**information object:** well-defined piece of information, definition, or specification, which requires a name in order to identify its use in an instance of communication

**Object Identifier (OID):** value (distinguishable from all other such values), which is associated with an information object

NOTE: An object identifier consists of a sequence of integers. Each integer represents a node in the object identifier tree. So, each successive integer can be thought of as a selection of an end of a branch of the tree. The branch is traversed to get to the next level in the tree.

## 3.2 Symbols

Void.

## 3.3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

ASN.1	Abstract Syntax Notation One
AT-D	Access and Terminals - Digital
CR	Change Request
EP	ETSI Project
LI	Lawful Interception
OID	Object Identifier
ROSE	Remote Operation Service Element
TC	Technical Committee
TETRA	TErrestrial Trunked RAdio

---

# 4 Structure of the ETSI domain

## 4.1 Tree structure

Figure 1 contains the structure for the ETSI domain with the included Lawful Intercept and Retained data handling domain and ASN.1 modules from other Lawful Interception (LI) specifications.

ETSI/TC LI will act as the formal registration authority for the Lawful Intercept and Retained data handling domain, except for the "threeGPP(4)" subdomain which is administrated by 3GPP/SA3-LI, ETSI/TC AT-D is responsible for the "ts101909(1909)" subdomain and ETSI/EP TETRA is responsible for the "en301040(1040)" subdomain.

## 4.2 Description of the ETSI domain

Tables 1 to 5 contain the OIDs of the ETSI domain. The entries in the last column in the tables point to the specification where the modules can be found.

For information, in addition to those OIDs defined within ETSI/TC LI, table 6 contains the OIDs for the ROSE operations. Because of the imports, the ASN.1 modules of ROSE will be included when syntax checking or compiling the LI specific ASN.1 modules.




Figure 1: Tree structure of ETSI domain

Table 1: OIDs of the ETSI Lawful Intercept domain

Object Identifier				Specification				
itu-t (0)	identified-organizations(4)	etsi(0)	securityDomain(2)	ETSI TR 102 503 V1.17.1 (the present document)				
				fraud(1)	ETSI ES 201 671 [i.2], V1.1.1 clause A.4			
				hi1(0)	notification Operations (1)	version1(1) version2(2) version3(3) version4(4) version5(5) version6(6) version7(7)	ETSI ES 201 671 [i.2], V1.1.1 clause A.4 ETSI ES 201 671 [i.2], V2.1.1 clause D.4 ETSI TS 101 671 [i.3], V2.9.1 clause D.4 ETSI TS 101 671 [i.3], V2.11.1 clause D.4 ETSI TS 101 671 [i.3], V2.12.1 clause D.4 ETSI TS 101 671 [i.3], V3.3.1 clause D.4 ETSI TS 102 232-1 [i.13], V3.31.1 clause A.2	
					hi2(1)	version1(1) version2(2) version3(3) version4(4) version5(5) version6(6) version7(7) version8(8) version9(9) version10(10) version11(11) version12(12) version13(13) version14(14) version15(15) version16(16) version17(17) version18(18)	ETSI ES 201 671 [i.2], V1.1.1 clause A.5 ETSI ES 201 671 [i.2], V2.1.1 clause D.5 ETSI TS 101 671 [i.3], V2.5.1 clause D.5 ETSI TS 101 671 [i.3], V2.7.1 clause D.5 ETSI TS 101 671 [i.3], V2.9.1 clause D.5 ETSI TS 101 671 [i.3], V2.10.1 clause D.5 ETSI TS 101 671 [i.3], V2.11.1 clause D.5 ETSI TS 101 671 [i.3], V2.12.1 clause D.5 ETSI TS 101 671 [i.3], V2.13.1 clause D.5 ETSI TS 101 671 [i.3], V2.14.1 clause D.5 ETSI TS 101 671 [i.3], V3.5.1 clause D.5 ETSI TS 101 671 [i.3], V3.6.1 clause D.5 ETSI TS 101 671 [i.3], V3.7.1 clause D.5 ETSI TS 101 671 [i.3], V3.8.1 clause D.5 ETSI TS 101 671 [i.3], V3.9.1 clause D.5 ETSI TS 101 671 [i.3], V3.10.1 clause D.5 ETSI TS 101 671 [i.3], V3.11.1 clause D.5 ETSI TS 102 232-1 [i.13], V3.31.1 clause A.2	
				lawfulIntercept(2)	circuitLI(1)	version1(1) version2(2) version3(3) version4(4)	ETSI ES 201 671 [i.2], V1.1.1 clause A.6 ETSI ES 201 671 [i.2], V2.1.1 clause D.6 ETSI TS 101 671 [i.3], V2.12.1 clause D.6 ETSI TS 101 671 [i.3], V3.7.1 clause D.6	
					tETRALI(2)	version1(1)	ETSI ES 201 671 [i.2], V1.1.1 clause A.7 For Further Study	
					hi3(2)	gPRSLI(3)	version1(1) version2(2) version3(3)	ETSI ES 201 671 [i.2], V1.1.1 clause A.8 ETSI TS 101 671 [i.3], V2.10.1 clause D.9 ETSI TS 101 671 [i.3], V2.12.1 clause D.9
						cclinkLI(4)	version1(1) version2(2) version3(3) version4(4)	ETSI ES 201 671 [i.2], V1.1.1 clause A.9 ETSI ES 201 671 [i.2], V2.1.1 clause D.8 ETSI TS 101 671 [i.3], V2.7.1 clause D.8 ETSI TS 101 671 [i.3], V2.12.1 clause D.8
					gSMLI(5)		ETSI ES 201 671 [i.2], V2.1.1 clause D.2 For Further Study	

Object Identifier					Specification				
itu-t (0)	identified-organizations(4)	etsi(0)	securityDomain(2)	lawfullIntercept(2)	him(3)	version1(1) version2(2) version3(3)	ETSI ES 201 671 [i.2], V1.1.1 clause A.3 ETSI ES 201 671 [i.2], V2.1.1 clause D.3 ETSI TS 101 671 [i.3], V2.12.1 clause D.3		
					threeGPP (4)	hi1(0)	Notification Operations (1) r12(12) version-0(0) version-1(1) version-2(2) r13(13) version-0(0) version-1(1) r16(16) version-0(0) version-1(1)	3GPP TS 33.108 [i.4], V12.7.0 clause M.2 3GPP TS 33.108 [i.4], V12.8.0 clause M.2 3GPP TS 33.108 [i.4], V12.11.0 clause M.2 3GPP TS 33.108 [i.4], V13.2.0 clause M.2 3GPP TS 33.108 [i.4], V13.4.0 clause M.2 3GPP TS 33.108 [i.4], V16.0.0 clause M.2 3GPP TS 33.108 [i.4], V16.4.0 clause M.2	
							version-1(1) version-2(2)	3GPP TS 33.108 [i.4], V5.0.0 clause B.3 3GPP TS 33.108 [i.4], V6.0.0 clause B.3	
						r5(5)	version-3(3) version-4(4)	3GPP TS 33.108 [i.4], V5.7.0 clause B.3 3GPP TS 33.108 [i.4], V5.8.0 clause B.3	
						r6(6)	version-3(3) version-4(4) version-5(5) version-6(6)	3GPP TS 33.108 [i.4], V6.5.0 clause B.3 3GPP TS 33.108 [i.4], V6.6.0 clause B.3 3GPP TS 33.108 [i.4], V6.7.0 clause B.3 3GPP TS 33.108 [i.4], V6.8.0 clause B.3	
						r7(7)	version-1(1) version-2(2) version-3(3)	3GPP TS 33.108 [i.4], V7.2.0 clause B.3 3GPP TS 33.108 [i.4], V7.3.0 clause B.3 3GPP TS 33.108 [i.4], V7.8.0 clause B.3	
						r8(8)	version-1(1)	3GPP TS 33.108 [i.4], V8.0.0 clause B.3	
						r10(10)	version-1(1) version-2(2) version-3(3)	3GPP TS 33.108 [i.4], V10.0.0 clause B.3 3GPP TS 33.108 [i.4], V10.2.0 clause B.3 3GPP TS 33.108 [i.4], V10.3.0 clause B.3	
						threeGPP (4)	hi2(1)	r11(11) version-0(0)	3GPP TS 33.108 [i.4], V11.3.0 clause B.3
								r12(12) version-0(0) version-1(1) version-2(2) version-3(3) version-4(4) version-5(5) version-6(6) version-7(7) version-8(8) version-9(9)	3GPP TS 33.108 [i.4], V12.1.0 clause B.3 3GPP TS 33.108 [i.4], V12.2.0 clause B.3 3GPP TS 33.108 [i.4], V12.3.0 clause B.3 3GPP TS 33.108 [i.4], V12.4.0 clause B.3 3GPP TS 33.108 [i.4], V12.5.0 clause B.3 3GPP TS 33.108 [i.4], V12.6.0 clause B.3 3GPP TS 33.108 [i.4], V12.7.0 clause B.3 3GPP TS 33.108 [i.4], V12.8.0 clause B.3 3GPP TS 33.108 [i.4], V12.9.0 clause B.3 3GPP TS 33.108 [i.4], V12.11.0 clause B.3
								r13(13) version-0(0) version-1(1)	3GPP TS 33.108 [i.4], V13.0.0 clause B.3 3GPP TS 33.108 [i.4], V13.2.0 clause B.3
								r14(14) version-0(0) version-1(1) version-2(2)	3GPP TS 33.108 [i.4], V14.0.0 clause B.3 3GPP TS 33.108 [i.4], V14.1.0 clause B.3 3GPP TS 33.108 [i.4], V14.5.0 clause B.3