



SLOVENSKI STANDARD
SIST-TS ETSI/TS 102 657 V2.2.1:2024

01-marec-2024

Zakonito prestrezanje (LI) - Ravnanje z zadržanimi podatki - Izročilni vmesnik za zahtevo in izročanje zadržanih podatkov

Lawful Interception (LI) - Retained data handling - Handover interface for the request and delivery of retained data

iTeh Standards
(<https://standards.iteh.ai>)

Ta slovenski standard je istoveten z: ETSI TS 102 657 V2.2.1 (2024-01)

[SIST-TS ETSI/TS 102 657 V2.2.1:2024](https://standards.iteh.ai/catalog/standards/sist/5a7cf50e-d9a8-4dd3-9eb1-a755b202c04a/sist-ts-etsi-ts-102-657-v2-2-1-2024)

ICS:

33.040.40	Podatkovna komunikacijska omrežja	Data communication networks
35.200	Vmesniška in povezovalna oprema	Interface and interconnection equipment

SIST-TS ETSI/TS 102 657 V2.2.1:2024 en

ETSI TS 102 657 V2.2.1 (2024-01)



**Lawful Interception (LI);
Retained data handling;
Handover interface for the request and
delivery of retained data**

(<https://standards.itech.ai>)
Document Preview

[SIST-TS ETSI/TS 102 657 V2.2.1:2024](https://standards.itech.ai/catalog/standards/sist/5a7cf50e-d9a8-4dd3-9eb1-a755b202c04a/sist-ts-etsi-ts-102-657-v2-2-1-2024)

<https://standards.itech.ai/catalog/standards/sist/5a7cf50e-d9a8-4dd3-9eb1-a755b202c04a/sist-ts-etsi-ts-102-657-v2-2-1-2024>



Reference

RTS/LI-00250

Keywords

handover, retention

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:

<https://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

If you find a security vulnerability in the present document, please report it through our
Coordinated Vulnerability Disclosure Program:

<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2024.
All rights reserved.

Contents

Intellectual Property Rights	9
Foreword.....	9
Modal verbs terminology.....	9
1 Scope	10
2 References	10
2.1 Normative references	10
2.2 Informative references.....	13
3 Definition of terms, symbols and abbreviations.....	13
3.1 Terms.....	13
3.2 Symbols.....	14
3.3 Abbreviations	14
4 Overview of handover interface.....	17
4.1 Reference model.....	17
4.2 Structure of document and applicable communication domains	18
4.3 Categories of retained data	19
4.4 Handover Interface port 1 (HI-A) and Handover Interface port 2 (HI-B).....	19
4.5 Model used for the RDHI.....	20
5 Handover interface message flows.....	20
5.1 Overview	20
5.1.1 Summary of this clause.....	20
5.1.2 Message flow modes.....	20
5.1.3 Delivery cases.....	21
5.1.4 "Active" requests and "closed" requests	21
5.1.5 Errors and failure situations	21
5.1.5.1 Error and failure types.....	21
5.1.5.2 Request process failure feedback	22
5.1.5.3 Other errors	22
5.1.5.4 Missing messages.....	22
5.1.6 Cancelling a request.....	23
5.1.7 Delivery of results.....	23
5.1.8 State diagram	24
5.1.9 Supplementary Messages.....	25
5.2 Message flows for general situation	25
5.2.1 Delivery of a response	25
5.2.2 Cancellation of request	26
5.2.3 Multi-part delivery	27
5.3 Message flows for Authorized-Organization-initiated scenario.....	28
5.3.1 Delivery of results or a failure response	28
5.3.2 Cancellation of request	29
5.3.3 Multi-part delivery.....	30
5.4 Message types for HI-A and HI-B.....	31
5.5 HI-A and HI-B addressing.....	32
6 Definition of the elements for retained data messages.....	32
6.1 Header information.....	32
6.1.1 Use of header information	32
6.1.2 RequestID field specification.....	32
6.1.3 CSP Identifiers.....	33
6.1.3.1 Use of CSP Identifiers (CSPID).....	33
6.1.3.2 Third Party CSP Identifier (thirdPartyCSPID).....	33
6.1.4 Timestamp (timeStamp)	33
6.1.5 RequestType (requestType).....	33
6.1.6 RequestFlag (requestFlag).....	33
6.2 Retained Data response	33

6.2.1	General.....	33
6.2.2	Additional information in response messages.....	34
6.2.2.1	Record number (recordNumber).....	34
6.2.2.2	Response status (ResponseStatus).....	34
6.2.3	Volatile information.....	34
6.2.4	Unavailable parameters.....	34
6.3	Retained Data requests.....	35
6.3.1	Information contained within a request.....	35
6.3.2	Format of a request.....	35
6.3.3	Additional information in requests.....	36
6.3.3.1	Priority of a request.....	36
6.3.3.2	Maximum hits.....	36
6.3.3.3	Maximum records per batch.....	36
6.3.3.4	Number of records limit.....	37
6.4	Error messages.....	37
7	Data exchange techniques.....	37
7.1	General.....	37
7.2	HTTP data exchange.....	37
7.2.1	Basic configuration.....	37
7.2.2	Single client/server.....	38
7.2.3	Mutual client/server.....	38
7.2.4	Details common to both single and mutual cases.....	38
7.3	Direct TCP data exchange.....	38
7.3.0	General.....	38
7.3.1	Application layer.....	39
7.3.2	Transport layer.....	39
7.3.2.1	Introduction.....	39
7.3.2.2	TCP settings.....	39
7.3.3	Network layer.....	39
7.3.4	Delivery networks.....	39
8	Security Measures.....	40
8.1	General.....	40
8.2	Connection Level Security.....	40
8.3	Application Level Security.....	40
8.4	Technical Security Measures.....	41
8.4.1	General.....	41
8.4.2	Connection Level.....	41
8.4.3	Application Level.....	41
8.4.3.1	Hashes.....	41
8.4.3.2	Digital Signatures.....	41
8.4.3.3	HI-B Non-Repudiation.....	41
8.4.3.4	Digital Signatures and Message Structure.....	42
Annex A (normative): Data fields.....		43
A.1	Summary.....	43
A.1.1	Introduction to data fields.....	43
A.1.2	Choice of data modelling language.....	43
A.1.3	Overview.....	43
A.1.4	Backwards Compatibility.....	44
A.2	Parameter definition for common fields.....	44
A.2.1	RetainedDataHeader.....	44
A.2.1.1	Parameters.....	44
A.2.1.2	RequestID parameters.....	44
A.2.2	RetainedDataPayload.....	44
A.2.2.1	RequestMessage parameters.....	44
A.2.2.2	RequestAcknowledgement parameters.....	45
A.2.2.3	ResponseMessage parameters.....	45
A.2.2.4	GetStatusMessage parameters.....	45
A.2.2.5	StatusMessage parameters.....	46

A.2.2.6	ErrorMessage parameters	46
A.2.3	GenericSubscriberInfo.....	46
A.2.3.1	Parameters.....	46
A.2.3.2	OrganizationInfo parameters	46
A.2.3.3	IndividualInfo parameters.....	47
A.2.3.4	ContractInformation parameters	48
A.2.4	PaymentDetails.....	48
A.3	ASN.1 definitions.....	48
A.3.1	General	48
A.3.1.1	ASN.1 syntax tree.....	48
A.3.1.2	General remarks on ASN.1	49
A.3.2	ASN.1 Definitions for message headers.....	49
A.3.2.1	Message wrappers.....	49
A.3.2.2	Message headers	49
A.3.3	ASN.1 definitions for common fields.....	49
A.3.4	Void.....	49
Annex B (normative): Service-specific details for telephony services		50
B.1	Scope.....	50
B.2	Telephony fields.....	50
B.2.1	General	50
B.2.2	Telephony Subscriber.....	50
B.2.2.0	General.....	50
B.2.2.1	subscriber ID.....	50
B.2.2.2	genericSubscriberInfo.....	51
B.2.2.3	telephonySubscriberInfo.....	51
B.2.2.4	subscribedTelephonyServices.....	51
B.2.2.4.1	Description	51
B.2.3	Telephony Billing Details	52
B.2.3.0	General.....	52
B.2.3.1	BillingRecords	52
B.2.4	TelephonyServiceUsage	53
B.2.4.1	Parameters.....	53
B.2.4.2	PartyInformation.....	53
B.2.4.3	SMSInformation	54
B.2.4.4	MmsInformation	54
B.2.5	TelephonyDevice.....	55
B.2.5.1	General.....	55
B.2.6	TelephonyNetworkElement.....	55
B.2.6.1	General.....	55
B.2.6.2	Location parameters.....	55
B.2.6.2.1	General	55
B.2.6.2.2	GSM Location Information.....	57
B.2.6.2.3	UMTS Location Information	57
B.2.6.2.4	Extended Location	57
B.2.6.3	TransmitterDetails parameters	58
B.2.6.3.1	General	58
B.3	ASN.1 definitions for telephony	58
B.4	Void.....	58
Annex C (normative): Service-specific details for asynchronous message services		59
C.1	Scope.....	59
C.2	Descriptions.....	59
C.2.1	General	59
C.2.2	MsgSubscriber.....	60
C.2.2.0	General.....	60
C.2.2.1	MsgSubscriberID.....	60
C.2.2.2	MsgStore.....	60

C.2.2.3	MsgStoreID.....	60
C.2.2.4	MsgAddress	60
C.2.2.5	MsgProviderID	61
C.2.2.6	MsgForwardingAddresses	61
C.2.2.7	MsgStoreSubscriberRelatedIDs.....	61
C.2.3	MsgServiceUsage.....	61
C.2.3.0	General.....	61
C.2.3.1	MsgTransmission.....	61
C.2.3.2	MsgStoreOperation.....	61
C.2.4	MsgBillingDetails parameters.....	62
C.2.4.0	General.....	62
C.2.4.1	MsgBillingRecords	62
C.3	ASN.1 definitions for asynchronous message services.....	63
C.4	Void.....	63
Annex D (normative): Service-specific details for synchronous multi-media services		64
D.1	Scope.....	64
D.2	Multimedia fields	64
D.2.1	General	64
D.2.2	Multimedia Subscriber	64
D.2.2.0	General.....	64
D.2.2.1	subscriberID.....	65
D.2.2.2	genericSubscriberInfo.....	65
D.2.2.3	multimediaSubscriberInfo	65
D.2.2.4	subscribedMultimediaServices	65
D.2.2.4.1	Description	65
D.2.3	MultimediaBillingDetails.....	66
D.2.3.1	MultimediaBillingDetails	66
D.2.3.2	MultimediaBillingAddress.....	67
D.2.3.3	MultimediaBillingRecords.....	67
D.2.4	Multimedia ServiceUsage	67
D.2.4.1	Parameters.....	67
D.2.4.2	PartyInformation.....	68
D.2.4.3	IMSInformation	69
D.2.4.4	MediaComponents	69
D.2.5	MultimediaDevice	70
D.2.5.1	General.....	70
D.3	ASN.1 definitions for Multimedia.....	70
D.4	Void.....	70
Annex E (normative): Service-specific details for network access services		71
E.1	Scope.....	71
E.2	Descriptions.....	71
E.2.1	General	71
E.2.2	NASubscriber	71
E.2.3	NAServiceSubscription	72
E.2.4	NAServiceUsage	72
E.2.5	NADevice.....	78
E.2.6	NANwElement	78
E.2.7	NABillingDetails.....	78
E.3	ASN.1 definitions for network access services	79
E.4	Void.....	79
Annex F (informative): Basic set of search routines for Retained Data.....		80
F.1	Example set of search routines.....	80

F.1.1	Overview	80
F.1.2	Summary of search case	80
F.1.3	Subscriber records	80
F.2	Telephony data	81
F.2.1	Telephony subscriber	81
F.2.2	Telephony billing details	81
F.2.3	Telephony service usage	81
F.2.4	Telephony network element	82
F.3	Messaging data	82
F.3.1	Message subscriber	82
F.3.2	Message service usage	82
F.4	Network Access data	83
F.4.1	NA subscriber	83
F.4.2	NA service usage	83
Annex G (informative): Examples of search routines		84
G.1	Introduction	84
G.2	Example for telephony subscriber query in clause F.2.1	84
G.3	Example for telephony service usage query in clause F.2.3	85
Annex H (informative): Further information on data categories		86
H.1	General	86
H.2	Further information on subscriber data	86
H.2.1	Subscriber data requests	86
H.2.2	Generic subscriber data records	86
H.2.3	Service Specific Subscriber Reply Data	87
H.3	Further information on usage data	87
H.3.1	Usage requests	87
H.3.2	Usage data categories	88
H.3.3	Usage: Traffic Data (Reply)	88
H.3.4	Usage: Traffic Data related information (Reply)	88
H.3.5	Usage: communication independent user activities (Reply)	88
H.3.6	Usage: network Activity Data (Reply)	88
H.4	Further information on network element data	89
H.4.1	Network element requests	89
H.4.2	Network Configuration Data Reply Data	89
Annex I (informative): Manual techniques		90
Annex J (informative): Single versus multi-part deliveries		91
J.1	General	91
J.2	Criteria for multi-part delivery	91
J.3	Subscriptions into the future	92
Annex K (normative): Service-specific details for Edge Computing applications		93
K.1	Overview	93
K.2	Edge Computing fields	93
K.2.1	General	93
K.2.2	Edge Computing Subscriber	93
K.2.2.1	General	93
K.2.2.2	subscriberID	93
K.2.2.3	genericSubscriberInfo	94
K.2.2.4	edgeComputingSubscriberInfo	94

K.2.2.5	subscribedEdgeComputingApplications	94
K.2.2.5.1	Description	94
K.2.3	EdgeComputingApplicationBillingDetails	95
K.2.3.1	EdgeComputingApplicationBillingDetails	95
K.2.3.2	EdgeComputingApplicationBillingRecords	95
K.2.4	EdgeComputingApplicationUsage	97
K.2.4.1	Parameters.....	97
K.2.5	EdgeComputingDevice	98
K.2.5.1	General.....	98
Annex L (informative):	Bibliography	99
Annex M (informative):	Change Request History.....	100
History		104

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[SIST-TS ETSI/TS 102 657 V2.2.1:2024](https://standards.iteh.ai/catalog/standards/sist/5a7cf50e-d9a8-4dd3-9eb1-a755b202c04a/sist-ts-etsi-ts-102-657-v2-2-1-2024)

<https://standards.iteh.ai/catalog/standards/sist/5a7cf50e-d9a8-4dd3-9eb1-a755b202c04a/sist-ts-etsi-ts-102-657-v2-2-1-2024>

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Foreword

This Technical Specification (TS) has been produced by ETSI Technical Committee Lawful Interception (LI).

The ASN.1 module and XML schema are available as an electronic attachment to the present document (see details in clause A.3.1.2).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

1 Scope

The present document is based on requirements from ETSI TS 102 656 [2].

The present document contains handover requirements and a handover specification for the data that is identified in national legislations on Retained Data.

The present document considers both the requesting of retained data and the delivery of the results.

The present document defines an electronic interface. An informative annex describes how this interface may be adapted for manual techniques. Apart from in annex I, the present document does not consider manual techniques.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] Void.
- [2] [ETSI TS 102 656](#): "Lawful Interception (LI); Retained Data; Requirements of Law Enforcement Agencies for handling Retained Data".
- [3] [ETSI TS 102 232-1](#): "Lawful Interception (LI); Handover Interface and Service-Specific Details (SSD) for IP delivery; Part 1: Handover specification for IP delivery".
- [4] [ISO 3166-1](#): "Codes for the representation of names of countries and their subdivisions -- Part 1: Country code".
- [5] [ISO 4217](#): "Codes for the representation of currencies".
- [6] [ETSI TS 101 671](#): "Lawful Interception (LI); Handover interface for the lawful interception of telecommunications traffic".

NOTE: ETSI TS 101 671 is in status "historical" and is not maintained.

- [7] [ETSI EN 300 356 \(all parts\)](#): "Integrated Services Digital Network (ISDN); Signalling System No.7 (SS7); ISDN User Part (ISUP) version 4 for the international interface".
- [8] [ETSI TS 100 974](#): "Digital cellular telecommunications system (Phase 2+); Mobile Application Part (MAP) specification (3GPP TS 09.02)".
- [9] [ETSI TS 124 008](#): "Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); LTE; 5G; Mobile radio interface Layer 3 specification; Core network protocols; Stage 3 (3GPP TS 24.008)".
- [10] Void.
- [11] [ETSI TS 133 108](#): "Universal Mobile Telecommunications System (UMTS); LTE; Digital cellular telecommunications system (Phase 2+) (GSM); 3G security; Handover interface for Lawful Interception (LI) (3GPP TS 33.108)".

[12] [ETSI TS 101 109 \(V7.2.0\)](#): "Digital cellular telecommunications system (Phase 2+); Universal Geographical Area Description (GAD) (3GPP TS 03.32 version 7.2.0 Release 1998)".

[13] [FIPS PUB 186-5](#): "Digital Signature Standard (DSS)".

[14] [IETF RFC 7230](#): "Hypertext Transfer Protocol (HTTP/1.1): Message Syntax and Routing".

[15] [IETF RFC 2818](#): "HTTP Over TLS".

[16] [ETSI TS 123 040](#): "Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); LTE; 5G; Technical realization of the Short Message Service (SMS) (3GPP TS 23.040)".

[17] [IETF RFC 793](#): "Transmission Control Protocol".

[18] [IETF RFC 5681](#): "TCP Congestion Control".

NOTE: IETF RFC 5681 obsoletes IETF RFC 2581: "TCP Congestion Control".

[19] [IETF RFC 6298](#): "Computing TCP's Retransmission Timer".

NOTE: IETF RFC 6298 obsoletes IETF RFC 2988: "Computing TCP's Retransmission Timer".

[20] [IETF RFC 1122](#): "Requirements for Internet Hosts - Communication Layers".

[21] [IETF RFC 791](#): "Internet Protocol".

[22] [ETSI ES 282 002](#): "Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN); PSTN/ISDN Emulation Sub-system (PES); Functional architecture".

[23] Void.

[24] [IETF RFC 5322](#): "Internet Message Format".

NOTE: IETF RFC 5322 obsoletes IETF RFC 2822: "Internet Message Format".

[25] [ETSI TS 123 228](#): "Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); LTE; IP Multimedia Subsystem (IMS); Stage 2 (3GPP TS 23.228)".

[26] [IETF RFC 3261](#): "SIP: Session Initiation Protocol".

[27] [IETF RFC 4506](#): "XDR: External Data Representation Standard".

[28] [ISO 13616-1:2020](#): "Financial services -- International Bank Account Number (IBAN) -- Part 1: Structure of the IBAN".

NOTE: Used in the attached ASN.1 or XSD documents available in ts_102657v020101p0.zip.

[29] [ISO 9362:2022](#): "Banking -- Banking Telecommunication Messages -- Business Identifier Code (BIC)".

NOTE: Used in the attached ASN.1 or XSD documents available in ts_102657v020101p0.zip.

[30] Void.

[31] [ETSI TS 125 413](#): "Universal Mobile Telecommunications System (UMTS); UTRAN Iu interface Radio Access Network Application Part (RANAP) signalling (3GPP TS 25.413)".

[32] [ETSI TS 129 274](#): "Universal Mobile Telecommunications System (UMTS); LTE; 5G; 3GPP Evolved Packet System (EPS); Evolved General Packet Radio Service (GPRS) Tunnelling Protocol for Control plane (GTPv2-C); Stage 3 (3GPP TS 29.274)".

- [33] [ETSI TS 129 061](#): "Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); LTE; 5G; Interworking between the Public Land Mobile Network (PLMN) supporting packet based services and Packet Data Networks (PDN) (3GPP TS 29.061)".
- [34] [ETSI TS 129 118](#): "Universal Mobile Telecommunications System (UMTS); LTE; Mobility Management Entity (MME) - Visitor Location Register (VLR) SGs interface specification (3GPP TS 29.118)".
- [35] [ETSI TS 123 272](#): "Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); LTE; Circuit Switched (CS) fallback in Evolved Packet System (EPS); Stage 2 (3GPP TS 23.272)".
- [36] [ETSI TS 133 234](#): "Universal Mobile Telecommunications System (UMTS); LTE; 3G security; Wireless Local Area Network (WLAN) interworking security (3GPP TS 33.234)".
- NOTE: Used in the attached ASN.1 or XSD documents available in ts_102657v020101p0.zip.
- [37] [W3C® Recommendation 21 March 2017](#): "XML Path Language (XPath) 3.1".
- [38] [ETSI TS 123 008](#): "Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); LTE; 5G; Organization of subscriber data (3GPP TS 23.008)".
- [39] [ETSI TS 124 229](#): "Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); LTE; 5G; IP multimedia call control protocol based on Session Initiation Protocol (SIP) and Session Description Protocol (SDP); Stage 3 (3GPP TS 24.229)".
- [40] Void.
- [41] [ETSI TS 123 003](#): "Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); LTE; 5G; Numbering, addressing and identification (3GPP TS 23.003)".
- [42] [ETSI TS 138 413](#): "5G; NG-RAN; NG Application Protocol (NGAP) (3GPP TS 38.413)".
- NOTE: Used in the attached ASN.1 or XSD documents available in ts_102657v020101p0.zip.
- [43] [ETSI TS 129 571](#): "5G; 5G System; Common Data Types for Service Based Interfaces; Stage 3 (3GPP TS 29.571)".
- [44] [ETSI TS 136 413](#): "LTE; Evolved Universal Terrestrial Radio Access Network (E-UTRAN); S1 Application Protocol (S1AP) (3GPP TS 36.413)".
- [45] [ETSI TS 123 501](#): "5G; System architecture for the 5G System (5GS) (3GPP TS 23.501)".
- [46] [ETSI TS 132 291](#): "5G; Telecommunication management; Charging management; 5G system, charging service; Stage 3 (3GPP TS 32.291)".
- [47] [ETSI TS 132 255](#): "5G; Telecommunication management; Charging management; 5G data connectivity domain charging; Stage 2 (3GPP TS 32.255)".
- [48] [ETSI TS 129 520](#): "5G; 5G System; Network Data Analytics Services; Stage 3 (3GPP TS 29.520)".
- [49] [ETSI TS 132 251](#): "Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); LTE; Telecommunication management; Charging management; Packet Switched (PS) domain charging (3GPP TS 32.251)".
- [50] [ETSI TS 137 340](#): "Universal Mobile Telecommunications System (UMTS); LTE; 5G; NR; Multi-connectivity; Overall description; Stage-2 (3GPP TS 37.340)".
- [51] [Recommendation ITU-T Q.850](#): "Usage of cause and location in the Digital Subscriber Signalling System No. 1 and the Signalling System No. 7 ISDN user part".