



# SLOVENSKI STANDARD SIST EN IEC 61158-5-12:2019

01-november-2019

Nadomešča:

SIST EN 61158-5-12:2015

---

**Industrijska komunikacijska omrežja - Specifikacije za procesna vodila - 5-12. del:  
Definicija opravil na aplikacijski ravni - Elementi tipa 12 (IEC 61158-5-12:2019)**

Industrial communication networks - Fieldbus specifications - Part 5-12: Application layer service definition - Type 12 elements (IEC 61158-5-12:2019)

Industrielle Kommunikationsnetze - Feldbusse - Teil 5-12: Dienstfestlegungen des Application Layer (Anwendungsschicht) - Typ 12-Elemente (IEC 61158-5-12:2019)

Réseaux de communication industriels - Spécifications des bus de terrain - Partie 5-12 : Définition des services de la couche application - Éléments de type 12 (IEC 61158-5-12:2019)

**Ta slovenski standard je istoveten z: EN IEC 61158-5-12:2019**

**ICS:**

25.040.40	Merjenje in krmiljenje industrijskih postopkov	Industrial process measurement and control
35.100.70	Uporabniški sloj	Application layer
35.110	Omreževanje	Networking

**SIST EN IEC 61158-5-12:2019**

**en,fr,de**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN IEC 61158-5-12:2019

<https://standards.iteh.ai/catalog/standards/sist/c75d7810-5261-48b6-b5c1-f9a9502dd237/sist-en-iec-61158-5-12-2019>

EUROPEAN STANDARD

EN IEC 61158-5-12

NORME EUROPÉENNE

EUROPÄISCHE NORM

June 2019

ICS 25.040.40; 35.100.70; 35.110

Supersedes EN 61158-5-12:2014

English Version

Industrial communication networks - Fieldbus specifications -  
Part 5-12: Application layer service definition - Type 12 elements  
(IEC 61158-5-12:2019)

Réseaux de communication industriels - Spécifications des  
bus de terrain - Partie 5-12 : Définition des services de la  
couche application - Éléments de type 12  
(IEC 61158-5-12:2019)

Industrielle Kommunikationsnetze - Feldbusse - Teil 5-12:  
Dienstfestlegungen des Application Layer  
(Anwendungsschicht) - Typ 12-Elemente  
(IEC 61158-5-12:2019)

This European Standard was approved by CENELEC on 2019-05-15. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

[SIST EN IEC 61158-5-12:2019](#)

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

**EN IEC 61158-5-12:2019 (E)****European foreword**

The text of document 65C/947/FDIS, future edition 4 of IEC 61158-5-12, prepared by SC 65C "Industrial networks" of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61158-5-12:2019.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2020-02-15
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2022-05-15

This document supersedes EN 61158-5-12:2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

### Endorsement notice

<https://standards.iteh.ai/catalog/standards/sist/c75d7810-5261-48b6-b5c1-f9a9502dd237/sist-en-iec-61158-5-12-2019>

The text of the International Standard IEC 61158-5-12:2019 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61158-2	NOTE	Harmonized as EN 61158-2
IEC 61158-4-12	NOTE	Harmonized as EN 61158-4-12
IEC 61158-6-12	NOTE	Harmonized as EN 61158-6-12
IEC 61784-1	NOTE	Harmonized as EN 61784-1
IEC 61784-2	NOTE	Harmonized as EN 61784-2

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu).

Publication	Year	Title	EN/HD	Year
IEC 61131-3	-	Programmable controllers - Part 3: Programming languages	EN 61131-3	-
IEC 61158-1	2019	Industrial communication networks - Fieldbus specifications - Part 1: Overview and guidance for the IEC 61158 and IEC 61784 series	EN IEC 61158-1	2019
IEC 61158-3-12	2019	Industrial communication networks - Fieldbus specifications - Part 3-12: Data-link layer service definition - Type 12 elements	-	-
ISO/IEC 646	1991	Information technology; ISO 7-bit coded character set for information interchange	-	-
ISO/IEC 7498-1	-	Information technology - Open Systems Interconnection - Basic reference model: The basic model	-	-
ISO/IEC 7498-3	-	Information technology - Open Systems Interconnection - Basic reference model: Naming and addressing	-	-
ISO/IEC/IEEE 8802-3	-	Standard for Ethernet	-	-
ISO/IEC 9545	-	Information technology - Open Systems Interconnection - Application layer structure	-	-
ISO/IEC 10646	-	Information technology - Universal Coded Character Set (UCS)	-	-
ISO/IEC 10731	-	Information technology - Open Systems Interconnection - Basic Reference Model - Conventions for the definition of OSI services	-	-
ISO/IEC/IEEE 60559	-	Information technology - Microprocessor Systems - Floating-Point arithmetic	-	-
IEEE 802.1D	-	IEEE Standard for local and metropolitan area networks - Media Access Control (MAC) Bridges	-	-
IETF RFC 791	-	Internet Protocol - DARPA Internet Program Protocol Specification	-	-

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN IEC 61158-5-12:2019

<https://standards.iteh.ai/catalog/standards/sist/c75d7810-5261-48b6-b5c1-f9a9502dd237/sist-en-iec-61158-5-12-2019>



IEC 61158-5-12

Edition 4.0 2019-04

# INTERNATIONAL STANDARD

---

**Industrial communication networks – Fieldbus specifications –  
Part 5-12: Application layer service definition – Type 12 elements**

**STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN IEC 61158-5-12:2019  
<https://standards.iteh.ai/catalog/standards/sist/c75d7810-5261-48b6-b5c1-f9a9502dd237/sist-en-iec-61158-5-12-2019>

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 25.040.40; 35.100.70; 35.110

ISBN 978-2-8322-6747-9

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
1.1 General.....	8
1.2 Specifications .....	9
1.3 Conformance .....	9
2 Normative references .....	9
3 Terms, definitions, symbols, abbreviations and conventions .....	10
3.1 Reference model terms and definitions .....	10
3.2 Service convention terms and definitions .....	11
3.3 Application layer and data-link service terms and definitions.....	11
3.4 Common symbols and abbreviations .....	15
3.5 Conventions.....	16
4 Concepts .....	17
4.1 Common concepts .....	17
4.2 Type specific concepts.....	17
4.2.1 Operating principle .....	17
4.2.2 Communication model overview.....	18
4.2.3 Application layer element description.....	18
4.2.4 Slave reference model .....	20
4.2.5 Master reference model.....	22
5 Data type ASE.....	24
5.1 General.....	24
5.2 Formal definition of data type objects.....	24
5.3 FAL defined data types .....	24
5.3.1 Fixed length types .....	24
5.3.2 String types .....	32
5.3.3 GUID Types.....	33
5.4 Data type ASE service specification.....	33
6 Communication model specification.....	33
6.1 ASEs .....	33
6.1.1 Process data ASE.....	33
6.1.2 SII ASE .....	40
6.1.3 Isochronous ASE.....	49
6.1.4 CoE ASE .....	52
6.1.5 EoE ASE .....	85
6.1.6 FoE ASE.....	94
6.1.7 MBX ASE .....	100
6.2 AR.....	105
6.2.1 Overview .....	105
6.2.2 AR control class specification .....	110
6.2.3 AR service specification .....	114
Bibliography.....	117
Figure 1 – Producer consumer model.....	19
Figure 2 – Client server model.....	19



Figure 3 – Server triggered invocation .....	19
Figure 4 – Slave reference model .....	20
Figure 5 – Simple slave device .....	21
Figure 6 – Complex slave device .....	22
Figure 7 – Master functional overview .....	23
Figure 8 – Process output data sequence .....	34
Figure 9 – Process input data sequence .....	35
Figure 10 – CoE server model .....	52
Figure 11 – Successful single SDO-Download sequence .....	57
Figure 12 – Unsuccessful single SDO-Download sequence .....	58
Figure 13 – Successful segmented SDO-Download sequence .....	58
Figure 14 – Successful single SDO-Upload sequence .....	59
Figure 15 – Unsuccessful single SDO-Upload sequence .....	59
Figure 16 – Successful segmented SDO-Upload sequence .....	60
Figure 17 – SDO information sequence .....	61
Figure 18 – Emergency service .....	62
Figure 19 – Command sequence .....	63
Figure 20 – PDO mapping .....	64
Figure 21 – Sync manager PDO assignment .....	64
Figure 22 – RxPDO service .....	66
Figure 23 – TxPDO service .....	66
Figure 24 – RxPDO remote transmission sequence .....	67
Figure 25 – TxPDO remote transmission sequence .....	67
Figure 26 – EoE sequence .....	87
Figure 27 – FoE read sequence with success .....	94
Figure 28 – FoE read sequence with error .....	95
Figure 29 – FoE write sequence with success .....	95
Figure 30 – FoE write sequence with error .....	96
Figure 31 – FoE write sequence with busy .....	96
Figure 32 – Successful AL control sequence .....	106
Figure 33 – Unsuccessful AL control sequence .....	107
Figure 34 – AL state changed sequence .....	108
Table 1 – Process output data .....	37
Table 2 – Process input data .....	38
Table 3 – Update process input data .....	39
Table 4 – SII read .....	47
Table 5 – SII write .....	48
Table 6 – SII reload .....	49
Table 7 – Allocation of SDO areas .....	53
Table 8 – SDO download expedited .....	71
Table 9 – SDO download normal .....	72
Table 10 – Download SDO segment .....	73

Table 11 – SDO upload expedited.....	74
Table 12 – SDO upload normal.....	75
Table 13 – Upload SDO segment.....	76
Table 14 – Abort SDO transfer.....	76
Table 15 – Get OD list.....	77
Table 16 – OD list segment.....	78
Table 17 – Get object description.....	79
Table 18 – Get entry description.....	80
Table 19 – Object entry segment.....	82
Table 20 – Emergency.....	83
Table 21 – RxPDO.....	84
Table 22 – TxPDO.....	84
Table 23 – RxPDO remote transmission.....	85
Table 24 – TxPDO remote transmission.....	85
Table 25 – Initiate EoE.....	90
Table 26 – EoE fragment.....	91
Table 27 – Set IP parameter.....	92
Table 28 – Set address filter.....	93
Table 29 – FoE read.....	98
Table 30 – FoE write.....	98
Table 31 – FoE data.....	99
Table 32 – FoE ack.....	99
Table 33 – FoE busy.....	100
Table 34 – FoE error.....	100
Table 35 – MBX read.....	102
Table 36 – MBX write.....	103
Table 37 – MBX read upd.....	104
Table 38 – AL management and ESM service primitives.....	105
Table 39 – AL control.....	115
Table 40 – AL state change.....	116

iteh STANDARD PREVIEW  
(standards.iteh.ai)

[SIST EN IEC 61158-5-12:2019](https://standards.iteh.ai/catalog/standards/sist/c75d7810-5261-4866-b5c1-d9502dd237/sist-en-iec-61158-5-12-2019)

<https://standards.iteh.ai/catalog/standards/sist/c75d7810-5261-4866-b5c1-d9502dd237/sist-en-iec-61158-5-12-2019>

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL COMMUNICATION NETWORKS –  
FIELDBUS SPECIFICATIONS –****Part 5-12: Application layer service definition –  
Type 12 elements**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

Attention is drawn to the fact that the use of the associated protocol type is restricted by its intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a layer protocol type to be used with other layer protocols of the same type, or in other type combinations explicitly authorized by its intellectual-property-right holders.

NOTE Combinations of protocol types are specified in IEC 61784-1 and IEC 61784-2.

International Standard IEC 61158-5-12 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This fourth edition cancels and replaces the third edition published in 2014. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- Technical corrections; and
- Editorial improvements for clarification.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
65C/947/FDIS	65C/950/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61158 series, published under the general title *Industrial communication networks – Fieldbus specifications*, can be found on the IEC web site.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**iTeh STANDARD PREVIEW**  
(standards.iteh.ai)

SIST EN IEC 61158-5-12:2019

A bilingual version of this publication may be issued at a later date.  
<https://standards.iteh.ai/catalog/standards/sist/c75d7810-5261-48b6-b5c1-19a9502dd237/sist-en-iec-61158-5-12-2019>

## INTRODUCTION

This document is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the “three-layer” fieldbus reference model described in IEC 61158-1.

The application service is provided by the application protocol making use of the services available from the data-link or other immediately lower layer. This document defines the application service characteristics that fieldbus applications and/or system management may exploit.

Throughout the set of fieldbus standards, the term “service” refers to the abstract capability provided by one layer of the OSI Basic Reference Model to the layer immediately above. Thus, the application layer service defined in this document is a conceptual architectural service, independent of administrative and implementation divisions.

## **iTeh STANDARD PREVIEW** **(standards.iteh.ai)**

[SIST EN IEC 61158-5-12:2019](https://standards.iteh.ai/catalog/standards/sist/c75d7810-5261-48b6-b5c1-f9a9502dd237/sist-en-iec-61158-5-12-2019)

<https://standards.iteh.ai/catalog/standards/sist/c75d7810-5261-48b6-b5c1-f9a9502dd237/sist-en-iec-61158-5-12-2019>

## INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

### Part 5-12: Application layer service definition – Type 12 elements

#### 1 Scope

##### 1.1 General

The fieldbus Application Layer (FAL) provides user programs with a means to access the fieldbus communication environment. In this respect, the FAL can be viewed as a “window between corresponding application programs.”

This part of IEC 61158 provides common elements for basic time-critical and non-time-critical messaging communications between application programs in an automation environment and material specific to Type 12 fieldbus. The term “time-critical” is used to represent the presence of a time-window, within which one or more specified actions are required to be completed with some defined level of certainty. Failure to complete specified actions within the time window risks failure of the applications requesting the actions, with attendant risk to equipment, plant and possibly human life.

This International Standard defines in an abstract way the externally visible service provided by the different Types of the fieldbus Application Layer in terms of

- a) an abstract model for defining application resources (objects) capable of being manipulated by users via the use of the FAL service,
- b) the primitive actions and events of the service,
- c) the parameters associated with each primitive action and event, and the form which they take, and
- d) the interrelationship between these actions and events, and their valid sequences.

The purpose of this document is to define the services provided to

- a) the FAL user at the boundary between the user and the Application Layer of the Fieldbus Reference Model, and
- b) Systems Management at the boundary between the Application Layer and Systems Management of the Fieldbus Reference Model.

This document specifies the structure and services of the IEC fieldbus Application Layer, in conformance with the OSI Basic Reference Model (ISO/IEC 7498) and the OSI Application Layer Structure (ISO/IEC 9545).

FAL services and protocols are provided by FAL application-entities (AE) contained within the application processes. The FAL AE is composed of a set of object-oriented Application Service Elements (ASEs) and a Layer Management Entity (LME) that manages the AE. The ASEs provide communication services that operate on a set of related application process object (APO) classes. One of the FAL ASEs is a management ASE that provides a common set of services for the management of the instances of FAL classes.

Although these services specify, from the perspective of applications, how request and responses are issued and delivered, they do not include a specification of what the requesting and responding applications are to do with them. That is, the behavioral aspects of the applications are not specified; only a definition of what requests and responses they can

send/receive is specified. This permits greater flexibility to the FAL users in standardizing such object behavior. In addition to these services, some supporting services are also defined in this document to provide access to the FAL to control certain aspects of its operation.

## 1.2 Specifications

The principal objective of this document is to specify the characteristics of conceptual application layer services suitable for time-critical communications, and thus supplement the OSI Basic Reference Model in guiding the development of application layer protocols for time-critical communications.

A secondary objective is to provide migration paths from previously-existing industrial communications protocols. It is this latter objective which gives rise to the diversity of services standardized as the various Types of IEC 61158, and the corresponding protocols standardized in subparts of IEC 61158-6.

This specification may be used as the basis for formal Application Programming-Interfaces. Nevertheless, it is not a formal programming interface, and any such interface will need to address implementation issues not covered by this specification, including

- a) the sizes and octet ordering of various multi-octet service parameters, and
- b) the correlation of paired request and confirm, or indication and response, primitives.

## 1.3 Conformance

This document does not specify individual implementations or products, nor does it constrain the implementations of application layer entities within industrial automation systems.

There is no conformance of equipment to this application layer service definition standard. Instead, conformance is achieved through implementation of conforming application layer protocols that fulfill any given Type of application layer services as defined in this document.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE All parts of the IEC 61158 series, as well as IEC 61784-1 and IEC 61784-2 are maintained simultaneously. Cross-references to these documents within the text therefore refer to the editions as dated in this list of normative references.

IEC 61131-3, *Programmable controllers – Part 3: Programming languages*

IEC 61158-1:2019, *Industrial communication networks – Fieldbus specifications – Part 1: Overview and guidance for the IEC 61158 and IEC 61784 series*

IEC 61158-3-12:2019, *Industrial communication networks – Fieldbus specifications – Part 3-12: Data-link layer service definition – Type 12 elements*

ISO/IEC 646:1991, *Information technology – ISO 7-bit coded character set for information interchange*

ISO/IEC 7498-1, *Information technology – Open Systems Interconnection – Basic Reference Model: The Basic Model*