

SLOVENSKI STANDARD SIST EN IEC 61158-4-3:2019

01-november-2019

Nadomešča:

SIST EN 61158-4-3:2015

Industrijska komunikacijska omrežja - Specifikacije za procesna vodila - 4-3. del: Specifikacija protokola na ravni podatkovnih povezav - Elementi tipa 3 (IEC 61158-4-3:2019)

Industrial communication networks - Fieldbus specifications - Part 4-3: Data-link layer protocol specification - Type 3 elements (IEC 61158-4-3:2019)

iTeh STANDARD PREVIEW
Industrielle Kommunikationsnetze - Feldbusse - Teil 4-3: Protokollspezifikation des Data Link Layer (Sicherungsschicht) - Typ 3-Elemente (IEO 61158-4-3:2019)

Réseaux de communication industriels - Spécifications des bus de terrain - Partie 4-3 : Spécification du protocole de la couche liaison de données péléments de Type 3 (IEC 61158-4-3:2019)

Ta slovenski standard je istoveten z: EN IEC 61158-4-3:2019

ICS:

25.040.40 Merjenje in krmiljenje Industrial process

> industrijskih postopkov measurement and control

35.100.20 Podatkovni povezovalni sloj Data link layer Networking 35.110 Omreževanje

SIST EN IEC 61158-4-3:2019 en,fr,de SIST EN IEC 61158-4-3:2019

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN IEC 61158-4-3:2019</u> https://standards.iteh.ai/catalog/standards/sist/b7154fd0-df98-4272-8538-409a169be454/sist-en-iec-61158-4-3-2019 EUROPEAN STANDARD

EN IEC 61158-4-3

NORME EUROPÉENNE

EUROPÄISCHE NORM

June 2019

ICS 25.040.40; 35.100.20; 35.110

Supersedes EN 61158-4-3:2014

English Version

Industrial communication networks - Fieldbus specifications - Part 4-3: Data-link layer protocol specification - Type 3 elements (IEC 61158-4-3:2019)

Réseaux de communication industriels - Spécifications des bus de terrain - Partie 4-3 : Spécification du protocole de la couche liaison de données - Éléments de Type 3 (IEC 61158-4-3:2019) Industrielle Kommunikationsnetze - Feldbusse - Teil 4-3: Protokollspezifikation des Data Link Layer (Sicherungsschicht) - Typ 3-Elemente (IEC 61158-4-3:2019)

This European Standard was approved by CENELEC on 2019-05-23. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

SIST EN IEC 61158-4-3:2019

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 61158-4-3:2019 (E)

European foreword

The text of document 65C/946/FDIS, future edition 4 of IEC 61158-4-3, prepared by SC 65C "Industrial networks" of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61158-4-3:2019.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2020-02-23 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2022-05-23

This document supersedes EN 61158-4-3:2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

iTeh STEndorsement notice EVIEW (standards.iteh.ai)

The text of the International Standard IEC 61158-4-3:2019 was approved by CENELEC as a European Standard without any modification. https://standards.tich.avcatalog/standards/sist/b7154fd0-df98-4272-8538-

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60870-5-1 NOTE Harmonized as EN 60870-5-1 IEC 61158-1 NOTE Harmonized as EN 61158-1

IEC 61158-5-3 NOTE Harmonized as EN 61158-5-3

IEC 61158-6-3 NOTE Harmonized as EN 61158-6-3

IEC 61784-1 NOTE Harmonized as EN 61784-1

IEC 61784-2 NOTE Harmonized as EN 61784-2

EN IEC 61158-4-3:2019 (E)

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u> <u>EN/HD</u>	<u>Year</u>
IEC 61131-3	-	Programmable controllers - Part 3:EN 61131-3	-
		Programming languages	
IEC 61158-2	2014	Industrial communication networks -EN 61158-2	2014
		Fieldbus specifications - Part 2: Physical	
	iT	layer specification and service definition	
IEC 61158-3-3	2014	Industrial communication networks -EN 61158-3-3	2014
		Fieldbus specifications - Part 3-3: Data-link	
		layer service definition - Type 3 elements	
ISO 1177	-	Information processing - Character-	-
	lettera.//ata	structure for start/stop and synchronous	
	nups//sta	uncharacterioriented transmission 54fd0-df98-4272-8538-	
ISO/IEC 646	-	Information technology - ISO 7-bit coded-	-
		character set for information interchange	
ISO/IEC 2022	-	Information technology - Character code-	-
		structure and extension techniques	
ISO/IEC 7498-1	-	Information technology - Open Systems-	-
		Interconnection - Basic reference model:	
		The basic model	
ISO/IEC 7498-3	-	Information technology - Open Systems-	-
		Interconnection - Basic reference model:	
		Naming and addressing	
ISO/IEC 10731	-	Information technology - Open Systems-	-
		Interconnection - Basic Reference Model -	
		Conventions for the definition of OSI	
		services	

SIST EN IEC 61158-4-3:2019

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN IEC 61158-4-3:2019</u> https://standards.iteh.ai/catalog/standards/sist/b7154fd0-df98-4272-8538-409a169be454/sist-en-iec-61158-4-3-2019



IEC 61158-4-3

Edition 4.0 2019-04

INTERNATIONAL STANDARD

Industrial communication networks + Fieldbus specifications - Part 4-3: Data-link layer protocol specification - Type 3 elements

SIST EN IEC 61158-4-3:2019 https://standards.iteh.ai/catalog/standards/sist/b7154fd0-df98-4272-8538-409a169be454/sist-en-iec-61158-4-3-2019

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 25.040.40; 35.100.20; 35.110

ISBN 978-2-8322-6773-8

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FC	DREWC	PRD	7
IN	TRODU	ICTION	9
1	Scop	e	10
	1.1	General	10
	1.2	Specifications	
	1.3	Procedures	
	1.4	Applicability	
	1.5	Conformance	
2		native references	
3		is, definitions, symbols and abbreviations	
	3.1	Reference model terms and definitions	
	3.2	Service convention terms and definitions	
	3.3	Common terms and definitions	
	3.4	Additional Type 3 definitions	
	3.5	Common symbols and abbreviations	
	3.5.1	·	
	3.5.2		
4	Com	Type 3 symbols and abbreviations	23
	4.1	Frame check sequencestandards.iteh.ai	
	4.1.1		
	4.1.2		
	4.1.3		
5		view of the DL-protocol view o	26
	5.1	General	
	5.2	Overview of the medium access control and transmission protocol	
	5.3	Transmission modes and DL-entity	
	5.3.1	·	
	5.3.2		
	5.3.3	•	
	5.4	Service assumed from the PhL	
	5.4.1		
	5.4.2	·	
	5.5	Operational elements	
	5.5.1	·	
	5.5.2		
	5.5.3	511	
	5.5.4	·	
	5.5.5	•	
	5.6	Cycle and system reaction times	
	5.6.1	·	
	5.6.2	•	
6		eral structure and encoding of DLPDUs, and related elements of procedure	
	6.1	DLPDU granularity	
	6.1.1	,	
	6.1.2	•	
	J. 1.2	= ,	

	6.2	Length octet (LE, LEr)	55
	6.3	Address octet	56
	6.3.1	Destination and source station address (DA and SA)	56
	6.3.2	Address extension (EXT)	56
	6.3.3	Address check	57
	6.3.4	DL-service-access-point (DLSAP)	58
	6.4	Control octet (FC)	58
	6.4.1	General	58
	6.4.2	Frame count bit	60
	6.5	DLPDU content error detection	
	6.5.1	Asynchronous transmission – frame checksum (FCS)	
	6.5.2	,	
	6.6	DATA_UNIT	
	6.6.1	General	
	6.6.2		
	6.7	Error control procedures	64
	6.7.1	Asynchronous transmission	
	6.7.2	-,	
7	DLPE	OU-specific structure, encoding and elements of procedure	64
	7.1	DLPDUs of fixed length with no data field	64
	7.1.1		
	7.1.2	Synchronous transmission. DLPDUs of fixed length with data field	66
	7.2		
	7.2.1	Asynchronous transmission IEC 61158-4-3:2019	66
	7.2.2	Synchronous transmission standards/sist/b7154fd0-df98-4272-8538	67
	7.3	DLPDUs with variable data field length c-61158-4-3-2019.	
	7.3.1	Asynchronous transmission	68
	7.3.2	Synchronous transmission	68
	7.4	Token DLPDU	69
	7.4.1	Asynchronous transmission	69
	7.4.2	•	
	7.5	ASP DLPDU	70
	7.6	SYNCH DLPDU	
	7.7	Time Event (TE) DLPDU	
	7.8	Clock Value (CV) DLPDU	
	7.9	Transmission procedures	
	7.9.1	Asynchronous transmission	
	7.9.2	•	
8	Other	r DLE elements of procedure	73
	8.1	DL-entity initialization.	73
	8.2	States of the media access control of the DL-entity	74
	8.2.1	General	74
	8.2.2	Offline	75
	8.2.3	Passive_Idle	76
	8.2.4	Listen_Token	76
	8.2.5	Active_Idle	76
	8.2.6	Claim_Token	77
	8.2.7	Wait_TCT	77

1	

8.2.8	Use_Token	78
8.2.9	Await_Data_Response	78
8.2.10	Check_Access_Time	78
8.2.11	Pass_Token	79
8.2.12	Check_Token_Pass	79
8.2.13	Await_Status_Response	80
8.3 Clo	ck synchronization protocol	80
8.3.1	Overview	80
8.3.2	State machine time master	80
8.3.3	State machine time receiver	82
Annex A (norn	native) DL-Protocol state machines	85
A.1 Ove	rall structure	85
A.2 Vari	ation of state machines in different devices	86
A.3 DL I	Data Resource	87
A.4 FLC	:/ DLM	91
A.4.1	Primitive definitions	91
A.4.2	State machine description	96
A.5 MAG	S	115
A.5.1	Primitive definitions	115
A.5.2	State machine description	116
A.6 SRU	State machine description iTeh STANDARD PREVIEW	142
A.6.1	Overview	142
A.6.2	Overview(standards.iteh.ai) Character send SM(CTX)	143
A.6.3	Character receive SM (CRX) C 61158-4-3:2019	143
A.6.4	Timer_SM: (TIM): itch.ai/catalog/standards/sist/b7154fd0-df98-4272-8538	144
A.6.5	Primitive definition of SRCI/sist-en-iec-61158-4-3-2019.	
A.6.6	State machine description	146
Annex B (infor	mative) Type 3 (synchronous): exemplary FCS implementations	160
	mative) Type 3: Exemplary token procedure and message transfer	162
C.1 Pro	cedure of token passing	162
	mples for token passing procedure	
	mples for message transfer periods – asynchronous transmission	
_	ationships of DLSAPs, DLSAP-addresses and group DL-addresses	
	ical token-passing ring	
Figure 3 – Phl	data service for asynchronous transmission	33
Figure 4 – Idle	time T _{ID1}	38
Figure 5 – Idle	time T _{ID2} (SDN, CS)	39
Figure 6 – Idle	time T _{ID2} (MSRD)	39
Figure 7 – Slo	t time T _{SL1}	40
Figure 8 – Slo	t time T _{SL2}	40
Figure 9 – Slo	t time T _{SL1}	45
	ot time T _{SI 2}	
	oken transfer period	
	essage transfer period	

Figure 13 – UART character	54
Figure 14 – Octet structure	55
Figure 15 – Length octet coding	55
Figure 16 – Address octet coding	56
Figure 17 – DAE/SAE octet in the DLPDU	57
Figure 18 – Address extension octet	57
Figure 19 – FC octet coding for send/request DLPDUs	58
Figure 20 – FC octet coding for acknowledgement or response DLPDUs	59
Figure 21 – FCS octet coding	62
Figure 22 – Data field	63
Figure 23 – Ident user data	63
Figure 24 – DLPDUs of fixed length with no data field	65
Figure 25 – DLPDUs of fixed length with no data field	66
Figure 26 – DLPDUs of fixed length with data field	67
Figure 27 – DLPDUs of fixed length with data field	67
Figure 28 – DLPDUs with variable data field length	68
Figure 29 – DLPDUs with variable data field length	69
Figure 30 – Token DLPDUFigure 31 – Token DLPDU	69
Figure 32 - Send/request DLPD of lixed length with nodata	71
Figure 33 – Token DLPDU and send/request DLPDU of fixed length with data	
Figure 34 – Send/request DLPDU with variable data field length https://standards.iteh.avcatalog/standards/sist/b/154td0-df98-4272-8538-	72
Figure 35 – Send/request DLPDU of fixed length with no data 19.	
Figure 36 – Token DLPDU and send/request DLPDU of fixed length with data	73
Figure 37 – Send/request DLPDU with variable data field length	73
Figure 38 – DL-state-diagram	75
Figure 39 – Overview of clock synchronization	81
Figure 40 – Time master state machine	82
Figure 41 – Time receiver state machine	83
Figure 42 – Clock synchronization	84
Figure A.1 – Structuring of the protocol machines	86
Figure A.2 – Structure of the SRU Machine	143
Figure B.1 – Example of FCS generation for Type 3 (synchronous)	160
Figure B.2 – Example of FCS syndrome checking on reception for Type 3 (synchronous)	160
Figure C.1 – Derivation of the token holding time (T _{TH})	163
Figure C.2 – No usage of token holding time (T _{TH})	164
Figure C.3 – Usage of token holding time (T _{TH}) for message transfer (equivalence between T _{TH} of each Master station)	165
Figure C.4 – Usage of token holding time (T _{TH}) in different working load situations	
Table 1 – FCS length, polynomials and constants by Type 3 synchronous	24
Table 2 – Characteristic features of the fieldbus data-link protocol	26

- 6 ·	
--------------	--

Table 3 - Transmission function code	60
Table 4 – FCB, FCV in responder	62
Table 5 – Operating parameters	74
Table A.1 – Assignment of state machines	87
Table A.2 – Data resource	88
Table A.3 – Primitives issued by DL-User to FLC	92
Table A.4 – Primitives issued by FLC to DL-User	92
Table A.5 – Primitives issued by DL-User to DLM	94
Table A.6 – Primitives issued by DLM to DL-User	94
Table A.7 – Parameters used with primitives exchanged between DL-User and FLC	95
Table A.8 – Parameters used with primitives exchanged between DL-User and DLM	95
Table A.9 – FLC/DLM state table	96
Table A.10 – FLC / DLM function table	108
Table A.11 – Primitives issued by DLM to MAC	115
Table A.12 – Primitives issued by MAC to DLM	115
Table A.13 – Parameters used with primitives exchanged between DLM and MAC	115
Table A.14 – Local MAC variables	116
Table A.15 – MAC state table	117
Table A.15 – MAC state table	
Table A.17 – Primitives issued by DeMt6 srcds.iteh.ai)	144
Table A.18 – Primitives issued by SRC to DLM	145
Table A.19 – Primitives issued by MAC to SRC	145
Table A.20 – Primitives issued by SRC to MAC - iec-61158-4-3-2019	145
Table A.21 – Parameters used with primitives exchanged between MAC and SRC	146
Table A.22 – FC structure	146
Table A.23 – Local variables of SRC	146
Table A.24 – SRC state table	147
Table A 25 SPC functions	150

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 4-3: Data-link layer protocol specification – Type 3 elements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees. A NID A DID INVIEW.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity. IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

Attention is drawn to the fact that the use of the associated protocol type is restricted by its intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a layer protocol type to be used with other layer protocols of the same type, or in other type combinations explicitly authorized by its intellectual-property-right holders.

NOTE Combinations of protocol types are specified in IEC 61784-1 and IEC 61784-2.

International Standard IEC 61158-4-3 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This fourth edition cancels and replaces the third edition published in 2014. This edition constitutes a technical revision.

IEC 61158-4-3:2019 © IEC 2019

This edition includes the following significant technical changes with respect to the previous edition:

- 8 -

- corrections in Table 3;
- corrections in Table A.15;
- spelling and grammar.

The text of this International Standard is based on the following documents:

FDIS	Report on voting	
65C/946/FDIS	65C/955/RVD	

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61158 series, published under the general title Industrial communication networks - Fieldbus specifications, can be found on the IEC web site

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under http://webstore.iec.ch in the data related to the specific publication. At this date, the publication will be

reconfirmed,

(standards.iteh.ai)

- withdrawn.
- replaced by a revised edition, or SIST EN IEC 61158-4-3:2019
- amended. https://standards.iteh.ai/catalog/standards/sist/b7154fd0-df98-4272-8538-

409a169be454/sist-en-iec-61158-4-3-2019 A bilingual version of this publication may be issued at a later date.

IEC 61158-4-3:2019 © IEC 2019

-9-

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the "three-layer" fieldbus reference model described in IEC 61158-1.

The data-link protocol provides the data-link service by making use of the services available from the physical layer. The primary aim of this document is to provide a set of rules for communication expressed in terms of the procedures to be carried out by peer data-link entities (DLEs) at the time of communication. These rules for communication are intended to provide a sound basis for development in order to serve a variety of purposes:

- a) as a guide for implementors and designers;
- b) for use in the testing and procurement of equipment;
- c) as part of an agreement for the admittance of systems into the open systems environment;
- d) as a refinement to the understanding of time-critical communications within OSI.

This document is concerned, in particular, with the communication and interworking of sensors, effectors and other automation devices. By using this document together with other standards positioned within the OSI or fieldbus reference models, otherwise incompatible systems may work together in any combination.

NOTE Use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol type to be used with physical layer and application layer protocols in Type combinations as specified explicitly in its profile parts. Use of the various protocol types in other combinations may require permission from their respective intellectual-property-right holders.

SIST EN IEC 61158-4-3:2019 https://standards.iteh.ai/catalog/standards/sist/b7154fd0-df98-4272-8538-409a169be454/sist-en-iec-61158-4-3-2019