
Signalizacija po nizkonapetostnih električnih napeljavah v frekvenčnem območju od 3 kHz do 148,5 kHz - 4-3. del: Nizkonapetostni ločilni filtri - Vhodni filter

Signalling on low-voltage electrical installations in the frequency range 3 kHz to 148,5 kHz - Part 4-3: Low voltage decoupling filter - Incoming filter

Signalübertragung auf elektrischen Niederspannungsnetzen im Frequenzbereich 3 kHz bis 148,5 kHz - Teil 4-3: Niederspannungs-Entkopplungsfilter - Eingangsfiler

Transmission de signaux sur les réseaux électriques basse tension dans la bande de fréquences de 3 kHz à 148,5 kHz - Partie 4-3: Filtres de découplage basse tension - Filtre de branchement

Ta slovenski standard je istoveten z: EN 50065-4-3:2023

ICS:

31.160	Električni filtri	Electric filters
33.040.30	Komutacijski in signalizacijski sistem	Switching and signalling systems

SIST EN 50065-4-3:2023**en**

EUROPEAN STANDARD

EN 50065-4-3

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2023

ICS 31.160; 33.040.30; 97.120

Supersedes EN 50065-4-3:2003

English Version

Signalling on low-voltage electrical installations in the frequency range 3 kHz to 148,5 kHz - Part 4-3: Low voltage decoupling filter - Incoming filter

Transmission de signaux sur les réseaux électriques basse tension dans la bande de fréquences de 3 kHz à 148,5 kHz
- Partie 4-3: Filtre de découplage basse tension - Filtre de branchement

Signalübertragung auf elektrischen Niederspannungsnetzen im Frequenzbereich 3 kHz bis 148,5 kHz - Teil 4-3: Niederspannungs-Entkopplungsfilter - Eingangsfiler

This European Standard was approved by CENELEC on 2022-10-03. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN 50065-4-3:2023 (E)

Contents	Page
European foreword.....	3
1 Scope.....	4
2 Normative references.....	4
3 Terms and definitions	5
4 Classification	5
4.1 General.....	5
4.2 Type 1.....	5
4.3 Type 2.....	5
4.4 Type 3.....	5
5 Incoming filter electrical characteristics	5
5.1 General.....	5
5.2 Immunity for EMC	5
5.3 Operating frequency range.....	6
5.4 Impedance	6
5.5 Transfer function	6
6 Safety.....	6

ITC STANDARD PREVIEW
 (standards.iteh.ai)

SIST EN 50065-4-3:2023

<https://standards.iteh.ai/catalog/standards/sist/e84026b1-fc8e-4e4c-a356-04106294ba47/sist-en-50065-4-3-2023>

European foreword

This document (EN 50065-4-3:2023) has been prepared by WG 12 “Filters” of CLC/TC 219 “Mains communicating systems”.

The following dates are fixed:

- latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2023-09-24
- latest date by which the national standards conflicting with this document have to be withdrawn (dow) 2026-03-24

This document supersedes EN 50065-4-3:2003 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

EN 50065 consists of the following parts, under the general title: Signalling on low-voltage electrical installations in the frequency range 3 kHz to 148,5 kHz:

Part 1: General requirements, frequency bands and electromagnetic disturbances

Part 2-1: Immunity requirements for mains communications equipment and systems operating in the range of frequencies 95 kHz to 148,5 kHz and intended for use in residential, commercial and light industrial environments

Part 2-2: Immunity requirements for mains communications equipment and systems operating in the range of frequencies 95 kHz to 148,5 kHz and intended for use in industrial environments

Part 2-3: Immunity requirements for mains communications equipment and systems operating in the range of frequencies 3 kHz to 95 kHz and intended for use by electricity suppliers and distributors

Part 4-1: Low voltage decoupling filters – Generic specification

Part 4-2: Low voltage decoupling filters – Safety requirements

Part 4-3: Low voltage decoupling filters – Incoming filter

Part 4-4: Low voltage decoupling filters – Impedance filter

Part 4-5: Low voltage decoupling filters – Segmentation filter

Part 4-6: Low voltage decoupling filters – Phase coupler

Part 4-7: Portable low voltage decoupling filters – Safety requirements

Part 7: Equipment impedance

This document has been prepared under a Standardization Request given to CENELEC by the European Commission and the European Free Trade Association.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

EN 50065-4-3:2023 (E)


1 Scope

This document applies to incoming filters used to control the coupling of signals between the utility area and the consumer area, as illustrated in Figure 1.

This document defines:

- the minimum impedance in the relevant frequency band(s) at both utility port and consumer port,
- the minimum attenuation of unwanted signals transmitted from the utility side to the consumer side and vice versa.

This document applies to incoming filters designed for single or multiphase installations.



Key

- 1 utility network
- 2 consumer network
- 3 incoming filter
- 4 utility area
- 5 consumer area

Figure 1 — The application of incoming filter

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 50065-2-1, *Signalling on low-voltage electrical installations in the frequency range 3 kHz to 148,5 kHz - Part 2-1: Immunity requirements for mains communications equipment and systems operating in the range of frequencies 95 kHz to 148,5 kHz and intended for use in residential, commercial and light industrial environments*

EN 50065-4-3:2023 (E)

EN 50065-2-2, *Signalling on low-voltage electrical installations in the frequency range 3 kHz to 148,5 kHz - Part 2-2: Immunity requirements for mains communications equipment and systems operating in the range of frequencies 95 kHz to 148,5 kHz and intended for use in industrial environments*

EN 50065-2-3, *Signalling on low-voltage electrical installations in the frequency range 3 kHz to 148,5 kHz - Part 2-3: Immunity requirements for mains communications equipment and systems operating in the range of frequencies 3 kHz to 95 kHz and intended for use by electricity suppliers and distributors*

EN 50065-4-1:2001, *Signalling on low-voltage electrical installations in the frequency range 3 kHz to 148,5 kHz - Part 4-1: Low voltage decoupling filters - Generic specification*

EN 50065-4-2, *Signalling on low-voltage electrical installations in the frequency range 3 kHz to 148,5 kHz and 1,6 MHz to 30 MHz - Part 4-2: Low voltage decoupling filters - Safety requirements*

EN 50065-4-7, *Signalling on low-voltage electrical installations in the frequency range 3 kHz to 148,5 kHz and 1,6 MHz to 30 MHz - Part 4-7: Portable low voltage decoupling filters - Safety requirements*

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

4 Classification

4.1 General

NOTE The selection of the filter are expected to be made according to the local regulations.

If there are no local regulations, Type 1 shall be used.

4.2 Type 1

Satisfies both the utility and the consumer impedance requirements.

4.3 Type 2

Satisfies only the utility impedance requirements.

4.4 Type 3

Satisfies only the consumer impedance requirements.

5 Incoming filter electrical characteristics

5.1 General

The filter shall meet the requirements given in EN 50065-4-1.

5.2 Immunity for EMC

The filter shall meet the immunity requirements specified in: