

SLOVENSKI STANDARD **SIST EN 589:2024**

01-junij-2024

Nadomešča:

SIST EN 589:2019+A1:2022

Goriva za motorna vozila - Utekočinjeni naftni plin (UNP) - Zahteve in preskusne metode

Automotive fuels - LPG - Requirements and test methods

Kraftstoffe - Flüssiggas - Anforderungen und Prüfverfahren

Carburants pour automobiles - GPL - Exigences et méthodes d'essai

Ta slovenski standard je istoveten z: EN 589:2024

tps://standards.iteh.ai/catalog/standards/sist/ba491dc9-54fb-44a0-b5c8-1c2878be573f/sist-en-589-2024 ICS:

75.160.20 Tekoča goriva Liquid fuels

SIST EN 589:2024 en,fr,de

iTeh Standards (https://standards.iteh.ai) Document Preview

SIST EN 589:2024

https://standards.iteh.ai/catalog/standards/sist/ba491dc9-54fb-44a0-b5c8-1c2878be573f/sist-en-589-2024

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 589

March 2024

ICS 75.160.20

Supersedes EN 589:2018+A1:2022

English Version

Automotive fuels - LPG - Requirements and test methods

Carburants pour automobiles - GPL - Exigences et méthodes d'essai

Kraftstoffe - Flüssiggas - Anforderungen und Prüfverfahren

This European Standard was approved by CEN on 12 February 2024.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.

(https://standards.iteh.ai)
Document Preview

SIST EN 589:2024

https://standards.iteh.ai/catalog/standards/sist/ba491dc9-54fb-44a0-b5c8-1c2878be573f/sist-en-589-2024



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN 589:2024 (E)

Cont	Contents	
European foreword3		
1	Scope	4
2	Normative references	4
3	Terms and definitions	5
4	Sampling	5
5	Pump marking	5
6	Requirements and test methods	6
6.1	General	
6.2	Water content	
6.3 6.4	Odour	
6.5	Density Precision and dispute	
7	Remarks concerning vehicle application issues like residues in vaporizers or injectors	
Annex	A (normative) Test method for odour of LPG	
A.1	General	
A.2	Principle	9
A.3	Material	9
A.4	Apparatus	9
A.5	Procedure (https://standards.iteh.ai)	10
A.6	Expression of results	11
Annex	B (normative) Method of calculation of the Motor Octane Number (MON) from compositional analysis of LPG	12
B.1htt	General rde itah ai/entalog/standards/sist/ha491dc9_54fh_44a0_h5e8_1e2878he573f/	12
B.2	Principle	12
B.3	Determination	12
B.4	Calculation and expression of results	12
B.5	Reporting	13
Annex	C (normative) Absolute vapour pressure blending factors	14
Annex	D (informative) Seasonal gauge vapour pressure limits	15
Biblio	graphy	16

European foreword

This document (EN 589:2024) has been prepared by Technical Committee CEN/TC 19 "Gaseous and liquid fuels, lubricants and related products of petroleum, synthetic and biological origin", the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2024, and conflicting national standards shall be withdrawn at the latest by September 2024.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 589:2018+A1:2022.

This is the 7^{th} edition of EN 589. The main technical changes compared to the 2^{nd} version EN 589:2018+A1:2022 of the 6^{th} edition EN 589:2018 include:

- a) change of vapour pressure requirement, increase of minimum vapour pressure;
- b) change of limit value for 1,3 butadiene to < 0.10 % m/m [4].

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

SIST EN 589:2024

https://standards.iteh.ai/catalog/standards/sist/ba491dc9-54fb-44a0-b5c8-1c2878be573f/sist-en-589-2024

EN 589:2024 (E)

1 Scope

This document specifies requirements and test methods for marketed and delivered automotive LPG (commonly known as low pressure gas or liquefied petroleum gas).

This document is applicable to automotive LPG for use in LPG engine vehicles designed to run on automotive LPG.

NOTE For the purposes of this document, the terms "% (m/m)" and "% (V/V)" are used to represent respectively the mass fraction, μ , and the volume fraction, φ .

WARNING — Attention is drawn to the risk of fire and explosion when handling LPG and to the hazard to health arising through inhalation of excessive amounts of LPG.

LPG is a highly volatile hydrocarbon liquid which is normally stored under pressure. If the pressure is released large volumes of gas will be produced which form flammable mixtures with air over the range of approximately 2% (V/V) to 10% (V/V). This document involves the sampling, handling and testing of LPG. Naked flames, unprotected electrical equipment electrostatic hazards etc. are sources of ignition for LPG.

LPG in liquid form can cause cold burns to the skin. National health and safety regulations can apply.

LPG is heavier than air and accumulates in cavities. There is a danger of suffocation when inhaling high concentrations of LPG.

CAUTION — One of the tests described in this document involves the operator inhaling a mixture of air and LPG vapour. Particular attention is drawn to the cautionary statement provided in A.1, where this method is referred to.

2 Normative references ttps://standards.iteh.ai)

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 15469, Petroleum products — Test method for free water in liquefied petroleum gas by visual inspection

EN 15470, Liquefied petroleum gases — Determination of dissolved residues — High temperature Gas chromatographic method

 ${
m EN}\,15471,\ Liquefied\ petroleum\ gases\ - {
m Determination\ of\ dissolved\ residues\ --}$ ${
m High-temperature\ }$ ${
m gravimetric\ method\ }$

EN 16423, Liquefied petroleum gases — Determination of dissolved residue — Gas chromatographic method using liquid, on-column injection

EN~16942+A1, Fuels — Identification of vehicle compatibility — Graphical expression for consumer information

EN 17178:2019, Liquid petroleum products — Determination of the total volatile sulfur content in liquefied petroleum gases by ultraviolet fluorescence spectroscopy

EN 27941, Commercial propane and butane — Analysis by gas chromatography (ISO 7941)

EN ISO 4256, Liquefied petroleum gases — Determination of gauge pressure — LPG method (ISO 4256)