
Kemikalije, ki se uporabljajo za pripravo pitne vode - Natrijev klorid za elektrokemično kloriranje na kraju samem z uporabo membranskih celic

Chemicals used for treatment of water intended for human consumption - Sodium chloride for on site electrochlorination using membrane cells

Produkte zur Aufbereitung von Wasser für den menschlichen Gebrauch - Natriumchlorid zur elektrochemischen Erzeugung von Chlor vor Ort mittels Membranzellen

Produits chimiques utilisés pour le traitement de l'eau destinée à la consommation humaine - Chlorure de sodium pour la génération électrochimique de chlore au moyen d'électrolyseurs à membrane

<https://standards.iteh.ai/catalog/standards/sist/e8eceaca-84de-45c8-bf0e-ea757e4c1ce0/osist-pren-16370-2020>

Ta slovenski standard je istoveten z: prEN 16370

ICS:

13.060.20	Pitna voda	Drinking water
71.100.80	Kemikalije za čiščenje vode	Chemicals for purification of water

oSIST prEN 16370:2020

en,fr,de

iTeh STANDARD PREVIEW (standards.iteh.ai)

[oSIST prEN 16370:2020](https://standards.iteh.ai/catalog/standards/sist/e8eceaca-84de-45c8-bf0e-ea757e4c1ce0/osist-pren-16370-2020)

<https://standards.iteh.ai/catalog/standards/sist/e8eceaca-84de-45c8-bf0e-ea757e4c1ce0/osist-pren-16370-2020>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

DRAFT
prEN 16370

May 2020

ICS 71.100.80

Will supersede EN 16370:2013

English Version

**Chemicals used for treatment of water intended for human
consumption - Sodium chloride for on site
electrochlorination using membrane cells**

Produits chimiques utilisés pour le traitement de l'eau
destinée à la consommation humaine - Chlorure de
sodium pour la génération électrochimique de chlore
au moyen d'électrolyseurs à membrane

Produkte zur Aufbereitung von Wasser für den
menschlichen Gebrauch - Natriumchlorid zur
elektrochemischen Erzeugung von Chlor vor Ort
mittels Membranzellen

This draft European Standard is submitted to CEN members for enquiry. It has been drawn up by the Technical Committee CEN/TC 164.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

Page

European foreword.....	5
Introduction	6
1 Scope.....	7
2 Normative references.....	7
3 Terms and definitions	8
4 Description	8
4.1 Identification	8
4.1.1 Chemical name	8
4.1.2 Synonym or common name	8
4.1.3 Relative molecular mass.....	8
4.1.4 Empirical formula	8
4.1.5 Chemical formula	8
4.1.6 CAS Registry Number	8
4.1.7 EINECS Reference	8
4.2 Commercial forms.....	8
4.3 Physical properties.....	9
4.3.1 Appearance.....	9
4.3.2 Density	9
4.3.3 Solubility (in water)	9
4.3.4 Vapour pressure	9
4.3.5 Boiling point at 100 kPa	9
4.3.6 Melting point.....	9
4.3.7 Specific heat	10
4.3.8 Viscosity (dynamic)	10
4.3.9 Critical temperature	10
4.3.10 Critical pressure	10
4.3.11 Physical hardness	10
4.4 Chemical properties.....	10
5 Purity criteria.....	10
5.1 General.....	10
5.2 Composition of commercial product.....	10
5.3 Impurities and by-products.....	11
5.4 Chemical parameters.....	11
6 Test methods	12
6.1 Sampling.....	12
6.2 Analyses.....	12
6.2.1 Main product.....	12
6.2.2 Impurities	12
6.2.3 Chemical parameters.....	16
7 Labelling – Transportation – Storage.....	16
7.1 Means of delivery	16
7.2 Labelling according to the EU legislation)	16

7.3	Transportation regulations and labelling	17
7.4	Marking	17
7.5	Storage	17
7.5.1	Long term stability	17
7.5.2	Storage incompatibilities	17
Annex A	(informative) General information on sodium chloride for electrochlorination by membrane cells	18
A.1	Origin	18
A.2	Chemical composition	18
A.3	Use	18
A.3.1	Function	18
A.3.2	Form in which the product is used	19
A.3.3	Consumption of salt for electrochlorination	19
A.3.4	Means of application	19
A.3.5	Secondary effects	19
A.3.6	Removal of excess product	19
A.4	Rules for safe handling and use	19
A.5	Emergency procedures	19
A.5.1	First aid	19
A.5.2	Spillage	19
A.5.3	Fire	19
Annex B	(normative) Analytical methods Determination of antimony, cadmium, chromium, iron, lead, manganese, nickel and selenium (inductively coupled plasma optical emission spectrometry (ICP-OES))	20
B.1	General	20
B.2	Principle	20
B.3	Reagents	20
B.3.1	Nitric acid, ρ approximately 1,40 g/ml, mass fraction of 65 % solution	21
B.3.2	Sodium chloride solution, $\beta = 250$ g/l	21
B.3.3	Scandium (reference element) solution, $\beta(\text{Sc}) = 50$ mg/l	21
B.3.4	Element, stock solution, β (each element) = 1 000 mg/l certified commercial solutions	21
B.3.5	Argon, pressure not less than 700 kPa. The argon used can be compressed or liquefied gas	21
B.4	Apparatus	21
B.4.1	Spectrometer ICP-OES	21
B.5	Procedure	22
B.5.1	Test portion	22
B.5.2	Test solution	22
B.5.3	Calibration and verification solutions	22
B.5.4	Determination	23

B.5.4.1 Setting of the apparatus.....	23
B.5.4.2 Spectrometric measurements.....	23
B.6 Expression of results.....	24
B.6.1 Evaluation.....	24
B.6.2 Calculation.....	24
B.6.3 Repeatability and reproducibility.....	24
B.6.4 Limit of quantification (LOQ).....	27
Bibliography.....	29

iTeh STANDARD PREVIEW (standards.iteh.ai)

oSIST prEN 16370:2020
<https://standards.iteh.ai/catalog/standards/sist/e8eceaca-84de-45c8-bf0e-ea757e4c1ce0/osist-pren-16370-2020>

European foreword

This document (prEN 16370:2020) has been prepared by Technical Committee CEN/TC 164 “Water supply”, the secretariat of which is held by AFNOR.

This document is currently submitted to the CEN Enquiry.

This document will supersede EN 16370:2013.

In comparison with the previous edition, the following technical modifications have been made:

- a) Modification of 6.3 on transportation regulations and labelling, adding the sentence “The user must be aware of the incompatibilities between transported products.”;
- b) Modification of 6.4 on marking. The requirements of marking are also applied to the accompanying documents;
- c) Modification of Table 1 for the quantity of $[\text{Fe}(\text{CN})_6]^{4-}$ in commercial product;
- d) Modification of moisture content in Table 2, to be in line with EN 973 and EN 16401.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

oSIST prEN 16370:2020
<https://standards.iteh.ai/catalog/standards/sist/e8eceaca-84de-45c8-bf0e-ea757e4c1ce0/osist-pren-16370-2020>

Introduction

In respect of potential adverse effects on the quality of water intended for human consumption, caused by the product covered by this document:

- a) this document provides no information as to whether the product may be used without restriction in any of the Member States of the EU or EFTA;
- b) it should be noted that, while awaiting the adoption of verifiable European criteria, existing national regulations concerning the use and/or the characteristics of this product remain in force.

NOTE Conformity with this document does not confer or imply acceptance or approval of the product in any of the Member States of the EU or EFTA. The use of the product covered by this European Standard is subject to regulation or control by National Authorities.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

oSIST prEN 16370:2020
<https://standards.iteh.ai/catalog/standards/sist/e8eceaca-84de-45c8-bf0e-ea757e4c1ce0/osist-pren-16370-2020>

1 Scope

This document is applicable to sodium chloride intended for on-site electrochlorination of water intended for human consumption using membrane cells. It describes the characteristics and specifies the requirements and the corresponding test methods for sodium chloride (see Annex B). It gives information on its use in water treatment.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 901:2013, *Chemicals used for treatment of water intended for human consumption - Sodium hypochlorite*

EN 973:2009, *Chemicals used for treatment of water intended for human consumption - Sodium chloride for regeneration of ion exchangers*

EN 14805:2008, *Chemicals used for treatment of water intended for human consumption - Sodium chloride for on site electrochlorination using non-membrane technology*

EN ISO 3696, *Water for analytical laboratory use - Specification and test methods (ISO 3696:1987)*

ISO 2479, *Sodium chloride for industrial use — Determination of matter insoluble in water or in acid and preparation of principal solutions for other determinations*

ISO 2480, *Sodium chloride for industrial use — Determination of sulphate content — Barium sulphate gravimetric method*

ISO 2482, *Sodium chloride for industrial use — Determination of calcium and magnesium contents — EDTA complexometric methods*

ISO 2483, *Sodium chloride for industrial use — Determination of the loss of mass at 110 degrees C*

ISO 3165, *Sampling of chemical products for industrial use — Safety in sampling*

ISO 6206, *Chemical products for industrial use — Sampling — Vocabulary*

ISO 6227, *Chemical products for industrial use — General method for determination of chloride ions — Potentiometric method*

ISO 8213, *Chemical products for industrial use — Sampling techniques — Solid chemical products in the form of particles varying from powders to coarse lumps*

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

4 Description

4.1 Identification

4.1.1 Chemical name

Sodium chloride.

4.1.2 Synonym or common name

Salt.

4.1.3 Relative molecular mass

58,45.

4.1.4 Empirical formula

NaCl.

4.1.5 Chemical formula

NaCl.

4.1.6 CAS Registry Number¹⁾

7647-14-5.

4.1.7 EINECS Reference²⁾

231-598-3.

4.2 Commercial forms

The product is available as rock salt, sea salt or evaporated salt, and it is supplied as free-flowing crystals or their compacted forms.

ITEH STANDARD PREVIEW
(standards.iteh.ai)

oSIST prEN 16370:2020
<https://standards.iteh.ai/catalog/standards/sist/e8eceaca-84de-45c8-bf0e-ea757e4c1ce0/osist-pren-16370-2020>

¹⁾ Chemical Abstract Service Registry Number.

²⁾ European Inventory of Existing Commercial Chemical Substances.

4.3 Physical properties

4.3.1 Appearance

The product is white and crystalline.

4.3.2 Density

The density of the solid crystal is 2,16 g/cm³ at 20 °C.

The bulk density depends on the particle size distribution.

4.3.3 Solubility (in water)

The solubility of the product depends on the temperature as given in Figure 1.




Figure 1 — Solubility curve for sodium chloride in water

4.3.4 Vapour pressure

Not applicable.

4.3.5 Boiling point at 100 kPa³⁾

Not applicable.

4.3.6 Melting point

802 °C.

³⁾ 100 kPa = 1 bar.

prEN 16370:2020 (E)**4.3.7 Specific heat**

Approximately 850 J/(kg · K) at 25 °C for the solid.

4.3.8 Viscosity (dynamic)

The viscosity of the saturated solution at 20 °C is approximately 1,9 mPa · s.

4.3.9 Critical temperature

Not applicable.

4.3.10 Critical pressure

Not applicable.

4.3.11 Physical hardness

The hardness of solid salt is given as 2 to 2,5 on the Mohs' scale of hardness.

4.4 Chemical properties

Sodium chloride is stable, non-volatile and aqueous solutions have good electrical conductivity.

Sodium chloride reacts with a number of acids (e.g. sulfuric acid, phosphoric acid) and strong oxidising agents. The reactions are often complex and require heat for completion.

NOTE Under certain conditions, a sodium chloride solution can cause corrosion of metallic surfaces.

5 Purity criteria**5.1 General**

This European Standard specifies the minimum purity requirements for sodium chloride for on site electrochlorination of water intended for human consumption using membrane cells. The basic quality of the applied salt shall meet the requirements of Codex Alimentarius for Food Grade Salt, because all components of the electrolysed salt are added to drinking water. As the treatment chemical produced by this process is chlorine or sodium hypochlorite, limits have also been calculated from the requirements of EN 901 and of EN 973 under consideration of the demand of minimization for those impurities commonly present in the product and the chemical parameters. Depending on the raw material and the manufacturing process other impurities may be present and, if so, this shall be notified to the user and when necessary to relevant authorities.

Users of this product should check the national regulations in order to clarify whether it is of appropriate purity for treatment of water intended for human consumption, taking into account raw water quality, required dosage, contents of other impurities and additives used in the product not stated in this product standard.

Limits have been given for impurities and chemical parameters where these are likely to be present in significant quantities from the current production process and raw materials. If the production process or raw materials lead to significant quantities of impurities, by-products or additives being present, this shall be notified to the user.

5.2 Composition of commercial product

The composition of the commercial product shall conform to Table 1.