
**Information technology — Digitally
recorded media for information
interchange and storage — 120 mm
Single Layer (25,0 Gbytes per disk)
and Dual Layer (50,0 Gbytes per disk)
BD Recordable disk**

iTeh STANDARD PREVIEW

*Technologies de l'information — Supports enregistrés
numériquement pour échange et stockage d'information — Disques
BD enregistrables de 120 mm simple couche (25,0 Go par disque) et
double couche (50,0 Go par disque)*

ISO/IEC 30190:2016

<https://standards.iteh.ai/catalog/standards/sist/68471a59-17a7-4ce6-b05c-3386957ac3fc/iso-iec-30190-2016>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO/IEC 30190:2016

<https://standards.iteh.ai/catalog/standards/sist/68471a59-17a7-4ce6-b05c-3386957ac3fc/iso-iec-30190-2016>



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

1	Scope	1
2	Conformance	2
2.1	Optical disk	2
2.2	Generating system	2
2.3	Receiving system	2
2.4	Compatibility statement.....	2
3	Normative references.....	2
4	Terms and definitions	3
5	Conventions and notations	7
5.1	Terminology:	7
5.1.1	Meaning of words	7
5.1.2	Levels of grouping	7
5.2	Representation of numbers.....	7
5.3	Integer calculus	8
5.4	Names	8
6	List of acronyms.....	9
7	General description of disk.....	11
8	General requirements	14
8.1	Environments.....	14
8.1.1	Test environment.....	14
8.1.2	Operating environment.....	14
8.1.3	Storage environment.....	15
8.1.4	Transportation	16
8.2	Safety requirements	16
8.3	Flammability.....	16
9	Reference drive.....	16
9.1	General	16
9.2	Measurement conditions	16
9.3	Optical system	17
9.4	Optical beam	18
9.5	HF read channel.....	18
9.6	Radial PP read channel.....	18
9.7	Disk Clamping.....	19
9.8	Rotation of disk and Measurement Velocity.....	19
9.9	Normalized servo transfer function.....	20
9.10	Measurement Velocities and Reference servos for axial tracking.....	20
9.10.1	General	20
9.10.2	Reference servo for axial tracking for 1x Measurement Velocity	21
9.10.3	Reference servo for axial tracking for 2x Measurement Velocity and 3x Measurement Velocity.....	22
9.11	Measurement Velocities and Reference servos for radial tracking	23
9.11.1	General	23
9.11.2	Reference servo for radial tracking for 1x Measurement Velocity.....	23
9.11.3	Reference servo for radial tracking for 2x Measurement Velocity and 3x Measurement Velocity.....	24
10	Dimensional characteristics.....	25
10.1	General	25
10.2	Disk reference planes and reference axis.....	25

10.3	Overall dimensions.....	27
10.4	First transition Area.....	27
10.5	Protection ring	28
10.6	Clamping Zone	28
10.7	Second transition Area	28
10.8	Information Area	28
10.8.1	General.....	28
10.8.2	Subdivision of Information Zone on SL disks	29
10.8.3	Subdivision of Information Zone on DL disks	29
10.9	Rim Area	30
11	Mechanical characteristics	31
11.1	Mass.....	31
11.2	Moment of inertia.....	31
11.3	Dynamic imbalance	31
11.4	Axial runout	31
11.4.1	General.....	31
11.4.2	Residual axial tracking error for 1x Measurement Velocity	31
11.4.3	Residual axial tracking error for 2x Measurement Velocity	32
11.4.4	Residual axial tracking error for 3x Measurement Velocity	32
11.5	Radial runout.....	33
11.5.1	General.....	33
11.5.2	Residual radial tracking error for 1x Measurement Velocity on SL disks	33
11.5.3	Residual radial tracking error for 1x Measurement Velocity on DL disks	33
11.5.4	Residual radial tracking error for 2x Measurement Velocity on SL and DL disks	34
11.5.5	Residual radial tracking error for 3x Measurement Velocity on SL and DL disks	34
11.6	Durability of Cover Layer	34
11.6.1	Impact resistance of Cover Layer	34
11.6.2	Scratch resistance of Cover Layer.....	34
11.6.3	Repulsion of fingerprints by Cover Layer	35
12	Optical characteristics in Information Area.....	35
12.1	General.....	35
12.2	Refractive index of Transmission Stacks (TS).....	35
12.3	Thickness of Transmission Stacks (TS).....	35
12.3.1	Thickness of Transmission Stack of SL disks	35
12.3.2	Thickness of Transmission Stacks of DL disks	35
12.4	Reflectivity.....	37
12.4.1	Reflectivity of Recording Layer of SL disks	37
12.4.2	Reflectivity of Recording Layers of DL disks	37
12.5	Birefringence.....	37
12.6	Angular deviation.....	38
13	Data Format	39
13.1	General.....	39
13.2	Data Frame	41
13.3	Error-Detection Code (EDC)	41
13.4	Scrambled Data Frame.....	42
13.5	Data Block	43
13.6	LDC Block.....	44
13.7	LDC code-words	44
13.8	LDC Cluster	45
13.8.1	General.....	45
13.8.2	First interleaving step	45
13.8.3	Second interleaving step	45
13.9	Addressing and Control Data	47
13.9.1	General.....	47
13.9.2	Address Units.....	47
13.9.3	User-Control Data	50
13.9.4	Byte/Bit assignment for User-Control Data	50
13.10	Access Block.....	52

13.11	BIS Block	52
13.12	BIS code-words	53
13.13	BIS Cluster	53
13.14	ECC Cluster	58
13.15	Recording Frames	59
13.16	Physical Cluster	59
13.17	17PP modulation for Recordable data	60
13.17.1	General	60
13.17.2	Bit conversion rules	60
13.17.3	dc-control procedure	61
13.17.4	Frame Sync	61
13.18	Modulation and NRZI conversion	62
14	Physical Data Allocating and Linking	63
14.1	General	63
14.2	Recording-Unit Block (RUB)	63
14.2.1	General	63
14.2.2	Data Run-in	64
14.2.3	Data Run-out	65
14.2.4	Guard_3 field	66
14.3	Locating data relative to wobble addresses	66
15	Track format	67
15.1	General	67
15.2	Track shape	67
15.3	Track path	68
15.4	Track Pitch	69
15.4.1	Track Pitch in BCA Zone	69
15.4.2	Track Pitch in Embossed HFM Area	69
15.4.3	Track Pitch in Recordable Area(s)	69
15.4.4	Track Pitch between Embossed HFM Area and Recordable Area	69
15.5	Track layout of HFM Groove	69
15.5.1	General	69
15.5.2	Data Format	70
15.5.3	Addressing and Control Data	71
15.5.4	Recording Frames	75
15.6	Track layout of Wobbled Groove(s)	77
15.6.1	General	77
15.6.2	Modulation of wobbles	77
15.6.3	Wobble polarity	79
15.7	ADIP information	79
15.7.1	General	79
15.7.2	ADIP-Unit Types	79
15.7.3	ADIP word structure	80
15.7.4	ADIP data structure	82
15.7.5	ADIP error correction	84
15.8	Disk Information in ADIP Aux Frame	86
15.8.1	General	86
15.8.2	Error protection for Disk-Information Aux Frames	86
15.8.3	Disk-Information data structure	87
16	General description of Information Zone	127
16.1	General	127
16.2	Format of Information Zone on Single-Layer disk	127
16.3	Format of Information Zone on Dual-Layer disk	127
17	Layout of Recordable Area of Information Zone	127
18	Inner Zone	131
18.1	General	131
18.2	Permanent Information & Control data (PIC) Zone	133
18.2.1	General	133

18.2.2	Content of PIC Zone	133
18.2.3	Emergency Brake.....	135
18.3	Recordable Area of Inner Zone 0	136
18.3.1	Protection-Zone 2	136
18.3.2	INFO 2 / Reserved 8	137
18.3.3	INFO 2 / Reserved 7	137
18.3.4	INFO 2 / Reserved 6	137
18.3.5	INFO 2 / Reserved 5	137
18.3.6	INFO 2 / PAC 2.....	137
18.3.7	INFO 2 / DMA 2	137
18.3.8	INFO 2 / Control Data 2.....	137
18.3.9	INFO 2 / Buffer 2.....	137
18.3.10	OPC 0 / Test Zone	137
18.3.11	Usage of OPC Areas	138
18.3.12	OPC 0 / OPC 0 Buffer	139
18.3.13	TDMA 0.....	139
18.3.14	INFO 1 / Pre-write Area	139
18.3.15	INFO 1 / Drive Area	139
18.3.16	INFO 1 / DMA 1	141
18.3.17	INFO 1 / Control Data 1.....	141
18.3.18	INFO 1 / PAC 1.....	141
18.4	Recordable Area of Inner Zone 1	142
18.4.1	Buffer	142
18.4.2	OPC 1	142
18.4.3	Buffer	142
18.4.4	INFO 2 / Reserved 8	142
18.4.5	INFO 2 / Reserved 7	142
18.4.6	INFO 2 / Reserved 6	142
18.4.7	INFO 2 / Reserved 5	142
18.4.8	INFO 2 / PAC 2	142
18.4.9	INFO 2 / DMA 2	142
18.4.10	INFO 2 / Control Data 2.....	142
18.4.11	INFO 2 / Buffer 2.....	143
18.4.12	TDMA 1.....	143
18.4.13	Reserved.....	143
18.4.14	INFO 1 / Pre-write Area.....	143
18.4.15	INFO 1 / Drive Area	143
18.4.16	INFO 1 / DMA 1	143
18.4.17	INFO 1 / Control Data 1.....	143
18.4.18	INFO 1 / PAC 1.....	143
19	Data Zone.....	143
20	Outer Zone(s)	144
20.1	General.....	144
20.2	Recordable Area of Outer Zone(s)	144
20.2.1	INFO 3 / Buffer 4.....	144
20.2.2	INFO 3 / DMA 3	144
20.2.3	INFO 3 / Control Data 3.....	145
20.2.4	Angular buffer	145
20.2.5	INFO 4 / DMA 4	145
20.2.6	INFO 4 / Control Data 4.....	145
20.2.7	INFO 4 / Buffer 6.....	145
20.2.8	DCZ 0 / Test Zone and DCZ 1 / Test Zone	145
20.2.9	Usage of DCZ Area	145
20.2.10	Protection-Zone 3	147
21	Physical-Access Control Clusters	148
21.1	General.....	148
21.2	Layout of PAC Zones	148
21.3	General structure of PAC Clusters	149

iTeH STANDARD PREVIEW
(standards.itech.ai)

ISO/IEC 30190:2016
<http://standards.itech.ai/catalog/standards/sist/68471a59-17a7-4cef-b05c-3386957ac3fc/iso-iec-30190-2016>

21.4	IS1 and IS2 PAC Clusters	152
22	Disk Management	153
22.1	General	153
22.2	Recording Management.....	153
22.2.1	Sequential-Recording Mode (SRM)	153
22.2.2	Recording User Data in SRR	153
22.2.3	SRR status	154
22.2.4	Closing SRR	154
22.3	Temporary Disk-Management Areas (TDMA)	154
22.3.1	General	154
22.3.2	TDMA Access indicators	154
22.4	Disk-Management Structure (DMS)	155
22.4.1	General	155
22.4.2	Temporary Disk-Management Structure (TDMS)	155
22.4.3	TDMS in Sequential-Recording Mode	156
22.4.4	Temporary Disk-Definition Structure (TDDS)	156
22.4.5	Temporary Defect List (TDFL).....	160
22.4.6	Sequential-Recording Range Information (SRRi)	162
22.5	Unrecorded (blank) disk structure.....	164
22.5.1	General	164
22.5.2	Pre-recorded Areas on Unrecorded disk	164
22.5.3	Pre-recorded BCA	165
22.5.4	Pre-recorded INFO 2 / Reserved 5, Reserved 8 and Pre-recorded INFO 1 / Pre-write Area.....	165
22.5.5	Pre-recorded INFO 1 / PAC 1 and Pre-recorded INFO 2 / PAC 2.....	165
22.5.6	OPC 0 / Test Zone and OPC 1 / Test Zone	165
22.5.7	TDMA 0	166
22.5.8	Initialization of disk	166
22.6	Recorded (Closed) disk structure.....	166
22.6.1	General	166
22.6.2	DMA Zones	166
22.6.3	Disk-Management Structures (DMS)	167
23	Assignment of Logical-Sector Numbers (LSNs)	169
24	Characteristics of Grooved Areas	170
25	Method of testing for Grooved Area	171
25.1	General	171
25.2	Environment.....	171
25.3	Reference drive.....	171
25.3.1	General	171
25.3.2	Read power	171
25.3.3	Read channels	171
25.3.4	Tracking requirements	171
25.3.5	Scanning velocities	171
25.4	Definition of signals	172
26	Signals from HFM Groove	174
26.1	Push-Pull polarity	174
26.2	Push-Pull signal.....	174
26.3	Wobble signal	174
26.4	Jitter of HFM signal	174
27	Signals from Wobbled Groove(s)	175
27.1	Phase depth	175
27.2	Push-Pull signal.....	175
27.3	Wobble signal	175
27.3.1	General	175
27.3.2	Measurement of NWS.....	176
27.3.3	Measurement of wobble CNR.....	176
27.3.4	Measurement of harmonic distortion of wobble	176
27.4	HFM and Wobbled Groove transition requirements	176

28	Characteristics of Recording Layer	177
29	Method of testing for Recording Layer	178
29.1	General.....	178
29.2	Environment.....	178
29.3	Reference drive.....	178
29.3.1	General.....	178
29.3.2	Read power.....	178
29.3.3	Read channels.....	178
29.3.4	Tracking requirements	178
29.3.5	Scanning velocities	178
29.4	Write conditions.....	179
29.4.1	Write-pulse waveform	179
29.4.2	Write powers	180
29.4.3	Write conditions for jitter measurement	180
29.5	Definition of signals.....	180
30	Signals from Recorded Areas	182
30.1	HF signals.....	182
30.2	Modulated amplitude.....	182
30.3	Reflectivity-Modulation product.....	183
30.4	Asymmetry	183
30.5	Jitter	183
30.6	Read stability.....	184
31	Local defects	185
32	Characteristics of User Data.....	185
33	Method of testing for User Data.....	186
33.1	General.....	186
33.2	Environment.....	186
33.3	Reference drive.....	186
33.3.1	General.....	186
33.3.2	Read power.....	186
33.3.3	Read channels.....	186
33.3.4	Error correction.....	186
33.3.5	Tracking requirements	186
33.3.6	Scanning velocities	186
33.4	Definition of signals.....	187
34	Minimum quality of recorded information.....	188
34.1	Symbol Error Rate	188
34.2	Maximum burst errors.....	188
34.3	User-written Data	188
35	BCA	189
Annex A	(normative) Thickness of Transmission Stacks in case of multiple layers	190
A.1	General.....	190
A.2	Refractive Index n_i of all layers in Cover and Spacer Layers	190
A.3	Thickness variation of Transmission Stack.....	190
A.4	Example of thickness calculation for SL.....	190
Annex B	(normative) Measurement of reflectivity	191
B.1	General.....	191
B.2	Calibration method	191
B.3	Measuring method	192
Annex C	(normative) Measurement of scratch resistance of Cover Layer.....	194
C.1	General.....	194
C.2	Taber Abrasion test	194
Annex D	(normative) Measurement of repulsion of grime by Cover Layer	196
D.1	General.....	196

ITeC STANDARD PREVIEW
 (standards.iteh.ai)
 ISO/IEC 30190:2016
<https://standards.iteh.ai/catalog/standards/sis/68471a59-17a7-4cc6-b05c-3386957ac3fc/iso-iec-30190-2016>

D.2	Specifications of stamp	196
D.3	Preparation of ink	197
D.4	Preparation of ink pad.....	197
D.5	Using ink pad and stamp	198
Annex E	(normative) Measurement of wobble amplitude	199
E.1	Measurement methods	199
E.2	Calibration of filters.....	203
Annex F	(normative) Write-pulse waveform for testing	204
F.1	General write-pulse waveform	204
F.2	N-1 write strategy.....	205
F.3	N/2 write strategy.....	208
F.4	Castle write strategy	211
F.5	Definition of pulse widths and rise and fall times.....	215
Annex G	(normative) Optimum Power Control(OPC) procedure for disk	216
G.1	General	216
G.2	Mathematical model for modulation versus power function	216
G.3	Procedure for determination of OPC parameters for disk	218
G.4	Procedure to determine Beta value	218
Annex H	(normative) HF signal pre-processing for jitter measurements.....	220
H.1	General	220
H.2	General implementation of equalizer	220
H.3	Conventional Equalizer circuit.....	221
H.4	Limit Equalizer circuit	222
H.5	Specifications of supporting circuits.....	223
H.5.1	Amplifiers and filters.....	223
H.5.2	Open-loop transfer function for PLL.....	224
H.5.3	Slicer	225
H.6	Condition for measurement.....	225
H.7	Jitter measurement	226
Annex I	(normative) Measurement procedure.....	227
I.1	General	227
I.2	Initial adjustments of Reference drive	227
I.3	Jitter measurement	227
I.4	Modulated amplitude measurements	228
I.5	Measurements of Resolution I_{2pp} / I_{8pp} and I_{3pp} / I_{8pp}	228
I.5.1	Method for measuring I_{2pp} and I_{8pp}	228
I.5.2	I_{3pp} / I_{8pp} , I_{8pp} / I_{8H} and asymmetry measurement procedure	229
I.6	Tracking-error signal measurements (PP_{norm} measurement procedure).....	230
I.7	Residual error of axial tracking measurement procedure	231
I.8	Residual error of radial tracking measurement procedure.....	232
I.9	Random SER measurement	233
Annex J	(informative) Measurement of birefringence	234
J.1	Principle of measurement.....	234
J.2	Measurements conditions	234
J.3	Example of measurement procedure	235
J.4	Interchangeability of measuring results	235
Annex K	(informative) Measurement of thickness of Cover Layer and Spacer Layer	236
K.1	Focusing method.....	236
K.2	Interferometer method	237
Annex L	(informative) Measurement of impact resistance of Cover Layer	239
L.1	General	239
L.2	Recommendation for drives	239
L.3	Measurements of impact resistance of Cover Layer	239
Annex M	(informative) Groove deviation and wobble amplitude	241
M.1	Relation between normalized wobble signal and wobble amplitude.....	241

M.2 Tolerance of normalized wobble signal 241

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO/IEC 30190:2016

<https://standards.iteh.ai/catalog/standards/sist/68471a59-17a7-4ce6-b05c-3386957ac3fc/iso-iec-30190-2016>

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](http://standards.iteh.ai/catalog/standards/sist/68471a59-17a7-4ce6-b05c-3386957e32fc/iso-iec-30190-2016)

The committee responsible for this document is ISO/IEC JTC 1, *Information technology*, SC 23, *Digitally recorded media for information interchange and storage*.

This second edition cancels and replaces the first edition (ISO/IEC 30190:2013), which has been technically revised. It also incorporates the Technical Corrigendum ISO/IEC 30190:2013/Cor 1:2015.

Introduction

In March of 2002, nine companies known as the Blu-ray Disc Founders, or BDF, came together to create optical-disk formats with the large capacity and high-speed transfer rates that would be needed for recording and reproducing high-definition video content.

Then, in October of 2004, more than a hundred companies joined and the BDF became an open forum called the Blu-ray Disc Association (BDA). The BDA issued the first version of the Blu-ray Disc™ Recordable Format Part1 in October of 2005, and Version 1.3 of the Blu-ray Disc™ Recordable Format Part1 in April of 2008, which enabled the Recording Velocity up to 6x.

By the end of 2010, over a hundred million Blu-ray Disc™ had already been shipped, and Blu-ray™ devices such as players, recorders, game consoles and PC drives were in use all over the world.

The BDA also conducts verification activities for the disks and devices and has established more than 10 Testing Centers in Asia, Europe and the USA.

The BDA gave consumer applications the highest priority in the first few years. But it was known, of course, that International Standardization would be required before many government entities and their contractors would be allowed to use Blu-ray Disc™. In February and January of 2011, the chair of ISO/IEC JTC 1/SC 23 and JIIMA (Japan Image and Information Management Association) formally requested the BDA to consider International Standardization. The reason for this was to enable the inclusion of writable BDs, along with DVDs and CDs, in an International Standard specifying test methods for the estimation of lifetime of optical storage media for long-term data storage. In October 2011, the president of the BDA responded that his organization had decided to pursue International Standard of the basic physical formats for the Recordable and Rewritable Blu-ray™ Format.

<https://standards.iteh.ai/catalog/standards/sist/68471a59-17a7-4ce6-b05c-3386957cc7f6/iso-iec-30190-2016>

In December of 2011, BDA sent project proposals for the International standardization of four formats to ISO/IEC JTC 1/SC 23 via the Japan national body. They are 120 mm Single Layer (25,0 Gbytes per disk) and Dual Layer (50,0 Gbytes per disk) BD Recordable disks, 120 mm Single Layer (25,0 Gbytes per disk) and Dual Layer (50,0 Gbytes per disk) BD Rewritable disks, 120 mm Triple Layer (100,0 Gbytes per disk) and Quadruple Layer (128,0 Gbytes per disk) BD Recordable disks and a 120 mm Triple Layer (100,0 Gbytes per disk) BD Rewritable disk.

This International Standard specifies the mechanical, physical and optical characteristics of a 120 mm recordable optical disk with a capacity of 25,0 Gbytes or 50,0 Gbytes.

Some technical errors were found during the editorial work for JIS X 6230, which is the Japanese Industrial Standard identical with ISO/IEC 30190:2013. In December of 2014, a Defect Report was submitted by the Japan national body of ISO/IEC JTC 1/SC 23. The project editor proposed a Draft Technical Corrigendum for ISO/IEC 30190:2013 and it was approved by ISO/IEC JTC 1/SC 23 in May of 2015. This International Standard is the updated First edition of ISO/IEC 30190:2013, including the Technical Corrigendum and additional corrections for some minor editorial errors.

A few additional specifications are required in order to write and read video-recording applications, such as the BDMV and BDAV formats, which have been specified by the BDA for use on BD Recordable disks. These specifications, which are related to the Application, the file systems or the Content-protection system, are required for the disk, the generating system and the receiving system. For more information of the Application, the Content-protection system and the additional requirements for the Blu-ray™ Format specifications, see <http://www.blu-raydisc.info>.

The International Organization for Standardization (ISO) and International Electrotechnical Commission (IEC) draw attention to the fact that it is claimed that compliance with this International Standard may involve the use of patents.

ISO and IEC take no position concerning the evidence, validity and scope of these patent rights.

The holders of these patent rights have assumed ISO and IEC that they are willing to negotiate licenses under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statements of holders of these patent rights are registered with ISO and IEC. Information may be obtained as follows.

Hitachi Consumer Electronics Co.,Ltd.
Intellectual Property Management
292 Yoshida-cho, Totsuka-ku, Yokohama 244-0817 Japan

Hitachi, Ltd.,
IT Platform R&D Management Division Patent Strategy
322-2 Nakazato, Odawara-shi, Kanagawa-Ken 250-0872 Japan

Panasonic Corporation
Intellectual Property Center, OBP Panasonic Tower 8th Floor,
2-1-61, Shiromi, Chuoh-ku, Osaka, 540-6208, Japan

Pioneer Corporation
Intellectual Property Division, Legal & Intellectual Property Division,
1-1, Shin-Ogura, Saiwai-ku, Kawasaki-Shi, Kanagawa, 212-0031, Japan

Sony Corporation
IP Asset Management Department, Intellectual Property Division,
1-7-1, Konan, Minato-ku, Tokyo, 108-0075, Japan

Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights other than those identified above. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 30190:2016

ISO (<http://www.iso.org/patents>) and IEC (<http://patents.iec.ch>) maintain on-line databases of patents relevant to their standards. Users are encouraged to consult the databases for the most up to date information concerning patents.

NOTE Blu-ray™, Blu-ray Disc™ and the logos are trademarks of the Blu-ray Disc Association.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC 30190:2016](#)

<https://standards.iteh.ai/catalog/standards/sist/68471a59-17a7-4ce6-b05c-3386957ac3fc/iso-iec-30190-2016>

Information technology — Digitally recorded media for information interchange and storage — 120 mm Single Layer (25,0 Gbytes per disk) and Dual Layer (50,0 Gbytes per disk) BD Recordable disk

1 Scope

This International Standard specifies mechanical, physical and optical characteristics of a 120 mm recordable optical disk with a capacity of 25,0 Gbytes or 50,0 Gbytes. It specifies the quality of the recorded and unrecorded signals, the format of the data and the recording method, thereby allowing for information interchange by means of such disks. User data can be written once and read many times using a non-reversible method. This disk is identified as BD Recordable disk.

This International Standard specifies the following:

- three related but different Types of this disk;
- the conditions for conformance;
- the environments in which the disk is to be operated and stored;
- the mechanical and physical characteristics of the disk, so as to provide mechanical interchange between data processing systems;
- the format of the information on the disk, including the physical disposition of the Tracks and Sectors;
- the error-correcting codes and the coding method used;
- the characteristics of the signals recorded on the disk, enabling data processing systems to read data from the disk.

This International Standard provides for interchange of disks between disk drives. Together with a standard for volume and file structure, it provides for full data interchange between data processing systems.