



SLOVENSKI STANDARD SIST EN 301 371-2:2001

01-februar-2001

8 [[]HJbY]nVc`ýUbYVfYnj fj] bYHfY_ca i b]_UMfYfB 97 HL!`AcV]bcgh
VfYnj fj] bY[UHfYa]bUUFf HAŁ!`DfcZ`XcglcdU7 HA`f7 5 DŁ!`DfcZ`dfYg_i ýYj UbY
gdYWZ UMfYfDHGL!`&`XY.`DfYg_i ýYj UbUgdYWZ UMfUžcXj]gbUcX`dfcZ`UFDGHGL
!`DfYbcgbUfUX]g_U nU`f]Hj`fDHŁ

Digital Enhanced Cordless Telecommunications (DECT); Cordless Terminal Mobility (CTM); CTM Access Profile (CAP); Profile Test Specification (PTS); Part 2: Profile Specific Test Specification (PSTS) - Portable radio Termination (PT)

iteh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 301 371-2:2001](https://standards.iteh.ai/catalog/standards/sist/8261d8d2-d41c-4f0d-9540-890a315f0a/sist-en-301-371-2-2001)

<https://standards.iteh.ai/catalog/standards/sist/8261d8d2-d41c-4f0d-9540-890a315f0a/sist-en-301-371-2-2001>

Ta slovenski standard je istoveten z: EN 301 371-2 Version 0.0.1

ICS:

33.070.30 Öä ää) ^Á à[|za) ^ Digital Enhanced Cordless
à!^: çicã} ^Á ^\ [{ ~ } ä ää Telecommunications (DECT)
ÖÖÖVD

SIST EN 301 371-2:2001 en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 301 371-2:2001

<https://standards.iteh.ai/catalog/standards/sist/8261d8d2-d41c-4f0d-9540-890a315ff0a/sist-en-301-371-2-2001>

ETSI EN 301 371-2 V0.0.1 (1999-09)

European Standard (Telecommunications series)

**Digital Enhanced Cordless Telecommunications (DECT);
Cordless Terminal Mobility (CTM);
CTM Access Profile (CAP);
Profile Test Specification (PTS);
Part 2: Profile Specific Test Specification (PSTS) -
Portable radio Termination (PT)**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 301 371-2:2001](https://standards.iteh.ai/catalog/standards/sist/8261d8d2-d41c-4f0d-9540-890a315ff0a/sist-en-301-371-2-2001)

<https://standards.iteh.ai/catalog/standards/sist/8261d8d2-d41c-4f0d-9540-890a315ff0a/sist-en-301-371-2-2001>



Reference

DEN/DECT-040120-2 (cp0i000o.PDF)

Keywords

DECT, CTM, CAP, terminal, testing, PTS

ETSI

Postal address

F-06921 Sophia Antipolis Cedex - FRANCE

Office address

650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C

Association à but non lucratif enregistrée à la
Sous-Prefecture de Grasse (06) N° 7803/88

<https://standards.etsi.org/standards-search/301371-2-2001>
890a315fe0a/sist-en-301-371-2-2001

Internet

secretariat@etsi.fr

Individual copies of this ETSI deliverable
can be downloaded from

<http://www.etsi.org>

If you find errors in the present document, send your
comment to: editor@etsi.fr

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1999.
All rights reserved.

Contents

Intellectual Property Rights	5
Foreword	5
1 Scope.....	6
2 References	6
3 Definitions and abbreviations	8
3.1 Definitions	8
3.2 Abbreviations.....	8
4 Relevant test cases list	9
4.1 Network (NWK) layer	9
4.1.1 Test Suite Structure (TSS)	10
4.1.2 Test case index	12
4.2 Data Link Control (DLC) layer.....	15
4.3 Medium Access Control (MAC) layer	15
4.3.1 Test suite structure	16
4.3.2 Test case index	17
4.4 Physical (PH) layer	17
5 Additional test cases list	17
5.1 Test purposes	17
5.1.1 NWK layer	17
5.1.2 DLC layer	17
5.1.3 MAC layer.....	17
5.1.4 PH layer	18
5.1.5 Application layer	18
5.2 Test cases.....	18
5.2.1 NWK layer	18
5.2.2 DLC layer.....	18
5.2.3 MAC layer.....	18
5.2.4 PH layer	18
5.2.5 Application layer.....	18
Annex A (normative): Profile Implementation eXtra Information for Testing (IXIT) proforma	19
A.1 General.....	19
A.2 Profile IXIT Requirements List (XRL)	19
A.2.1 NWK layer protocol	19
A.2.2 DLC layer protocol	19
A.2.3 MAC layer protocol	19
A.2.4 PH layer protocol.....	19
A.3 Profile specific IXIT	20
A.3.1 NWK layer.....	20
A.3.2 DLC layer	20
A.3.3 MAC layer	20
A.3.4 PH layer	20
A.3.5 Application layer.....	20
A.3.6 Configuration constraints.....	20
Annex B (normative): Profile Conformance Test Report (PCTR) proforma	21
B.1 Identification summary	21
B.1.1 Profile CTR.....	21
B.1.2 Implementation Under Test (IUT)	21
B.1.3 Testing environment	22

B.1.4	Limits and reservations	22
B.1.5	Comments	22
B.2	IUT conformance status.....	22
B.3	Static conformance summary.....	23
B.4	Dynamic conformance summary	23
B.5	Static conformance review report.....	23
B.6	Test campaign report	24
B.6.1	NWK layer.....	25
B.6.2	DLC layer	26
B.6.3	MAC layer	26
B.7	Observations	26
Annex C (normative): System Conformance Test Report (SCTR) proforma		27
C.1	Identification summary	27
C.1.1	System Conformance Test Report (SCTR).....	27
C.1.2	Test laboratory	27
C.1.3	Client	28
C.1.4	System Under Test (SUT).....	28
C.1.5	Profile	28
C.1.6	Nature of conformance testing	29
C.1.7	Limits and reservations	29
C.1.8	Record of agreement	29
C.1.9	Comments	30
C.2	System report summary	30
C.2.1	Profile testing summary for CAP NWK layer PT.....	30
C.2.2	Profile testing summary for CAP DLC layer PT.....	31
C.2.3	Profile testing summary for CAP MAC layer PT	31
C.2.4	Profile testing summary for CAP PH layer PT	31
Annex D (normative): System Conformance Statement (SCS) proforma		32
D.1	Identification summary	32
D.1.1	SCS identification	32
D.1.2	IUT identification	32
D.1.3	Client identification	32
D.1.4	Supplier identification.....	33
D.1.5	Manufacturer identification.....	33
D.1.6	Protocols identification.....	34
D.1.7	Profile identification	34
D.2	Miscellaneous system information	34
D.2.1	Configuration	34
D.2.2	Other information	35
Bibliography		36
History.....		37

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://www.etsi.org/ipr>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This European Standard (Telecommunications series) has been produced by ETSI Project Digital Enhanced Cordless Telecommunications (DECT).

The CTM Access Profile (CAP) Profile Test Specification (PTS) comprises three parts:

Part 1: "Summary";

Part 2: "Profile Specific Test Specification (PSTS) - Portable radio Termination (PT)";

Part 3: "Profile Specific Test Specification (PSTS) - Fixed radio Termination (FT)".

iTeh STANDARD PREVIEW

(National transposition dates)

Date of adoption of this EN:	27 August 1999
Date of latest announcement of this EN (doa):	30 November 1999
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 May 2000
Date of withdrawal of any conflicting National Standard (dow):	31 May 2000

1 Scope

The present document contains the test specification for Digital Enhanced Cordless Telecommunications (DECT) CTM Access Profile (CAP) Portable Part (PP) applications.

The main objective of the CAP test specification is to provide approval tests giving a high probability of air interface inter-operability between different manufacturer 's equipment in different environments (i.e. public, business and residential).

The ISO standard for the methodology of conformance testing ISO/IEC 9646 Parts 1 to 7 [23] to [29] is used as the basis for the test methodology, and as the basis for the test case specification. This is considered to be unsuitable for Physical layer testing, and therefore a text description is used.

The test cases listed in the present document have been derived from the DECT Common Interface (CI) Test Case Library (TCL) [13] to [21]. In addition as far as the Physical layer is concerned EN 300 176 [9] applies. Additional CAP specific test cases are included where required. The Profile IXIT is based on the DECT CI PIXITs specified in EN 300 497 [13] to [21].

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.
- A non-specific reference to an ETS shall also be taken to refer to later versions published as an EN with the same number.

- [1] EN 301 371-1 (V0.0): "Digital Enhanced Cordless Telecommunications (DECT); Cordless Terminal Mobility (CTM); CTM Access Profile (CAP); Profile Test Specification (PTS); Part 1: Summary".
- [2] EN 300 175-1: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 1: Overview".
- [3] EN 300 175-2: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 2: Physical Layer (PHL)".
- [4] EN 300 175-3: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 3: Medium Access Control (MAC) layer".
- [5] EN 300 175-4: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 4: Data Link Control (DLC) layer".
- [6] EN 300 175-5: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 5: Network (NWK) layer".
- [7] EN 300 175-6: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 6: Identities and addressing".
- [8] EN 300 175-7: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 7: Security features".
- [9] EN 300 176: "Digital Enhanced Cordless Telecommunications (DECT); Approval test specification".

- [10] EN 300 444: "Digital Enhanced Cordless Telecommunications (DECT); Generic Access Profile (GAP)".
- [11] ETS 300 476 (all parts): "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Protocol Implementation Conformance Statement (PICS) proforma".
- [12] EN 300 494-2: "Digital Enhanced Cordless Telecommunications (DECT); Generic Access Profile (GAP); Profile Test Specification (PTS); Part 2: Profile Specific Test Specification (PSTS) - Portable radio Termination (PT)".
- [13] EN 300 497-1: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Test Case Library (TCL); Part 1: Test Suite Structure (TSS) and Test Purposes (TP) for Medium Access Control (MAC) layer".
- [14] EN 300 497-2: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Test Case Library (TCL); Part 2: Abstract Test Suite (ATS) for Medium Access Control (MAC) layer - Portable radio Termination (PT)".
- [15] EN 300 497-3: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Test Case Library (TCL); Part 3: Abstract Test Suite (ATS) for Medium Access Control (MAC) layer - Fixed radio Termination (FT)".
- [16] EN 300 497-4: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Test Case Library (TCL); Part 4: Test Suite Structure and Test Purposes (TSS&TP) - Data Link Control (DLC) layer".
- [17] EN 300 497-5: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Test Case Library (TCL); Part 5: Abstract Test Suite (ATS) - Data Link Control (DLC) layer".
- [18] EN 300 497-6: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Test Case Library (TCL); Part 6: Test Suite Structure (TSS) and Test Purposes (TP) - Network (NWK) layer - Portable radio Termination (PT)".
- [19] EN 300 497-7: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Test Case Library (TCL); Part 7: Abstract Test Suite (ATS) for Network (NWK) layer - Portable radio Termination (PT)".
- [20] EN 300 497-8: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Test Case Library (TCL); Part 8: Test Suite Structure (TSS) and Test Purposes (TP) - Network (NWK) layer - Fixed radio Termination (FT)".
- [21] EN 300 497-9: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Test Case Library (TCL); Part 9: Abstract Test Suite (ATS) for Network (NWK) layer - Fixed radio Termination (FT)".
- [22] EN 300 824: "Digital Enhanced Cordless Telecommunications (DECT); Cordless Terminal Mobility (CTM); CTM Access Profile (CAP)".
- [23] ISO/IEC 9646-1: "Information technology; Open Systems Interconnection; Conformance testing methodology and framework; Part 1: General concepts".
- [24] ISO/IEC 9646-2: "Information technology; Open Systems Interconnection; Conformance testing methodology and framework; Part 2: Abstract Test Suite specification".
- [25] ISO/IEC 9646-3: "Information technology; Open Systems Interconnection; Conformance testing methodology and framework; Part 3: The Tree and Tabular Combined Notation (TTCN)".
- [26] ISO/IEC 9646-4: "Information technology; Open Systems Interconnection; Conformance testing methodology and framework; Part 4: Test realization".
- [27] ISO/IEC 9646-5: "Information technology; Open Systems Interconnection; Conformance testing methodology and framework; Part 5: Requirements on test laboratories and clients for the conformance assessment process".

- [28] ISO/IEC 9646-6: "Information technology; Open Systems Interconnection; Conformance testing methodology and framework; Part 6: Protocol profile test specification".
- [29] ISO/IEC 9646-7: "Information technology; Open Systems Interconnection; Conformance testing methodology and framework - Part 7: Implementation Conformance Statements".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the following terms and definitions apply:

- terms defined in ISO/IEC 9646 Parts 1 to 7 [23] to [29];
- definitions in EN 300 175 Parts 1 to 7 [2] to [8];
- definitions in EN 300 444 [10];
- definitions in EN 300 824 [22].

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

ATS	Abstract Test Suite
CAP	CTM Access Profile
CC	Call Control
CI	Common Interface
CTM	Cordless Terminal Mobility
DECT	Digital Enhanced Cordless Telecommunications
DLC	Data Link Control
FT	Fixed radio Termination
GAP	Generic Access Profile
ICS	Implementation Conformance Statement
IPUI	International Portable User Identity
IUT	Implementation Under Test
IXIT	Implementation eXtra Information for Testing
LCE	Link Control Entity
LLME	Lower Layer Management Entity
MAC	Medium Access Control
MM	Mobility Management
NWK	Network
PARK	Portable Access Rights Key
PH	Physical
PICS	Protocol Implementation Conformance Statement
PIXIT	Protocol Implementation eXtra Information for Testing
PT	Portable radio Termination
PSTS	Profile Specific Test Specification
PTS	Profile Test Specification
SARI	Secondary Access Rights Identity
SUT	System Under Test
TP	Test Purposes
TPUI	Temporary Portable User Identity
TSS	Test Suite Structure

4 Relevant test cases list

4.1 Network (NWK) layer

This subclause includes lists of the test groups, and abstract test cases relevant for CAP Profile Test Specification (PTS) - Network (NWK) layer Portable radio Termination (PT) derived from EN 300 497-7 [19]. In addition all the test groups and abstract test cases relevant for GAP PTS, contained in EN 300 494-2 [12] shall apply.

NOTE: References when necessary are given based on the particular test case name unique through all test specification EN 300 497 [13] to [21].

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 301 371-2:2001](https://standards.iteh.ai/catalog/standards/sist/8261d8d2-d41c-4f0d-9540-890a315ff0a/sist-en-301-371-2-2001)

<https://standards.iteh.ai/catalog/standards/sist/8261d8d2-d41c-4f0d-9540-890a315ff0a/sist-en-301-371-2-2001>

4.1.1 Test Suite Structure (TSS)

Table 1

TSS	
Suite Name:	nwk_pt
Standards Ref:	EN 300 824 [22]; EN 300 497-7 [19]
Profile ICS Ref:	DEN/DECT-040121
Profile IXIT Ref:	EN 301 371-2
Test Method:	remote
Comments:	
Test Group Reference	Test Group Objective
PT/	To check the behaviour of the NWK layer of the PT(IUT)
PT/CC/	To check the IUT CC-state machine behaviour
PT/CC/IT/	To check that the IUT CC-state machine provides sufficient conformance for possible interconnection without trying to perform thorough testing
PT/CC/CA/	Limited testing that the observable capabilities of the CC entity of the IUT are in accordance with the static conformance requirements and the additional capabilities claimed in the PROFILE ICS/PROFILE IXIT
PT/CC/BV/	To test the CC entity of the IUT in response to syntactically and contextual correct behaviour of the test system
PT/CC/BV/OC/	To check the IUT 's behaviours to set-up an outgoing call
PT/CC/BV/IC/	To check the IUT 's behaviours to set-up an incoming call
PT/CC/BV/CI/	To check the IUT 's behaviour in information transfer procedures
PT/CC/BV/CR/	To check the IUT 's behaviours to release an outgoing/incoming call
PT/CC/BV/RS/	To check the IUT 's behaviour during call related supplementary service procedures
PT/CC/BV/HP/	To check the IUT 's behaviour during external handover procedures
PT/CC/BO/	To check the behaviour of the CC entity of the IUT in response to the messages that are syntactically correct but not allowed to occur in some states of the CC procedures
PT/CC/BI/	To check the behaviour of the CC entity of the IUT in response to invalid messages
PT/CC/TI/	To verify that the IUT CC timers are with correct values and the IUT is reacting properly to the expiry of a timer
PT/MM/	To check the behaviour of the Mobility Management (MM) entity of the IUT
PT/MM/IT/	To check that the MM entity of the IUT provides sufficient conformance for possible interconnection without trying to perform thorough testing
PT/MM/CA/	Limited testing that the observable capabilities of the MM entity of the IUT are in accordance with the static conformance requirements and the additional capabilities claimed in the PROFILE ICS/PROFILE IXIT
PT/MM/BV/	To test the MM entity of the IUT in response to syntactically and contextual correct behaviour of the test system
PT/MM/BV/ID/	To check the IUT 's behaviour concerning identity procedures
PT/MM/BV/AU/	To check the IUT 's behaviour concerning the authentication procedures
PT/MM/BV/LO/	To check the IUT 's behaviour concerning the location procedures
PT/MM/BV/AR/	To check the IUT 's behaviour concerning the access rights procedures
PT/MM/BV/KA/	To check the IUT 's behaviour concerning the key allocation procedure
PT/MM/BV/CH/	To check the IUT 's behaviour concerning the ciphering related procedures
PT/MM/BO/	To check the IUT behaviour in response to the messages that are syntactically correct but not allowed to occur in some phase of the MM procedures
PT/MM/BI/	To check the IUT in response to invalid MM messages
PT/MM/TI/	To verify that the IUT MM timers are with correct values and the IUT is reacting properly to the expiry of a timer
PT/ME/	To check the behaviour of the LLME of the IUT
PT/ME/IT/	To check that LLME of the IUT provides sufficient conformance for possible interconnection without trying to perform thorough testing
PT/ME/CA/	Limited testing that the observable capabilities of the LLME of the IUT are in accordance with the static conformance requirements and the additional capabilities claimed in the PROFILE ICS/PROFILE IXIT
PT/ME/BV/	To test the LLME of the IUT in response to syntactically and contextual correct behaviour of the test system
PT/ME/BO/	To check the IUT behaviour in response to the messages that are syntactically correct but not allowed to occur in some phase of the LLME managed procedures
PT/LC/	To check the behaviour of the LCE of the IUT