



**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[kSIST-TS FprCEN/TS 17764:2021](https://standards.iteh.ai/catalog/standards/sist/de4b9db5-2403-451b-8254-797ce64eaf67/ksist-ts-fprcen-ts-17764-2021)

<https://standards.iteh.ai/catalog/standards/sist/de4b9db5-2403-451b-8254-797ce64eaf67/ksist-ts-fprcen-ts-17764-2021>

TECHNICAL SPECIFICATION  
SPÉCIFICATION TECHNIQUE  
TECHNISCHE SPEZIFIKATION

**FINAL DRAFT**  
**FprCEN/TS 17764**

November 2021

ICS 65.080

English Version

**Inorganic fertilizers - Determination of the concentration of free, chelated or complexed micronutrients and the chelating and/or complexing agent present in compound inorganic micronutrient fertilizers**

Anorganische Spurennährstoffdüngemittel - Bestimmung der Konzentration freier, chelatisierter oder komplexgebundener Spurennährstoffe sowie der Chelatbildner und/oder Komplexbildner in einem anorganischen Mehrnährstoff-Spurenährstoffdüngemittel

This draft Technical Specification is submitted to CEN members for Vote. It has been drawn up by the Technical Committee CEN/TC 260.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

**Warning** : This document is not a Technical Specification. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a Technical Specification.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

<b>Contents</b>	<b>Page</b>
European foreword .....	3
Introduction .....	4
1 Scope.....	5
2 Normative references.....	5
3 Terms and definitions .....	7
4 Principle .....	7
5 Interferences .....	8
6 Reagents .....	8
7 Apparatus.....	8
8 Sampling and sample preparation.....	9
9 Procedure .....	9
9.1 General.....	9
9.2 Determination of the water-soluble micronutrient content.....	9
9.2.1 Extraction.....	9
9.2.2 Determination by ICP or AAS.....	9
9.3 Determination of the chelating and/or complexing agents .....	10
9.3.1 General.....	10
9.3.2 Determination of the chelated or complexed micronutrient.....	10
10 Expression of results.....	10
10.1 Introduction.....	10
10.2 Sum of water soluble micronutrient content.....	10
10.3 Sum of chelating agents content.....	11
10.4 Chelated fraction (ChF) .....	11
10.5 Sum of complexing agents content .....	12
10.6 Complexed fraction .....	12
10.7 Free micronutrients.....	12
11 Test report.....	13
Annex A (Informative) Complete names of chelating agents .....	14
Bibliography.....	15

## European foreword

This document (FprCEN/TS 17764:2021) has been prepared by Technical Committee CEN/TC 260 “Fertilizers and liming materials” the secretariat of which is held by DIN.

This document is currently submitted to the Vote on TS.

This document has been prepared under a standardization request given to CEN by the European Commission and the European Free Trade Association.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[kSIST-TS FprCEN/TS 17764:2021](https://standards.iteh.ai/catalog/standards/sist/de4b9db5-2403-451b-8254-797ce64eaf67/ksist-ts-fprcen-ts-17764-2021)

<https://standards.iteh.ai/catalog/standards/sist/de4b9db5-2403-451b-8254-797ce64eaf67/ksist-ts-fprcen-ts-17764-2021>

**FprCEN/TS 17764:2021 (E)****Introduction**

Micronutrients are considered to be, in plant nutrition, a number of elements known to be needed in small amounts for proper plant growth and development. The most common are Iron (Fe), Manganese (Mn), Molybdenum (Mo), Copper (Cu), Zinc (Zn) and Boron (B).

If an inorganic micronutrient fertilizer contains a substance, or one of the substances in the mixture, which is intended to enhance the long term availability to plants of micronutrients in the EU fertilizing products, that substance is either a chelating agent or a complexing agent.

In this document the test method is defined to be used in order to determine free, chelated or complexed micronutrients and chelating and/or complexing agents present in compound inorganic micronutrient fertilizers (classified as product function category (PFC) 1(C)(II)(b) according to Regulation (EU) 2019/1009 [7]).

This method allows the determination of the content of Co, Cu, Fe, Mn, Zn as free and/or chelated and/or complexed micronutrients.

## **iTeh STANDARD PREVIEW (standards.iteh.ai)**

[kSIST-TS FprCEN/TS 17764:2021](https://standards.iteh.ai/catalog/standards/sist/de4b9db5-2403-451b-8254-797ce64eaf67/ksist-ts-fprcen-ts-17764-2021)

<https://standards.iteh.ai/catalog/standards/sist/de4b9db5-2403-451b-8254-797ce64eaf67/ksist-ts-fprcen-ts-17764-2021>



**FprCEN/TS 17764:2021 (E)**

EN 13368-1, *Fertilizers - Determination of chelating agents in fertilizers by chromatography - Part 1: Determination of EDTA, HEEDTA and DTPA by ion chromatography*

EN 13368-2, *Fertilizers - Determination of chelating agents in fertilizers by chromatography - Part 2: Determination of Fe chelated by [o,o] EDDHA, [o,o] EDDHMA and HBED, or the amount of chelating agents, by ion pair chromatography*

EN 13368-3, *Fertilizers - Determination of chelating agents in fertilizers by chromatography - Part 3: Determination of [S,S]-EDDS by ion pair chromatography*

EN 15451, *Fertilizers - Determination of chelating agents - Determination of iron chelated by EDDHSA by ion pair chromatography*

EN 15452, *Fertilizers - Determination of chelating agents - Determination of iron chelated by o,p-EDDHA by reversed phase HPLC*

EN 15950, *Fertilizers - Determination of N-(1,2-dicarboxyethyl)-D,L-aspartic acid (Iminodisuccinic acid, IDHA) using high-performance liquid chromatography (HPLC)*

EN 15962, *Fertilizers - Determination of the complexed micro-nutrient content and of the complexed fraction of micro-nutrients*

EN 16109, *Fertilizers - Determination of complexed micro-nutrient ions in fertilizers - Identification of lignosulfonates*

EN 16847, *Fertilizers - Determination of complexing agents in fertilizers - Identification of heptagluconic acid by chromatography*

EN 16962, *Fertilizers - Extraction of water soluble micro-nutrients in fertilizers and removal of organic compounds from fertilizer extracts*

EN 16963, *Fertilizers - Determination of boron, cobalt, copper, iron, manganese, molybdenum and zinc using ICP-AES*

EN 16965, *Fertilizers - Determination of cobalt, copper, iron, manganese and zinc using flame atomic absorption spectrometry (FAAS)*

FprCEN/TS 17786-1, *Inorganic micronutrient fertilizers — Determination of the chelated micronutrient content and the chelated fraction of micronutrients — Part 1: Treatment with a cation exchange resin*

FprCEN/TS 17786-2, *Inorganic micronutrient fertilizers — Determination of the chelated micronutrient content and the chelated fraction of micronutrients — Part 2: Determination of EDTA, DTPA, HEEDTA, IDHA or EDDS*

**iTeh STANDARD PREVIEW**

(standards.iteh.ai)

kSIST-TS FprCEN/TS 17764:2021

<https://standards.iteh.ai/catalog/standards/sist/254-797ce64eaf67/ksist-ts-fprcen-ts-17764-2021>



### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 12944-1 and EN 12944-2 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

#### 3.1

##### **free micronutrient concentration**

difference between the water-soluble micronutrient concentration and the sum of the chelating and complexing agents concentration

### 4 Principle

The principle of the method is to determine the concentration of micronutrients and the chelating and/or complexing agents present in compound inorganic micronutrient fertilizer.

The content of the water-soluble micronutrient is determined using ICP or AAS methods using EN 16963 or EN 16965 standards after previous extraction using the EN 16962:2018.

The content of the chelating agent is determined using one of the following methods:

- EN 13368-1 for EDTA, DTPA and HEEDTA;
- EN 13368-2 for [o,o] EDDHA, [o,o] EDDHMA, [o,p] EDDHMA and HBED;
- EN 13368-3 for [S,S]-EDDS; [kSIST-TS FprCEN/TS 17764:2021  
https://standards.iteh.ai/catalog/standards/sist/de4b9db5-2403-451b-8254-797ce64eaf67/ksist-ts-fprcen-ts-17764-2021](https://standards.iteh.ai/catalog/standards/sist/de4b9db5-2403-451b-8254-797ce64eaf67/ksist-ts-fprcen-ts-17764-2021)
- EN 15451 for EDDHSA;
- EN 15452 for [o,p] EDDHA;
- EN 15950 for IDHA.

The chelated fraction of Fe in compound inorganic micronutrient fertilizers with Fe-UVCB (substances of unknown or variable composition, complex reaction products and biological materials) is determined by FprCEN/TS 17786-1.

The chelated fraction of compound inorganic micronutrient fertilizers containing EDTA, HEEDTA, DTPA, IDHA, [S,S]-EDDS, is calculated according to FprCEN/TS 17786-2 by comparing the water-soluble micronutrient content with the content of all chelating agents.

The content of complexing agents is determined using one of the following methods:

- EN 16847 for HGA;
- EN 16109 for lignosulfonates.

The complexed fraction is determined by EN 15962.

**FprCEN/TS 17764:2021 (E)****5 Interferences**

Other chelating agents such as DTPA, [o,o]-EDDHA or [o,p]-EDDHA do not interfere the determination of IDHA. EDTA may interfere with the determination of IDHA with some equipment, especially with certain columns in the HPLC-equipment.

In case of [S,S]-EDDS no interferences have been detected. Micronutrient chelates with [o,o] EDDHA, [o,o] EDDHMA, HBED, EDDHSA, EDTA, DTPA, HEEDTA, IDHA, [o,p] EDDHA, lignosulfonates and heptagluconic acid (HGA) as well as the chelating agents do not interfere since after Cu derivatization they are separate from Cu-[S,S]-EDDS. Since retention times depend on the column type, interferences should be checked if a mixture with other chelating or complexing agents is suspected.

**6 Reagents**

All reagents shall be of recognized analytical grade. The reagents included in the following standards shall be used:

- FprCEN/TS 17786-2 when determining the chelated fraction of compound inorganic micronutrient fertilizers containing EDTA, HEEDTA, DTPA, IDHA, [S,S]-EDDS;
- EN 13368-1 when determining the content of EDTA, HEEDTA and DTPA;
- EN 13368-2 when determining the content of [o,o] EDDHA, [o,o] EDDHMA, [o,p] EDDHMA and HBED;
- EN 13368-3 when determining the content of [S,S]-EDDS;
- EN 15451 when determining the content of EDDHSA;
- EN 15452 when determining the content of [o,p]-EDDHA;
- EN 15950 when determining the content of IDHA;
- EN 15962 when determining the complexed fraction;
- EN 16109 when determining the content of lignosulfonates;
- EN 16847 when determining the content of HGA;
- EN 16962 when extracting boron, cobalt, copper, iron, manganese, molybdenum and zinc;
- EN 16963 when determining the content of boron, cobalt, copper, iron, manganese, molybdenum and zinc by ICP-AES;
- EN 16965 when determining the content of cobalt, copper, iron, manganese and zinc by FAAS.

**7 Apparatus**

The usual laboratory apparatus and the apparatus included in the following standards shall be used:

- FprCEN/TS 17786-1 when determining the chelated fraction of Fe in compound inorganic micronutrient fertilizers with Fe-UVCB;
- FprCEN/TS 17786-2 when determining the chelated fraction of compound inorganic micronutrient fertilizers containing EDTA, HEEDTA, DTPA, IDHA, [S,S]-EDDS;